

Title Engineer District L

NEW ...XICO OIL CONSERVATION COMM...ON Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL CRAFFE

Notice must be given to the District Office of the Oil Conservation begins. If changes in the proposed plan are considered advisable, a copy Submit this notice in QUINTUPLICATE. One copy will be returned for	a Commission and approval obtained before drilling or recompletion y of this notice showing such changes will be returned to the sender following approval. See additional instructions in Rules and Regula
Submit this notice in QUINTUFLICATE. One copy will be retained a	one wing opposite
tions of the Commission.	

CONSERVATION COMMISSION TA FE, NEW MEXICO lemen: You are hereby notified that it is our intention to commence the (Drilling) (Becaution) of a well to be known as DEKALE ACRICULTURAL ASSOCIATION, IRC. AND MAGNOLIA PETROLEUM COMPAN NANCY G. STOVALL (Company or operator) (CONSERVATION COMMISSION TA FE, NEW MEXICO lemen: You are hereby notified that it is our intention to commence the (Drilling) (Resolution) of a well to be known as DEKALB AGRICULTURAL ASSOCIATION, INC. AND MAGNOLIA PETROLEUM COMPANY NANCY G. STOVALL CLEARS: Well No. 1-G in E (Unit) The we (Unit) Well No. 1-G in and 1650 feet from the line and 1650 feet from NAPM. VE LOCATION FROM SECTION LINE) If State Land the Oil and Gas Lease is No. Not If patented land the owner is. C. E. Hinkle, at al Address. We propose to drill well with drilling equipment as follows: Rotary to testal depth The status of plugging bond is. Postal M N O P We intend to complete this well in the Grayburg formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Haad Depth Sacks Cement 112 8-5/82 324 New or Second Haad Depth Sacks Cement	•••••••		La	(Place)	xas		May 19, 1956	
You are hereby notified that it is our intention to commence the (Drilling) (Branching) of a well to be known as DEKALB AGRICULTURAL ASSOCIATION, TRC. AND HAGNOLIA PRITORIUM COMPAN (Company or Operator) TRC. AND HAGNOLIA PRITORIUM COMPAN (COMPAN) TRC. AND HAGNOLIA PRITORIUM	You are hereby notified that it is our intention to commence the (Drilling) (Beautiful) of a well to be known as DEKALB ACRICULTURAL ASSOCIATION, INC. AND MAGNOLIA PETROLEUM COMPANY NANCY G. STOVALL (Lease) Company or Operator (Long) Well No. 1-G in E (Unit) (Lease) Company or Operator (Unit) (Lease) Company or Operator (Unit) (Lease) Mell No. 1-G in E (Unit) For the we (Unit) Company or Operator (Unit) For the we (Unit) Lease (Unit) For the we (Unit) Company or Operator (Unit) For the we (Unit) For the				-				
NANCY G. STOVALL (Lease) Company or Operator) RANCY G. STOVALL (Lease) Martis Ma	NANCY G. STOVALL (Company or Operator) Well No. 1-G in	lemen:							
MANCY G. STOVALL (Lease) (Le	NANCY G. STOVALL CLEARS CALL (LEARS) CALL	You are	e hereby	notified 1	hat it is our in	ricultural assoc	IATION, INC. ARD	of a well to be kno	OLEUN COMPANY
State Land the Oil and Gas Lease is No. Not	Marth Next Section Se	HAN	CY G.	STOVA	(Lease)	(Company	, Well No. 1-G	, in	The well
L K J I Drilling Contractor New or Second Hand Depth Sacks Cement	Size of Hole Size of Casing Melsh per Foot New or Second Hand Depth Sacks Cement 11	ed	330	fe	et from the	West		line and16	50 feet from t
If State Land the Oil and Gas Lease is No. Not	If State Land the Oil and Gas Lease is No. Not. If patented land the owner is. Co. E. Hinkle, et. al. Address. Rossell, New Mexico We propose to drill well with drilling equipment as follows: Rotary to total depth. The status of plugging bond is. Posted. Drilling Contractor Nestern Drilling Company, Inc. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11* S-5/8* 32* New 350 200 If changes in the above plans become advisable we will notify you immediately.		North			line of Section	, T 20-S	, R. -38-5	, NMPM.
If State Land the Oil and Gas Lease is No	If State Land the Oil and Gas Lease is No. If patented land the owner is					IE) MARTIN MART	in McLee Pool,	8	Coun
He patented land the owner is C. K. Hinkle, It al. Address Rossell, New Mexico We propose to drill well with drilling equipment as follows: Retary to tetal depth The status of plugging bond is Posted M N O P We intend to complete this well in the Grayturg formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/6** 32** New 350 200 7-7/8** 5-1/2** 14** New 4200 200	D C B A Address Rescall, Now Mexico We propose to drill well with drilling equipment as follows: Retary to total depth The status of plugging bond is Pested. Drilling Contractor Nestern Drilling Company, Inc. M N O P We intend to complete this well in the Grayburg formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11					If State Land the Oil ar	nd Gas Lease is No	E	
We propose to drill well with drilling equipment as follows: Retary to total depth The status of plugging bond is Pasted L K J I Drilling Contractor Pasted M N O P We intend to complete this well in the Grayburg formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/8** 32** New 350 200 200	We propose to drill well with drilling equipment as follows: Retary to total depth The status of plugging bond is. Pested The status of plugging bond is. The status of plugging bond is. Pested The status of plugging bond is.					If patented land the ow	ner is	linkle, et al.	
The status of plugging bond is Peaked. L K J I Drilling Contractor Western Drilling Company, Inc. M N O P We intend to complete this well in the Graywing formation at an approximate depth of L200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/8** 32** New 350 200 7-7/8** 5-1/2** 14** New 4200	Retary to total depth The status of plugging bond is. Posted The status of plugging bond is. The status of plugging bond is. Posted The status of plugging bond is. The status of plugging bond	D	C	В	A				
The status of plugging bond is	The status of plugging bond is. Company Company Company					We propose to drill well	with drilling equipment as	follows:	•••••
L K J I Drilling Contractor	L K J I Drilling Contractor	X E	F	G	н	HOLATY	ro reservations		••••••
M N O P We intend to complete this well in the CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement New 7-7/8* 324 New 350 200 7-7/8* 5-1/2* 144 New 4200	M N O P We intend to complete this well in the Graying formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/8** 32** New 350 7-7/8** 5-1/2** 14** New 4200 If changes in the above plans become advisable we will notify you immediately.	,				The status of plugging			
M N O P We intend to complete this well in the Graylung formation at an approximate depth of Lasing PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/8** 32# New 350 200 7-7/8** 5-1/2** 14# New 4200	M N O P We intend to complete this well in the Grainers formation at an approximate depth of L200 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/8** 32** New 350 7-7/8** 5-1/2** 14** New 4200 If changes in the above plans become advisable we will notify you immediately.								
Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/8** 32# New 350 200 7-7/8** 5-1/2** 14# New 4200 200	Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11** 8-5/8** 7-7/8** 14* New 4200 200 If changes in the above plans become advisable we will notify you immediately.	L	К	J 	I		••••••	•••••	
11** 8-5/8** 32# New 350 200 7-7/8** 5-1/2** 14# New 4200 200	11" 8-5/8" 32# New 350 200 7-7/8" 5-1/2" 14# New 4200 200 If changes in the above plans become advisable we will notify you immediately.	М	N	0	P	We intend to complete formation at an approx	this well in thetimate depth of	Grayburg	
7-7/8" 5-1/2" 14# Nenc 4200 200	7-7/8** 5-1/2** 14# New 4200 200 If changes in the above plans become advisable we will notify you immediately.	M We pro	N	0	P	We intend to complete formation at an approx CASING	this well in the cimate depth of PROGRAM hem as indicated:	Grayburg 4200	fe
	If changes in the above plans become advisable we will notify you immediately.	M We pro	N opose to u	0	P Illowing strings Size of Casing	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot	this well in the	Grayburg. 4200	Sacks Cement
If changes in the above plans become advisable we will notify you immediately.		M We pro	N opose to u of Hole	0	P Illowing strings Size of Casing	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot	this well in the	Grayburg 4200 Depth 350	Sacks Cement
	ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)	M We prosize of	N opose to u of Hole	O see the fo	P Illowing strings Size of Casing 8-5/8** 5-1/2**	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 324 144	this well in the	Grayburg 4200 Depth 350	Sacks Cement
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)		M We prosize of Table 110	N opose to u of Hole	O see the fo	P Illowing strings Size of Casing 8-5/8** 5-1/2** plans become a	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 325 145 advisable we will notify you	this well in the	Grayburg	Sacks Cement
		M We prosize of T-1	N opose to u of Hole	O see the fo	P Illowing strings Size of Casing 8-5/8** 5-1/2** plans become a	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 325 145 advisable we will notify you	this well in the	Grayburg	Sacks Cement
8መል ^ነ ነብ መስመ ኮ	8፬ል° 1 ቀ ⇔ ለ ጣሮኮ	M We prosize of T-1	opose to use of Hole 7/8** Inges in the ITIONAL	O ase the fo	P Illowing strings Size of Casing 8-5/6** 5-1/2** plans become a MATION (If	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 325 145 advisable we will notify you	this well in the	Grayburg	Sacks Cement
MAI 18 1956 Sincerely yours,		M We prosize of the state of th	opose to use of Hole 7/8** ITIONAL	O ase the fo	P Illowing strings Size of Casing 8-5/6** 5-1/2** plans become a MATION (If	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 325 145 advisable we will notify you	this well in the	Grayburg	Sacks Cement
proved	proved, 19,	M We prosect the state of the s	opose to u of Hole 7/8** ITIONAL	O ase the fo	P Illowing strings Size of Casing 8-5/6** 5-1/2** plans become a MATION (If	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 325 145 advisable we will notify you	this well in the	Depth 350 4200	Sacks Cement
proved	proved	M We prosect the state of the s	opose to u of Hole 7/8** ITIONAL	O ase the fo	P Illowing strings Size of Casing 8-5/6** 5-1/2** plans become a MATION (If	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 325 145 advisable we will notify you	this well in the	Depth 350 4200 vork.)	Sacks Cement
proved	proved	M We prosect the state of the s	opose to u of Hole 7/8** ITIONAL	O ase the fo	P Illowing strings Size of Casing 8-5/6** 5-1/2** plans become a MATION (If	We intend to complete formation at an approx CASING: of Casing and to cement t Weight per Foot 325 145 advisable we will notify you	this well in the	Depth 350 4200 vork.)	Sacks Cement

Address.....306 Lubbook National Building

Lubbook, Texas

and the following

DUPLICAT

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

11 No.	1	Section	8	Tov	vnship	AM 7:34 20 S	Range_	38 E NMPN
cated	1650	, Feet 1	From_	North	Line,_	330	Feet Fr	om West Lin
	Lea		Со	unty, New	Mexico	G. L.	Elevation_	35365
of 1		ng Formatio	n Op	giverg	Roe	106 7	Dedic	ated Acreage
ine or i		(Note: All d			from ou	ter bound	aries of Se	ction)
				• • • • • • • • • • • • • • • • • • •				
		0					· 	
		1650				<i>j.</i>	 	* # .
		<u> </u>	-+-		- +		 	
		330₺—	1			·	1	
	•		. B				} . 	
			1				1	
			-				+	
				1 +				
			1				†	
							1	
			 		- +		 	
			 				1	
			1					
		SCALE: 1" = 1000	<u> </u>					
If th	e answe	a Dual Comp er to Questio ally complete reage? Yes_	o.? Yes on lis ed well:	yes, are t	here r	repared f nade by m hat the sa	rom field n e or under me are tru	the above plat wa otes of actual surv my supervision ar e and correct to the and belief.