

DEPTH INTERVALFORMATION AND PERCENTAGE

4400	4410	Dolomite 100% (P)
4410	4420	Dolo. 90%, Blk. Shale 10% Tr. Chert.
4420	4430	Dolomite 100%, Tr. Chert.

Set 7" O. D. Casing 4302'. Tested 4302-4420. Swabbed 700 Bbls. Sulfur water in 10 hours. Plugged back 4331'. Swabbed 4 Bbls. Sulfur water per hour with scum dead oil. Plugged back to 4286' (into casing). Perforated (4240 - 4255). Swabbed hole dry and recovered 2 gal. per hour sulfur water with slight scum of oil with bailer. Perforated 4260- 4275. Recovered 5 gal. sulfur water per hour with bailer. Perforated 4110 4130. No change in fluid recovery. Dumped cement over perforations and prepared to deepen.

4430	4440	Dolo. 100% Tr. Chert
4440	4450	Dolo 100%
4450	4460	Dolo 100%, Tr. Blk. Shale
4460	4470	Dolo 100%, Tr. Chert
4470	4480	Dolo 100%, Tr. Chert
4480	4490	Dolo 100%, (Oolitic P)
4490	4500	Dolo 100% (P) Blk. Shale
4500	4510	Dolo. 100% (P)
4510	4520	Dolo 100%
4520	4530	Dolo 100%
4530	4540	Dolo 100%
4540	4550	Dolo 100% (P)
4550	4560	Dolo 90%, (P) Sulfur 10%
4560	4570	Dolo 100% Tr. Chert.
4570	4580	Dolo 100%
4580	4590	Dolo 100%
4590	4600	Dolo 100%
4600	4610	Dolo 100%
4610	4620	Dolo 100%
4620	4630	Dolo 100%
4630	4640	Dolo 100%
4640	4650	Dolo 100%, Tr. Any.
4650	4660	Dolo 100%, Tr. Anhy. & Chert.
4660	4670	Dolo 90%, Chert 10%
4670	4680	Dolo 100%, Tr. Anhy. & Chert.
4680	4690	Dolo 100%
4690	4700	Dolo 100%, Tr. Anhy. & Chert.
4700	4710	Dolo 90%, Chert 10%
4710	4720	Dolo 90%, Chert 10%
4720	4730	Dolo 90%, Chert 10%
4730	4740	Dolo 100%
4740	4750	Dolo 100%
4750	4760	Dolo 100%, Tr. Chert.
4760	4770	Dolo 100%, Tr. Chert.
4770	4780	Dolo 100%
4780	4790	Dolo 100% (P)
4790	4800	Dolo 100% Tr. Pink Chert
4800	4810	Dolo 100%
4810	4820	Dolo 100%
4820	4830	Dolo 100%
4830	4840	Dolo 100%
4840	4850	Dolo 100%
4850	4860	Dolo 100% (P)
4860	4870	Dolo 100% (P)
4870	4880	Dolo 100% (P)
4880	4890	Dolo 100%, (P) Tr. Chert
4890	4900	Dolo 100% (P)
4900	4910	Dolo 90%, Chert 10%
4910	4920	Dolo 100%
4920	4980	Dolo 100% (P)
4980	5000	Dolo 100%
5000	5010	Dolo 100%, Tr. Anhy. & Chert.
5010	5020	Dolo 100%, Tr. Anhy. & Chert.
5020	5030	Dolo 100%, (P) Tr. Chert.
5030	5040	Dolo 100% (PPP)
5040	5050	Dolo 95% (PP) Chert 5%
5050	5060	Dolo 100% (PP)
5060	5070	Dolo 100%, (PP)
5070	5080	Dolo 100% (PPP)
5080	5090	Dolo 100% (PPP)

E. coli O157:H7 was isolated from ground beef samples collected from retail outlets in the United States during the summer of 2000.