

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-7

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation	8. Farm or Lease Name Fred Turner, Jr. "A"
3. Address of Operator Box D, Monument, New Mexico 88265	9. Well No. 1
4. Location of Well UNIT LETTER <u>A</u> <u>990</u> FEET FROM THE <u>North</u> LINE AND <u>990</u> FEET FROM THE <u>East</u> LINE, SECTION <u>19</u> TOWNSHIP <u>20S</u> RANGE <u>38E</u> NMPM.	10. Field and Pool, or Wildcat DESIGNATED
15. Elevation (Show whether DF, RT, GR, etc.) 3547' GR	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
		OTHER <u>Progress report</u> <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1-9-86 to 1-23-86 - Pulled rods, pump & tbg. Ran 6-1/4" bit, DC's, DP & tbg. circ. hole w/ kut-brine & lo-loss and recovered 40 bbls. oil, checked top of fill in open hole at 3886', installed reverse drlg. equipment & cleaned out fill in open hole fr. 3886' to 3909'. Started drlg. 6-1/4" hole fr. 3909' & drld. to 4150', circ. hole clean, pulled tbg., DP, DC's & bit. Dresser Atlas ran cual laterolog w/GR fr. 4150' to 3708' & compensating neutron log w/formatic density & GR fr. 4150' to 3708'. Ran 7" pkr. on 2-7/8" tbg., set pkr. at 3680' & swabbed, had good gas. Pulled tbg. & pkr. & ran 2-7/8" tbg., pump & rods & started pump testing.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Eddie W. Seay TITLE Supv. Adm. Ser. DATE 1-23-86

Eddie W. Seay
Oil & Gas Inspector

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

JAN 27 1986