

C.H. Well #12

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy		T. Canyon	T. Ojo Alamo	T. Penn "B"
T. Salt	2500	T. Strawn	T. Kirtland-Fruitland	T. Penn "C"
B. Salt		T. Atoka	T. Pictured Cliffs	T. Penn "D"
T. Yates	2660	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	2900	T. Devonian	T. Menefee	T. Madison
T. Queen	3460	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	3725	T. Montoya	T. Mancos	T. McCracken
T. San Andres		T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta		T. McKee	T. Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	T.
T. Blinberry		T. Gr. Wash	T. Morrison	T.
T. Tubb		T. Delaware Sand	T. Todilto	T.
T. Drinkard		T. Bone Springs	T. Entrada	T.
T. Abo			T. Wingate	T.
T. Wolfcamp			T. Chinle	T.
T. Penn			T. Permian	T.
T. Cisco (Bough C)			T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____	No. 3, from _____ to _____
No. 2, from _____ to _____	No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in the hole.

No. 1, from _____ to _____	feet
No. 2, from _____ to _____	feet
No. 3, from _____ to _____	feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
Surf	1350	1350	Red Bed				
1350	2500	1150	Anhydrite				
2500	2660	160	Anhydrite				
2660	2900	240	Sand				
2900	3460	560	Dolomite, S. Lime				
3460	3725	265	Sand, Dolomite				