X

(SUBMIT IN TRIPLICATE)

Land Office Las Cruces Lease No. LC 068387 Unic Bell Lake

orm Approved.

'udget Bureau No. 42-R358.4.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DR	111	SUBSEQUENT REPORT OF WATER SHUT-OFF					
	ANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.					
	ST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.					
NOTICE OF INTENTION TO RE-	-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.					
NOTICE OF INTENTION TO SHE	OOT OR ACIDIZE						
NOTICE OF INTENTION TO PUI	LL OR ALIER CASING	SUPPLEMENTARY WELL HISTORY					
NOTICE OF INTENTION TO ABA	ANDON WELL						
((IND)CATE ABOVE BY CHECK MARK	(NATURE OF REPORT, NOTICE, OR OTHER DATA)					
Bell Lake Unit		April 19 , 19 63					
	located 1980 ft. from	XXXX 1. S line and 1980 ft. from W line of sec. 18 34E NMPM					
(½ Sec. and Sec. No.)	(Twp.)	(Range) (Meridian)					
Wildcat	Lea	New Mexico or Subdivision) (State or Territory)					
(Field)	(County o	or Subdivision) (State or Territory)					
(State names of and expected de It is our intention t	opths to objective sands; show size ing points, and all o	es, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) at the above location to an approxima:					
It is our intention t depth of 8,900' to at casing points will be	o drill a well stempt a complet comented in ac	es, weights, and lengths of proposed casings; indicate mudding jobs, comentation the above location to an approximation in the Bone Spring horizon. All cordance with approved methods of ments will be complied with.					
It is our intention to depth of 8,900' to at casing points will be the U.S.G.S. and any It is planned to use casing to be set at 1 circualte. 7 7/8" how/860 sacks cement and	tempt a complet cemented in ac special require the following c 200° and cement ole, 5 1/2" casing 90 gal. latex	at the above location to an approximation in the Bone Spring horizon. All cordance with approved methods of ments will be complied with. asing pattern: 12 1/4" hole, 8 5/8" ed w/1,000 sacks cement. Cement is tong to be set at 8900' and cemented. Cement is to return to 4000'.					
It is our intention to depth of 8,900' to at casing points will be the U.S.G.S. and any It is planned to use casing to be set at 1 circualte. 7 7/8" how/860 sacks cement an Permission is request	tempt a complet comment a complet commented in ac special require the following c.200° and comment ole, 5 1/2" casind 90 gal. latex and to perform to	at the above location to an approximation in the Bone Spring horizon. All cordance with approved methods of ments will be complied with. asing pattern: 12 1/4" hole, 8 5/8" ed w/1,000 sacks cement. Cement is tong to be set at 8900° and cemented					
It is our intention to depth of 8,900° to at casing points will be the U.S.G.S. and any It is planned to use casing to be set at 1 circualte. 7 7/8" how/860 sacks cement and Permission is request well upon completion.	tempt a complet cemented in ac special require the following c 200° and cement ole, 5 1/2" casi ad 90 gal. latex and to perform the following content of work must receive approval in	at the above location to an approximation in the Bone Spring horizon. All cordance with approved methods of ments will be complied with. asing pattern: 12 1/4" hole, 8 5/8" ed w/1,000 sacks cement. Cement is tong to be set at 8900' and cemented. Cement is to return to 4000'. he above work and to produce this writing by the Geological Survey before operations may be commenced.					
It is our intention to depth of 8,900° to at casing points will be the U.S.G.S. and any It is planned to use casing to be set at 1 circualte. 7 7/8" how/860 sacks cement and Permission is request well upon completion.	tempt a complet cemented in ac special require the following c 200° and cement ole, 5 1/2" casi ad 90 gal. latex sed to perform to	at the above location to an approximation in the Bone Spring horizon. All cordance with approved methods of ments will be complied with. asing pattern: 12 1/4" hole, 8 5/8" ed w/1,000 sacks cement. Cement is tong to be set at 8900' and cemented. Cement is to return to 4000'. he above work and to produce this writing by the Geological Survey before operations may be commenced.					
It is our intention to depth of 8,900' to at casing points will be the U.S.G.S. and any It is planned to use casing to be set at 1 circualte. 7 7/8" how/860 sacks cement and Permission is request well upon completion.	tempt a complet cemented in ac special require the following c 200° and cement ole, 5 1/2" casi ad 90 gal. latex and to perform the following content of work must receive approval in	at the above location to an approximation in the Bone Spring horizon. All cordance with approved methods of ments will be complied with. asing pattern: 12 1/4" hole, 8 5/8" ed w/1,000 sacks cement. Cement is tong to be set at 8900' and cemented. Cement is to return to 4000'. he above work and to produce this writing by the Geological Survey before operations may be commenced.					
It is our intention to depth of 8,900' to at casing points will be the U.S.G.S. and any It is planned to use casing to be set at 1 circualte. 77/8" how/860 sacks cement and Permission is request well upon completion. I understand that this plan of Company Continent Address Box 427	tempt a complet cemented in ac special require the following c 200° and cement ole, 5 1/2" casi ad 90 gal. latex and to perform the following content of work must receive approval in	at the above location to an approximation in the Bone Spring horizon. All cordance with approved methods of ments will be complied with. asing pattern: 12 1/4" hole, 8 5/8" ed w/1,000 sacks cement. Cement is tong to be set at 8900' and cemented. Cement is to return to 4000'. he above work and to produce this writing by the Geological Survey before operations may be commenced.					

≯.

The second secon

ఆయుగ్రామం కుండి కుండి కూడా కొండి అంది ఉంది. అంటా చేశ్రమ్ను కార్మిక్స్ కుండి కుండి కుండి కుండి కుండి కుండి కుండ మెక్క్ ఎట్టిండా తాందిన అంటుకుండిన తెలుగుల కుండి కుండి కింక్స్ కుండి కుండి కిండి కుండి కుండి కుండి కిండి కుండి క కార్మిక్స్ కారామం ప్రాయాన్యక్షా కోండికి కుండికుండిన కుండికుండిన కుండికుండి కుండికుండి కుండి కుండి కుండికుండిన మండుకుండికుండి మండుకుండి తెలుగు కుండికుండిన మండుకుండిన కుండికుండిన కుండికుండికుండి.

្រុងស្រុក បានស្រុក ម៉ាស់ ស្រែក ស ស្រុក ស្រុក ស្រុក ស្រុក ស្រែក ស្រេក ស្រេក ស ស្រុក ស្រែក ស ស្រែក ស្រ

ు కా**కుకుమ్యాను** కంగా**ు క**్వేగు⊁ మందండక దక్కు ముద్ద్రపై కోవి ఉంది. ఈ సంగటను ప్రత్యేశాలు సంగటను మందర్గా కార్యం

e appearance and a second

and the cases of carriers at a free

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128

WELL LOCATION AND ACREAGE DEDICATION PLAT

	SEE II	ISTRUCTIO			G THIS FORM	W THE R	EVERSE SIDI	Ē	
Operator				SECTI	ON A				
_	TINENTAL O	W 60		Lease		AFR	22 M	7 g Bern N	ð.
Unit Letter	Section	Township		18-	BELL LA		IT.		9
к	18		23 SOUTH		-	County		_	
Actual Footage Li					34 EAST	Ц		LEA	
1980		SOUTH	line and	•	1980 fe	et from the	WEST	line	
Ground Level Elev				Pool				Dedicated Act	2000
	Bone	Spring		Bo	ne Sprin	£ .		40	Acres
1. Is the Operator						'	X	<u> </u>	
1. Is the Operator	the only owner to	ine dedical	ied actenge out	tlined or	the plat below	.) VEC	NA	(''Ouner'' me	ens the person
enother. (65-	ght to drill into an 3–29 (e) NMSA 19	e to produce	i from any pool	and to	appropriate the	production	either for bis	mself or for bim.	self and
2. If the asswer to wise? YES	o question one is	"no," have	the interests o	of all ch.	· compare have a	1:4 -			
		. OTTO ACT IN	VEB. LVDC (OI L.OBAC	Midabiaa			tization agreem	ent or other-
J. If the answer to	question two is	"no," list a	ill the owners s	and their	respective into	eresta belo			
Owner					Land Descrip				
						-102			

		SECT	ION B				٦	_	
		·	T					CERTIFICATI	DN
	ļ						I hereby	certify that the	
j	ļ				1		in SECTI	ON A above is	intoimetion
l	ľ				# 			he best of my ki	
	i						belief.	-	•
	!		1		İ				
L			1		!		Name	(1) S	
			<u> </u>		+		Position	Lax	clen
	i				1		Asst	. Dist. S	haperin-
	į				1	1	Сопрелу		- tooler
	ļ				j		Cont.	Lacutal C	ilco.
	ļ		İ		i	ı	Date	10 100	
	i				!	I	Apra	1 19, 196	3
					1				
					!				
		I	Į				t hereby c	ertify that the w	eli location
198	0' 	·	I		į	- 1	plotted fro	the plat in SECT m field notes of	TION B was
					i		surveys m	ade by me or up	ectors
					1			n, and that the	
					i		and correct	to the best of	my knowledge
		, 1			T		and belief.		
	680					ł			
	1 -	•			İ	į	Date Surve	yed	
					!		APRI	L 18, 1963	
		- 1				}	Registe red	Professional E	agiaeer
	i	1			1	Ì	and/or Las	d Surveyor, JO	HN W WEST
								D 1.1	1.11
330 660 000) 1320 HGD 190	0 230 24	10 2000				Conflicate	mu	WINT
			- 200	/500	NOOO 50	0	N. M J		n 474