

WRS COMPLETION REPORTCOMPLETIONS SEC 30 TWP 22S RGE 38E
PI# 30-T-0020 09/15/86 30-025-25257-0002 PAGE 1NMEX LEA * 800FNL 2250FEL SEC
STATE COUNTY FOOTAGE SPOT
CHEVRON USA D X DO
OPERATOR WELL CLASS INIT FIN
10 VIVIAN
WELL NO. LEASE NAME
3362GR BRUNSON S
OPER ELEV FIELD/POOL/AREA
API 30-025-25257-0002LEASE TYPE/NO. PERMIT OR WELL I.D. NO.
08/25/1986 08/29/1986 OIL-WO
SPUD DATE COMP. DATE TYPE TOOL STATUS
7286 ABO NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 7588 PB 7286 OTD 7588 FM/TD GRANITE
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.
LOCATION DESCRIPTION

5 MI SE EUNICE, NM

TUBING DATA

TBG 2 7/8 AT 6535

INITIAL POTENTIALIPF 209BOPD 619 MCFD 12/64CK 24HRS
ABO PERF W/ 1/FT 6569- 7245 003
PERF 6569- 7245
ACID 6569- 7245 5000GALS
15% HCL
ACFR 6569- 7245 28000GALS
HCL
TP 900
GTY 44.8 GOR 2962
FCP PKRPRODUCTION TEST DATAGR WSH PERF 7392- 7398 001
PERF 7392- 7398
BRPG 7392- 7398 DEPTH 7310
DRINKARD PERF 6310- 6496 002
PERF 6310- 6496
SQZD 6310- 6496 W/ 300S
SQZD & DOC TO 7286

CONTINUED IC# 300257025786

Copyrighted
Reproduction
ProhibitedPetroleum Information
CORPORATIONPI-WRS-GE1
Form No 187

COMPLETIONS SEC 30 TWP 22S RGE 38E
PI# 30-T-0020 09/15/86 30-025-25257-0002 PAGE 2

CHEVRON USA
10

VIVIAN

D X DO

DRILLING PROGRESS DETAILS

CHEVRON USA
BOX 670
HOBBS, NM 88240
OWWO: OLD INFO: FORMERLY GULF OIL CORP
#10 VIVIAN. ELEV 3362 GR. SPUD 8/8/76.
OTD 7588. PB 7575. COMP 8/18/76. IPF 19 BOPD,
IPF 270 BOPD. PROD ZONE: DRINKARD 6310-6496;
GRANITE WASH 7392-7398.
09/10 LOC/1986/
09/10 7588 TD, PB 7286
COMP 8/29/86, IPF 209 BO, 619 MCFGPD,
12/64 CK, GOR 2962, GTY 44.8
FTP 900, FCP PKR
PROD ZONE - ABO 6569-7245
FIRST REPORT & COMPLETION

9 5/8" at 1194' w/550 sx
7" at 7588' w/2175 sx

WELL CLASS:		D		FIN		DO	
INMT.		DATUM		FORMATION		DATUM	
TD	7588' (GRNT)			P80	7575'		

CONTR	Fillin	OPR'S ELEV	3362' GL	PD	7500' RI
-------	--------	------------	----------	----	----------

F.R. 3-22-76
(Granite Wash)
4-5-76 TD 1194'; Fsg
4-12-76 Drlg 3544' lm
4-19-76 Drlg 6080' lm & sh
4-26-76 Drlg 7173' lm & dolo
5-3-76 TD 7588'; WOC
5-10-76 TD 7588'; WOCU
5-17-76 TD 7588'; PBD 7575'; SI Frac
Perf (Granite Wash) 7392-98' w/4 SPF
Acid (7392-98') 2000 gals
Frac (7392-98') 25,000 gals oil + 30,000# sd
5-24-76 TD 7588'; PBD 7575'; Complete
LOG TOPS: Anhydrite 1185', Salt 1275', Yates
2574', Queen 3394', San Andres 3989'. Glorieta
5126', Tubb 6010', Drinkard 6293', Abc 6610',

5-5- 11 NM

✓ LEA
GULF OIL CORP.

Wantz
10 Vivian
Sec 30, T22S, R38E

NM
Page #2

5-24-76

Continued

5-29-76

Detrital 7300' Granite Wash 7367'
COMPLETION ISSUED

5-5- 11 NM
IC 30-025-70076-76