

O+6 - USGS (P.O. Drawer 1857, Roswell, NM) 1 - CK-Foreman
1 - Admin U -Midland 1 file
1 - JIM-Engr.

SUBMIT IN TRIPLICATE

(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1425.UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

HOBBS, NEW MEXICO 88240

LEASE DESIGNATION AND SERIAL NO.

LC-067968

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☐ RE-ENTER X DEEPEN ☐ PLUG BACK ☐

b. TYPE OF WELL

OIL WELL ☒ GAS WELL ☐ OTHER ☐ SINGLE ZONE ☐ MULTIPLE ZONE ☐

2. NAME OF OPERATOR

Getty Oil Company

3. ADDRESS OF OPERATOR

P. O. Box 730, Hobbs, NM 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)

At surface

Unit 1tr. P 330' FSL & 660' FEL

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

8 miles Northeast of Jal, New Mexico

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

16. NO. OF ACRES IN LEASE

19. PROPOSED DEPTH

3655'

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40

20. ROTARY OR CABLE TOOLS

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

3145' DF

22. APPROX. DATE WORK WILL START*

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
	10 3/4"		280'	250 SXS
	7"		3655'	775 SXS

This well was plugged during 1974 due to being uneconomical to operate, with the increase in crude oil prices Getty proposes to drill out the cement plugs, acidize the Queen pay and place well back on production in the following manner:

- 1) Rig up pulling unit.
- 2) Weld wellhead flange onto 7" csg.
- 3) Install BOP.
- 4) Drill out plugs to TD.
- 5) Test casing.
- 6) Run GR-Neutron log. Perforate upper Queen as necessary.
- 7) Acidize with 4500 gal. 20% HCl.
- 8) Swab test.
- 9) Place well on production.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM. If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

Dale R. Crockett

TITLE Area Superintendent

DATE August 20, 1981

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE


DATE

CONDITIONS OF APPROVAL SEP 8 1981

FOR

JAMES A. GILLHAM
DISTRICT SUPERVISOR

*See Instructions On Reverse Side

U.S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO