UN., ED STATES SUBMIT IN TRIP (Other instructions on reverse side) GEOLOGICAL SURVEY SUBMIT IN TRIP (Other instructions on reverse side) WING 88240 NM 40658

| GEOLOGICAL SOLVET | 1-11 | | | | |
|---|--|--|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) | 6. IF INDIAN, AULOTTEE OR TRIBE NAME 7. UNIT AGREEMENT NAME | | | | |
| OIL GAS | | | | | |
| WELL X WELL OTHER NAME OF OPERATOR | S. FARM OR LEASE NAME | | | | |
| Alpha Twenty-One Production Company | Buckskin Federal 9. WELL NO. | | | | |
| ADDRESS OF OPERATOR | | | | | |
| 2100 First National Bank Building, Midland, Texas 79701 | 3 | | | | |
| LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) | 10. FIELD AND FOOL, OR WILDCAT | | | | |
| At surface | Dollarhide Tubb-Drinkard | | | | |
| 1650 FSL and 1980 FWL | 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA | | | | |
| | Sec. 18, T24S, R38E | | | | |
| 4. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) | 12. COUNTY OR PARISH 13. STATE | | | | |
| 3181 Ground Level | lea N. M. | | | | |
| 6. Check Appropriate Box To Indicate Nature of Notice, Report, or | Other Data | | | | |
| NOTICE OF INTENTION TO: | | | | | |
| TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF | REPAIRING WELL | | | | |
| FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT | | | | | |
| SHOUT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING | SHOOTING OR ACIDIZING ABANDONMENT* | | | | |
| | | | | | |
| · - · - · - · - · - · · · · · · · · · · | (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) | | | | |
| 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent date, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertinent to this work.)* | s, including estimated date of starting any cal depths for all markers and zones perti- | | | | |
| 5-5-81 Perforate the following: 6710, 6711, 6712, 6719, 6726 | 6, 6727, 6728, 6729, 6731, 6° | | | | |
| 6737, 6738, 6739, 6740. | | | | | |
| 5- 6-81 Acidized with 3100 Gals. Recovered Load and Formation Water. Trace of oil. | | | | | |
| • | 5-15-81 Squeezed 6710 to 6740 with 500 sx. Class C Cement. | | | | |
| 5-19-81 Drilled out cement and pressure test casing to 1000 Lbs. Held O.K. | | | | | |
| 5-20-81 Perforated the following: 6726, 6727, 6728, 6729, 67 and 6740 | /31, 6733, 6737, 6738, 6739, | | | | |
| 5-21-81 Acidized with 750 Gals. Recovered Load and Formation Water. No Show. | | | | | |
| 6-18-81 Set CIBP at 6620' and dumped 35' of Cement on Top. | 6-18-81 Set CIBP at 6620' and dumped 35' of Cement on Top. | | | | |
| Perforated the following: 6288, 6290, 6292, 6294, 62 | | | | | |
| 6343, 6348, 6353, 6354, 6360, 6362, 6364, 6367, 637 | /U, 6371, 6387, 6389, 6401, | | | | |
| 6403, 6455, 6456, 6457, 6458, 6459, 6461. 6-19-81 Acidized with 5000 Gal. Acid. Recovered Load and For | rmation Water No Char | | | | |
| 6-26-81 Set CIBP at 6200' and Dumped 35' of Cement on Top. | imacion water. No Snow. | | | | |
| Perforated the following: 5724, 5726, 6727, 6730, 5 | 732, 5772, 5775, 5777, 5787 | | | | |
| 6790, 5796, 5798, 5799, 5839, 5842, 5869, 6871, 588 | 89, 5892, 5894, 5896. | | | | |
| | | | | | |
| 3-31-81 Prepare to Attempt Completion in the Glorieta. | | | | | |

| 18. I hereby certify that the foregoing is true and correct SIGNED | TITLE _ | Executive Vice President | DATE _ | 8-31-81 |
|---|---------|--------------------------|--------|---------|
| (This space for Crucian or State office use) APPROVED BY CONDITIONS OF A SARBOVAL OF 1984: | TITLE _ | | DATE _ | |

U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO *See Instructions on Reverse Side