RECEIVED:	REVIEWER:	TYPE:	APP NO:	
	- Geologi	ABOVE THIS TABLE FOR OCD CO OIL CONSERV Cal & Engineerin rancis Drive, San	ATION DIVISION g Bureau –	SOF NEW ACTOR
THIS C	CHECKLIST IS MANDATORY FOR A		ION CHECKLIST ATIONS FOR EXCEPTIONS TO DIVISION RUL E DIVISION LEVEL IN SANTA FE	LES AND
Pool:			Pool Code:	
SUBMIT ACCURA	ATE AND COMPLETE IN	FORMATION REQUINDICATED BELO	IRED TO PROCESS THE TYPE O	F APPLICATION
A. Location	CATION: Check those - Spacing Unit - Simul NSL □ NSP _{(P}		on	
[] Com [[] Injec	ne only for [1] or [1] mingling – Storage – M DHC	PLC □PC □(ure Increase – Enh	anced Oil Recovery	
A. Offset B. Royal C. Applic D. Notific E. Surfac G. For all	A REQUIRED TO: Check operators or lease ho ty, overriding royalty ocation requires publish cation and/or concurred owner of the above, proof of tice required	Iders wners, revenue ov led notice ent approval by S ent approval by B	vners O No Ap Co	or och only tice Complete plication ontent omplete or,
administrative understand th	approval is accurate	and complete to ken on this applic	Ibmitted with this application the best of my knowledge. I ation until the required inforr	also
No	ote: Statement must be compl	eted by an individual wit	n managerial and/or supervisory capa	city.
			Date	
Print or Type Name				
			Phone Number	
Chervlei	ne Weston			
Signature			e-mail Address	

<u>District I</u> 1625 N. French Drive, Hobbs, NM 88240

<u>District II</u> 811 S. First St., Artesia, NM 88210

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

APPLICATION FOR DOWNHOLE COMMINGLING

Form C-107A
Revised August 1, 2011

APPLICATION TYPE

7 11	LICITION
Single	Well

Establish Pre-Approved Pools
EXISTING WELLBORE

__X___ Yes ____No

Hilcorp Energy Company Operator	382 Road 3100, A Add	ztec, NM 87410 Iress	
San Juan 28-6 Unit		7N-R06W	Rio Arriba
Lease OGRID No. 372171 Property Co		Section-Township-Range 0-039-20619 Lease Type: X	County Federal State Fee
110, <u>372171</u> 110perty ee	<u> </u>		
DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE
Pool Name	Blanco-Mesaverde (Prorated Gas)	Basin Mancos	Basin Dakota (Prorated Gas)
Pool Code	72319	97232	71599
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	4125' - 5725'	6487' - 6919'	7375' – 7588'
Method of Production (Flowing or Artificial Lift)	NEW ZONE	NEW ZONE	Artificial Lift
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	1518 psi	2015 psi	1713 psi
Oil Gravity or Gas BTU (Degree API or Gas BTU)	1264 BTU	1269 BTU	1111 BTU
Producing, Shut-In or New Zone	NEW ZONE	NEW ZONE	PRODUCING
Date and Oil/Gas/Water Rates of Last Production.	Date:	Date:	Date: 6/1/2023
(Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.)	Rates:	Rates:	Rates: 2,282 Mcf-Gas 0 Bbl-Oil 15 Bbl-Water
Fixed Allocation Percentage (Note: If allocation is based upon something other	Oil Gas	Oil Gas	Oil Gas
than current or past production, supporting data or explanation will be required.)	Please see attachments	Please see attachments	Please see attachments
	<u>ADDITIO</u>	NAL DATA	
Are all working, royalty and overriding If not, have all working, royalty and over			Yes NoX Yes NoX
Are all produced fluids from all commit	ngled zones compatible with each of	other?	YesX No
Will commingling decrease the value of	production?		Yes NoX
If this well is on, or communitized with or the United States Bureau of Land Ma			YesX No
NMOCD Reference Case No. applicabl	e to this well: R-1368	1	
Attachments: C-102 for each zone to be comming Production curve for each zone for a For zones with no production histor Data to support allocation method of Notification list of working, royalty Any additional statements, data or design to the comment of the c	at least one year. (If not available, y, estimated production rates and s r formula. and overriding royalty interests fo	attach explanation.) upporting data. r uncommon interest cases.	
	PRE-APPRO	OVED POOLS	
If application is	to establish Pre-Approved Pools, th	ne following additional information wi	ll be required:
List of other orders approving downhold List of all operators within the proposed Proof that all operators within the proposed Bottomhole pressure data.	Pre-Approved Pools		
I hereby certify that the information	above is true and complete to t	he best of my knowledge and belie	ef.
SIGNATURE <u>Cherylene W</u>	<u>/eston</u> TITLE_	Operations/Regulatory Technician	_ DATE08/22/2023
TYPE OR PRINT NAME Cho	erylene Weston	TELEPHONE NO. (7	713) 289-2615

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 338714

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-20619	72319	BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 183
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6412


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G		27N	06W		1840	N	1565	E	RIO
									ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Ac 320.	cres .00 E/2		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Kandis Roland Title: Regulatory Tech Date: 4/19/2023

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Kilven
Date of Survey: 4/26/1973
Certificate Number: 1760

Form C-102 August 1, 2011

Permit 338714

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

ASIN MANCOS
3
12

10. Surface Location

	UL - Lot		Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
١	(G	13	271	06W		1840	N	1565	E	RIO
١											ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	12. Dedicated Acres 320.00				14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston

Title: Cherylene Weston

Date: 7/18/2023

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.


Surveyed By: David Kilven
Date of Survey: 4/26/1973
Certificate Number: 1760


NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT


Form C-102 Supersedes C-128 Effective 1-1-65


All distances must be from the outer boundaries of the Section.

Cperator EL PASO NAT	URAL GAS COMPANY	SAN JUAN 28-6 UNIT	(SF-0 793 63)	Well tic. 183
Unit Letter Section 13	Township 27-N	Range County	RIO ARRIBA	
Actual Feetage Location of Well 1840 feet from	NORTH	1565 feet from the	e EAST	lu.o.
Ground Level Elev. Produ	ucing Fermution DAKOTA	BAS IN DAKOTA		Por Activities Acres Acres
1. Outline the acreage	dedicated to the subject we	ll by colored pencil or hach	are marks on the plat	be FPFII A
interest and royalty)			/	TOLIT LED
3. If more than one lea	ase of different ownership is o ation, unitization, force-pooli	dedicated to the well, have thing. etc?	ne interests of all o	APR 27 1973 li- IL CON. COM.
X Yes No	If answer is "yes!" type o	f consolidation		
If answer is "no," l this form if necessar	ist the owners and tract desc	riptions which have actually	been consolidated. (Use reverse side of
	assigned to the well until all nerwise) or until a non-standard			
!	10.00.00.00.00.00.00.00.00.00.00.00.00.0		CER1	TIFICATION
		i i	I hereby certify t	that the information con-
		40,	tained herein is best of my knowl	true and complete to the edge and belief.
		184	Original Signe	ed F. H. WOOD
	+ 💸		Petroleum	
				tural Gas Co.
		SF-079363 1565'	April 26, 1	.973
	(274 SEC_ 21 1.3	1	Date	
. I	X		BIV!	that the well location at was plotted from field
1			MCA	surveys made by me or sion, and that the same
			is true and con knowledge and be	rect to the best of my elief.
+-		+ ""	∷ X X	
		1	APRIL 12,	1973
i i		FEE	Registore : Ercfess drate of April Digwee	nor d Engineer
			Want (Miller
0 330 660 90 1320	1650 1980 2310 2640 2000	1500 1000 500	Certificate No. 1	.760









Formation	Yield (bbl/MM)	Remaining Reserves (MMcf)	% Oil Allocation
DK	1.83	559	16%
MC	10	321	51%
MV	3.1	668	33%
			100%

Page 8 of 37

BUREAU OF LAND MANAGEMENT

Well Name: SAN JUAN 28-6 UNIT

Well Location: T27N / R6W / SEC 13 /

SWNE / 36.576523 / -107.414322

County or Parish/State: RIO

ARRIBA / NM

Well Number: 183

Type of Well: CONVENTIONAL GAS

WELL

Lease Number: NMSF079363 Unit or CA Name: SAN JUAN 28-6

UNIT--DK

Allottee or Tribe Name:

Unit or CA Number: NMNM78412C

US Well Number: 3003920619

Well Status: Producing Gas Well

Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2737218

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 07/07/2023

Time Sundry Submitted: 11:51

Date proposed operation will begin: 08/01/2023

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Mancos and Mesaverde and downhole commingle with the existing Dakota formation. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 6/13/2023 with Roger Herrera/BLM. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

SJ_28_6_183_Rev_Procedure_20230707115037.pdf

Notify NMOCD 24 Hours Prior to beginning operations

DHC required

The CBL proposed in the procedures shall be submitted to the Division. If the cement sheath around the casing is not adequate to protect the casing and isolate strata from the top Mesaverde perforation to at least 150 feet above the top Mesaverde perforation, then Hilcorp shall conduct operations to remediate it prior to completing or producing from the formation.

Dean R Mollure

08/17/2023

Received by OCD: WENDEREL & AND LARDE 6 UNIT County or Parish/State: RIO

Well Location: T27N / R6W / SEC 13 / SWNE / 36.576523 / -107.414322

ARRIBA / NM

Page 2 of 15

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMSF079363

Well Number: 183

Unit or CA Name: SAN JUAN 28-6

UNIT--DK

Unit or CA Number: NMNM78412C

US Well Number: 3003920619 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHERYLENE WESTON Signed on: JUL 07, 2023 11:50 AM

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Tech - Sr Street Address: 1111 TRAVIS STREET

City: HOUSTON State: TX

Phone: (713) 289-2615

Email address: cweston@hilcorp.com

Field

Representative Name:

Street Address:

State: City: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Approved Disposition Date: 07/07/2023

Signature: Matthew Kade




HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 183 MESA VERDE and MANCOS RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 7,539'.
- 3. Set a 4-1/2" plug at +/- 7,325' to isolate the Dakota.
- 4. RU Wireline. Run CBL. Record Top of Cement.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Mesa Verde and Mancos formations (Top Perforation @ 4,125'; Bottom Perforation @ 6,919').
- 8 Isolate frac stages with a plug.
- 9. Nipple down frac stack, nipple up BOP and test.
- 10. TIH with a mill and drill out top isolation plug, Mesa Verde frac plug, and Mancos frac plug.
- 11. Clean out to **Dakota** isolation plug.
- 12. Drill out Dakota isolation plug and cleanout to PBTD of 7,603'. TOOH.
- 13. TIH and land production tubing. Get a commingled Dakota/Mesa Verde/Mancos flow rate.




HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 183 MESA VERDE and MANCOS RECOMPLETION SUNDRY





HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 183 MESA VERDE and MANCOS RECOMPLETION SUNDRY



District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 338714

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-20619	2. Pool Code 97232	3. Pool Name BASIN MANCOS
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 183
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6412

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G	13		06W		1840	N	1565	E	RIO
									ARR I BA

11, Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot ldn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A 320			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston

Title: Cherylene Weston

Date: 07/07/2023

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Kilven
Date of Survey: 4/26/1973

Certificate Number: 1760

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 338714

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Numb	er	2. Pool Code	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
30-039	9-20619	72319	
4. Property 0	Code	5. Property Name	6. Well No.
	318710	SAN JUAN 28 6 UNIT	183
7. OGRID N	o.	8. Operator Name	9. Elevation
	372171	HILCORP ENERGY COMPANY	6412


10. Surface Location

[UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	G	13		06W		1840	N	1565	E	RIO
										ARR I BA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A 320	cres .00 E/2		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Kandis Roland
Title: Regulatory Tech
Date: 4/19/2023

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Kilven
Date of Survey: 4/26/1973
Certificate Number: 1760

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp En		_ OGRID :3	72171	Date:07/07	<u>1/2023</u> .		
II. Type: ⊠ Original □	l Amendment d	lue to □ 19.15.2	27.9.D(6)(a) NN	MAC □ 19.15.	.27.9.D(6)(b) NMAC \square Othe	er.
If Other, please describe:							
III. Well(s): Provide the be recompleted from a sin					set of wells	proposed to be d	lrilled or proposed to
Well Name	API	ULSTR	Fo	ootages	Anticipate Oil BBL/I		
San Juan 28-6 Unit 183	3003920619	G-13-27N-06V	W 1840' FN	L, 1565' FEL	0.9	350	0.5
IV. Central Delivery Po V. Anticipated Schedule proposed to be recomplet	e: Provide the forted from a singl	following inform le well pad or co	nation for each a connected to a co	new or recomp	pleted well o	r set of wells prop	
Well Name	API	Spud Date	TD Reached Date	Comple Commencer		Initial Flow Back Date	First Production Date
San Juan 28-6 Unit 183	3003920619	<u>N/A</u>	N/A	<u>N/A</u>		<u>N/A</u>	Not yet scheduled
VI. Separation Equipmed VII. Operational Practic Subsection A through F of VIII. Best Management during active and planned	ices: ⊠ Attach of 19.15.27.8 N t Practices: ⊠	a complete des	escription of the	e actions Opera	ator will tak	e to comply with	the requirements of

Section 2 – Enhanced Plan <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity.	The natural gas gathering	g system 🗌 will 🗆 v	will not have capacity	y to gather 100%	of the anticipated	natural gas
production volume fro	om the well prior to the d	late of first productio	n.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s)

	4 4					.1 .	
	Affach (Onerator's pla	n to manage.	production :	in response t	o the increased	l line pressure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information providentiality.	ed in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information of the	ation
for which confidentiality is asserted and the basis for such assertion.	

(i)

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: ☑ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. □ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) power generation for grid; (b) (c) compression on lease; (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; reinjection for enhanced oil recovery; (g) fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Cherylene Weston
Printed Name: Cherylene Weston
Title: Operations/Regulatory Tech-Sr.
E-mail Address: cweston@hilcorp.com
Date: 07/07/2023
Phone: 713-289-2615
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy Recomplete Reclamation Plan

SAN JUAN 28-6 UNIT 183

API: 30-039-20619 T27N-R6W-Sec.13-G LAT: 36.57652 LONG: - 107.41432 (NAD 27)

Footage: 1840' FNL & 1565' FEL Rio Arriba County, NM

1. PRE- RECLAMATION SITE INSPECTION

A pre-reclamation site inspection was completed with Roger Herrera from the BLM and Travis Munkres Hilcorp Energy SJ East Construction Foreman on June 13, 2023.

2. LOCATION RECLAMATION PROCEDURE

- 1. Reclamation work will begin when all the recompletion activities are completed.
- 2. All trash and debris will be removed within a 25' buffer outside of the location disturbance during reclamation.
- 3. Blade the road to the BLM Gold Book Standard from General American Road to the location.
- 4. Create a teardrop ditch.
- 5. Move excess gravel to the roadway and spread.
- 6. Reseed all disturbed area being used for recompletion activities.
- 7. The San Juan 28-6 Unit 82 will be used for a staging area.
- 8. Reseed all disturbed areas in the staging area.

3. **SEEDING PROCEDURE**

- 1. A BLM Special seed mix will be used for all reclaimed and disturbed areas of the well pad and lease road.
- 2. Drill seed will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed. Broadcast seeding will be applied at a double the rate of seed.
- 3. Timing of the seeding will be when the ground is not frozen or saturated.

4. WEED MANAGEMENT

1. No action is required at this time for weed management, no noxious weeds were identified during this onsite.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 237267

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	237267
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	Notify NMOCD 24 Hours Prior to beginning operations	8/17/2023
dmcclure	DHC required	8/17/2023
dmcclure	The CBL proposed in the procedures shall be submitted to the Division. If the cement sheath around the casing is not adequate to protect the casing and isolate strata from the top Mesaverde perforation to at least 150 feet above the top Mesaverde perforation, then Hilcorp shall conduct operations to remediate it prior to completing or producing from the formation.	8/17/2023



August 22, 2023

New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

Re: C-107A (Downhole Commingle)

San Juan 28-6 Unit 183 API No. 30-039-20619 Section 13, T27N-R06W Rio Arriba County, NM

Concerning Hilcorp Energy Company's C-107A application to downhole commingle production in the subject well, this letter serves to confirm the following:

Interest is not common between the formations listed below:

➤ Basin Mancos (Pool Code: (97232)

> Basin Dakota (Pool Code: (71599)

> Blanco Mesaverde (Pool Code: (72319)

Order No. R-13681 waives the notice requirement and thus no notices will be sent.

The subject well is located within the bounds of a Federal Unit. Therefore, pursuant to Subsection C.(1) of 19.15.12.11 NMAC, written notice has been sent to the Bureau of Land Management as of the date of this letter.

If you have any questions or concerns, please contact the undersigned using the information provided below.

Sincerely,

By: HILCORP ENERGY COMPANY,

Its General Partner

Charles E (Chuck) Creekmore

Division Landman

Hilcorp Energy Company

1111 Travis Street, Houston TX 77002

PO Box 61229, Houston TX 77208-

1229 Main: 713/209-2400; Direct:

832/839-4601 Cell: 505/320-9910; Fax:

713/209-2420

ccreekmore@hilcorp.com

From: McClure, Dean, EMNRD on behalf of Engineer, OCD, EMNRD

To: <u>Cheryl Weston</u>; <u>Mandi Walker</u>

Cc: McClure, Dean, EMNRD; Rikala, Ward, EMNRD; Wrinkle, Justin, EMNRD; Powell, Brandon, EMNRD; Paradis, Kyle

<u>O</u>

Subject: Approved Administrative Order DHC-5332 **Date:** Friday, October 20, 2023 5:04:21 PM

Attachments: DHC5332 Order.pdf

NMOCD has issued Administrative Order DHC-5332 which authorizes Hilcorp Energy Company (372171) to downhole commingle production within the following well:

Well Name: San Juan 28-6 Unit #183

Well API: 30-039-20619

The administrative order is attached to this email and can also be found online at OCD Imaging.

Please review the content of the order to ensure you are familiar with the authorities granted and any conditions of approval. If you have any questions regarding this matter, please contact me.

Dean McClure
Petroleum Engineer, Oil Conservation Division
New Mexico Energy, Minerals and Natural Resources Department
(505) 469-8211

(DO NOT USE THIS FORM FOR PROPO	State of New Me Energy, Minerals and Natu OIL CONSERVATION 1220 South St. Fram Santa Fe, NM 87 CICES AND REPORTS ON WELLS DISALS TO DRILL OR TO DEEPEN OR PLU ICATION FOR PERMIT" (FORM C-101) FOR	ral Resources DIVISION ncis Dr. 7505 UG BACK TO A	Form C-103 Revised July 18, 2013 WELL API NO. 30-039-20619 5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No. Federal NMSF079363 7. Lease Name or Unit Agreement Name San Juan 28-6 Unit
PROPOSALS.)	<u> </u>	JK SOCII	8. Well Number 183
 Type of Well: Oil Well Name of Operator 	Gas Well Other		9. OGRID Number
Hilcorp Energy Company	y		372171
3. Address of Operator 382 Road 3100, Aztec N	M 87410		10. Pool name or Wildcat Blanco MV/Basin MC/Basin DK
4. Well Location			
	tet from the North line and 1565		
Section 13 Tov	wnship 27N Range 06W 11. Elevation (Show whether DR,	NMPM PKR PT CP ata)	Rio Arriba County
	6412'		
	CHANGE PLANS MULTIPLE COMPL		BEQUENT REPORT OF: ALTERING CASING LING OPNS. P AND A
proposed completion or reco It is intended to recomplete the subjection commingle the existing Basin Dakot	ect well in the Blanco Mesaverde (po a (pool 71599) with the Mesaverde er 11363. Allocation and methodolog	ol 72319) / Basin I and Mancos. The pr	Mancos (pool 97232) and downhole roduction will be commingled per Oil fter the well is completed. Commingling
Proposed perforations are: MV: 412	5' – 5725'; MC: 6487' – 6919'; DK:	7375' - 7588'. The	se perforations are in TVD.
As referenced in Order # R-13681 in	terest owners were not re-notified.		
Spud Date:	Rig Release Date	e:	
I hereby certify that the information	above is true and complete to the bes	t of my knowledge a	and belief.
SIGNATURE <u>Cherylene</u> Type or print name <u>Cherylene We</u>			
For State Use Only			
APPROVED BY:Conditions of Approval (if any):	TITLE		DATE

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 338714

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-20619	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 183
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6412


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G	13	27N	06W		1840	N	1565	E	RIO
									ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Ad 320.	cres .00 E/2		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Kandis Roland Title: Regulatory Tech Date: 4/19/2023

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Kilven
Date of Survey: 4/26/1973
Certificate Number: 1760

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico
Energy, Minerals and Natural
Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 338714

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-20619	2. Pool Code 97232	3. Pool Name BASIN MANCOS
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 183
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6412

10. Surface Location

	UL - Lot		Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
١	(G	13	271	06W		1840	N	1565	E	RIO
١											ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	12. Dedicated Acres 320.00		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	0	

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston

Title: Cherylene Weston

Date: 7/18/2023

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: David Kilven
Date of Survey: 4/26/1973
Certificate Number: 1760

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section.

Cperator EL PASO NAT	URAL GAS COMPANY	SAN JUAN 28-6 UNIT	(SF-079363)	183
Unit Letter Section	3 Township 27-N	Runge County	RIO ARRIBA	
Actual Friedage Location of Well 1840 feet from	NOP TH	1565 feet from the	EAST	lin.e
Ground Level Elev. Proc	ducing Fermution DAKOTA	BAS IN DAKOTA		nea Acherier 20.00 Acres
1. Outline the acreage	e dedicated to the subject we	ll by colored pencil or hachu	re marks on the plat	bell
interest and royalty			/	TOLIT LD
3. If more than one lead dated by communities	ase of different ownership is c zation, unitization, force-pooli	ledicated to the well, have th	e interests of all or	APR 27 1973 li- IL CON. COM.
Yes No	If answer is "yes." type o	f consolidation	Unitization	
If answer is "no," this form if necessa	list the owners and tract desc	riptions which have actually	been consolidated. (Use reverse side of
	e assigned to the well until all herwise) or until a non-standard			
!		• • • • • • • • • • • • • • • • • • • •	CERT	TIFICATION
			I hereby certify t	hat the information con-
		40,	tained herein is best of my knowl	true and complete to the edge and belief.
		187	Original Signe	d F. H. WOOD
+	+ 🔀	_ -	Petroleum	
				tural Gas Co.
		SF-079363 1565'	April 26, 1	973
	SEC_ ON 13		Date	
			SIM	that the well location at was plotted from field
			PMC'H	surveys made by me or sion, and that the same
İ			is true and con knowledge and be	rect to the best of my clief.
+-			:X EX	
1			APRIL 12,	1973
1		FEE	Registore : Frofess and or Turi Copyer	ional Electroper
			Wand	William !
0 330 660 90 1320	1650 1980 2310 2640 2000	1500 1000 500	Cortificate No. 1	760

San Juan 28-6 Unit 183 Allocation

The forecast for Dakota production has been generated using type curves of production in the surrounding trend.

These zones are proposed to be commingled because the application of dual completions impedes the ability to produce the shallow zone without artificial lift and the deeper zones with reduced artificial lift efficiency. All horizons will require artificial lift due to low bottomhole pressure (BHP) and permeability.

The BHPs of all zones, producing and non-producing, were estimated based upon basin wide Moving-Domain Material Balance models that have proven to approximate the pressure in the given reservoirs well in this portion of the basin, in conjunction with shut-in pressure build-ups. These models were constructed incorporating reservoir dynamics and physics, historic production, and observed pressure data. Historic commingling operations have proven reservoir fluids are compatible.

Production Allocation Method – Subtraction

Gas Allocation:


Production for the downhole commingle will be allocated using the subtraction method in agreement with local agencies. The base formation is the Dakota and the added formations to be trimmingled are the Mancos and Mesaverde. The subtraction method applies an average monthly production forecast to the base formation using historic production. All production from this well exceeding the base formation forecasts will be allocated to the new formations.

New zones will be allocated using a fixed allocation. Forecasted rates for MC and MV are based on offsets type curve. The maps show the standalone offsets that were used for type-curves. The split between MC and MV is based on the ratio of forecasted reserves as shown in the table below.


Formation	Forecasted Reserves	% Gas
FOITIATION	(MMcf)	Allocation
Mancos	321	32%
Mesaverde	668	68%

After 3 years production will stabilize. A production average will be gathered during the 4th year and will be utilized to create a fixed percentage-based allocation.


Current Zone 1 Forecast – Dakota



Proposed Zone 1 Forecast – Mancos



Proposed Zone Forecast - Mesaverde




Average initial production curve in geologic region.

Oil Allocation:


Oil production will be allocated based on average formation yields from offset wells and will be a fixed rate for 4 years. After 4 years oil will be reevaluated and adjusted as needed based on average formation yields and new fixed gas allocation.

Formation	Yield (bbl/MM)	Remaining or Forecasted Reserves (MMcf)	% Oil Allocation
DK	1.83	559	16%
MC	10	321	51%
MV	3.1	668	33%






Proposed Zone 1 – Mancos Oil Yield Map







STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION FOR DOWNHOLE COMMINGLING SUBMITTED BY HILCORP ENERGY COMPANY

ORDER NO. DHC-5332

ORDER

The Director of the New Mexico Oil Conservation Division ("OCD"), having considered the application and the recommendation of the Engineering Bureau, issues the following Order.

FINDINGS OF FACT

- 1. Hilcorp Energy Company ("Applicant") submitted a complete application ("Application") to downhole commingle the pools described in Exhibit A ("the Pools") within the well bore of the well identified in Exhibit A ("the Well").
- 2. Applicant proposed a method to allocate the oil and gas production from the Well to each of the Pools that is satisfactory to the OCD and protective of correlative rights.
- 3. Applicant has certified that the proposed commingling of the Pools shall not result in shutin or flowing well bore pressure in excess of the commingled pool's fracture parting pressure.
- 4. Applicant has certified that all produced fluids from all the Pools are compatible with each other.
- 5. Applicant has certified that downhole commingling the Pools will not decrease the value of the oil and gas production.
- 6. An exception to the notification requirements within 19.15.12.11(C)(1)(b) NMAC was granted by the Division within Order R-13681.
- 7. Applicant provided notice of the Application to the Bureau of Land Management ("BLM") or New Mexico State Land Office ("NMSLO"), as applicable.

CONCLUSIONS OF LAW

- 8. OCD has jurisdiction to issue this Order pursuant to the Oil and Gas Act, NMSA 1978, Sections 70-2-6, 70-2-11, 70-2-12, 70-2-16, 70-2-17, and 19.15.12 NMAC.
- 9. The downhole commingling of the Pools is common, or Applicant has provided evidence that the fluids are compatible and will not damage the Pools in accordance with 19.15.12.11(A)(1) NMAC.
- 10. The bottom perforation of the lower zone is within one hundred fifty percent (150%) of the depth of the top perforation in the upper zone or Applicant has provided evidence that the proposed commingling of the Pools shall not result in shut-in or flowing well bore pressure

Order No. DHC-5332 Page 1 of 3

in excess of the commingled pool's fracture parting pressure in accordance with 19.15.12.11(A)(3) NMAC.

- 11. Applicant's proposed method of allocation, as modified herein, complies with 19.15.12.11(A)(8) NMAC.
- 12. By granting the Application with the conditions specified below, this Order prevents waste and protects correlative rights, public health, and the environment.

ORDER

- 1. Applicant is authorized to downhole commingle the Pools described in Exhibit A within the well bore of the well identified in Exhibit A.
- 2. Applicant shall allocate a fixed percentage of the oil production from the Well to each of the Pools until a different plan to allocate oil production is approved by OCD. Of the oil production from the Well:
 - a. thirty-three percent (33%) shall be allocated to the BLANCO-MESAVERDE (PRORATED GAS) pool (pool ID: 72319);
 - b. fifty-one percent (51%) shall be allocated to the BASIN MANCOS pool (pool ID: 97232); and
 - c. sixteen percent (16%) shall be allocated to the BASIN DAKOTA (PRORATED GAS) pool (pool ID: 71599).

Applicant shall allocate gas production to the new pool(s) equal to the total gas production from the Well minus the projected gas production from the current pool(s) until a different plan to allocate gas production is approved by OCD. The new pool(s) are:

- a. the BLANCO-MESAVERDE (PRORATED GAS) pool (pool ID: 72319); and
- b. the BASIN MANCOS pool (pool ID: 97232).

The current pool(s) are:

a. the BASIN DAKOTA (PRORATED GAS) pool (pool ID: 71599).

Until a different plan to allocate gas production is approved by OCD, of the gas production allocated to the new pools:

- a. sixty-eight percent (68%) shall be allocated to the BLANCO-MESAVERDE (PRORATED GAS) pool (pool ID: 72319); and
- b. thirty-two percent (32%) shall be allocated to the BASIN MANCOS pool (pool ID: 97232).

Applicant shall calculate the oil and gas production average during the fourth year after the commencement of commingling, which shall be used to establish a fixed percentage of the total oil and gas production that shall be allocated to each of the Pools ("fixed percentage allocation plan"). No later than ninety (90) days after the fourth year, Applicant shall submit a Form C-103 to the OCD Engineering Bureau that includes the fixed percentage allocation plan and all data used to determine it. If Applicant fails to do so, this Order shall terminate on the following day. If OCD denies the fixed percentage allocation plan, this Order shall terminate on the date of such action. If OCD approves the percentage allocation plan with

Order No. DHC-5332 Page 2 of 3

or without modifications, then the approved percentage allocation plan shall be used to determine oil and gas allocation starting on the date of such action until the Well is plugged and abandoned.

- 3. If an alteration is made to the Well or a condition within the Well changes which may cause the allocation of production to the Pools as approved within this Order to become inaccurate, then no later than sixty (60) days after that event, Applicant shall submit Form C-103 to the OCD Engineering Bureau describing the event and include a revised allocation plan. If OCD denies the revised allocation plan, this Order shall terminate on the date of such action.
- 4. If any of the pools being commingled is prorated, or the Well's production has been restricted by an OCD order in any manner, the allocated production from each producing pool in the commingled well bore shall not exceed the top oil or gas allowable rate for a well in that pool or rate restriction applicable to the well.
- 5. If the Well is deepened, then no later than forty-five (45) days after the Well is deepened, Applicant shall conduct and provide logs to OCD that are sufficient for OCD to determine which pool(s) each new completed interval of the Well will produce from.
- 6. If the downhole commingling of the Pools reduces the value of the oil and gas production to less than if it had remained segregated, no later than sixty (60) days after the decrease in value has occurred Applicant shall submit a new downhole commingling application to OCD to amend this Order to remove the pool that caused the decrease in value. If Applicant fails to submit a new application, this Order shall terminate on the following day, and if OCD denies the application, this Order shall terminate on the date of such action.
- 7. If a completed interval of the Well is altered from what is submitted within the Application as identified in Exhibit A, then no later than sixty (60) days after the alteration, Applicant shall submit Form C-103 to the OCD Engineering Bureau detailing the alteration and completed interval.
- 8. If OCD determines that Applicant has failed to comply with any provision of this Order, OCD may take any action authorized by the Oil and Gas Act or the New Mexico Administrative Code (NMAC).
- 9. OCD retains jurisdiction of this matter and reserves the right to modify or revoke this Order as it deems necessary.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

DYLANM. EAGE DIRECTOR DATE: 10/20/2023

Order No. DHC-5332 Page **3** of **3**

State of New Mexico Energy, Minerals and Natural Resources Department

Exhibit A

Order: DHC-5332

Operator: Hilcorp Energy Company (372171)

Well Name: San Juan 28-6 Unit #183

Well API: 30-039-20619

Pool Name: BLANCO-MESAVERDE (PRORATED GAS)

Upper Zone Pool ID: 72319 Current: New: X
Allocation: Oil: 33% Gas: 68%
Interval: Perforations Top: 4,125 Bottom: 5,725

Pool Name: BASIN MANCOS

Intermediate Zone Pool ID: 97232 Current: New: X
Allocation: Oil: 51% Gas: 32%

Interval: Perforations Top: 6,487 Bottom: 6,919

Bottom of Interval within 150% of Upper Zone's Top of Interval: NO

Pool Name: BASIN DAKOTA (PRORATED GAS)

Lower Zone Pool ID: 71599 Current: X New: Allocation: Oil: 16% Gas:

Interval: Perforations Top: 7,375 Bottom: 7,588

Bottom of Interval within 150% of Upper Zone's Top of Interval: NO

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 257497

CONDITIONS

Operator:	OGRID:		
HILCORP ENERGY COMPANY	372171		
1111 Travis Street Houston, TX 77002	Action Number: 257497		
	Action Type: [C-107] Down Hole Commingle (C-107A)		

CONDITIONS

Create	ed By	Condition	Condition Date
dmcd	clure	Please review the content of the order to ensure you are familiar with the authorities granted and any conditions of approval. If you have any questions regarding this matter, please contact me.	10/20/2023