eceined by Opp P: Appla 12024 stiet9:	59 PM State of New Me	exico		Form C-103
Office District I – (575) 393-6161	Energy, Minerals and Natu	ural Resources		Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONSERVATION		WELL API NO. MULTIPLE	
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178			5. Indicate Type of L	ease
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fra		STATE 🗹	FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 8	/505	6. State Oil & Gas Le	ase No.
	TICES AND REPORTS ON WELLS	5	7. Lease Name or Un	it Agreement Name
DIFFERENT RESERVOIR. USE "APPL"	DSALS TO DRILL OR TO DEEPEN OR PL ICATION FOR PERMIT" (FORM C-101) F		CORRAL BLUFF	~
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well 🔲 Other		8. Well Number ML	ILTIPLE
2. Name of Operator OXY USA INC			9. OGRID Number 16696	
3. Address of Operator			10. Pool name or Wil	dcat
-	ITE 110, HOUSTON TX 77	7046	PIERCE CROSSING;	
4. Well Location		0.10	5	180
Unit Letter :	feet from the	line and	feet from the	e line
Section 11		ange 29E		ounty EDDY
	11. Elevation (Show whether DR			
	permenentaria e secondaria ferranana e anternariane anteres	 Bootstanding of the second of the second products of the second se	, 	
	Appropriate Box to Indicate N		-	
a track of the second sec			SEQUENT REPO	
	_			
				ND A
PULL OR ALTER CASING	_	CASING/CEMEN	т јов	
CLOSED-LOOP SYSTEM				_
	COMMINGLE – PLC 784F pleted operations. (Clearly state all	OTHER:	d give pertinent dates in	cluding estimated date
of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMA	C. For Multiple Co	mpletions: Attach wellb	ore diagram of
	•	a wallo will be included	in a animantly animary discal	ADIEDCE
	dd the following wells to PLC 784F. These 96473) and the pending Bone Spring CAs			
The facilities described in PLC 784F a	re unchanged – each facility has a sales-qu	ality orifice meter (BL	M gas FMP or equivalent me	ter)that
continuously measures gas volume before to the Commingle Orders for each facil	ore it leaves the facility. Any commingling lity. Production upstream of the facility ga	g of wells upstream of t	hese meters has been approve	ed according
test.				
This request is for gas production only.	Oil production will be handled through an	n amendment to PLC 9.	34 for Corral Bluff CTB (G-0	02-25S-29E).
CORRAL BLUFF 11_14 FED COM #				
CORRAL BLUFF 11_14 FED COM #				
CORRAL BLUFF 11_14 FED COM # CORRAL BLUFF 11_14 FED COM #				
Spud Date:	Rig Release D	ate:		
I hereby certify that the information	above is true and complete to the b	est of my knowledg	ge and belief.	
,				
SIGNATURE	TITLE REGU	JLATORY ENGIN	EER DATE	10/10/2024
Type or print name ERIC FORTIE	E-mail addres		R@OXY.COM PHON	E: 713.497.2203
APPROVED BY: Dean	M MMune TITLE Petro	leum Enginee	- DATE	11/18/2024
Conditions of Approval (if any):				

•

Released to Imaging: 11/18/2024 1:40:25 PM

C-102 State of New Submit Electronically OIL CONSERVAT						l Resources Depa		PoPage 2 Revised July 9, 2024			
	t Electronica D Permitting			UIL (JUNSEKVAI	ION DIVISION		Submittal			
								Submittal Type:	d Report		
									As Drille	ed	
						TION INFORMATIC					
	5 <mark>-5546</mark>	3	Pool Code 96473			Pool Name PIERC			-		
Proper 329	ty Code 9731		Property N		RRAL B	LUFF 11_	14 FED	COM	Well Numb 71H	er	
OGRII	D No. 696		Operator N		(Y USA	INC.			Ground Lev 3059.6'	el Elevation	
		State 🗆 Fee 🗆				Mineral Owner:	□ State □ Fee	🗆 Tribal 🗹	1		
					Surf	ace Location					
UL	Section	Township	Range	Lot	Ft. from N	Ft. from E/W	Latitude	L	ongitude	County	
Ε	11	25S	29E		1353' FS	L 1251' FV	/L 32.14	8245 -1	03.959702	EDDY	
					Bottom	Hole Location					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		ongitude	County	
M	14	25S	29E		20' FSL	. 690' FW	′L 32.12	2824 -1	03.961505	EDDY	
Dedics	ated Acres	Infill or Def	ining Well	Defining	g Well API	Overlapping Space	ing Unit (V/N)	Consolidat	ion Code		
320		INFILL	ning wen	-	30-015-4801			Consolidat	ion code		
	Numbers.			I		Well setbacks are	under Common	Ownership: [□Yes □No		
					Kick O	ff Point (KOP)					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	L	ongitude	County	
D	11	25S	29E		50' FNL	_ 690' FW	′L 32.15	1829 -1	03.961512	EDDY	
		I	1	1		nke Point (FTP)	1			ľ	
	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		ongitude		
D	11	25S	29E		100' FN		L 32.15	1091-1	03.961512	EDDY	
UL	Section	Township	Range	Lot	Ft. from N/S	ke Point (LTP) Ft. from E/W	Latitude	I	ongitude	County	
M	14	25S	29E			L 690' FW				EDDY	
		200	202								
Unitize	ed Area or A	rea of Uniform	Interest	Spacing	Unit Type 🖬 Horiz	contal 🗆 Vertical	Grou 3059	ind Floor Ele 9.6'	vation:		
OPER.	ATOR CER	TIFICATIONS				SURVEYOR CERT	IFICATIONS				
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.					I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.						
consent in each	t of at least one tract (in the ta		of a working int ation) in which	erest or unlea any part of th	sed mineral interest e well's completed			AN INCOMENT	2362 02-06-24	S BA	
Me	<u>líssa</u> (Guídry	09/24/2	24					ONAL S		
Signatu			Date			Signature and Seal of Pr	ofessional Surveyor				
	ssa Guidry										
Melis							_1				
Melis Printed						Certificate Number	Date of Surv	ey 10, 202			

Pagagel 306f 10

Received by OCD: 11/18/2024/1439559/PM ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.



cived by OCD: 11/18/2024 1:39:59 PM C-102 State of New Energy, Minerals & Natural OH, CONSERVATION						l Resources		ent	Revised July 9, 2024			
	t Electronica D Permitting			OIL	CONSERVAT	TON DIVIS	SION		☑ Initial Submittal			
	-								Submitta	d Report		
										🗆 As Drille	ed	
					WELL LOCAT	TION INFORM	ATION					
	5 <mark>-5546</mark> 2	2	Pool Code 96473								RING, EAST	
Proper 32	ty Code 9731		Property N		RRAL B	LUFF 1	1_14	4 FED	CON	√ ^{Well Numb} 72H	er	
OGRII	D No.		Operator N		Y USA	INC				Ground Lev 3060.1	el Elevation	
	696 e Owner: 🗹	State Fee					wner: \Box S	State □ Fee	🗆 Tribal 🕨			
Surrae												
1 11	Quitin	Tr	Damas	T.4		ace Location	3.7	T of A		T	0	
UL E	Section 11	Township 25S	Range	Lot	Ft. from N/S	Ft. from E/'		Latitude 32.148		Longitude -103.959605	County EDDY	
		255	290					52.140	5245	103.959605	EDDT	
UL	Section	Township	Range	Lot	Ft. from N/S	Hole Location	W	Latitude		Longitude	County	
N	14	25S	29E		20' FSL			32.122		103.956919	-	
	• •	200	202			-					2001	
Dedica 320	ated Acres	Infill or Def	ining Well	-	; Well API 30-015-4802	Overlappin	g Spacing	Unit (Y/N)	Consolida	ation Code		
	Numbers.			2311-	30-013-4002		ks are und	ler Common (Ownership	: □Yes □No		
order	rumoers.					1						
				1		ff Point (KOP)				- 1. 1	~	
UL C	Section	Township		Lot	Ft. from N/S	Ft. from E/'		Latitude		Longitude -103.956924		
C		25S	29E					52.15	1025	103.950924	EDDY	
UL	Section	Township	Range	Lot	First 12 Ft. from N/S	tke Point (FTP)		Latitude		Longitude	County	
С	11	25S	29E		100' FN	L 2110'	FWL	32.15 ²		-103.956924		
					Last Ta	ke Point (LTP)		I				
UL	Section	Township		Lot	Ft. from N/S			Latitude		Longitude	County	
Ν	14	25S	29E		20' FSL	. 2110'	FWL	32.123	3036 -	103.956919	EDDY	
Unitize	ed Area or A	rea of Uniform	Interest	Spacing	Unit Type 🖬 Horiz	contal 🗆 Vertica	1	Grout 3060	nd Floor El .1'	evation:		
OPER.	ATOR CER	TIFICATIONS				SURVEYOR	CERTIFIC	CATIONS				
my know organiz includir locatior interest	wledge and be ation either ov ng the propose n pursuant to a	lief, and, if the we vns a working inte d bottom hole loce contract with an tary pooling agree	ll is a vertical or erest or unleased ation or has a rig owner of a work	• directional v l mineral inte ght to drill thi cing interest o	rest in the land				on, and that		-	
consent in each	t of at least one tract (in the ta l will be locate	rget pool or form d or obtained a co	of a working inte ation) in which a ompulsory poolin	erest or unlea any part of th	sed mineral interest e well's completed					23/82 Print MEL 23/82	Jehn B.	
mervui		Guidn	/ 09/24/2	24						Tr 02-06-	-24 54	
	líssa	900001								0-		
		9000007	Date			Signature and Sea	al of Profess	ional Surveyor		S'SIONAL	SUR	
Me Signatur						Signature and Sea	al of Profess	ional Surveyor		S'SIONAL	SUR	
Me Signatur Meliss Printed	re sa Guidry Name	y@oxy.con	Date			Signature and Sea		Date of Surve			SUR	

Received by OCD: 11/18/2024 1:39:59 PM ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.



eived by OCD: 11/18/2024/1339159/PM						al Resources I		ent	Revised July 9, 2024			
	t Electronica CD Permitting			UIL	CONSERVA		Initial Submittal					
									Submittal Type:	Amende	1	
										As Drille	ed	
A DI NI	umber		Pool Code			FION INFORM						
30-01	5 -5546	1	96473								RING, EAST	
Proper 32	ty Code 9731		Property N	ame CO	RRAL B	LUFF 1	1_14	4 FED	COM	Well Numb	er	
OGRI			Operator N		(Y USA	INC.				Ground Lev 3085'	el Elevation	
		State 🗆 Fee 🛛					wner: 🗆 S	State 🗆 Fee	🗆 Tribal 🗹	10000		
UL	Section	Township	Range	Lot	Surf Ft. from N/S	ace Location Ft. from E/	W	Latitude		ongitude	County	
A	11	25S	29E		1124' FN	L 661' I	=EL	32.148		03.948733	-	
					Bottom	Hole Location						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/		Latitude		ongitude	County	
0	14	25S	29E		20' FSL	_ 1750'	FEL	32.122	2809 -1	03.952207	EDDY	
	ated Acres	Infill or Def	ining Well	Defining	g Well API	Overlappin	g Spacing	Unit (Y/N)	Consolidat	ion Code		
320		INFILL		25H - 3	30-015-4888	84 N						
Order	Numbers.					Well setbac	ks are und	ler Common (Ownership: [∃Yes □No		
					Kick C	off Point (KOP)						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/		Latitude		ongitude	County	
B	11	25S	29E		50' FNI			32.15	1815-1	03.952262	EDDY	
UL	Section	Township	Range	Lot	First T Ft. from N/S	ake Point (FTP)		Latitude	L	ongitude	County	
В	11	25S	29E		100' FN	L 1750'	FEL			03.952261		
					Last Ta	ake Point (LTP)			I			
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/		Latitude		ongitude	County	
0	14	25S	29E		100' FS	L 1750'	FEL	32.123	3029 -1	03.952207	EDDY	
Unitiz	ed Area or A	rea of Uniform	Interest	Spacing	Unit Type 🖬 Hori	zontal 🗆 Vertica	ıl	Grou: 3085	nd Floor Ele [.]	vation:		
OPER	ATOR CER	TIFICATIONS				SURVEYOR	CERTIFIC	CATIONS				
my kno organiz includir location interest	wledge and be cation either ov ng the propose n pursuant to a	lief, and, if the we wns a working into d bottom hole loc contract with an eary pooling agree	ll is a vertical or erest or unleased ation or has a rig owner of a work	• directional v l mineral inte ght to drill thi cing interest o	rest in the land				on, and that th Date			
consent in each	t of at least one tract (in the ta	e lessee or owner	of a working inte ation) in which a	erest or unlea any part of th	has received the sed mineral interest e well's completed the division.					2378	Jer El	
Me	líssa o	Guídry	09/24/2	24						Try 02-06	-24 4	
Signatu Melis	^{re} ssa Guidry		Date			Signature and Se	al of Profess	ional Surveyor		S'IONAL	SU	
Printed						Certificate Numb	er	Date of Surve	ev			
		y@oxy.cor	n						10, 202	:3		
Email A	Address											

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

Received by OCD: 11/18/2024 1339:59/PM ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.



Released to Imaging: 11/18/2024)1:40:254PM

Energy, Minerals & Nat							ment		Revised July 9, 2024		
	t Electronica D Permitting			OIL	CONSERVAT	TION DIVISION		Initial Submittal			
								Submittal Type:	d Report		
								-)] **	🗆 As Drille	ed	
					WELL LOCAT	TION INFORMATION					
31-01	^{umber} 5 -5546	0	Pool Code 96473			Pool Name PIERCE					
Proper 329731	rty Code 1		Property N	^{fame} CO	RRAL BL	UFF 11-14 F	EDERAI	L CON	$1 \Big _{75H}^{Well Numb}$	er	
OGRI 16696			Operator N		(Y USA	INC.			Ground Lev 3085.8'	el Elevation	
		State Fee				Mineral Owner:	State 🗆 Fee	🗆 Tribal 🗹	100000		
UL	Section	Township	Range	Lot	Surf Ft. from N/S	ace Location Ft. from E/W	Latitude		Longitude	County	
A	11	25S	29E	Lot		L 631 FEL	32.148		103.948636	-	
/ \	• •	200				Hole Location	021110				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	1	Longitude	County	
Ρ	14	25S	29E		20 FSL	330 FEL	32.122	2801	103.947621	EDDY	
				-						1	
	ated Acres	Infill or Def	-	Defining	g Well API	Overlapping Spacin	g Unit (Y/N)	Consolida	tion Code		
320		Defining	g								
Order	Numbers.					Well setbacks are under Common Ownership: Yes No					
	1	1			1	ff Point (KOP)	1			1	
UL A	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W			Longitude	County	
A	11	25S	29E		50 FNL		32.15	1806	103.947675	EDDY	
UL	Section	Township	Range	Lot	First Ta	ake Point (FTP) Ft. from E/W	Latitude		Longitude	Countri	
A	11	25S	29E	Lot	100 FN				103.947674	County FDDY	
/ \		200				ake Point (LTP)	02.10		100.017071		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude]	Longitude	County	
Ρ	14	25S	29E		100 FS	L 330 FEL	32.123		103.947621		
			1								
Unitiz	ed Area or A	rea of Uniform	Interest	Spacing	Unit Type 🖬 Horiz	zontal 🗆 Vertical	Grou	nd Floor Ele	evation:		
OPER	ATOR CER	TIFICATIONS				SURVEYOR CERTIF	ICATIONS				
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.						I hereby certify that the well location shown on this plat was plotted from field notes of surveys made by me or under my supervision, and that the same is true and correct to the my belief. Surveyor CERTIFICATION I hereby certify that the well location sho on this plat was plotted from field notes actual surveys made by me or under my supervision, and that the same is true as the same is true as the same is true as the same is true and correct to the same is true as the same is t					
	If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.						correct to the best of my belief. August 10, 2023 Date of Survey Signature and Seal of Professional Surveyor:				
consent in each interva	t of at least one tract (in the ta l will be locate	arget pool or form d or obtained a co	ation) in which ompulsory pooli							BUCHO	
consent in each interva	t of at least one tract (in the ta l will be locate	arget pool or form	ation) in which ompulsory pooli						PAUL		
consent in each intervat Qee Signatu	t of at least one tract (in the ta l will be locate <u>slie T.</u> re	urget pool or form d or obtained a co Recever	ation) in which ompulsory pooli			Signature and Seal of Profe	essional Surveyor		e hut		
consent in each intervat Qee Signatu	t of at least one tract (in the ta l will be locate s lie T.	urget pool or form d or obtained a co Recever	ation) in which ompulsory pooli 3 9/24/2024			Signature and Seal of Profe	- 1		And Contraction of the second	BUCHEL MEXICO	
consent in each intervat Qee Signatu	t of at least one tract (in the ta l will be locate <u>slie T.</u> re LIE REEVE	urget pool or form d or obtained a co Recever	ation) in which ompulsory pooli 3 9/24/2024			Signature and Seal of Profe Certificate Number	Date of Surveyor 8/10/20		2 4 ^{UL} 2 4 ^{UL} 7 5 6 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5	BUCHEL MEXICO	

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

PRage 96f 10

Received by OCD: 11/18/2024 1:39:59 PM ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Page 10 of 10

Action 404400

CONDITIONS					
Operator:	OGRID:				
OXY USA INC	16696				
P.O. Box 4294	Action Number:				
Houston, TX 772104294	404400				
	Action Type:				
	[IM-SD] Admin Order Support Doc (ENG) (IM-AAO)				

CONDITIONS		
Created By	Condition	Condition Date
dmcclure	Please review the content of the order to ensure you are familiar with the authorities granted and any conditions of approval. If you have any questions regarding this matter, please contact me.	11/18/2024