

State of New Mexico  
Energy, Minerals and Natural Resources Department

**Michelle Lujan-Grisham**  
Governor

**Erin Taylor**  
Acting Cabinet Secretary

**Ben Shelton**  
Deputy Secretary

**Albert C. S. Chang**  
Division Director  
Oil Conservation Division



Jacob L. Everhart  
[jeverhart@bwenergy.com](mailto:jeverhart@bwenergy.com)

**Administrative Order NSP – 2344**

**ADMINISTRATIVE NON-STANDARD HORIZONTAL SPACING UNIT**

**XTO Permian Operating, LLC [OGRID 373075]**  
31 - Nash Federal Unit Wells (API NO. 30-015-PENDING)  
As identified within the application  
**HSU: All Section 11, 12, 13, 14, T23S R29E, Eddy County**  
**POOL: Forty-Niner Ridge; Bone Spring West (Pool Code: 96526)**

Reference is made to your application received on December 4<sup>th</sup>, 2025.

You have requested approval of a non-standard horizontal spacing unit to be included in your proposed horizontal spacing unit, as follows:

**Proposed Increased Horizontal Spacing Unit:**

<b>Description</b>	<b>Acres</b>	<b>Pool</b>	<b>Pool Code</b>
Section 11	2560	Forty-Niner Ridge; Bone Spring, West	96526
Section 12			
Section 13			
Section 14			

You have requested an exception pursuant to Rule 19.15.16.15(A)(3) NMAC, to approve a non-standard horizontal spacing unit consisting of the entire area described above as the horizontal

NSP - 2344  
XTO Permian Operating, LLC  
Page 2 of 2

---

spacing unit. The proposed horizontal spacing unit does not consist of a quarter - quarter section or equivalent in both sections, as required by Rule 19.15.16.15(B)(1) NMAC.

We understand that you are seeking this exception for an allowance to create a non-standard horizontal spacing unit, comprised of the Proposed Horizontal Spacing Unit referenced above within Eddy County, New Mexico.

The Division understands you have given notice of this application to all operators or owners who are "affected persons," as defined in Paragraph (8) Subsection A of 19.15.2.7 NMAC, in all adjoining units which are to be being included.

You have requested this non-standard horizontal spacing unit in order efficiently locate surface facilities, well pads and central tank batteries. In all reducing disturbance impacts, reducing emissions, consolidating roads/pipelines, and reducing traffic thus protecting the correlative rights within the Bone Spring formation. Thus, preventing waste underlying all of Section 11, Section 12, Section 13 and Section 14 within the referenced Horizontal Spacing Unit.

Pursuant to the authority conferred by Division Rule 19.15.16.15(B)(5) NMAC, the above-described **non-standard horizontal spacing unit is hereby approved**. Further, the Applicant may add additional wells to the non-standard spacing unit, the well(s) must be in the same horizontal spacing unit and pool/formation. The new well's APD shall reference this NSP order number on Form C-102 with an adjacent letter stating this request.

**General Provisions**

The above approvals are subject to your being in compliance with all other applicable Division rules, including, but not limited to Division Rule 19.15.5.9 NMAC.

Jurisdiction of this case is retained for the entry of such further orders as the Division may deem necessary.

  
\_\_\_\_\_  
**Albert C.S. Chang**  
Division Director  
AC/lrl

**Date:** 1/19/2026

NSP - 2344

ID NO. 532032

RECEIVED: <b>12/04/25</b>	REVIEWER:	TYPE:	APP NO:
---------------------------	-----------	-------	---------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

**NEW MEXICO OIL CONSERVATION DIVISION**  
 - Geological & Engineering Bureau -  
 1220 South St. Francis Drive, Santa Fe, NM 87505



**ADMINISTRATIVE APPLICATION CHECKLIST**

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

**Applicant:** XTO Permian Operating, LLC **OGRID Number:** 373075  
**Well Name:** Nash Fed Unit Wells - Various **API:** Multiple - See Attached C-102s  
**Pool:** Forty-Niner Ridge; Bone Spring, West **Pool Code:** 96526

**SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED BELOW**

- 1) **TYPE OF APPLICATION:** Check those which apply for [A]  
 A. Location – Spacing Unit – Simultaneous Dedication  
 NSL       NSP (PROJECT AREA)       NSP (PRORATION UNIT)       SD
- B. Check one only for [ I ] or [ II ]  
 [ I ] Commingling – Storage – Measurement  
 DHC    CTB    PLC    PC    OLS    OLM  
 [ II ] Injection – Disposal – Pressure Increase – Enhanced Oil Recovery  
 WFX    PMX    SWD    IPI    EOR    PPR

- 2) **NOTIFICATION REQUIRED TO:** Check those which apply.  
 A.  Offset operators or lease holders  
 B.  Royalty, overriding royalty owners, revenue owners  
 C.  Application requires published notice  
 D.  Notification and/or concurrent approval by SLO  
 E.  Notification and/or concurrent approval by BLM  
 F.  Surface owner  
 G.  For all of the above, proof of notification or publication is attached, and/or,  
 H.  No notice required

<b>FOR OCD ONLY</b>	
<input type="checkbox"/>	Notice Complete
<input type="checkbox"/>	Application Content Complete

3) **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

**Note: Statement must be completed by an individual with managerial and/or supervisory capacity.**

Jacob L. Everhart

Print or Type Name

Signature

12/4/2025  
Date

(505) 999 - 0401  
Phone Number

jeverhart@bwenergylaw.com  
e-mail Address

**BEATTY & WOZNIAK, P.C.**

ATTORNEYS AT LAW

1675 BROADWAY, SUITE 600  
DENVER, COLORADO 80202  
TELEPHONE 303-407-4499  
FAX 1-800-886-6566  
www.bwenergylaw.com

OFFICE LOCATIONS

COLORADO

NEW MEXICO

WYOMING

MIGUEL A. SUAZO  
ALSO ADMITTED IN TX, CO

JACOB L. EVERHART  
ALSO ADMITTED IN CO, ND, & UT

December 4, 2025

**VIA ONLINE FILING**

Albert Chang  
Division Director  
Oil Conservation Division  
Energy, Minerals and Natural Resource Department  
1220 South Saint Francis Drive  
Santa Fe, New Mexico 87505

ATTN: Leonard Lowe

**RE: Application of XTO Permian Operating, LLC, for Administrative Approval of 2,560-acre Non-Standard Horizontal Spacing Unit (NSP)**

Nash Federal Unit  
All of Sections 11, 12, 13, and 14 Township 23 South, Range 29 East, N.M.P.M. Eddy County, New Mexico  
Forty-Niner Ridge; Bone Spring, West [Pool Code: 96526]

Dear Mr. Chang,

XTO Permian Operating, LLC (“XTO”), (OGRID No. 373075), pursuant to Division rules 19.15.16.15.(B)(5) and 19.15.15.11.B. NMAC, seeks administrative approval of a Non-Standard Horizontal Spacing Unit for its Nash Unit Fed Bone Spring wells (listed below) in a 2,560-acre, more or less, spacing unit underlying all of Sections 11, 12, 13, and 14, Township 23 South, Range 29 East, N.M.P.M, Eddy County, New Mexico.

The proposed 2,560-acre Non-Standard Spacing Unit (“NSP”) will be developed by the following pads and wells (referred to as “units” for clarity):

- **Nash Pad A N/2 Unit:** A 640-acre spacing unit comprised of the N/2 of Sections 11 and 12, Township 23 South, Range 29 East, N.M.P.M., Eddy County, NM, dedicated to the following wells:
  - o Nash Fed Unit 713H (API No. 30-015-*Pending*) [Pool Code: 96526]

- Nash Fed Unit 714H (API No. 30-015-*Pending*) [Pool Code: 96526] – Defining Well
  - Nash Fed Unit 715H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 813H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 814H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 901H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 902H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 904H (API No. 30-015-*Pending*) [Pool Code: 96526]
- **Nash Pad A S/2 Unit:** A 640-acre spacing unit comprised of the S/2 of Sections 11 and 12, Township 23 South, Range 29 East, N.M.P.M., Eddy County, NM, dedicated to the following wells:
- Nash Fed Unit 716H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 717H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 718H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 815H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 816H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 903H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 904H (API No. 30-015-*Pending*) [Pool Code: 96526]
- **Nash Pad C N/2 Unit:** A 640-acre spacing unit comprised of the N/2 of Sections 13 and 14, Township 23 South, Range 29 East, N.M.P.M., Eddy County, NM, dedicated to the following wells:
- Nash Fed Unit 707H (API No. 30-015-*Pending*) [Pool Code: 96526] – Defining Well
  - Nash Fed Unit 708H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 709H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 817H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 818H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 905H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 906H (API No. 30-015-*Pending*) [Pool Code: 96526]
- **Nash Pad C N/2 S/2 Unit:** A 320-acre spacing unit comprised of the N/2 S/2 of Sections 13 and 14, Township 23 South, Range 29 East, N.M.P.M., Eddy County, NM, dedicated to the following wells:
- Nash Fed Unit 710H (API No. 30-015-*Pending*) [Pool Code: 96526] – Defining Well
  - Nash Fed Unit 907H (API No. 30-015-*Pending*) [Pool Code: 96526]
- **Nash Pad D S/2 S/2 Unit:** A 320-acre spacing unit comprised of the S/2 S/2 of Sections 13 and 14, Township 23 South, Range 29 East, N.M.P.M., Eddy County, NM, dedicated to the following wells:
- Nash Fed Unit 408H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 508H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 712H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 808H (API No. 30-015-*Pending*) [Pool Code: 96526]

- Nash Fed Unit 908H (API No. 30-015-*Pending*) [Pool Code: 96526] – Defining Well
- **Nash Pad D S/2 Unit:** A 640-acre spacing unit comprised of the S/2 of Sections 13 and 14, Township 23 South, Range 29 East, N.M.P.M., Eddy County, NM, dedicated to the following wells:
  - Nash Fed Unit 507H (API No. 30-015-*Pending*) [Pool Code: 96526] – Defining Well
  - Nash Fed Unit 711H (API No. 30-015-*Pending*) [Pool Code: 96526]
  - Nash Fed Unit 807H (API No. 30-015-*Pending*) [Pool Code: 96526]

The Division has placed all wells listed above in the Forty-Niner Ridge; Bone Spring, West Pool [No. 96526] which provides for standard 40-acre spacing, comprising any two contiguous quarter-quarter sections of a single governmental section.

The acreage included in the Non-Standard Spacing Unit will be subject to the following leases:

- NMNM0554221
- NMNM0556859A
- NMNM014140
- NMNM017589
- NMNM019246
- K066003 (state)
- NMNM0556859
- NMNM0556860
- NMNM029684
- NMNM0554223

The wells have not been drilled and are not producing. Upon approval, the acreage included in the Non-Standard Spacing Unit will be included in a PA revision to the Nash Federal Unit.

As the operator of the Federal Unit, XTO seeks administrative approval of a Non-Standard Spacing Unit to develop the acreage as a single development area. Doing so allows XTO to efficiently located surface facilities, such as well pad locations and centralized tank batteries, reduce disturbance impacts, reduce emissions and leak points, consolidate roadways, reduce traffic, consolidate pipeline(s), and promotes effective well spacing, thereby ensuring the promotion of conservation, the prevention of waste, and the protection of correlative rights. Division rules 19.15.16.7.P and 19.15.16.15.B(8) NMAC encourage oil and gas development, where possible, in enlarged areas of common ownership to minimize surface disturbance and to promote efficient well spacing. Further, Division rule 19.15.16.15.(B)(5) NMAC authorizes administrative approval of such a request.

The affected offset acreage is comprised of the following:

- The S/2 S/2 of Section 2 (state lease E052327)
- The SE/4 SE/4 of Section 3, (federal lease NMNM111416)

- The E/2 E/2 of Section 10 and 15 (federal lease NMNM111416),
- The NE/4 of Section 22 (federal lease NMNM066425), and
- The N/2 N/2 of Sections of 23 (federal lease NMNM103603) and 24 (state lease E0589410), Township 23 South, Range 29 East, N.M.P.M., Eddy County, New Mexico.

Please find the below listed Exhibits included in this application:

**Exhibit 1** is a statement from XTO Commercial & Land Advisor, Andrea Smith Bosworth.

**Exhibit 2** is a copy of the Well Location and Acreage Dedication Plat (C-102) for each well within the proposed Non-Standard Spacing Unit and the associated by which that well will be developed and includes the SHL, FTP, LTP, and BHL for each well.

**Exhibit 3** includes: (1) a lease map showing the proposed Non-Standard Horizontal Spacing Unit and the adjoining tracts identifying the notification area, and (2) a map showing the entirety of the Nash Unit.

**Exhibit 4** is a list of affected persons under 19.15.16.15.B(5)(b)(ii) who were sent a copy of this application, proof of publication, and attachments by certified mail advising that any objections must be filed in writing with the Division within 20 days from the date the Division receives the application.

Thank you for your time and attention to this matter. Please let me know if you require additional information.

Very truly yours,

BEATTY & WOZNIAK, P.C.



Miguel Suazo

[msuazo@bwenergylaw.com](mailto:msuazo@bwenergylaw.com)

Jacob L. Everhart

[jeverhart@bwenergylaw.com](mailto:jeverhart@bwenergylaw.com)

*Attorney(s) for XTO Permian Operating,  
LLC*

# Exhibit 1

December 4, 2025

**Landman Statement**

I have reviewed the ownership of the oil and gas leasehold in the proposed 2,560-acre, more or less, Non-Standard Horizontal Spacing Unit (“NSHSU”) underlying all of Sections 11, 12, 13, and 14, Township 23 South, Range 29 East, N.M.P.M., Eddy County, New Mexico for purposes of the administrative approval for XTO’s **Nash Federal Unit well(s)**. As of the date of this letter, the affected parties are:

**See Attached EXHIBIT “D”**

XTO is seeking approval of the non-standard proration unit to eliminate the need for separate production facilities and additional administrative approvals. Approval of the NSHSU will allow for efficient surface facility placement, reduced surface disturbance, and the consolidation of roads, storage tanks, and pipelines. These measures support effective well spacing, conservation of the resource, enhanced recoveries and economics, and waste prevention, while also helping to minimize environmental impacts such as emissions from multiple tank batteries and associated facilities. The Oil Conservation Division’s rules encourage such developments to maximize efficiency and reduce surface disturbance in areas of common ownership.

Sincerely,

**XTO Permian Operating, LLC.**



Andrea Smith Bosworth, CPL  
Commercial & Land Advisor – Delaware Basin

# Exhibit 2

Nash Pad A N/2 Unit

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>713H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3001'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>562 FNL</b>	<b>1,228 FEL</b>	<b>32.310810</b>	<b>-103.933631</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>D</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>550 FNL</b>	<b>50 FWL</b>	<b>32.325519</b>	<b>-103.963927</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>1</b>		<b>1,250 FNL</b>	<b>584 FWL</b>	<b>32.323498</b>	<b>-103.927778</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>550 FNL</b>	<b>100 FEL</b>	<b>32.325430</b>	<b>-103.929994</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>D</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>550 FNL</b>	<b>100 FWL</b>	<b>32.325519</b>	<b>-103.963766</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>3001'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: center;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p style="text-align: center;"><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p style="text-align: center;"><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-24</p>
---	--

*Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.*

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,821.2	477,035.5	32,310810	-103.933631	623,638.8	476,975.2	32,310687	-103.933138
KOP	666,611.9	481,657.8	32,323498	-103.927778	625,429.7	481,597.4	32,323374	-103.927285
FTP	665,924.6	482,358.3	32,325430	-103.929994	624,742.4	482,298.0	32,325307	-103.929501
LTP	655,492.8	482,352.8	32,325519	-103.963766	614,310.6	482,292.5	32,325396	-103.963271
BHL	655,442.8	482,352.6	32,325519	-103.963927	614,260.6	482,292.4	32,325396	-103.963433
PPP 1	665,553.2	478,924.9	32,315997	-103.931238	624,370.8	478,864.6	32,315873	-103.930745
PPP 2	666,035.2	480,169.0	32,319412	-103.929663	624,852.9	480,108.7	32,319288	-103.929170
PPP 3	666,025.1	482,255.8	32,325148	-103.929670	624,842.9	482,195.5	32,325024	-103.929177
PPP 4	663,366.4	482,356.9	32,325453	-103.938276	622,184.2	482,296.6	32,325330	-103.937782
PPP 5	660,708.1	482,355.5	32,325476	-103.946882	619,525.9	482,295.2	32,325352	-103.946388

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>714H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3000'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>592 FNL</b>	<b>1,229 FEL</b>	<b>32.310728</b>	<b>-103.933632</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,430 FNL</b>	<b>50 FWL</b>	<b>32.323100</b>	<b>-103.963924</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>DEFINING</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>2</b>		<b>2,098 FNL</b>	<b>577 FWL</b>	<b>32.321166</b>	<b>-103.927798</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>H</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>1,430 FNL</b>	<b>100 FEL</b>	<b>32.323011</b>	<b>-103.929991</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,430 FNL</b>	<b>100 FWL</b>	<b>32.323100</b>	<b>-103.963762</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>3000'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p style="text-align: center;"><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p style="text-align: center;"><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-25</p>
--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- TOWNSHIP LINE
- DEDICATED ACREAGE
- 330' BUFFER
- MINERAL LEASE
- WELLBORE
- PPP
- WELL

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,820.9	477,005.4	32.310728	-103.933632	623,638.5	476,945.2	32.310604	-103.933139
KOP	666,608.8	480,809.3	32.321166	-103.927798	625,426.5	480,749.0	32.321042	-103.927305
FTP	665,929.0	481,478.3	32.323011	-103.929991	624,746.7	481,418.0	32.322888	-103.929498
LTP	655,497.0	481,472.8	32.323100	-103.963762	614,314.8	481,412.5	32.322977	-103.963268
BHL	655,447.0	481,472.6	32.323100	-103.963924	614,264.8	481,412.4	32.322977	-103.963430
PPP 1	665,722.8	478,924.5	32.315994	-103.930689	624,540.5	478,864.2	32.315870	-103.930196
PPP 2	666,037.9	479,594.8	32.317833	-103.929661	624,855.6	479,534.5	32.317709	-103.929168
PPP 3	666,029.4	481,379.4	32.322739	-103.929667	624,847.1	481,319.1	32.322615	-103.929174
PPP 4	663,371.6	481,476.9	32.323034	-103.938270	622,189.3	481,416.6	32.322910	-103.937776
PPP 5	660,714.2	481,475.5	32.323057	-103.946873	619,531.9	481,415.2	32.322933	-103.946379

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>715H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3000'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>622 FNL</b>	<b>1,229 FEL</b>	<b>32.310645</b>	<b>-103.933633</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FNL</b>	<b>50 FWL</b>	<b>32.320681</b>	<b>-103.963920</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>3</b>		<b>2,431 FSL</b>	<b>573 FWL</b>	<b>32.319013</b>	<b>-103.927807</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>H</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FNL</b>	<b>100 FEL</b>	<b>32.320592</b>	<b>-103.929988</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FNL</b>	<b>100 FWL</b>	<b>32.320681</b>	<b>-103.963758</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>3000'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p style="text-align: center;"><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p style="text-align: center;"><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-26</p>
--	--

*Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.*

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,820.6	476,975.4	32.310645	-103.933633	623,638.2	476,915.2	32.310522	-103.933141
KOP	666,609.2	480,026.3	32.319013	-103.927807	625,426.8	479,966.0	32.318890	-103.927314
FTP	665,933.3	480,598.2	32.320592	-103.929988	624,751.0	480,538.0	32.320469	-103.929494
LTP	655,501.1	480,592.8	32.320681	-103.963758	614,318.9	480,532.6	32.320558	-103.963264
BHL	655,451.1	480,592.6	32.320681	-103.963920	614,268.9	480,532.4	32.320558	-103.963426
PPP 1	665,962.9	478,923.9	32.315990	-103.929912	624,780.5	478,863.7	32.315866	-103.929419
PPP 2	666,040.5	479,056.3	32.316353	-103.929659	624,858.2	478,996.0	32.316229	-103.929166
PPP 3	666,033.5	480,513.4	32.320358	-103.929664	624,851.2	480,453.1	32.320235	-103.929171
PPP 4	663,376.7	480,596.9	32.320615	-103.938264	622,194.5	480,536.6	32.320491	-103.937770
PPP 5	660,720.2	480,595.5	32.320638	-103.946863	619,537.9	480,535.3	32.320514	-103.946370

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>813H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2997'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>922 FNL</b>	<b>1,234 FEL</b>	<b>32.309821</b>	<b>-103.933650</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>D</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>990 FNL</b>	<b>50 FWL</b>	<b>32.324309</b>	<b>-103.963926</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>07</b>	<b>23S</b>	<b>30E</b>	<b>2</b>	<b>1,623 FNL</b>	<b>588 FWL</b>	<b>32.322471</b>	<b>-103.927763</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>990 FNL</b>	<b>100 FEL</b>	<b>32.324221</b>	<b>-103.929993</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>D</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>990 FNL</b>	<b>100 FWL</b>	<b>32.324309</b>	<b>-103.963764</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2997'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-36</p>
--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- MINERAL LEASE
- DEDICATED ACREAGE
- TOWNSHIP LINE
- WELLBORE
- ▲ PPP
- WELL

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,816.7	476,675.5	32,309821	-103.933650	623,634.3	476,615.3	32,309697	-103.933157
KOP	666,618.0	481,284.3	32,322471	-103.927763	625,435.8	481,224.0	32,322348	-103.927269
FTP	665,926.8	481,918.3	32,324221	-103.929993	624,744.6	481,858.0	32,324097	-103.929499
LTP	655,494.9	481,912.8	32,324309	-103.963764	614,312.7	481,852.5	32,324186	-103.963270
BHL	655,444.9	481,912.6	32,324309	-103.963926	614,262.7	481,852.4	32,324186	-103.963431
PPP 1	665,695.7	478,924.5	32,315994	-103.930777	624,513.4	478,864.3	32,315871	-103.930284
PPP 2	666,036.9	479,797.6	32,318390	-103.929662	624,854.6	479,737.3	32,318267	-103.929169
PPP 3	666,027.2	481,826.1	32,323967	-103.929668	624,845.0	481,765.8	32,323843	-103.929175
PPP 4	663,369.0	481,916.9	32,324243	-103.938273	622,186.7	481,856.6	32,324120	-103.937779
PPP 5	660,711.2	481,915.5	32,324266	-103.946877	619,528.9	481,855.2	32,324143	-103.946383

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>814H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2998'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>923 FNL</b>	<b>1,109 FEL</b>	<b>32.309816</b>	<b>-103.933245</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FNL</b>	<b>50 FWL</b>	<b>32.320681</b>	<b>-103.963920</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>3</b>		<b>2,479 FSL</b>	<b>587 FWL</b>	<b>32.319145</b>	<b>-103.927763</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>H</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FNL</b>	<b>100 FEL</b>	<b>32.320592</b>	<b>-103.929988</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FNL</b>	<b>100 FWL</b>	<b>32.320681</b>	<b>-103.963758</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2998'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number      Date of Survey</p> <p style="text-align: center;">DN      618.013005.00-37</p>
--	---

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,941.8	476,674.0	32.309816	-103.933245	623,759.4	476,613.8	32.309692	-103.932752
KOP	666,622.5	480,074.2	32.319145	-103.927763	625,440.2	480,013.9	32.319021	-103.927270
FTP	665,933.3	480,598.2	32.320592	-103.929988	624,751.0	480,538.0	32.320469	-103.929494
LTP	655,501.1	480,592.8	32.320681	-103.963758	614,318.9	480,532.6	32.320558	-103.963264
BHL	655,451.1	480,592.6	32.320681	-103.963920	614,268.9	480,532.4	32.320558	-103.963426
PPP 1	666,053.9	478,923.7	32.315988	-103.929618	624,871.5	478,863.5	32.315865	-103.929125
PPP 2	666,033.5	480,522.1	32.320382	-103.929664	624,851.2	480,461.8	32.320258	-103.929171
PPP 3	663,376.7	480,596.9	32.320615	-103.938264	622,194.5	480,536.6	32.320491	-103.937770
PPP 4	660,720.2	480,595.5	32.320638	-103.946863	619,537.9	480,535.3	32.320514	-103.946370

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>901H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2997'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>982 FNL</b>	<b>1,235 FEL</b>	<b>32.309656</b>	<b>-103.933652</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>D</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>330 FNL</b>	<b>50 FWL</b>	<b>32.326124</b>	<b>-103.963928</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>1</b>		<b>969 FNL</b>	<b>593 FWL</b>	<b>32.324269</b>	<b>-103.927749</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>330 FNL</b>	<b>100 FEL</b>	<b>32.326035</b>	<b>-103.929995</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>D</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>330 FNL</b>	<b>100 FWL</b>	<b>32.326123</b>	<b>-103.963767</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2997'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p style="text-align: center;"><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p style="text-align: center;"><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-44</p>
--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,816.1	476,615.5	32.309656	-103.933652	623,633.7	476,555.4	32.309533	-103.933159
KOP	666,619.7	481,938.2	32.324269	-103.927749	625,437.4	481,877.9	32.324145	-103.927256
FTP	665,923.5	482,578.3	32.326035	-103.929995	624,741.3	482,518.0	32.325912	-103.929502
LTP	655,491.8	482,572.6	32.326123	-103.963767	614,309.6	482,512.4	32.326000	-103.963272
BHL	655,441.8	482,572.6	32.326124	-103.963928	614,299.6	482,512.3	32.326000	-103.963434
PPP 1	665,598.6	478,924.7	32.315996	-103.931092	624,416.2	478,864.5	32.315872	-103.930598
PPP 2	666,035.2	480,213.2	32.319533	-103.929663	624,852.9	480,152.9	32.319409	-103.929169
PPP 3	666,024.0	482,485.9	32.325780	-103.929671	624,841.8	482,425.6	32.325657	-103.929178
PPP 4	663,365.1	482,576.9	32.326058	-103.938278	622,182.9	482,516.6	32.325934	-103.937784
PPP 5	660,706.6	482,575.5	32.326080	-103.946884	619,524.4	482,515.2	32.325957	-103.946390

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>902H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2998'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>983 FNL</b>	<b>1,110 FEL</b>	<b>32.309651</b>	<b>-103.933248</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,650 FNL</b>	<b>50 FWL</b>	<b>32.322495</b>	<b>-103.963923</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>2</b>		<b>2,199 FNL</b>	<b>592 FWL</b>	<b>32.320888</b>	<b>-103.927748</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>H</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>1,650 FNL</b>	<b>100 FEL</b>	<b>32.322407</b>	<b>-103.929990</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>E</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,650 FNL</b>	<b>100 FWL</b>	<b>32.322495</b>	<b>-103.963761</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2998'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: center;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p style="text-align: center;"><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p style="text-align: center;"><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-45</p>
---	--

*Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.*

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,941.1	476,614.0	32,309651	-103.933248	623,758.7	476,553.8	32,309527	-103.932755
KOP	666,624.7	480,708.5	32,320888	-103.927748	625,442.4	480,648.2	32,320765	-103.927255
FTP	665,930.0	481,258.3	32,322407	-103.929990	624,747.8	481,198.0	32,322283	-103.929497
LTP	655,498.0	481,252.8	32,322495	-103.963761	614,315.8	481,192.5	32,322372	-103.963267
BHL	655,448.0	481,252.6	32,322495	-103.963923	614,265.8	481,192.4	32,322372	-103.963429
PPP 1	665,890.9	478,924.1	32,315991	-103.930145	624,708.6	478,863.8	32,315867	-103.929652
PPP 2	666,039.4	479,285.1	32,316982	-103.929660	624,857.1	479,224.8	32,316858	-103.929167
PPP 3	666,030.4	481,178.8	32,322187	-103.929666	624,848.2	481,118.5	32,322064	-103.929173
PPP 4	663,372.9	481,256.9	32,322429	-103.938268	622,190.6	481,196.6	32,322306	-103.937775
PPP 5	660,715.7	481,255.5	32,322452	-103.946870	619,533.4	481,195.3	32,322329	-103.946377


CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE

WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,815.7	476,585.5	32.309574	-103.933654	623,633.3	476,525.3	32.309450	-103.933161
KOP	666,625.8	478,306.1	32.314284	-103.927774	625,443.5	478,245.8	32.314161	-103.927281
FTP	665,942.7	478,584.9	32.315058	-103.929982	624,760.3	478,524.7	32.314934	-103.929489
LTP	655,510.1	478,583.5	32.315158	-103.963752	614,327.8	478,523.3	32.315034	-103.963258
BHL	655,460.1	478,583.3	32.315158	-103.963914	614,277.8	478,523.2	32.315034	-103.963420
PPP 1	664,715.6	478,584.7	32.315070	-103.933954	623,533.3	478,524.5	32.314947	-103.933461
PPP 2	663,388.6	478,584.6	32.315083	-103.938249	622,206.2	478,524.3	32.314960	-103.937756
PPP 3	660,733.9	478,584.2	32.315109	-103.946842	619,551.6	478,524.0	32.314985	-103.946349


CORNER COORDINATE TABLE

CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,820.9	477,005.4	32.310728	-103.933632	623,638.5	476,945.2	32.310604	-103.933139
KOP	666,608.8	480,809.3	32.321166	-103.927798	625,426.5	480,749.0	32.321042	-103.927305
FTP	665,929.0	481,478.3	32.323011	-103.929991	624,746.7	481,418.0	32.322888	-103.929498
LTP	655,497.0	481,472.8	32.323100	-103.963762	614,314.8	481,412.5	32.322977	-103.963268
BHL	655,447.0	481,472.6	32.323100	-103.963924	614,264.8	481,412.4	32.322977	-103.963430
PPP 1	665,722.8	478,924.5	32.315994	-103.930689	624,540.5	478,864.2	32.315870	-103.930196
PPP 2	666,037.9	479,594.8	32.317833	-103.929661	624,855.6	479,534.5	32.317709	-103.929168
PPP 3	666,029.4	481,379.4	32.322739	-103.929667	624,847.1	481,319.1	32.322615	-103.929174
PPP 4	663,371.6	481,476.9	32.323034	-103.938270	622,189.3	481,416.6	32.322910	-103.937776
PPP 5	660,714.2	481,475.5	32.323057	-103.946873	619,531.9	481,415.2	32.322933	-103.946379

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,021.9	482,908.2	624,839.7	482,847.8
B	663,363.1	482,914.2	622,180.9	482,853.9
C	660,704.3	482,920.2	619,522.1	482,859.9
D	658,046.8	482,911.2	616,864.6	482,851.0
E	655,390.2	482,902.4	614,208.1	482,842.2
F	666,035.0	480,252.7	624,852.7	480,192.4
G	663,378.7	480,258.2	622,196.4	480,197.9
H	660,722.2	480,263.7	619,539.9	480,203.4
I	658,061.8	480,255.7	616,879.6	480,195.4
J	655,402.7	480,247.6	614,220.5	480,187.4

# Exhibit 2

Nash Pad A S/2 Unit

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>716H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2998'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>652 FNL</b>	<b>1,230 FEL</b>	<b>32.310563</b>	<b>-103.933635</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>L</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,090 FSL</b>	<b>50 FWL</b>	<b>32.318181</b>	<b>-103.963917</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>3</b>		<b>1,604 FSL</b>	<b>565 FWL</b>	<b>32.316741</b>	<b>-103.927832</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>I</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>2,090 FSL</b>	<b>100 FEL</b>	<b>32.318082</b>	<b>-103.929985</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>L</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,090 FSL</b>	<b>100 FWL</b>	<b>32.318181</b>	<b>-103.963755</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2998'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: center;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number      Date of Survey</p> <p style="text-align: center;">DN      618.013005.00-27</p>
--	--

*Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.*

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,820.1	476,945.5	32.310563	-103.933635	623,637.7	476,885.3	32.310440	-103.933142
KOP	666,604.4	479,199.5	32.316741	-103.927832	625,422.1	479,139.3	32.316617	-103.927339
FTP	665,937.6	479,684.9	32.318082	-103.929985	624,755.3	479,624.6	32.317958	-103.929492
LTP	655,505.2	479,683.5	32.318181	-103.963755	614,322.9	479,623.3	32.318058	-103.963261
BHL	655,455.2	479,683.3	32.318181	-103.963917	614,272.9	479,623.1	32.318058	-103.963423
PPP 1	666,386.2	478,923.8	32.315985	-103.928542	625,203.8	478,863.6	32.315861	-103.928049
PPP 2	666,037.9	479,611.9	32.317880	-103.929661	624,855.6	479,551.6	32.317756	-103.929168
PPP 3	663,382.1	479,684.6	32.318107	-103.938257	622,199.8	479,624.3	32.317983	-103.937764
PPP 4	660,726.3	479,684.2	32.318133	-103.946854	619,544.0	479,624.0	32.318009	-103.946361

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>717H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2998'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>682 FNL</b>	<b>1,230 FEL</b>	<b>32.310481</b>	<b>-103.933637</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>M</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,210 FSL</b>	<b>50 FWL</b>	<b>32.315762</b>	<b>-103.963914</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>DEFINING</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>07</b>	<b>23S</b>	<b>30E</b>	<b>4</b>	<b>873 FSL</b>	<b>564 FWL</b>	<b>32.314731</b>	<b>-103.927831</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>1,210 FSL</b>	<b>100 FEL</b>	<b>32.315663</b>	<b>-103.929982</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,210 FSL</b>	<b>100 FWL</b>	<b>32.315762</b>	<b>-103.963753</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2998'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p style="text-align: center;"><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p style="text-align: center;"><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number      Date of Survey</p>
--	---

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,819.8	476,915.4	32.310481	-103.933637	623,637.4	476,855.2	32.310357	-103.933144
KOP	666,607.7	478,468.4	32.314731	-103.927831	625,425.4	478,408.2	32.314607	-103.927338
FTP	665,941.7	478,804.9	32.315663	-103.929982	624,759.3	478,744.6	32.315539	-103.929489
LTP	655,509.1	478,803.5	32.315762	-103.963753	614,326.8	478,743.3	32.315639	-103.963259
BHL	655,459.1	478,803.3	32.315762	-103.963914	614,276.8	478,743.2	32.315639	-103.963420
PPP 1	664,714.5	478,804.7	32.315675	-103.933955	623,532.1	478,744.5	32.315551	-103.933462
PPP 2	663,387.3	478,804.6	32.315688	-103.938251	622,205.0	478,744.3	32.315564	-103.937758
PPP 3	660,732.1	478,804.2	32.315714	-103.946846	619,549.8	478,744.0	32.315590	-103.946352


CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,819.8	476,885.4	32.310398	-103.933637	623,637.4	476,825.2	32.310274	-103.933144
KOP	666,604.5	477,724.8	32.312687	-103.927850	625,422.1	477,664.6	32.312563	-103.927357
FTP	665,945.7	477,924.9	32.313244	-103.929980	624,763.4	477,864.7	32.313120	-103.929487
LTP	655,513.0	477,923.5	32.313343	-103.963750	614,330.7	477,863.3	32.313220	-103.963256
BHL	655,463.0	477,923.4	32.313343	-103.963912	614,280.7	477,863.2	32.313220	-103.963418
PPP 1	664,719.0	477,924.7	32.313256	-103.933951	623,536.7	477,864.5	32.313132	-103.933458
PPP 2	663,392.5	477,924.5	32.313269	-103.938245	622,210.1	477,864.3	32.313145	-103.937751
PPP 3	660,738.4	477,924.2	32.313295	-103.946836	619,556.1	477,864.0	32.313171	-103.946342

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>815H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2997'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>952 FNL</b>	<b>1,234 FEL</b>	<b>32.309738</b>	<b>-103.933651</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>L</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,650 FSL</b>	<b>50 FWL</b>	<b>32.316972</b>	<b>-103.963916</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>07</b>	<b>23S</b>	<b>30E</b>	<b>4</b>	<b>1,266 FSL</b>	<b>578 FWL</b>	<b>32.315811</b>	<b>-103.927787</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>1,650 FSL</b>	<b>100 FEL</b>	<b>32.316872</b>	<b>-103.929984</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>1,650 FSL</b>	<b>100 FWL</b>	<b>32.316972</b>	<b>-103.963754</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2997'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p><b>srinivas.n.laghuvarapu@exonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-38</p>
---	--

*Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.*

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,816.5	476,645.4	32.309738	-103.933651	623,634.0	476,585.2	32.309615	-103.933158
KOP	666,619.7	478,861.4	32.315811	-103.927787	625,437.3	478,801.2	32.315687	-103.927294
FTP	665,939.6	479,244.9	32.316872	-103.929984	624,757.3	479,184.6	32.316749	-103.929491
LTP	655,507.2	479,243.5	32.316972	-103.963754	614,324.9	479,183.3	32.316848	-103.963260
BHL	655,457.2	479,243.3	32.316972	-103.963916	614,274.9	479,183.1	32.316849	-103.963422
PPP 1	666,508.9	478,923.9	32.315984	-103.928145	625,326.6	478,863.6	32.315860	-103.927652
PPP 2	666,039.9	479,188.4	32.316716	-103.929660	624,857.6	479,128.1	32.316592	-103.929167
PPP 3	663,384.6	479,244.6	32.316897	-103.938254	622,202.3	479,184.3	32.316774	-103.937761
PPP 4	660,729.4	479,244.2	32.316923	-103.946849	619,547.1	479,184.0	32.316800	-103.946356

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>816H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2998'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>953 FNL</b>	<b>1,109 FEL</b>	<b>32.309733</b>	<b>-103.933246</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>M</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>330 FSL</b>	<b>50 FWL</b>	<b>32.313343</b>	<b>-103.963912</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>4</b>		<b>136 FSL</b>	<b>581 FWL</b>	<b>32.312705</b>	<b>-103.927774</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>P</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>330 FSL</b>	<b>100 FEL</b>	<b>32.313244</b>	<b>-103.929980</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>M</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>330 FSL</b>	<b>100 FWL</b>	<b>32.313343</b>	<b>-103.963750</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2998'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: right;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p style="text-align: center;"><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p style="text-align: center;"><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: right;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-39</p>
--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- MINERAL LEASE
- TOWNSHIP LINE
- DEDICATED ACREAGE
- WELLBORE
- ▲ PPP
- WELL

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,941.5	476,644.0	32.309733	-103.933246	623,759.0	476,583.8	32.309609	-103.932753
KOP	666,627.9	477,731.5	32.312705	-103.927774	625,445.5	477,671.2	32.312581	-103.927281
FTP	665,945.7	477,924.9	32.313244	-103.929980	624,763.4	477,864.7	32.313120	-103.929487
LTP	655,513.0	477,923.5	32.313343	-103.963750	614,330.7	477,863.3	32.313220	-103.963256
BHL	655,463.0	477,923.4	32.313343	-103.963912	614,280.7	477,863.2	32.313220	-103.963418
PPP 1	664,719.0	477,924.7	32.313256	-103.933951	623,536.7	477,864.5	32.313132	-103.933458
PPP 2	663,392.5	477,924.5	32.313269	-103.938245	622,210.1	477,864.3	32.313145	-103.937751
PPP 3	660,738.4	477,924.2	32.313295	-103.946836	619,556.1	477,864.0	32.313171	-103.946342

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>903H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2999'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>985 FNL</b>	<b>985 FEL</b>	<b>32.309645</b>	<b>-103.932843</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>L</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FSL</b>	<b>50 FWL</b>	<b>32.318786</b>	<b>-103.963918</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>07</b>	<b>23S</b>	<b>30E</b>	<b>3</b>		<b>1,890 FSL</b>	<b>592 FWL</b>	<b>32.317526</b>	<b>-103.927744</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>I</b>	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FSL</b>	<b>100 FEL</b>	<b>32.318687</b>	<b>-103.929985</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>L</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>2,310 FSL</b>	<b>100 FWL</b>	<b>32.318786</b>	<b>-103.963756</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2999'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: center;"><i>L. Srinivas Naveen</i>      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: center;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN      618.013005.00-46</p>
---	---

*Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.*

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	665,066.0	476,612.4	32.309645	-103.932843	623,883.6	476,552.2	32.309521	-103.932351
KOP	666,630.6	479,485.4	32.317526	-103.927744	625,448.3	479,425.1	32.317403	-103.927251
FTP	665,936.6	479,904.9	32.318687	-103.929985	624,754.3	479,844.6	32.318563	-103.929492
LTP	655,504.2	479,903.5	32.318786	-103.963756	614,322.0	479,843.3	32.318663	-103.963262
BHL	655,454.2	479,903.3	32.318786	-103.963918	614,272.0	479,843.1	32.318663	-103.963424
PPP 1	666,324.8	478,923.8	32.315986	-103.928741	625,142.4	478,863.6	32.315862	-103.928248
PPP 2	666,036.7	479,844.4	32.318519	-103.929662	624,854.4	479,784.1	32.318396	-103.929169
PPP 3	663,380.8	479,904.6	32.318712	-103.938259	622,198.5	479,844.3	32.318588	-103.937765
PPP 4	660,724.8	479,904.2	32.318737	-103.946856	619,542.5	479,844.0	32.318614	-103.946363

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116  Online Phone Directory Visit: <a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a>	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONSERVATION DIVISION</b>	<b>C-102</b> Revised July 9, 2024 Submit Electronically via OCD Permitting
		Submittal Type: <input checked="" type="checkbox"/> Initial Submittal <input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>904H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2998'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>A</b>	<b>13</b>	<b>23S</b>	<b>29E</b>		<b>1,012 FNL</b>	<b>1,235 FEL</b>	<b>32.309574</b>	<b>-103.933654</b>	<b>EDDY</b>

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
<b>M</b>	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>990 FSL</b>	<b>50 FWL</b>	<b>32.315158</b>	<b>-103.963914</b>	<b>EDDY</b>

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>N</b>	Consolidation Code <b>U</b>
Order Numbers:			Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>07</b>	<b>23S</b>	<b>30E</b>	<b>4</b>	<b>711 FSL</b>	<b>582 FWL</b>	<b>32.314284</b>	<b>-103.927774</b>	<b>EDDY</b>

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>12</b>	<b>23S</b>	<b>29E</b>		<b>990 FSL</b>	<b>100 FEL</b>	<b>32.315058</b>	<b>-103.929982</b>	<b>EDDY</b>

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	<b>11</b>	<b>23S</b>	<b>29E</b>		<b>990 FSL</b>	<b>100 FWL</b>	<b>32.315158</b>	<b>-103.963752</b>	<b>EDDY</b>

Unitized Area or Area of Uniform Interest <b>NMNM-070992X</b>	Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Floor Elevation: <b>2998'</b>
--	--	---


<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p style="text-align: center;"><i>L. Srinivas Naveen</i>                      <b>6/26/2025</b></p> <p>Signature _____ Date _____</p> <p><b>Srinivas Naveen Laghuvarapu</b></p> <p>Printed Name _____</p> <p><b>srinivas.n.laghuvarapu@exxonmobil.com</b></p> <p>Email Address _____</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <div style="text-align: center;">  </div> <p style="text-align: center;"><i>[Signature]</i></p> <p>Signature and Seal of Professional Surveyor _____</p> <p style="text-align: center;"><b>23786</b>                      <b>06-25-2025</b></p> <p>Certificate Number _____ Date of Survey _____</p> <p style="text-align: center;">DN                      618.013005.00-47</p>
---	---

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- 330' BUFFER
- ▲ PPP
- TOWNSHIP LINE
- MINERAL LEASE
- WELL
- DEDICATED ACREAGE
- WELLBORE

WELL COORDINATE TABLE								
WELL	NAD 83 NME X	NAD 83 NME Y	NAD 83 LAT	NAD 83 LON	NAD 27 NME X	NAD 27 NME Y	NAD 27 LAT	NAD 27 LON
SHL	664,815.7	476,585.5	32,309574	-103,933654	623,633.3	476,525.3	32,309450	-103,933161
KOP	666,625.8	478,306.1	32,314284	-103,927774	625,443.5	478,245.8	32,314161	-103,927281
FTP	665,942.7	478,584.9	32,315058	-103,929982	624,760.3	478,524.7	32,314934	-103,929489
LTP	655,510.1	478,583.5	32,315158	-103,963752	614,327.8	478,523.3	32,315034	-103,963258
BHL	655,460.1	478,583.3	32,315158	-103,963914	614,277.8	478,523.2	32,315034	-103,963420
PPP 1	664,715.6	478,584.7	32,315070	-103,933954	623,533.3	478,524.5	32,314947	-103,933461
PPP 2	663,388.6	478,584.6	32,315083	-103,938249	622,206.2	478,524.3	32,314960	-103,937756
PPP 3	660,733.9	478,584.2	32,315109	-103,946842	619,551.6	478,524.0	32,314985	-103,946349

CORNER COORDINATE TABLE				
CORNER	NAD 83 NME X	NAD 83 NME Y	NAD 27 NME X	NAD 27 NME Y
A	666,035.0	480,252.7	624,852.7	480,192.4
B	663,378.7	480,258.2	622,196.4	480,197.9
C	660,722.2	480,263.7	619,539.9	480,203.4
D	658,061.8	480,255.7	616,879.6	480,195.4
E	655,402.7	480,247.6	614,220.5	480,187.4
F	666,047.3	477,594.6	624,864.9	477,534.4
G	663,394.2	477,601.4	622,211.9	477,541.2
H	660,740.0	477,607.1	619,557.7	477,546.9
I	658,076.8	477,600.8	616,894.5	477,540.6
J	655,414.4	477,593.2	614,232.1	477,533.1

# Exhibit 2


Nash Pad C N/2 Unit



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



COORDINATE TABLE			
SHL (NAD 83 NME)		SHL (NAD 27 NME)	
Y =	475,003.8 N	Y =	474,943.7 N
X =	665,564.8 E	X =	624,382.3 E
LAT. =	32.305218 °N	LAT. =	32.305095 °N
LONG. =	103.931249 °W	LONG. =	103.930756 °W
KOP (NAD 83 NME)		KOP (NAD 27 NME)	
Y =	476,731.7 N	Y =	476,671.5 N
X =	666,648.2 E	X =	625,465.7 E
LAT. =	32.309957 °N	LAT. =	32.309833 °N
LONG. =	103.927721 °W	LONG. =	103.927228 °W
FTP (NAD 83 NME)		FTP (NAD 27 NME)	
Y =	477,044.9 N	Y =	476,984.7 N
X =	665,949.3 E	X =	624,766.9 E
LAT. =	32.310825 °N	LAT. =	32.310701 °N
LONG. =	103.929979 °W	LONG. =	103.929486 °W
PPP #1 (NAD 83 NME)		PPP #1 (NAD 27 NME)	
Y =	477,044.7 N	Y =	476,984.5 N
X =	664,722.9 E	X =	623,540.5 E
LAT. =	32.310837 °N	LAT. =	32.310713 °N
LONG. =	103.933949 °W	LONG. =	103.933456 °W
PPP #2 (NAD 83 NME)		PPP #2 (NAD 27 NME)	
Y =	477,044.5 N	Y =	476,984.3 N
X =	663,396.5 E	X =	622,214.1 E
LAT. =	32.310850 °N	LAT. =	32.310726 °N
LONG. =	103.938242 °W	LONG. =	103.937749 °W
PPP #3 (NAD 83 NME)		PPP #3 (NAD 27 NME)	
Y =	477,043.8 N	Y =	476,983.7 N
X =	658,079.7 E	X =	616,897.4 E
LAT. =	32.310901 °N	LAT. =	32.310777 °N
LONG. =	103.955452 °W	LONG. =	103.954958 °W
LTP (NAD 83 NME)		LTP (NAD 27 NME)	
Y =	477,043.5 N	Y =	476,983.4 N
X =	655,517.3 E	X =	614,334.9 E
LAT. =	32.310924 °N	LAT. =	32.310801 °N
LONG. =	103.963746 °W	LONG. =	103.963252 °W
BHL (NAD 83 NME)		BHL (NAD 27 NME)	
Y =	477,043.4 N	Y =	476,983.2 N
X =	655,467.3 E	X =	614,284.9 E
LAT. =	32.310924 °N	LAT. =	32.310801 °N
LONG. =	103.963908 °W	LONG. =	103.963414 °W

LEGEND	
	SECTION LINE
	PROPOSED WELL BORE
	NEW MEXICO MINERAL LEASE
	330' BUFFER
	ALLOCATION AREA

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	032°05'15"	2,039.45'
L2	294°08'16"	765.78'
L3	269°59'30"	10,482.08'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

CORNER COORDINATES (NAD 83 NME)			
A - Y =	477,594.7 N	A - X =	666,047.2 E
B - Y =	477,601.4 N	B - X =	663,394.4 E
C - Y =	477,607.4 N	C - X =	660,740.6 E
D - Y =	477,601.0 N	D - X =	658,076.9 E
E - Y =	477,593.4 N	E - X =	655,414.4 E
F - Y =	476,267.0 N	F - X =	666,052.2 E
G - Y =	476,273.3 N	G - X =	663,399.8 E
H - Y =	476,279.1 N	H - X =	660,747.4 E
I - Y =	476,274.1 N	I - X =	658,083.8 E
J - Y =	476,268.4 N	J - X =	655,421.3 E
CORNER COORDINATES (NAD 27 NME)			
A - Y =	477,534.5 N	A - X =	624,864.9 E
B - Y =	477,541.2 N	B - X =	622,212.0 E
C - Y =	477,547.2 N	C - X =	619,558.2 E
D - Y =	477,540.8 N	D - X =	616,894.5 E
E - Y =	477,533.2 N	E - X =	614,232.1 E
F - Y =	476,206.8 N	F - X =	624,869.8 E
G - Y =	476,213.1 N	G - X =	622,217.3 E
H - Y =	476,219.0 N	H - X =	619,565.0 E
I - Y =	476,214.0 N	I - X =	616,901.4 E
J - Y =	476,208.3 N	J - X =	614,238.9 E

618.013 XTO Energy - NM\005 Nosh Unit - Eddy\00 - Nash Unit\Wells\30 - 707H\DWG\707H C-102.dwg

<b>C-102</b> Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
			<input checked="" type="checkbox"/> Initial Submittal
			<input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>708H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3,012'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		2,592 FSL	493 FEL	32.304875	-103.931250	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	14	23S	29E		1,430 FNL	50 FWL	32.308505	-103.963903	EDDY

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	2	1,640 FNL	596 FWL	32.307823	-103.927727	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	13	23S	29E		1,430 FNL	100 FEL	32.308406	-103.929979	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	14	23S	29E		1,430 FNL	100 FWL	32.308505	-103.963741	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>3,012'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p>Signature: <u>Jena Austin</u> Date: <u>11/19/2024</u></p> <p>Printed Name: <u>Jena Austin</u></p> <p>Email Address: <u>Jena.N.Austin@ExxonMobil.com</u></p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p>Signature and Seal of Professional Surveyor: <u>[Signature]</u></p> <p>Certificate Number: <u>MARK DILLON HARP 23786</u> Date of Survey: <u>11/18/2024</u></p> <p style="text-align: center;">DN <span style="float: right;">618.013005.00-31</span></p>
---	---


*Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.*

I:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\31 - 708H\DWG\708H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



COORDINATE TABLE

SHL (NAD 83 NME)		SHL (NAD 27 NME)	
Y =	474,878.8 N	Y =	474,818.7 N
X =	665,564.8 E	X =	624,382.3 E
LAT. =	32.304875 °N	LAT. =	32.304751 °N
LONG. =	103.931250 °W	LONG. =	103.930757 °W
KOP (NAD 83 NME)		KOP (NAD 27 NME)	
Y =	475,955.5 N	Y =	475,895.4 N
X =	666,649.3 E	X =	625,466.8 E
LAT. =	32.307823 °N	LAT. =	32.307699 °N
LONG. =	103.927727 °W	LONG. =	103.927234 °W
FTP (NAD 83 NME)		FTP (NAD 27 NME)	
Y =	476,164.9 N	Y =	476,104.7 N
X =	665,952.6 E	X =	624,770.2 E
LAT. =	32.308406 °N	LAT. =	32.308282 °N
LONG. =	103.929979 °W	LONG. =	103.929486 °W
PPP #1 (NAD 83 NME)		PPP #1 (NAD 27 NME)	
Y =	476,164.7 N	Y =	476,104.5 N
X =	664,726.4 E	X =	623,543.9 E
LAT. =	32.308418 °N	LAT. =	32.308294 °N
LONG. =	103.933948 °W	LONG. =	103.933455 °W
PPP #2 (NAD 83 NME)		PPP #2 (NAD 27 NME)	
Y =	476,164.5 N	Y =	476,104.4 N
X =	663,400.1 E	X =	622,217.7 E
LAT. =	32.308431 °N	LAT. =	32.308307 °N
LONG. =	103.938241 °W	LONG. =	103.937748 °W
PPP #3 (NAD 83 NME)		PPP #3 (NAD 27 NME)	
Y =	476,163.8 N	Y =	476,103.7 N
X =	658,084.3 E	X =	616,901.9 E
LAT. =	32.308482 °N	LAT. =	32.308358 °N
LONG. =	103.955447 °W	LONG. =	103.954953 °W
LTP (NAD 83 NME)		LTP (NAD 27 NME)	
Y =	476,163.5 N	Y =	476,103.4 N
X =	655,521.8 E	X =	614,339.4 E
LAT. =	32.308505 °N	LAT. =	32.308382 °N
LONG. =	103.963741 °W	LONG. =	103.963247 °W
BHL (NAD 83 NME)		BHL (NAD 27 NME)	
Y =	476,163.4 N	Y =	476,103.2 N
X =	655,471.8 E	X =	614,289.4 E
LAT. =	32.308505 °N	LAT. =	32.308382 °N
LONG. =	103.963903 °W	LONG. =	103.963409 °W

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	045°12'23"	1,528.23'
L2	286°43'27"	727.40'
L3	269°59'31"	10,480.88'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.22 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

CORNER COORDINATES (NAD 83 NME)

A - Y =	474,939.3 N	A - X =	666,057.2 E
B - Y =	474,945.1 N	B - X =	663,405.1 E
C - Y =	474,950.9 N	C - X =	660,754.2 E
D - Y =	474,947.2 N	D - X =	658,090.8 E
E - Y =	474,943.5 N	E - X =	655,428.1 E
F - Y =	476,267.0 N	F - X =	666,052.2 E
G - Y =	476,273.3 N	G - X =	663,399.8 E
H - Y =	476,279.1 N	H - X =	660,747.4 E
I - Y =	476,274.1 N	I - X =	658,083.8 E
J - Y =	476,268.4 N	J - X =	655,421.3 E

CORNER COORDINATES (NAD 27 NME)

A - Y =	474,879.1 N	A - X =	624,874.7 E
B - Y =	474,885.0 N	B - X =	622,222.7 E
C - Y =	474,890.8 N	C - X =	619,571.7 E
D - Y =	474,887.1 N	D - X =	616,908.3 E
E - Y =	474,883.4 N	E - X =	614,245.7 E
F - Y =	476,206.8 N	F - X =	624,869.8 E
G - Y =	476,213.1 N	G - X =	622,217.3 E
H - Y =	476,219.0 N	H - X =	619,565.0 E
I - Y =	476,214.0 N	I - X =	616,901.4 E
J - Y =	476,208.3 N	J - X =	614,238.9 E


618.013 XTO Energy - NW\005 Nash Unit - Eddy\00 - Nash Unit\Wells\31 - 708H\DWG\708H C-102.dwg



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



COORDINATE TABLE

SHL (NAD 83 NME)		SHL (NAD 27 NME)	
Y =	474,753.8 N	Y =	474,693.7 N
X =	665,594.8 E	X =	624,412.3 E
LAT. =	32.304531 °N	LAT. =	32.304407 °N
LONG. =	103.931154 °W	LONG. =	103.930662 °W
KOP (NAD 83 NME)		KOP (NAD 27 NME)	
Y =	475,202.4 N	Y =	475,142.2 N
X =	666,654.9 E	X =	625,472.4 E
LAT. =	32.305753 °N	LAT. =	32.305629 °N
LONG. =	103.927718 °W	LONG. =	103.927225 °W
FTP (NAD 83 NME)		FTP (NAD 27 NME)	
Y =	475,284.8 N	Y =	475,224.7 N
X =	665,956.0 E	X =	624,773.5 E
LAT. =	32.305987 °N	LAT. =	32.305863 °N
LONG. =	103.929979 °W	LONG. =	103.929486 °W
PPP #1 (NAD 83 NME)		PPP #1 (NAD 27 NME)	
Y =	475,284.7 N	Y =	475,224.5 N
X =	664,729.8 E	X =	623,547.4 E
LAT. =	32.305999 °N	LAT. =	32.305875 °N
LONG. =	103.933948 °W	LONG. =	103.933455 °W
PPP #2 (NAD 83 NME)		PPP #2 (NAD 27 NME)	
Y =	475,284.5 N	Y =	475,224.4 N
X =	663,403.7 E	X =	622,221.3 E
LAT. =	32.306012 °N	LAT. =	32.305888 °N
LONG. =	103.938240 °W	LONG. =	103.937747 °W
PPP #3 (NAD 83 NME)		PPP #3 (NAD 27 NME)	
Y =	475,283.8 N	Y =	475,223.7 N
X =	658,088.9 E	X =	616,906.5 E
LAT. =	32.306063 °N	LAT. =	32.305939 °N
LONG. =	103.955442 °W	LONG. =	103.954949 °W
LTP (NAD 83 NME)		LTP (NAD 27 NME)	
Y =	475,283.5 N	Y =	475,223.4 N
X =	655,526.3 E	X =	614,343.9 E
LAT. =	32.306086 °N	LAT. =	32.305963 °N
LONG. =	103.963736 °W	LONG. =	103.963243 °W
BHL (NAD 83 NME)		BHL (NAD 27 NME)	
Y =	475,283.4 N	Y =	475,223.3 N
X =	655,476.3 E	X =	614,293.9 E
LAT. =	32.306086 °N	LAT. =	32.305963 °N
LONG. =	103.963898 °W	LONG. =	103.963405 °W

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

LINE TABLE

LINE	AZIMUTH	LENGTH
L1	067°04'02"	1,151.11'
L2	276°43'54"	703.79'
L3	269°59'31"	10,479.68'

LOT ACREAGE TABLE

SECTION 18 T-23-S R-30-E	
LOT 1	= 40.17 ACRES
LOT 2	= 40.20 ACRES
LOT 3	= 40.22 ACRES
LOT 4	= 40.25 ACRES

CORNER COORDINATES (NAD 83 NME)

A - Y =	474,939.3 N	A - X =	666,057.2 E
B - Y =	474,945.1 N	B - X =	663,405.1 E
C - Y =	474,950.9 N	C - X =	660,754.2 E
D - Y =	474,947.2 N	D - X =	658,090.8 E
E - Y =	474,943.5 N	E - X =	655,428.1 E
F - Y =	476,267.0 N	F - X =	666,052.2 E
G - Y =	476,273.3 N	G - X =	663,399.8 E
H - Y =	476,279.1 N	H - X =	660,747.4 E
I - Y =	476,274.1 N	I - X =	658,083.8 E
J - Y =	476,268.4 N	J - X =	655,421.3 E

CORNER COORDINATES (NAD 27 NME)

A - Y =	474,879.1 N	A - X =	624,874.7 E
B - Y =	474,885.0 N	B - X =	622,222.7 E
C - Y =	474,890.8 N	C - X =	619,571.7 E
D - Y =	474,887.1 N	D - X =	616,908.3 E
E - Y =	474,883.4 N	E - X =	614,245.7 E
F - Y =	476,206.8 N	F - X =	624,869.8 E
G - Y =	476,213.1 N	G - X =	622,217.3 E
H - Y =	476,219.0 N	H - X =	619,565.0 E
I - Y =	476,214.0 N	I - X =	616,901.4 E
J - Y =	476,208.3 N	J - X =	614,238.9 E

618.013 XTO Energy - NW\005 Nash Unit - Eddy\00 - Nash Unit\Wells\32 - 709H\DWG\709H C-102.dwg

C-102 Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal	
		<input type="checkbox"/> Amended Report	
		<input type="checkbox"/> As Drilled	

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>817H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3,012'</b>
Surface Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	13	23S	29E		2,592 FNL	462 FEL	32.305218	-103.931151	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
D	14	23S	29E		990 FNL	50 FWL	32.309715	-103.963905	EDDY

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>DEFINING</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	1	1,204 FNL	603 FWL	32.309021	-103.927705	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
A	13	23S	29E		990 FNL	100 FEL	32.309615	-103.929979	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
D	14	23S	29E		990 FNL	100 FWL	32.309715	-103.963743	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>3,012'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p>  <span style="float: right;">11/19/2024</span>                  Signature Date             </p> <p>Jena Austin Printed Name</p> <p>Jena.N.Austin@ExxonMobil.com Email Address</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p>                   Signature and Seal of Professional Surveyor             </p> <p>                 MARK DILLON HARP 23786                  Certificate Number             </p> <p>                 11/18/2024                  Date of Survey             </p> <p style="text-align: center;">DN <span style="float: right;">618.013005.00-40</span></p>
---	--


*Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.*

I:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\40 - 817H\DWG\817H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



COORDINATE TABLE					
SHL (NAD 83 NME)			SHL (NAD 27 NME)		
Y =	475,003.8	N	Y =	474,943.7	N
X =	665,594.8	E	X =	624,412.3	E
LAT. =	32.305218	°N	LAT. =	32.305094	°N
LONG. =	103.931151	°W	LONG. =	103.930659	°W
KOP (NAD 83 NME)			KOP (NAD 27 NME)		
Y =	476,391.3	N	Y =	476,331.1	N
X =	666,654.5	E	X =	625,472.1	E
LAT. =	32.309021	°N	LAT. =	32.308897	°N
LONG. =	103.927705	°W	LONG. =	103.927212	°W
FTP (NAD 83 NME)			FTP (NAD 27 NME)		
Y =	476,604.9	N	Y =	476,544.7	N
X =	665,951.0	E	X =	624,768.6	E
LAT. =	32.309615	°N	LAT. =	32.309492	°N
LONG. =	103.929979	°W	LONG. =	103.929486	°W
PPP #1 (NAD 83 NME)			PPP #1 (NAD 27 NME)		
Y =	476,604.7	N	Y =	476,544.5	N
X =	664,724.6	E	X =	623,542.2	E
LAT. =	32.309627	°N	LAT. =	32.309504	°N
LONG. =	103.933948	°W	LONG. =	103.933456	°W
PPP #2 (NAD 83 NME)			PPP #2 (NAD 27 NME)		
Y =	476,604.5	N	Y =	476,544.3	N
X =	663,398.3	E	X =	622,215.9	E
LAT. =	32.309640	°N	LAT. =	32.309517	°N
LONG. =	103.938241	°W	LONG. =	103.937748	°W
PPP #3 (NAD 83 NME)			PPP #3 (NAD 27 NME)		
Y =	476,603.8	N	Y =	476,543.7	N
X =	658,082.0	E	X =	616,899.6	E
LAT. =	32.309691	°N	LAT. =	32.309568	°N
LONG. =	103.955449	°W	LONG. =	103.954956	°W
LTP (NAD 83 NME)			LTP (NAD 27 NME)		
Y =	476,603.5	N	Y =	476,543.4	N
X =	655,519.5	E	X =	614,337.1	E
LAT. =	32.309715	°N	LAT. =	32.309592	°N
LONG. =	103.963743	°W	LONG. =	103.963250	°W
BHL (NAD 83 NME)			BHL (NAD 27 NME)		
Y =	476,603.4	N	Y =	476,543.2	N
X =	655,469.5	E	X =	614,287.1	E
LAT. =	32.309715	°N	LAT. =	32.309592	°N
LONG. =	103.963905	°W	LONG. =	103.963412	°W

LEGEND	
	SECTION LINE
	PROPOSED WELL BORE
	NEW MEXICO MINERAL LEASE
	330' BUFFER
	ALLOCATION AREA

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	037°22'17"	1,745.88'
L2	286°53'13"	735.20'
L3	269°59'30"	10,481.48'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

CORNER COORDINATES (NAD 83 NME)					
A - Y =	477,594.7	N	A - X =	666,047.2	E
B - Y =	477,601.4	N	B - X =	663,394.4	E
C - Y =	477,607.4	N	C - X =	660,740.6	E
D - Y =	477,601.0	N	D - X =	658,076.9	E
E - Y =	477,593.4	N	E - X =	655,414.4	E
F - Y =	476,267.0	N	F - X =	666,052.2	E
G - Y =	476,273.3	N	G - X =	663,399.8	E
H - Y =	476,279.1	N	H - X =	660,747.4	E
I - Y =	476,274.1	N	I - X =	658,083.8	E
J - Y =	476,268.4	N	J - X =	655,421.3	E
CORNER COORDINATES (NAD 27 NME)					
A - Y =	477,534.5	N	A - X =	624,864.9	E
B - Y =	477,541.2	N	B - X =	622,212.0	E
C - Y =	477,547.2	N	C - X =	619,558.2	E
D - Y =	477,540.8	N	D - X =	616,894.5	E
E - Y =	477,533.2	N	E - X =	614,232.1	E
F - Y =	476,206.8	N	F - X =	624,869.8	E
G - Y =	476,213.1	N	G - X =	622,217.3	E
H - Y =	476,219.0	N	H - X =	619,565.0	E
I - Y =	476,214.0	N	I - X =	616,901.4	E
J - Y =	476,208.3	N	J - X =	614,238.9	E

618.013 XTO Energy - NM\005 Nosh Unit - Eddy\00 - Nash Unit\Wells\40 - 817H\DWG\817H C-102...dwg

C-102 Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal	
		<input type="checkbox"/> Amended Report	
		<input type="checkbox"/> As Drilled	

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>818H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2,999'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		2,593 FSL	463 FEL	32.304874	-103.931153	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	14	23S	29E		2,310 FNL	50 FWL	32.306086	-103.963898	EDDY

Dedicated Acres <b>320.00</b>	Infill or Defining Well <b>DEFINING</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	2	2,365 FNL	603 FWL	32.305830	-103.927704	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	13	23S	29E		2,310 FNL	100 FEL	32.305987	-103.929979	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	14	23S	29E		2,310 FNL	100 FWL	32.306086	-103.963736	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>2,999'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p><i>Jena Austin</i> Signature Date: <b>11/19/2024</b></p> <p><b>Jena Austin</b> Printed Name</p> <p><b>Jena.N.Austin@ExxonMobil.com</b> Email Address</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p><i>[Signature]</i> Signature and Seal of Professional Surveyor</p> <p><b>MARK DILLON HARP 23786</b> Certificate Number</p> <p><b>11/18/2024</b> Date of Survey</p> <p style="text-align: center;"><b>DN</b> <span style="float: right;"><b>618.013005.00-41</b></span></p>
--	---


*Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.*

\\618.013.XTO.Energy - NM\005.Nash.Unit - Eddy\00 - Nash.Unit\Wells\41 - 818H\DWG\818H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



**COORDINATE TABLE**

SHL (NAD 83 NME)		SHL (NAD 27 NME)	
Y =	474,878.8 N	Y =	474,818.7 N
X =	665,594.8 E	X =	624,412.3 E
LAT. =	32.304874 °N	LAT. =	32.304751 °N
LONG. =	103.931153 °W	LONG. =	103.930660 °W
KOP (NAD 83 NME)		KOP (NAD 27 NME)	
Y =	475,230.3 N	Y =	475,170.1 N
X =	666,659.1 E	X =	625,476.6 E
LAT. =	32.305830 °N	LAT. =	32.305706 °N
LONG. =	103.927704 °W	LONG. =	103.927211 °W
FTP (NAD 83 NME)		FTP (NAD 27 NME)	
Y =	475,284.8 N	Y =	475,224.7 N
X =	665,956.0 E	X =	624,773.5 E
LAT. =	32.305987 °N	LAT. =	32.305863 °N
LONG. =	103.929979 °W	LONG. =	103.929486 °W
PPP #1 (NAD 83 NME)		PPP #1 (NAD 27 NME)	
Y =	475,284.7 N	Y =	475,224.5 N
X =	664,729.8 E	X =	623,547.4 E
LAT. =	32.305999 °N	LAT. =	32.305875 °N
LONG. =	103.933948 °W	LONG. =	103.933455 °W
PPP #2 (NAD 83 NME)		PPP #2 (NAD 27 NME)	
Y =	475,284.5 N	Y =	475,224.4 N
X =	663,403.7 E	X =	622,221.3 E
LAT. =	32.306012 °N	LAT. =	32.305888 °N
LONG. =	103.938240 °W	LONG. =	103.937747 °W
PPP #3 (NAD 83 NME)		PPP #3 (NAD 27 NME)	
Y =	475,283.8 N	Y =	475,223.7 N
X =	658,088.9 E	X =	616,906.5 E
LAT. =	32.306063 °N	LAT. =	32.305939 °N
LONG. =	103.955442 °W	LONG. =	103.954949 °W
LTP (NAD 83 NME)		LTP (NAD 27 NME)	
Y =	475,283.5 N	Y =	475,223.4 N
X =	655,526.3 E	X =	614,343.9 E
LAT. =	32.306086 °N	LAT. =	32.305963 °N
LONG. =	103.963736 °W	LONG. =	103.963243 °W
BHL (NAD 83 NME)		BHL (NAD 27 NME)	
Y =	475,283.4 N	Y =	475,223.3 N
X =	655,476.3 E	X =	614,293.9 E
LAT. =	32.306086 °N	LAT. =	32.305963 °N
LONG. =	103.963898 °W	LONG. =	103.963405 °W

**LEGEND**

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	071°43'24"	1,120.84'
L2	274°26'04"	705.22'
L3	269°59'31"	10,479.68'

LOT ACREAGE TABLE	
SECTION 18	
T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

**CORNER COORDINATES (NAD 83 NME)**

A - Y =	474,939.3 N	A - X =	666,057.2 E
B - Y =	474,945.1 N	B - X =	663,405.1 E
C - Y =	474,950.9 N	C - X =	660,754.2 E
D - Y =	474,947.2 N	D - X =	658,090.8 E
E - Y =	474,943.5 N	E - X =	655,428.1 E
F - Y =	476,267.0 N	F - X =	666,052.2 E
G - Y =	476,273.3 N	G - X =	663,399.8 E
H - Y =	476,279.1 N	H - X =	660,747.4 E
I - Y =	476,274.1 N	I - X =	658,083.8 E
J - Y =	476,268.4 N	J - X =	655,421.3 E

**CORNER COORDINATES (NAD 27 NME)**

A - Y =	474,879.1 N	A - X =	624,874.7 E
B - Y =	474,885.0 N	B - X =	622,222.7 E
C - Y =	474,890.8 N	C - X =	619,571.7 E
D - Y =	474,887.1 N	D - X =	616,908.3 E
E - Y =	474,883.4 N	E - X =	614,245.7 E
F - Y =	476,206.8 N	F - X =	624,869.8 E
G - Y =	476,213.1 N	G - X =	622,217.3 E
H - Y =	476,219.0 N	H - X =	619,565.0 E
I - Y =	476,214.0 N	I - X =	616,901.4 E
J - Y =	476,208.3 N	J - X =	614,238.9 E


618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\41 - 818H\DWG\818H C-102...dwg



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	027°25'10"	2,236.20'
L2	291°21'22"	758.10'
L3	269°59'30"	10,482.38'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1	= 40.17 ACRES
LOT 2	= 40.20 ACRES
LOT 3	= 40.22 ACRES
LOT 4	= 40.25 ACRES

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

COORDINATE TABLE											
SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)			
Y =	475,003.8	N	Y =	476,988.8	N	Y =	477,264.9	N	Y =	477,264.5	N
X =	665,624.8	E	X =	666,654.5	E	X =	665,948.5	E	X =	664,722.1	E
LAT. =	32.305218	°N	LAT. =	32.310663	°N	LAT. =	32.311429	°N	LAT. =	32.311442	°N
LONG. =	103.931054	°W	LONG. =	103.927697	°W	LONG. =	103.929979	°W	LONG. =	103.933949	°W

PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)	
Y =	477,263.8	N	Y =	477,263.5	N
X =	658,078.6	E	X =	655,516.1	E
LAT. =	32.311505	°N	LAT. =	32.311529	°N
LONG. =	103.955453	°W	LONG. =	103.963747	°W

SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)			
Y =	474,943.7	N	Y =	476,928.6	N	Y =	477,204.7	N	Y =	477,204.5	N
X =	624,442.3	E	X =	625,472.1	E	X =	624,766.1	E	X =	623,539.7	E
LAT. =	32.305094	°N	LAT. =	32.310540	°N	LAT. =	32.311306	°N	LAT. =	32.311318	°N
LONG. =	103.930562	°W	LONG. =	103.927204	°W	LONG. =	103.929486	°W	LONG. =	103.933456	°W

PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)	
Y =	477,203.7	N	Y =	477,203.3	N
X =	616,896.2	E	X =	614,333.8	E
LAT. =	32.311382	°N	LAT. =	32.311406	°N
LONG. =	103.954959	°W	LONG. =	103.963253	°W

CORNER COORDINATES (NAD 83 NME)					
A - Y =	477,594.7	N	A - X =	666,047.2	E
B - Y =	477,601.4	N	B - X =	663,394.4	E
C - Y =	477,607.4	N	C - X =	660,740.6	E
D - Y =	477,601.0	N	D - X =	658,076.9	E
E - Y =	477,593.4	N	E - X =	655,414.4	E
F - Y =	476,267.0	N	F - X =	666,052.2	E
G - Y =	476,273.3	N	G - X =	663,399.8	E
H - Y =	476,279.1	N	H - X =	660,747.4	E
I - Y =	476,274.1	N	I - X =	658,083.8	E
J - Y =	476,268.4	N	J - X =	655,421.3	E

CORNER COORDINATES (NAD 27 NME)					
A - Y =	477,534.5	N	A - X =	624,864.9	E
B - Y =	477,541.2	N	B - X =	622,212.0	E
C - Y =	477,547.2	N	C - X =	619,558.2	E
D - Y =	477,540.8	N	D - X =	616,894.5	E
E - Y =	477,533.2	N	E - X =	614,232.1	E
F - Y =	476,206.8	N	F - X =	624,869.8	E
G - Y =	476,213.1	N	G - X =	622,217.3	E
H - Y =	476,219.0	N	H - X =	619,565.0	E
I - Y =	476,214.0	N	I - X =	616,901.4	E
J - Y =	476,208.3	N	J - X =	614,238.9	E

F:\618.013 XTO Energy - NM\005 Nosh Unit - Eddy\00 - Nash Unit\Wells\48 - 905H\DWG\905H C-102.dwg

<b>C-102</b> Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal	
		<input type="checkbox"/> Amended Report	
		<input type="checkbox"/> As Drilled	

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>906H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3,014'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		2,593 FSL	433 FEL	32.304874	-103.931056	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	14	23S	29E		1,650 FNL	50 FWL	32.307901	-103.963902	EDDY

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	2	1,782 FNL	605 FWL	32.307430	-103.927697	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	13	23S	29E		1,650 FNL	100 FEL	32.307801	-103.929979	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	14	23S	29E		1,650 FNL	100 FWL	32.307901	-103.963740	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>3,014'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p><i>Jena Austin</i>                  Signature                  11/19/2024                  Date</p> <p>Jena Austin                  Printed Name</p> <p>Jena.N.Austin@ExxonMobil.com                  Email Address</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p><i>[Signature]</i>                  Signature and Seal of Professional Surveyor</p> <p>MARK DILLON HARP 23786                  Certificate Number</p> <p>11/18/2024                  Date of Survey</p> <p style="text-align: center;">YH</p> <p style="text-align: right;">618.013005.00-49</p>
---	---


P:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\49 - 906H\DWG\906H C-102.dwg

Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	047°55'15"	1,393.45'
L2	280°36'47"	717.83'
L3	269°59'31"	10,480.58'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

LEGEND	
	SECTION LINE
	PROPOSED WELL BORE
	NEW MEXICO MINERAL LEASE
	330' BUFFER
	ALLOCATION AREA

COORDINATE TABLE

SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)						
Y =	474,878.8	N	Y =	475,812.7	N	Y =	475,944.9	N	Y =	475,944.7	N	Y =	475,944.5	N
X =	665,624.8	E	X =	666,659.0	E	X =	665,953.5	E	X =	664,727.2	E	X =	663,401.0	E
LAT. =	32.304874	°N	LAT. =	32.307430	°N	LAT. =	32.307801	°N	LAT. =	32.307813	°N	LAT. =	32.307826	°N
LONG. =	103.931056	°W	LONG. =	103.927697	°W	LONG. =	103.929979	°W	LONG. =	103.933948	°W	LONG. =	103.938241	°W
PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)										
Y =	475,943.8	N	Y =	475,943.5	N	Y =	475,943.4	N						
X =	658,085.5	E	X =	655,522.9	E	X =	655,472.9	E						
LAT. =	32.307877	°N	LAT. =	32.307901	°N	LAT. =	32.307901	°N						
LONG. =	103.955446	°W	LONG. =	103.963740	°W	LONG. =	103.963902	°W						
SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)						
Y =	474,818.7	N	Y =	475,752.5	N	Y =	475,884.7	N	Y =	475,884.5	N	Y =	475,884.4	N
X =	624,442.3	E	X =	625,476.6	E	X =	624,771.0	E	X =	623,544.8	E	X =	622,218.6	E
LAT. =	32.304750	°N	LAT. =	32.307307	°N	LAT. =	32.307677	°N	LAT. =	32.307690	°N	LAT. =	32.307703	°N
LONG. =	103.930563	°W	LONG. =	103.927204	°W	LONG. =	103.929486	°W	LONG. =	103.933455	°W	LONG. =	103.937748	°W
PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)										
Y =	475,883.7	N	Y =	475,883.4	N	Y =	475,883.3	N						
X =	616,903.1	E	X =	614,340.5	E	X =	614,290.5	E						
LAT. =	32.307754	°N	LAT. =	32.307777	°N	LAT. =	32.307777	°N						
LONG. =	103.954952	°W	LONG. =	103.963246	°W	LONG. =	103.963408	°W						

CORNER COORDINATES (NAD 83 NME)

A - Y =	474,939.3	N	A - X =	666,057.2	E
B - Y =	474,945.1	N	B - X =	663,405.1	E
C - Y =	474,950.9	N	C - X =	660,754.2	E
D - Y =	474,947.2	N	D - X =	658,090.8	E
E - Y =	474,943.5	N	E - X =	655,428.1	E
F - Y =	476,267.0	N	F - X =	666,052.2	E
G - Y =	476,273.3	N	G - X =	663,399.8	E
H - Y =	476,279.1	N	H - X =	660,747.4	E
I - Y =	476,274.1	N	I - X =	658,083.8	E
J - Y =	476,268.4	N	J - X =	655,421.3	E

CORNER COORDINATES (NAD 27 NME)

A - Y =	474,879.1	N	A - X =	624,874.7	E
B - Y =	474,885.0	N	B - X =	622,222.7	E
C - Y =	474,890.8	N	C - X =	619,571.7	E
D - Y =	474,887.1	N	D - X =	616,908.3	E
E - Y =	474,883.4	N	E - X =	614,245.7	E
F - Y =	476,206.8	N	F - X =	624,869.8	E
G - Y =	476,213.1	N	G - X =	622,217.3	E
H - Y =	476,219.0	N	H - X =	619,565.0	E
I - Y =	476,214.0	N	I - X =	616,901.4	E
J - Y =	476,208.3	N	J - X =	614,238.9	E

618.013 XTO Energy - NM\005 Nosh Unit - Eddy\00 - Nash Unit\Wells\--49 - 906H\DWG\906H C-102.dwg

# Exhibit 2

Nash Pad C N/2 S/2 Unit

<b>C-102</b> Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal	
		<input type="checkbox"/> Amended Report	
		<input type="checkbox"/> As Drilled	

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>710H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3,008'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		2,467 FSL	493 FEL	32.304531	-103.931252	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	14	23S	29E		2,090 FSL	50 FWL	32.303560	-103.963892	EDDY

Dedicated Acres <b>320.00</b>	Infill or Defining Well <b>DEFINING</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	3	2,151 FSL	596 FWL	32.303653	-103.927725	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		2,090 FSL	100 FEL	32.303488	-103.929978	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	14	23S	29E		2,090 FSL	100 FWL	32.303560	-103.963730	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>3,008'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p>Signature: <u>Jena Austin</u> Date: <u>11/19/2024</u></p> <p>Printed Name: <u>Jena Austin</u></p> <p>Email Address: <u>Jena.N.Austin@ExxonMobil.com</u></p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p>Signature and Seal of Professional Surveyor: <u>[Signature]</u></p> <p>Certificate Number: <u>MARK DILLON HARP 23786</u> Date of Survey: <u>11/18/2024</u></p> <p style="text-align: center;">DN 618.013005.00-33</p>
---	--


*Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.*

P:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\33 - 710H\DWG\710H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



**COORDINATE TABLE**

SHL (NAD 83 NME)		SHL (NAD 27 NME)	
Y =	474,753.8 N	Y =	474,693.7 N
X =	665,564.8 E	X =	624,382.3 E
LAT. =	32.304531 °N	LAT. =	32.304407 °N
LONG. =	103.931252 °W	LONG. =	103.930759 °W
KOP (NAD 83 NME)		KOP (NAD 27 NME)	
Y =	474,438.4 N	Y =	474,378.3 N
X =	666,655.7 E	X =	625,473.2 E
LAT. =	32.303653 °N	LAT. =	32.303529 °N
LONG. =	103.927725 °W	LONG. =	103.927232 °W
FTP (NAD 83 NME)		FTP (NAD 27 NME)	
Y =	474,375.8 N	Y =	474,315.7 N
X =	665,959.5 E	X =	624,777.0 E
LAT. =	32.303488 °N	LAT. =	32.303364 °N
LONG. =	103.929978 °W	LONG. =	103.929486 °W
PPP #1 (NAD 83 NME)		PPP #1 (NAD 27 NME)	
Y =	474,373.1 N	Y =	474,312.9 N
X =	663,407.4 E	X =	622,225.0 E
LAT. =	32.303506 °N	LAT. =	32.303383 °N
LONG. =	103.938239 °W	LONG. =	103.937746 °W
PPP #2 (NAD 83 NME)		PPP #2 (NAD 27 NME)	
Y =	474,368.7 N	Y =	474,308.6 N
X =	659,424.8 E	X =	618,242.3 E
LAT. =	32.303534 °N	LAT. =	32.303411 °N
LONG. =	103.951129 °W	LONG. =	103.950636 °W
PPP #3 (NAD 83 NME)		PPP #3 (NAD 27 NME)	
Y =	474,367.3 N	Y =	474,307.2 N
X =	658,093.7 E	X =	616,911.3 E
LAT. =	32.303543 °N	LAT. =	32.303420 °N
LONG. =	103.955437 °W	LONG. =	103.954944 °W
LTP (NAD 83 NME)		LTP (NAD 27 NME)	
Y =	474,364.5 N	Y =	474,304.4 N
X =	655,531.3 E	X =	614,348.9 E
LAT. =	32.303560 °N	LAT. =	32.303437 °N
LONG. =	103.963730 °W	LONG. =	103.963237 °W
BHL (NAD 83 NME)		BHL (NAD 27 NME)	
Y =	474,364.3 N	Y =	474,304.2 N
X =	655,481.3 E	X =	614,298.9 E
LAT. =	32.303560 °N	LAT. =	32.303437 °N
LONG. =	103.963892 °W	LONG. =	103.963399 °W

**LEGEND**

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

**LINE TABLE**

LINE	AZIMUTH	LENGTH
L1	106°07'31"	1,135.57'
L2	264°51'41"	698.94'
L3	269°56'13"	10,478.23'

**LOT ACREAGE TABLE**

SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

**CORNER COORDINATES (NAD 83 NME)**

A - Y =	474,939.3 N	A - X =	666,057.2 E
B - Y =	474,945.1 N	B - X =	663,405.1 E
C - Y =	474,950.9 N	C - X =	660,754.2 E
D - Y =	474,947.2 N	D - X =	658,090.8 E
E - Y =	474,943.5 N	E - X =	655,428.1 E
F - Y =	473,612.5 N	F - X =	666,062.6 E
G - Y =	473,617.1 N	G - X =	663,410.5 E
H - Y =	473,621.9 N	H - X =	660,759.4 E
I - Y =	473,615.9 N	I - X =	658,097.7 E
J - Y =	473,608.8 N	J - X =	655,435.6 E

**CORNER COORDINATES (NAD 27 NME)**

A - Y =	474,879.1 N	A - X =	624,874.7 E
B - Y =	474,885.0 N	B - X =	622,222.7 E
C - Y =	474,890.8 N	C - X =	619,571.7 E
D - Y =	474,887.1 N	D - X =	616,908.3 E
E - Y =	474,883.4 N	E - X =	614,245.7 E
F - Y =	473,552.4 N	F - X =	624,880.1 E
G - Y =	473,557.0 N	G - X =	622,228.0 E
H - Y =	473,561.8 N	H - X =	619,576.9 E
I - Y =	473,555.8 N	I - X =	616,915.3 E
J - Y =	473,548.8 N	J - X =	614,253.2 E


618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\33 - 710H\DWG\710H C-102...dwg



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	097°32'26"	1,048.39'
L2	268°20'33"	705.74'
L3	269°56'13"	10,478.59'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 = 40.17 ACRES	
LOT 2 = 40.20 ACRES	
LOT 3 = 40.22 ACRES	
LOT 4 = 40.25 ACRES	

LEGEND	
	SECTION LINE
	PROPOSED WELL BORE
	NEW MEXICO MINERAL LEASE
	330' BUFFER
	ALLOCATION AREA

COORDINATE TABLE											
SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)			
Y =	474,753.8 N	Y =	474,616.2 N	Y =	474,595.8 N	Y =	474,593.1 N	Y =	474,588.7 N		
X =	665,624.8 E	X =	666,664.1 E	X =	665,958.6 E	X =	663,406.5 E	X =	659,423.7 E		
LAT. =	32.304530 °N	LAT. =	32.304141 °N	LAT. =	32.304093 °N	LAT. =	32.304111 °N	LAT. =	32.304139 °N		
LONG. =	103.931057 °W	LONG. =	103.927695 °W	LONG. =	103.929979 °W	LONG. =	103.938239 °W	LONG. =	103.951130 °W		
PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)							
Y =	474,587.3 N	Y =	474,584.5 N	Y =	474,584.3 N						
X =	658,092.5 E	X =	655,530.1 E	X =	655,480.1 E						
LAT. =	32.304148 °N	LAT. =	32.304165 °N	LAT. =	32.304165 °N						
LONG. =	103.955438 °W	LONG. =	103.963732 °W	LONG. =	103.963894 °W						
SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)			
Y =	474,693.7 N	Y =	474,556.1 N	Y =	474,535.7 N	Y =	474,532.9 N	Y =	474,528.6 N		
X =	624,442.3 E	X =	625,481.6 E	X =	624,776.2 E	X =	622,224.1 E	X =	618,241.3 E		
LAT. =	32.304407 °N	LAT. =	32.304018 °N	LAT. =	32.303969 °N	LAT. =	32.303988 °N	LAT. =	32.304015 °N		
LONG. =	103.930565 °W	LONG. =	103.927203 °W	LONG. =	103.929486 °W	LONG. =	103.937746 °W	LONG. =	103.950636 °W		
PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)							
Y =	474,527.2 N	Y =	474,524.4 N	Y =	474,524.2 N						
X =	616,910.1 E	X =	614,347.6 E	X =	614,297.6 E						
LAT. =	32.304024 °N	LAT. =	32.304041 °N	LAT. =	32.304041 °N						
LONG. =	103.954945 °W	LONG. =	103.963238 °W	LONG. =	103.963400 °W						
CORNER COORDINATES (NAD 83 NME)					CORNER COORDINATES (NAD 27 NME)						
A - Y =	474,939.3 N	A - X =	666,057.2 E	A - Y =	474,879.1 N	A - X =	624,874.7 E	B - Y =	474,885.0 N	B - X =	622,222.7 E
B - Y =	474,945.1 N	B - X =	663,405.1 E	B - Y =	474,890.8 N	B - X =	619,571.7 E	C - Y =	474,950.9 N	C - X =	660,754.2 E
C - Y =	474,950.9 N	C - X =	660,754.2 E	C - Y =	474,887.1 N	C - X =	616,908.3 E	D - Y =	474,947.2 N	D - X =	658,090.8 E
D - Y =	474,947.2 N	D - X =	658,090.8 E	D - Y =	474,883.4 N	D - X =	614,245.7 E	E - Y =	474,943.5 N	E - X =	655,428.1 E
E - Y =	474,943.5 N	E - X =	655,428.1 E	E - Y =	473,552.4 N	E - X =	624,880.1 E	F - Y =	473,612.5 N	F - X =	666,062.6 E
F - Y =	473,612.5 N	F - X =	666,062.6 E	F - Y =	473,557.0 N	F - X =	622,228.0 E	G - Y =	473,617.1 N	G - X =	663,410.5 E
G - Y =	473,617.1 N	G - X =	663,410.5 E	G - Y =	473,561.8 N	G - X =	619,576.9 E	H - Y =	473,621.9 N	H - X =	660,759.4 E
H - Y =	473,621.9 N	H - X =	660,759.4 E	H - Y =	473,555.8 N	H - X =	616,915.3 E	I - Y =	473,615.9 N	I - X =	658,097.7 E
I - Y =	473,615.9 N	I - X =	658,097.7 E	I - Y =	473,548.8 N	I - X =	614,253.2 E	J - Y =	473,608.8 N	J - X =	655,435.6 E
J - Y =	473,608.8 N	J - X =	655,435.6 E	J - Y =		J - X =		J - Y =		J - X =	

618.013 XTO Energy - NW\005 Nash Unit - Eddy\00 - Nash Unit\Wells\50 - 907H\DWG\907H C-102.dwg

# Exhibit 2

Nash Pad D S/2 S/2 Unit

C-102  Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal	
		<input type="checkbox"/> Amended Report	
		<input type="checkbox"/> As Drilled	

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>408H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2,999'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		1,769 FSL	1,181 FEL	32.302621	-103.933477	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	14	23S	29E		990 FSL	50 FWL	32.300536	-103.963884	EDDY

Dedicated Acres <b>320.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	4	1,206 FSL	515 FWL	32.301055	-103.927988	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
P	13	23S	29E		990 FSL	100 FEL	32.300464	-103.929978	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	14	23S	29E		990 FSL	100 FWL	32.300536	-103.963722	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type: <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>2,999'</b>
--	---	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p>                   Signature             </p> <p>                 11/19/2024                  Date             </p> <p>                 Jena Austin                  Printed Name             </p> <p>                 Jena.N.Austin@ExxonMobil.com                  Email Address             </p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p>                   Signature and Seal of Professional Surveyor             </p> <p>                 MARK DILLON HARP 23786                  Certificate Number             </p> <p>                 11/18/2024                  Date of Survey             </p> <p style="text-align: center;">                 KT <span style="float: right;">618.013005.00-21</span> </p>
--	--


Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

P:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\21 - 408H\DWG\408H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	108°21'19"	1,789.28'
L2	250°31'33"	651.26'
L3	269°56'13"	10,476.44'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1	= 40.17 ACRES
LOT 2	= 40.20 ACRES
LOT 3	= 40.22 ACRES
LOT 4	= 40.25 ACRES

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

COORDINATE TABLE

SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)	
Y =	474,056.4 N	Y =	473,492.9 N	Y =	473,275.8 N	Y =	473,273.1 N	Y =	473,268.7 N
X =	664,879.7 E	X =	666,578.0 E	X =	665,964.0 E	X =	663,411.9 E	X =	659,429.9 E
LAT. =	32.302621 °N	LAT. =	32.301055 °N	LAT. =	32.300464 °N	LAT. =	32.300483 °N	LAT. =	32.300511 °N
LONG. =	103.933477 °W	LONG. =	103.927988 °W	LONG. =	103.929978 °W	LONG. =	103.938237 °W	LONG. =	103.951125 °W

PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)	
Y =	473,267.3 N	Y =	473,264.5 N	Y =	473,264.3 N
X =	658,099.4 E	X =	655,537.5 E	X =	655,487.5 E
LAT. =	32.300519 °N	LAT. =	32.300536 °N	LAT. =	32.300536 °N
LONG. =	103.955431 °W	LONG. =	103.963722 °W	LONG. =	103.963884 °W

SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)	
Y =	473,996.3 N	Y =	473,432.8 N	Y =	473,215.7 N	Y =	473,212.9 N	Y =	473,208.6 N
X =	623,697.2 E	X =	625,395.4 E	X =	624,781.4 E	X =	622,229.4 E	X =	618,247.4 E
LAT. =	32.302497 °N	LAT. =	32.300931 °N	LAT. =	32.300340 °N	LAT. =	32.300359 °N	LAT. =	32.300387 °N
LONG. =	103.932985 °W	LONG. =	103.927495 °W	LONG. =	103.929485 °W	LONG. =	103.937744 °W	LONG. =	103.950632 °W

PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)	
Y =	473,207.2 N	Y =	473,204.4 N	Y =	473,204.2 N
X =	616,917.0 E	X =	614,355.1 E	X =	614,305.1 E
LAT. =	32.300396 °N	LAT. =	32.300413 °N	LAT. =	32.300413 °N
LONG. =	103.954938 °W	LONG. =	103.963229 °W	LONG. =	103.963391 °W

CORNER COORDINATES (NAD 83 NME)			
A - Y =	472,285.7 N	A - X =	666,068.1 E
B - Y =	472,289.1 N	B - X =	663,415.9 E
C - Y =	472,292.9 N	C - X =	660,764.6 E
D - Y =	472,284.6 N	D - X =	658,104.7 E
E - Y =	472,274.2 N	E - X =	655,443.1 E
F - Y =	473,612.5 N	F - X =	666,062.6 E
G - Y =	473,617.1 N	G - X =	663,410.5 E
H - Y =	473,621.9 N	H - X =	660,759.4 E
I - Y =	473,615.9 N	I - X =	658,097.7 E
J - Y =	473,608.8 N	J - X =	655,435.6 E

CORNER COORDINATES (NAD 27 NME)			
A - Y =	472,225.6 N	A - X =	624,885.5 E
B - Y =	472,229.0 N	B - X =	622,233.4 E
C - Y =	472,232.8 N	C - X =	619,582.1 E
D - Y =	472,224.5 N	D - X =	616,922.2 E
E - Y =	472,214.2 N	E - X =	614,260.6 E
F - Y =	473,552.4 N	F - X =	624,880.1 E
G - Y =	473,557.0 N	G - X =	622,228.0 E
H - Y =	473,561.8 N	H - X =	619,576.9 E
I - Y =	473,555.8 N	I - X =	616,915.3 E
J - Y =	473,548.8 N	J - X =	614,253.2 E

618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\21 - 408H\DWG\408H C-102...dwg



<b>C-102</b> Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
			<input checked="" type="checkbox"/> Initial Submittal
			<input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>712H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2,999'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		1,775 FSL	1,121 FEL	32.302635	-103.933284	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	14	23S	29E		345 FSL	50 FWL	32.298763	-103.963880	EDDY

Dedicated Acres <b>320.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	4	611 FSL	567 FWL	32.299418	-103.927819	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
P	13	23S	29E		345 FSL	100 FEL	32.298691	-103.929977	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	14	23S	29E		345 FSL	100 FWL	32.298763	-103.963718	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>2,999'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p>                  11/19/2024                  Signature Date             </p> <p>Jena Austin Printed Name</p> <p>Jena.N.Austin@ExxonMobil.com Email Address</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p>                   Signature and Seal of Professional Surveyor             </p> <p>                 MARK DILLON HARP 23786                  Certificate Number             </p> <p>                 11/18/2024                  Date of Survey             </p> <p style="text-align: center;">DN 618.013005.00-35</p>
--	---


*Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.*

P:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\35 - 712H\DWG\712H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



COORDINATE TABLE

SHL (NAD 83 NME)		SHL (NAD 27 NME)	
Y =	474,061.7 N	Y =	474,001.6 N
X =	664,939.5 E	X =	623,757.0 E
LAT. =	32.302635 °N	LAT. =	32.302511 °N
LONG. =	103.933284 °W	LONG. =	103.932791 °W
KOP (NAD 83 NME)		KOP (NAD 27 NME)	
Y =	472,897.8 N	Y =	472,837.7 N
X =	666,632.4 E	X =	625,449.9 E
LAT. =	32.299418 °N	LAT. =	32.299294 °N
LONG. =	103.927819 °W	LONG. =	103.927326 °W
FTP (NAD 83 NME)		FTP (NAD 27 NME)	
Y =	472,630.8 N	Y =	472,570.7 N
X =	665,966.5 E	X =	624,784.0 E
LAT. =	32.298691 °N	LAT. =	32.298567 °N
LONG. =	103.929977 °W	LONG. =	103.929485 °W
PPP #1 (NAD 83 NME)		PPP #1 (NAD 27 NME)	
Y =	472,628.1 N	Y =	472,568.0 N
X =	663,414.6 E	X =	622,232.0 E
LAT. =	32.298710 °N	LAT. =	32.298586 °N
LONG. =	103.938236 °W	LONG. =	103.937744 °W
PPP #2 (NAD 83 NME)		PPP #2 (NAD 27 NME)	
Y =	472,623.7 N	Y =	472,563.7 N
X =	659,433.0 E	X =	618,250.4 E
LAT. =	32.298737 °N	LAT. =	32.298614 °N
LONG. =	103.951122 °W	LONG. =	103.950629 °W
PPP #3 (NAD 83 NME)		PPP #3 (NAD 27 NME)	
Y =	472,622.3 N	Y =	472,562.2 N
X =	658,102.8 E	X =	616,920.3 E
LAT. =	32.298746 °N	LAT. =	32.298623 °N
LONG. =	103.955427 °W	LONG. =	103.954934 °W
LTP (NAD 83 NME)		LTP (NAD 27 NME)	
Y =	472,619.5 N	Y =	472,559.5 N
X =	655,541.2 E	X =	614,358.7 E
LAT. =	32.298763 °N	LAT. =	32.298640 °N
LONG. =	103.963718 °W	LONG. =	103.963225 °W
BHL (NAD 83 NME)		BHL (NAD 27 NME)	
Y =	472,619.3 N	Y =	472,559.3 N
X =	655,491.2 E	X =	614,308.7 E
LAT. =	32.298763 °N	LAT. =	32.298640 °N
LONG. =	103.963880 °W	LONG. =	103.963386 °W

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

LINE TABLE

LINE	AZIMUTH	LENGTH
L1	124°30'34"	2,054.42'
L2	248°09'12"	717.39'
L3	269°56'14"	10,475.39'

LOT ACREAGE TABLE

SECTION 18
T-23-S R-30-E
LOT 1 = 40.17 ACRES
LOT 2 = 40.20 ACRES
LOT 3 = 40.22 ACRES
LOT 4 = 40.25 ACRES

CORNER COORDINATES (NAD 83 NME)

A - Y =	472,285.7 N	A - X =	666,068.1 E
B - Y =	472,289.1 N	B - X =	663,415.9 E
C - Y =	472,292.9 N	C - X =	660,764.6 E
D - Y =	472,284.6 N	D - X =	658,104.7 E
E - Y =	472,274.2 N	E - X =	655,443.1 E
F - Y =	473,612.5 N	F - X =	666,062.6 E
G - Y =	473,617.1 N	G - X =	663,410.5 E
H - Y =	473,621.9 N	H - X =	660,759.4 E
I - Y =	473,615.9 N	I - X =	658,097.7 E
J - Y =	473,608.8 N	J - X =	655,435.6 E

CORNER COORDINATES (NAD 27 NME)

A - Y =	472,225.6 N	A - X =	624,885.5 E
B - Y =	472,229.0 N	B - X =	622,233.4 E
C - Y =	472,232.8 N	C - X =	619,582.1 E
D - Y =	472,224.5 N	D - X =	616,922.2 E
E - Y =	472,214.2 N	E - X =	614,260.6 E
F - Y =	473,552.4 N	F - X =	624,880.1 E
G - Y =	473,557.0 N	G - X =	622,228.0 E
H - Y =	473,561.8 N	H - X =	619,576.9 E
I - Y =	473,555.8 N	I - X =	616,915.3 E
J - Y =	473,548.8 N	J - X =	614,253.2 E


618.013 XTO Energy - NW\005 Nosh Unit - Eddy\00 - Nash Unit\Wells\35 - 712H\DWG\712H C-102.dwg



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	125°57'31"	2,075.22'
L2	252°31'14"	715.68'
L3	269°56'14"	10,475.39'

LOT ACREAGE TABLE	
SECTION 7 T-23-S R-30-E	
LOT 1 =	40.15 ACRES
LOT 2 =	40.13 ACRES
LOT 3 =	40.11 ACRES
LOT 4 =	40.09 ACRES

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

COORDINATE TABLE

SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)			
Y =	474,064.4	N	Y =	472,845.8	N	Y =	472,630.8	N	Y =	472,623.7	N
X =	664,969.4	E	X =	666,649.2	E	X =	665,966.5	E	X =	663,414.6	E
LAT. =	32.302642	°N	LAT. =	32.299275	°N	LAT. =	32.298691	°N	LAT. =	32.298710	°N
LONG. =	103.933187	°W	LONG. =	103.927765	°W	LONG. =	103.929977	°W	LONG. =	103.938236	°W

PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)				
Y =	472,622.3	N	Y =	472,619.5	N	Y =	472,619.3	N
X =	658,102.8	E	X =	655,541.2	E	X =	655,491.2	E
LAT. =	32.298746	°N	LAT. =	32.298763	°N	LAT. =	32.298763	°N
LONG. =	103.955427	°W	LONG. =	103.963718	°W	LONG. =	103.963880	°W

SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)			
Y =	474,004.2	N	Y =	472,785.7	N	Y =	472,570.7	N	Y =	472,563.7	N
X =	623,786.9	E	X =	625,466.6	E	X =	624,784.0	E	X =	622,232.0	E
LAT. =	32.302518	°N	LAT. =	32.299151	°N	LAT. =	32.298567	°N	LAT. =	32.298586	°N
LONG. =	103.932694	°W	LONG. =	103.927273	°W	LONG. =	103.929485	°W	LONG. =	103.937744	°W

PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)				
Y =	472,562.2	N	Y =	472,559.5	N	Y =	472,559.3	N
X =	616,920.3	E	X =	614,358.7	E	X =	614,308.7	E
LAT. =	32.298623	°N	LAT. =	32.298640	°N	LAT. =	32.298640	°N
LONG. =	103.954934	°W	LONG. =	103.963225	°W	LONG. =	103.963386	°W

CORNER COORDINATES (NAD 83 NME)

A - Y =	472,285.7	N	A - X =	666,068.1	E
B - Y =	472,289.1	N	B - X =	663,415.9	E
C - Y =	472,292.9	N	C - X =	660,764.6	E
D - Y =	472,284.6	N	D - X =	658,104.7	E
E - Y =	472,274.2	N	E - X =	655,443.1	E
F - Y =	473,612.5	N	F - X =	666,062.6	E
G - Y =	473,617.1	N	G - X =	663,410.5	E
H - Y =	473,621.9	N	H - X =	660,759.4	E
I - Y =	473,615.9	N	I - X =	658,097.7	E
J - Y =	473,608.8	N	J - X =	655,435.6	E

CORNER COORDINATES (NAD 27 NME)


A - Y =	472,225.6	N	A - X =	624,885.5	E
B - Y =	472,229.0	N	B - X =	622,233.4	E
C - Y =	472,232.8	N	C - X =	619,582.1	E
D - Y =	472,224.5	N	D - X =	616,922.2	E
E - Y =	472,214.2	N	E - X =	614,260.6	E
F - Y =	473,552.4	N	F - X =	624,880.1	E
G - Y =	473,557.0	N	G - X =	622,228.0	E
H - Y =	473,561.8	N	H - X =	619,576.9	E
I - Y =	473,555.8	N	I - X =	616,915.3	E
J - Y =	473,548.8	N	J - X =	614,253.2	E

F:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\43 - 808H\DWG\808H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land in not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



COORDINATE TABLE			
SHL (NAD 83 NME)		SHL (NAD 27 NME)	
Y =	474,059.1 N	Y =	473,998.9 N
X =	664,909.7 E	X =	623,727.2 E
LAT. =	32.302628 °N	LAT. =	32.302504 °N
LONG. =	103.933380 °W	LONG. =	103.932888 °W
KOP (NAD 83 NME)		KOP (NAD 27 NME)	
Y =	472,973.1 N	Y =	472,913.0 N
X =	666,604.0 E	X =	625,421.5 E
LAT. =	32.299626 °N	LAT. =	32.299502 °N
LONG. =	103.927910 °W	LONG. =	103.927418 °W
FTP (NAD 83 NME)		FTP (NAD 27 NME)	
Y =	472,630.8 N	Y =	472,570.7 N
X =	665,966.5 E	X =	624,784.0 E
LAT. =	32.298691 °N	LAT. =	32.298567 °N
LONG. =	103.929977 °W	LONG. =	103.929485 °W
PPP #1 (NAD 83 NME)		PPP #1 (NAD 27 NME)	
Y =	472,628.1 N	Y =	472,568.0 N
X =	663,414.6 E	X =	622,232.0 E
LAT. =	32.298710 °N	LAT. =	32.298586 °N
LONG. =	103.938236 °W	LONG. =	103.937744 °W
PPP #2 (NAD 83 NME)		PPP #2 (NAD 27 NME)	
Y =	472,623.7 N	Y =	472,563.7 N
X =	659,433.0 E	X =	618,250.4 E
LAT. =	32.298737 °N	LAT. =	32.298614 °N
LONG. =	103.951122 °W	LONG. =	103.950629 °W
PPP #3 (NAD 83 NME)		PPP #3 (NAD 27 NME)	
Y =	472,622.3 N	Y =	472,562.2 N
X =	658,102.8 E	X =	616,920.3 E
LAT. =	32.298746 °N	LAT. =	32.298623 °N
LONG. =	103.955427 °W	LONG. =	103.954934 °W
LTP (NAD 83 NME)		LTP (NAD 27 NME)	
Y =	472,619.5 N	Y =	472,559.5 N
X =	655,541.2 E	X =	614,358.7 E
LAT. =	32.298763 °N	LAT. =	32.298640 °N
LONG. =	103.963718 °W	LONG. =	103.963225 °W
BHL (NAD 83 NME)		BHL (NAD 27 NME)	
Y =	472,619.3 N	Y =	472,559.3 N
X =	655,491.2 E	X =	614,308.7 E
LAT. =	32.298763 °N	LAT. =	32.298640 °N
LONG. =	103.963880 °W	LONG. =	103.963386 °W

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	122°39'24"	2,012.49'
L2	241°45'53"	723.54'
L3	269°56'14"	10,475.39'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

CORNER COORDINATES (NAD 83 NME)					
A - Y =	472,285.7 N	A - X =	666,068.1 E		
B - Y =	472,289.1 N	B - X =	663,415.9 E		
C - Y =	472,292.9 N	C - X =	660,764.6 E		
D - Y =	472,284.6 N	D - X =	658,104.7 E		
E - Y =	472,274.2 N	E - X =	655,443.1 E		
F - Y =	473,612.5 N	F - X =	666,062.6 E		
G - Y =	473,617.1 N	G - X =	663,410.5 E		
H - Y =	473,621.9 N	H - X =	660,759.4 E		
I - Y =	473,615.9 N	I - X =	658,097.7 E		
J - Y =	473,608.8 N	J - X =	655,435.6 E		
CORNER COORDINATES (NAD 27 NME)					
A - Y =	472,225.6 N	A - X =	624,885.5 E		
B - Y =	472,229.0 N	B - X =	622,233.4 E		
C - Y =	472,232.8 N	C - X =	619,582.1 E		
D - Y =	472,224.5 N	D - X =	616,922.2 E		
E - Y =	472,214.2 N	E - X =	614,260.6 E		
F - Y =	473,552.4 N	F - X =	624,880.1 E		
G - Y =	473,557.0 N	G - X =	622,228.0 E		
H - Y =	473,561.8 N	H - X =	619,576.9 E		
I - Y =	473,555.8 N	I - X =	616,915.3 E		
J - Y =	473,548.8 N	J - X =	614,253.2 E		


618.013 XTO Energy - NW\005 Nash Unit - Eddy\00 - Nash Unit\Wells\23 - 508H\DWG\508H C-102.dwg



ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	114°53'29"	1,865.03'
L2	259°26'11"	698.16'
L3	269°56'13"	10,476.44'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1	= 40.17 ACRES
LOT 2	= 40.20 ACRES
LOT 3	= 40.22 ACRES
LOT 4	= 40.25 ACRES

LEGEND	
	SECTION LINE
	PROPOSED WELL BORE
	NEW MEXICO MINERAL LEASE
	330' BUFFER
	ALLOCATION AREA

COORDINATE TABLE														
SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)						
Y =	474,188.8	N	Y =	473,403.8	N	Y =	473,275.8	N	Y =	473,273.1	N	Y =	473,268.7	N
X =	664,958.5	E	X =	666,650.3	E	X =	665,964.0	E	X =	663,411.9	E	X =	659,429.9	E
LAT. =	32.302984	°N	LAT. =	32.300809	°N	LAT. =	32.300464	°N	LAT. =	32.300483	°N	LAT. =	32.300511	°N
LONG. =	103.933221	°W	LONG. =	103.927755	°W	LONG. =	103.929978	°W	LONG. =	103.938237	°W	LONG. =	103.951125	°W
PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)										
Y =	473,267.3	N	Y =	473,264.5	N	Y =	473,264.3	N						
X =	658,099.4	E	X =	655,537.5	E	X =	655,487.5	E						
LAT. =	32.300519	°N	LAT. =	32.300536	°N	LAT. =	32.300536	°N						
LONG. =	103.955431	°W	LONG. =	103.963722	°W	LONG. =	103.963884	°W						
SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)						
Y =	474,128.7	N	Y =	473,343.7	N	Y =	473,215.7	N	Y =	473,212.9	N	Y =	473,208.6	N
X =	623,776.0	E	X =	625,467.8	E	X =	624,781.4	E	X =	622,229.4	E	X =	618,247.4	E
LAT. =	32.302860	°N	LAT. =	32.300685	°N	LAT. =	32.300340	°N	LAT. =	32.300359	°N	LAT. =	32.300387	°N
LONG. =	103.932728	°W	LONG. =	103.927262	°W	LONG. =	103.929485	°W	LONG. =	103.937744	°W	LONG. =	103.950632	°W
PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)										
Y =	473,207.2	N	Y =	473,204.4	N	Y =	473,204.2	N						
X =	616,917.0	E	X =	614,355.1	E	X =	614,305.1	E						
LAT. =	32.300396	°N	LAT. =	32.300413	°N	LAT. =	32.300413	°N						
LONG. =	103.954938	°W	LONG. =	103.963229	°W	LONG. =	103.963391	°W						
CORNER COORDINATES (NAD 83 NME)					CORNER COORDINATES (NAD 27 NME)									
A - Y =	472,285.7	N	A - X =	666,068.1	E	A - Y =	472,225.6	N	A - X =	624,885.5	E			
B - Y =	472,289.1	N	B - X =	663,415.9	E	B - Y =	472,229.0	N	B - X =	622,233.4	E			
C - Y =	472,292.9	N	C - X =	660,764.6	E	C - Y =	472,232.8	N	C - X =	619,582.1	E			
D - Y =	472,284.6	N	D - X =	658,104.7	E	D - Y =	472,224.5	N	D - X =	616,922.2	E			
E - Y =	472,274.2	N	E - X =	655,443.1	E	E - Y =	472,214.2	N	E - X =	614,260.6	E			
F - Y =	473,612.5	N	F - X =	666,062.6	E	F - Y =	473,552.4	N	F - X =	624,880.1	E			
G - Y =	473,617.1	N	G - X =	663,410.5	E	G - Y =	473,557.0	N	G - X =	622,228.0	E			
H - Y =	473,621.9	N	H - X =	660,759.4	E	H - Y =	473,561.8	N	H - X =	619,576.9	E			
I - Y =	473,615.9	N	I - X =	658,097.7	E	I - Y =	473,555.8	N	I - X =	616,915.3	E			
J - Y =	473,608.8	N	J - X =	655,435.6	E	J - Y =	473,548.8	N	J - X =	614,253.2	E			

\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\51 - 908H\DWG\908H C-102...dwg

# Exhibit 2

Nash Pad D S/2 Unit

<b>C-102</b> Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
			<input checked="" type="checkbox"/> Initial Submittal
			<input type="checkbox"/> Amended Report <input type="checkbox"/> As Drilled

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>507H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2,999'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		1,894 FSL	1,191 FEL	32.302963	-103.933511	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	14	23S	29E		1,650 FSL	50 FWL	32.302351	-103.963889	EDDY

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>DEFINING</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	3	1,711 FSL	530 FWL	32.302443	-103.927940	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		1,650 FSL	100 FEL	32.302278	-103.929978	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	14	23S	29E		1,650 FSL	100 FWL	32.302351	-103.963727	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>2,999'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p>                   Signature             </p> <p>                 11/19/2024                  Date             </p> <p><b>Jena Austin</b> Printed Name</p> <p><b>Jena.N.Austin@ExxonMobil.com</b> Email Address</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p>                   Signature and Seal of Professional Surveyor             </p> <p> <b>MARK DILLON HARP 23786</b>                  Certificate Number             </p> <p> <b>11/18/2024</b>                  Date of Survey             </p> <p style="text-align: center;">                 KT <span style="float: right;">618.013005.00-22</span> </p>
--	--


Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

P:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\--22 - 507H\DWG\507H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	096°03'49"	1,731.72'
L2	264°21'41"	632.66'
L3	269°56'13"	10,477.52'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

COORDINATE TABLE

SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)						
Y =	474,180.9	N	Y =	473,998.0	N	Y =	473,935.8	N	Y =	473,933.1	N	Y =	473,928.7	N
X =	664,868.9	E	X =	666,590.9	E	X =	665,961.3	E	X =	663,409.2	E	X =	659,426.8	E
LAT. =	32.302963	°N	LAT. =	32.302443	°N	LAT. =	32.302278	°N	LAT. =	32.302297	°N	LAT. =	32.302325	°N
LONG. =	103.933511	°W	LONG. =	103.927940	°W	LONG. =	103.929978	°W	LONG. =	103.938238	°W	LONG. =	103.951127	°W

PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)				
Y =	473,927.3	N	Y =	473,924.5	N	Y =	473,924.3	N
X =	658,096.0	E	X =	655,533.8	E	X =	655,483.8	E
LAT. =	32.302334	°N	LAT. =	32.302351	°N	LAT. =	32.302351	°N
LONG. =	103.955434	°W	LONG. =	103.963727	°W	LONG. =	103.963889	°W

SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)						
Y =	474,120.8	N	Y =	473,937.8	N	Y =	473,875.7	N	Y =	473,872.9	N	Y =	473,868.6	N
X =	623,686.4	E	X =	625,408.4	E	X =	624,778.8	E	X =	622,226.7	E	X =	618,244.4	E
LAT. =	32.302840	°N	LAT. =	32.302319	°N	LAT. =	32.302155	°N	LAT. =	32.302173	°N	LAT. =	32.302201	°N
LONG. =	103.933018	°W	LONG. =	103.927447	°W	LONG. =	103.929486	°W	LONG. =	103.937745	°W	LONG. =	103.950634	°W

PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)				
Y =	473,867.2	N	Y =	473,864.4	N	Y =	473,864.2	N
X =	616,913.5	E	X =	614,351.3	E	X =	614,301.3	E
LAT. =	32.302210	°N	LAT. =	32.302227	°N	LAT. =	32.302227	°N
LONG. =	103.954941	°W	LONG. =	103.963234	°W	LONG. =	103.963396	°W

CORNER COORDINATES (NAD 83 NME)					
A - Y =	474,939.3	N	A - X =	666,057.2	E
B - Y =	474,945.1	N	B - X =	663,405.1	E
C - Y =	474,950.9	N	C - X =	660,754.2	E
D - Y =	474,947.2	N	D - X =	658,090.8	E
E - Y =	474,943.5	N	E - X =	655,428.1	E
F - Y =	473,612.5	N	F - X =	666,062.6	E
G - Y =	473,617.1	N	G - X =	663,410.5	E
H - Y =	473,621.9	N	H - X =	660,759.4	E
I - Y =	473,615.9	N	I - X =	658,097.7	E
J - Y =	473,608.8	N	J - X =	655,435.6	E

CORNER COORDINATES (NAD 27 NME)					
A - Y =	474,879.1	N	A - X =	624,874.7	E
B - Y =	474,885.0	N	B - X =	622,222.7	E
C - Y =	474,890.8	N	C - X =	619,571.7	E
D - Y =	474,887.1	N	D - X =	616,908.3	E
E - Y =	474,883.4	N	E - X =	614,245.7	E
F - Y =	473,552.4	N	F - X =	624,880.1	E
G - Y =	473,557.0	N	G - X =	622,228.0	E
H - Y =	473,561.8	N	H - X =	619,576.9	E
I - Y =	473,555.8	N	I - X =	616,915.3	E
J - Y =	473,548.8	N	J - X =	614,253.2	E

618.013 XTO Energy - NW\005 Nash Unit - Eddy\00 - Nash Unit\Wells\22 - 507H\DWG\507H C-102.dwg

C-102  Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal	
		<input type="checkbox"/> Amended Report	
		<input type="checkbox"/> As Drilled	

**WELL LOCATION INFORMATION**

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>711H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>2,999'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

**Surface Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		1,896 FSL	1,162 FEL	32.302970	-103.933414	EDDY

**Bottom Hole Location**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	14	23S	29E		1,210 FSL	50 FWL	32.301141	-103.963886	EDDY

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

**Kick Off Point (KOP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	3	1,334 FSL	567 FWL	32.301407	-103.927818	EDDY

**First Take Point (FTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
P	13	23S	29E		1,210 FSL	100 FEL	32.301069	-103.929978	EDDY

**Last Take Point (LTP)**

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	14	23S	29E		1,210 FSL	100 FWL	32.301141	-103.963724	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>2,999'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p>  <span style="float: right;">11/19/2024</span>                  Signature Date             </p> <p>                 Jena Austin                  Printed Name             </p> <p>                 Jena.N.Austin@ExxonMobil.com                  Email Address             </p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p> <div style="text-align: center;">  </div> <p>                   Signature and Seal of Professional Surveyor             </p> <p>                 MARK DILLON HARP 23786                  Certificate Number             </p> <p>                 11/18/2024                  Date of Survey             </p> <p style="text-align: center;">                 DN <span style="float: right;">618.013005.00-34</span> </p>
---	--


*Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.*

P:\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\34 - 711H\DWG\711H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



COORDINATE TABLE					
<b>SHL (NAD 83 NME)</b>			<b>SHL (NAD 27 NME)</b>		
Y =	474,183.6	N	Y =	474,123.4	N
X =	664,898.8	E	X =	623,716.3	E
LAT. =	32.302970	°N	LAT. =	32.302847	°N
LONG. =	103.933414	°W	LONG. =	103.932921	°W
<b>KOP (NAD 83 NME)</b>			<b>KOP (NAD 27 NME)</b>		
Y =	473,621.3	N	Y =	473,561.2	N
X =	666,629.9	E	X =	625,447.4	E
LAT. =	32.301407	°N	LAT. =	32.301283	°N
LONG. =	103.927818	°W	LONG. =	103.927326	°W
<b>FTP (NAD 83 NME)</b>			<b>FTP (NAD 27 NME)</b>		
Y =	473,495.8	N	Y =	473,435.7	N
X =	665,963.1	E	X =	624,780.6	E
LAT. =	32.301069	°N	LAT. =	32.300945	°N
LONG. =	103.929978	°W	LONG. =	103.929485	°W
<b>PPP #1 (NAD 83 NME)</b>			<b>PPP #1 (NAD 27 NME)</b>		
Y =	473,493.1	N	Y =	473,432.9	N
X =	663,411.0	E	X =	622,228.5	E
LAT. =	32.301087	°N	LAT. =	32.300964	°N
LONG. =	103.938237	°W	LONG. =	103.937745	°W
<b>PPP #2 (NAD 83 NME)</b>			<b>PPP #2 (NAD 27 NME)</b>		
Y =	473,488.7	N	Y =	473,428.6	N
X =	659,428.9	E	X =	618,246.4	E
LAT. =	32.301115	°N	LAT. =	32.300992	°N
LONG. =	103.951126	°W	LONG. =	103.950633	°W
<b>PPP #3 (NAD 83 NME)</b>			<b>PPP #3 (NAD 27 NME)</b>		
Y =	473,487.3	N	Y =	473,427.2	N
X =	658,098.3	E	X =	616,915.8	E
LAT. =	32.301124	°N	LAT. =	32.301001	°N
LONG. =	103.955432	°W	LONG. =	103.954939	°W
<b>LTP (NAD 83 NME)</b>			<b>LTP (NAD 27 NME)</b>		
Y =	473,484.5	N	Y =	473,424.4	N
X =	655,536.3	E	X =	614,353.8	E
LAT. =	32.301141	°N	LAT. =	32.301018	°N
LONG. =	103.963724	°W	LONG. =	103.963231	°W
<b>BHL (NAD 83 NME)</b>			<b>BHL (NAD 27 NME)</b>		
Y =	473,484.3	N	Y =	473,424.2	N
X =	655,486.3	E	X =	614,303.8	E
LAT. =	32.301141	°N	LAT. =	32.301018	°N
LONG. =	103.963886	°W	LONG. =	103.963392	°W

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	287°59'41"	1,820.14'
L2	259°20'38"	678.49'
L3	269°56'13"	10,476.80'

LOT ACREAGE TABLE	
SECTION 18 T-23-S R-30-E	
LOT 1 =	40.17 ACRES
LOT 2 =	40.20 ACRES
LOT 3 =	40.22 ACRES
LOT 4 =	40.25 ACRES

CORNER COORDINATES (NAD 83 NME)					
A - Y =	472,285.7	N	A - X =	666,068.1	E
B - Y =	472,289.1	N	B - X =	663,415.9	E
C - Y =	472,292.9	N	C - X =	660,764.6	E
D - Y =	472,284.6	N	D - X =	658,104.7	E
E - Y =	472,274.2	N	E - X =	655,443.1	E
F - Y =	473,612.5	N	F - X =	666,062.6	E
G - Y =	473,617.1	N	G - X =	663,410.5	E
H - Y =	473,621.9	N	H - X =	660,759.4	E
I - Y =	473,615.9	N	I - X =	658,097.7	E
J - Y =	473,608.8	N	J - X =	655,435.6	E

CORNER COORDINATES (NAD 27 NME)					
A - Y =	472,225.6	N	A - X =	624,885.5	E
B - Y =	472,229.0	N	B - X =	622,233.4	E
C - Y =	472,232.8	N	C - X =	619,582.1	E
D - Y =	472,224.5	N	D - X =	616,922.2	E
E - Y =	472,214.2	N	E - X =	614,260.6	E
F - Y =	473,552.4	N	F - X =	624,880.1	E
G - Y =	473,557.0	N	G - X =	622,228.0	E
H - Y =	473,561.8	N	H - X =	619,576.9	E
I - Y =	473,555.8	N	I - X =	616,915.3	E
J - Y =	473,548.8	N	J - X =	614,253.2	E

618.013 XTO Energy - NW\005 Nash Unit - Eddy\00 - Nash Unit\Wells\34 - 711H\DWG\711H C-102.dwg

C-102 Submit electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department <b>OIL CONVERSION DIVISION</b>		Revised July, 09 2024
	Submittal Type:	<input checked="" type="checkbox"/> Initial Submittal	
		<input type="checkbox"/> Amended Report	
		<input type="checkbox"/> As Drilled	

WELL LOCATION INFORMATION

API Number <b>30-015-</b>	Pool Code <b>96526</b>	Pool Name <b>FORTY-NINER RIDGE; BONE SPRING, WEST</b>
Property Code	Property Name <b>NASH UNIT</b>	Well Number <b>807H</b>
OGRID No. <b>005380</b>	Operator Name <b>XTO ENERGY, INC.</b>	Ground Level Elevation <b>3,000'</b>
Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal		Mineral Owner: <input checked="" type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal

Surface Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		1,899 FSL	1,132 FEL	32.302977	-103.933317	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	14	23S	29E		1,650 FSL	50 FWL	32.302351	-103.963889	EDDY

Dedicated Acres <b>640.00</b>	Infill or Defining Well <b>INFILL</b>	Defining Well API	Overlapping Spacing Unit (Y/N) <b>Y</b>	Consolidation Code <b>U</b>
Order Numbers.			Well Setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
	18	23S	30E	3	1,688 FSL	581 FWL	32.302379	-103.927775	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	13	23S	29E		1,650 FSL	100 FEL	32.302278	-103.929978	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
L	14	23S	29E		1,650 FSL	100 FWL	32.302351	-103.963727	EDDY

Unitized Area of Area of Interest <b>NMNM-070992X</b>	Spacing Unit Type : <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	Ground Elevation <b>3,000'</b>
--	--	-----------------------------------

<p><b>OPERATOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or a voluntary pooling agreement or a compulsory pooling order of heretofore entered by the division.</i></p> <p><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or information) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i></p> <p><i>Jena Austin</i> here <u>11/21/2024</u> Signature Date</p> <p>Jena Austin Printed Name</p> <p>Jena.N.Austin@ExxonMobil.com Email Address</p>	<p><b>SURVEYOR CERTIFICATIONS</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i></p>  <p><i>[Signature]</i> Signature and Seal of Professional Surveyor</p> <p>MARK DILLON HARP 23786 <u>11/18/2024</u> Certificate Number Date of Survey</p> <p>YH 618.013005.00-42</p>
--	---


Note: No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

\\618.013 XTO Energy - NM\005 Nash Unit - Eddy\00 - Nash Unit\Wells\42 - 807H\DWG\807H C-102.dwg

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point and Last Take Point) that is closest to any outer boundary of the tract.

Surveyor shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	097°02'03"	1,726.32'
L2	266°43'20"	681.76'
L3	269°56'13"	10,477.52'

LOT ACREAGE TABLE	
SECTION 7 T-23-S R-30-E	
LOT 1 =	40.15 ACRES
LOT 2 =	40.13 ACRES
LOT 3 =	40.11 ACRES
LOT 4 =	40.09 ACRES

LEGEND

- SECTION LINE
- PROPOSED WELL BORE
- NEW MEXICO MINERAL LEASE
- 330' BUFFER
- ALLOCATION AREA

COORDINATE TABLE

SHL (NAD 83 NME)		KOP (NAD 83 NME)		FTP (NAD 83 NME)		PPP #1 (NAD 83 NME)		PPP #2 (NAD 83 NME)	
Y =	474,186.2 N	Y =	473,974.8 N	Y =	473,935.8 N	Y =	473,933.1 N	Y =	473,928.7 N
X =	664,928.6 E	X =	666,641.9 E	X =	665,961.3 E	X =	663,409.2 E	X =	659,426.8 E
LAT. =	32.302977 °N	LAT. =	32.302379 °N	LAT. =	32.302278 °N	LAT. =	32.302297 °N	LAT. =	32.302325 °N
LONG. =	103.933317 °W	LONG. =	103.927775 °W	LONG. =	103.929978 °W	LONG. =	103.938238 °W	LONG. =	103.951127 °W

PPP #3 (NAD 83 NME)		LTP (NAD 83 NME)		BHL (NAD 83 NME)	
Y =	473,927.3 N	Y =	473,924.5 N	Y =	473,924.3 N
X =	658,096.0 E	X =	655,533.8 E	X =	655,483.8 E
LAT. =	32.302334 °N	LAT. =	32.302351 °N	LAT. =	32.302351 °N
LONG. =	103.955434 °W	LONG. =	103.963727 °W	LONG. =	103.963889 °W

SHL (NAD 27 NME)		KOP (NAD 27 NME)		FTP (NAD 27 NME)		PPP #1 (NAD 27 NME)		PPP #2 (NAD 27 NME)	
Y =	474,126.1 N	Y =	473,914.7 N	Y =	473,875.7 N	Y =	473,872.9 N	Y =	473,868.6 N
X =	623,746.1 E	X =	625,459.4 E	X =	624,778.8 E	X =	622,226.7 E	X =	618,244.4 E
LAT. =	32.302854 °N	LAT. =	32.302255 °N	LAT. =	32.302155 °N	LAT. =	32.302173 °N	LAT. =	32.302201 °N
LONG. =	103.932825 °W	LONG. =	103.927282 °W	LONG. =	103.929486 °W	LONG. =	103.937745 °W	LONG. =	103.950634 °W

PPP #3 (NAD 27 NME)		LTP (NAD 27 NME)		BHL (NAD 27 NME)	
Y =	473,867.2 N	Y =	473,864.4 N	Y =	473,864.2 N
X =	616,913.5 E	X =	614,351.3 E	X =	614,301.3 E
LAT. =	32.302210 °N	LAT. =	32.302227 °N	LAT. =	32.302227 °N
LONG. =	103.954941 °W	LONG. =	103.963234 °W	LONG. =	103.963396 °W

CORNER COORDINATES (NAD 83 NME)

A - Y =	474,939.3 N	A - X =	666,057.2 E
B - Y =	474,945.1 N	B - X =	663,405.1 E
C - Y =	474,950.9 N	C - X =	660,754.2 E
D - Y =	474,947.2 N	D - X =	658,090.8 E
E - Y =	474,943.5 N	E - X =	655,428.1 E
F - Y =	473,612.5 N	F - X =	666,062.6 E
G - Y =	473,617.1 N	G - X =	663,410.5 E
H - Y =	473,621.9 N	H - X =	660,759.4 E
I - Y =	473,615.9 N	I - X =	658,097.7 E
J - Y =	473,608.8 N	J - X =	655,435.6 E

CORNER COORDINATES (NAD 27 NME)

A - Y =	474,879.1 N	A - X =	624,874.7 E
B - Y =	474,885.0 N	B - X =	622,222.7 E
C - Y =	474,890.8 N	C - X =	619,571.7 E
D - Y =	474,887.1 N	D - X =	616,908.3 E
E - Y =	474,883.4 N	E - X =	614,245.7 E
F - Y =	473,552.4 N	F - X =	624,880.1 E
G - Y =	473,557.0 N	G - X =	622,228.0 E
H - Y =	473,561.8 N	H - X =	619,576.9 E
I - Y =	473,555.8 N	I - X =	616,915.3 E
J - Y =	473,548.8 N	J - X =	614,253.2 E

\618.013 XTO Energy - NW\005 Nash Unit - Eddy\00 - Nash Unit\Wells\42 - 807H\DWG\807H C-102.dwg



# Exhibit 3



# Nash Unit NSP Exhibit Bone Spring Pool

SEC 11: ALL, SEC 12: ALL, SEC 13: ALL  
SEC 14: ALL IN 23S-29E  
CONTAINING 2,560 ACRES, MORE OR LESS.

-  SPACING UNIT
-  NOTIFICATION AREA
-  NASH UNIT
-  FEDERAL LEASE
-  STATE LEASE
-  WELL PAD
-  WELLBORE






# NASH UNIT EDDY COUNTY, NEW MEXICO

Date: 9/3/2025

Land GIS Dept: O:\Arcview\Projects\Kelli\ Project APRX\Delaware Federal Unit PODs\Delaware Federal Unit PODs.aprx Layout: NASH LEASES



 NASH UNIT



# Exhibit 4

Affected Person(s)			
Acreage Description	Operator	WI Owners	Acreage Type
S/2 S/2 Section 2 T23S R29E	XTO Permian Operating	<b>XTO Delaware Basin, LLC</b> 6401 Holiday Hill Rd Bldg 5 Midland, TX 79707	State E052327
SE/4 SE/4 Section 3 T23S R29E	XTO Permian Operating	<b>XTO Delaware Basin, LLC</b> 6401 Holiday Hill Rd Bldg 5 Midland, TX 79707	Federal NMNM111416
E/2 E/2 Section 10 T23S R29E	Northern Oil and Gas	<b>Novo Oil &amp; Gas Northern Delaware LLC</b> 1001 W Wilshire Blvd Ste 206 Oklahoma City, OK 73116  <b>Titus Oil &amp; Gas</b> 420 Throckmorton St Ste 1150 Fort Worth, TX 76102	Federal NMNM111416
E/2 E/2 Section 15 T23S R29E	Northern Oil and Gas	<b>Novo Oil &amp; Gas Northern Delaware LLC</b> 1001 W Wilshire Blvd Ste 206 Oklahoma City, OK 73116  <b>Titus Oil &amp; Gas</b> 420 Throckmorton St Ste 1150 Fort Worth, TX 76102	Federal NMNM111416
NE/4 NE/4 Section 22 T23S R29E	Devon Energy Production Co LP	<b>Devon Energy Production Co LP</b> 333 West Sheridan Avenue Oklahoma City, OK 73102	Federal NMNM066425
N/2 N/2 Section 23 T23S R29E	Highland (Texas) Energy Co	Echo Production  PO Box 1210 Graham, TX 76450	Federal NMNM103603
N/2 N/2 Section 24 T23S R29E	XTO Permian Operating	<b>XTO Delaware Basin, LLC</b> 6401 Holiday Hill Rd Bldg 5 Midland, TX 79707	State E0589410
	Bureau of Land Management	301 Dinosaur Trail Santa Fe, NM 87508	
	New Mexico State Land Office	310 Old Santa Fe Trail Santa Fe, NM 87501	

**BEATTY & WOZNAK, P.C.**

ATTORNEYS AT LAW  
500 DON GASPAR AVENUE  
SANTA FE, NEW MEXICO 87505  
TELEPHONE 505-983-8545  
FACSIMILE 800-886-6566  
www.bwenergylaw.com

OFFICE LOCATIONS

COLORADO  
NEW MEXICO  
WYOMING

JACOB L. EVERHART  
ALSO ADMITTED IN CO, ND, UT

December 4, 2025

**VIA CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

**TO: ALL AFFECTED PERSONS**

**Re: Application of XTO Permian Operating, LLC, for Administrative Approval of a 2,560-acre Non-Standard Horizontal Spacing Unit (NSP) in the Forty-Niner Ridge; Bone Spring, West Pool [Code No: 96526] for the Nash Fed Unit comprised of all of Sections 11, 12, 13, and 14, Township 23 South, Range 29 East, N.M.P.M., Eddy County, New Mexico**

To Whom It May Concern,

Enclosed is a copy of the above-referenced application filed with the New Mexico Oil Conservation Division (the "Division") on this date. Any objections that you have to these applications must be filed in writing with the New Mexico Oil Conservation Division, 1220 South St. Francis Drive, Santa Fe, New Mexico 87505, within twenty (20) days from the date the Division receives the above-referenced applications. If no objection is received within the twenty-day period, the application may be approved administratively by the Division. This Application would have been filed with, and received by, the Division either on the date of this letter as referenced above, or no later than two (2) days after the date referenced above. Email correspondence for this matter can be sent to the Division at [OCD.Engineer@emnrd.nm.gov](mailto:OCD.Engineer@emnrd.nm.gov).

If you have any questions about this application, please contact the following:

Andrea Smith Bosworth, CPL, Commercial & Land Advisor – Delaware Basin  
ExxonMobil  
(346) 566-9466  
[Andrea.bosworth@exxonmobil.com](mailto:Andrea.bosworth@exxonmobil.com)

Very truly yours,

BEATTY & WOZNAK, P.C.



Jacob L. Everhart  
[jeverhart@bwenergylaw.com](mailto:jeverhart@bwenergylaw.com)  
*Attorney for XTO Permian Operating, LLC*

Released by Imaging: 12/07/2025 12:21:41 PM

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

OFFICIAL USE

Certified Mail Fee	
\$	
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt	
<input type="checkbox"/> Return Receipt with Proof of Mailing	
<input type="checkbox"/> Certified Mail Restricted Delivery	
<input type="checkbox"/> Adult Signature Required	
Postage	
\$	
Total Postage and Fees	2510.60N
\$	
Sent To	
Street and Apt. No., or PO Box No.	
City, State, ZIP+4®	

Devon Energy Production Co LP  
333 West Sheridan Avenue  
Oklahoma City, OK 73102

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions

12 6142 2416 9160 0916 0225 0120 0720 6956

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

OFFICIAL USE

Certified Mail Fee	
\$	
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt	
<input type="checkbox"/> Return Receipt with Proof of Mailing	
<input type="checkbox"/> Certified Mail Restricted Delivery	
<input type="checkbox"/> Adult Signature Required	
Postage	
\$	
Total Postage and Fees	2510.60N
\$	
Sent To	
Street and Apt. No., or PO Box No.	
City, State, ZIP+4®	

Titus Oil & Gas  
420 Throckmorton St Ste 1150  
Fort Worth, TX76102

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions

0E 6142 9160 0225 0120 6956

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

OFFICIAL USE

Certified Mail Fee	
\$	
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt	
<input type="checkbox"/> Return Receipt with Proof of Mailing	
<input type="checkbox"/> Certified Mail Restricted Delivery	
<input type="checkbox"/> Adult Signature Required	
Postage	
\$	
Total Postage and Fees	2510.60N
\$	
Sent To	
Street and Apt. No., or PO Box No.	
City, State, ZIP+4®	

Novo Oil & Gas Northern Delaware  
LLC  
1001 W Wilshire Blvd Ste 206  
Oklahoma City, OK 73116

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions

Received by OCD: 12/4/2025 3:43:21 PM

48 6142 2416 9160 0916 0225 0120 6956

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

OFFICIAL USE

Certified Mail Fee	
\$	
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt	
<input type="checkbox"/> Return Receipt with Proof of Mailing	
<input type="checkbox"/> Certified Mail Restricted Delivery	
<input type="checkbox"/> Adult Signature Required	
Postage	
\$	
Total Postage and Fees	2510.60N
\$	
Sent To	
Street and Apt. No., or PO Box No.	
City, State, ZIP+4®	

New Mexico State Land Office  
310 Old Santa Fe Trail  
Santa Fe, NM 87501

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions

19 6142 2416 9160 0916 0225 0120 6956

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

OFFICIAL USE

Certified Mail Fee	
\$	
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt	
<input type="checkbox"/> Return Receipt with Proof of Mailing	
<input type="checkbox"/> Certified Mail Restricted Delivery	
<input type="checkbox"/> Adult Signature Required	
Postage	
\$	
Total Postage and Fees	2510.60N
\$	
Sent To	
Street and Apt. No., or PO Box No.	
City, State, ZIP+4®	

Bureau of Land Management  
301 Dinosaur Trail  
Santa Fe, NM 87508

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions

20 6142 2416 9160 0916 0225 0120 6956

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

OFFICIAL USE

Certified Mail Fee	
\$	
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt	
<input type="checkbox"/> Return Receipt with Proof of Mailing	
<input type="checkbox"/> Certified Mail Restricted Delivery	
<input type="checkbox"/> Adult Signature Required	
Postage	
\$	
Total Postage and Fees	2510.60N
\$	
Sent To	
Street and Apt. No., or PO Box No.	
City, State, ZIP+4®	

Echo Production  
PO Box 1210  
Graham, TX 76450

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 532032

**CONDITIONS**

Operator: XTO PERMIAN OPERATING LLC. 3617 Big Spring St. MIDLAND, TX 79705	OGRID: 373075
	Action Number: 532032
	Action Type: [UF-NSP] Non-Standard Proration (NSP)

**CONDITIONS**

Created By	Condition	Condition Date
llowe	This NSP order was approved with pending API wells. The owner of the NSP shall update the OCD when API number(s) are assigned to those pending APD well(s) by sending an e-mail to <a href="mailto:ocd.engineer@emnrd.nm.gov">ocd.engineer@emnrd.nm.gov</a> . TITLED: Updating NSP-XXX with API number(s) and associated Well Name.	1/20/2026
llowe	If the Operator wants to add existing wells within the same NSP HSU, the operator will need to submit a C-103 X or Z to the OCD online portal. The sundry shall state the following: "Adding Wells to an NSP HSU: Well Name, Well API No., Pool Name, Pool Code, NSP Order Number". Send an email to <a href="mailto:ocd.engineer@emnrd.nm.gov">ocd.engineer@emnrd.nm.gov</a> . TITLED: Adding existing wells to NSP-XXXX, C-103 X or Z. NSP-XXXX.	1/20/2026