



Case No
4953



Large Exhibits









Sheet 1, Page 1 of 1















PLAN
SCALE $\frac{3}{32}'' = 1'$



NOTES:


1. PUT LINED WITH RUBBER REINFORCED NEOPRENE, 21 MILS THICK
2. FOR LOCATION OF PIT AT EACH BATTERY SEE DWS, B.P. 63.




PIPE SUPPORT ON DIKE
1 REQ'D. PER PIT



PIPE SUPPORT IN PIP



 Atlantic Richfield Company North American Producing Division General Engineering Group Dallas, Texas		Date _____ Page _____
LINED P/L LAYOUT AND KIRING STD. HULL CERTIFIED FOR DOCKING FACILITIES EMPLOYE AND KIRING BDDY COLONY NEW MEXICO		
Drawn _____ DCH 22316	Approved _____ _____	Date _____
Project Engineer _____ 11 R 1570 0	Manager _____ _____	Date _____
Scale AS NOTED	Revision: Est No. _____	
Dwg. No. E-P-154	Auth. No. 215533	




EST AVAILABLE (2)










RECYCLED PAPER



LEGEND
T Town & 7 Rivers
O Open
G Grazing
S Surface
P Private
A All
W Wellhead
M Mine

EMPIRE ABO FIELD
EDDY COUNTY, NEW MEXICO





EMPRE ABO FIELD PERFORMANCE

