





Case No.
6761





Large Exhibits











Phillips 6661









The image displays three vertical log sections, likely from a well log, showing geological data. Each log has a header section with company and well information, followed by a grid of data points. Handwritten annotations and labels are present throughout the logs.

Log 1 (Left):

- Header: COMPANY: PRINCE GEORGE COMPANY, WELL: 11,612-11,616, COUNTY: 11,612-11,616.
- Annotations: "Atoka part", "11,612-11,616 on 70 min. OTS 8 min. on 20 min. 11,000 MCF/D 5/8" ok @ 6125 psi."
- Labels: "ATOKA", "9000 DATUM", "MORROW LINE", "MORROW SAND", "Morrow part".
- Bottom section: "Perf: 11,612-11,616, CLIP: 10,500 MCF/D, Completed: 10-8-79, Cum. to 11-79: 1,100 MCF, Approx. 1,100 MCF, Producing 15-16 million bbls from Atoka."

Log 2 (Middle):

- Header: COMPANY: PRINCE GEORGE COMPANY, WELL: 11,612-11,616, COUNTY: 11,612-11,616.
- Annotations: "11,612-11,616 on 70 min. OTS 8 min. on 20 min. 11,000 MCF/D 5/8" ok @ 6125 psi."
- Labels: "ATOKA", "9000 DATUM", "MORROW LINE", "MORROW SAND", "Morrow part".
- Bottom section: "Perf: 11,612-11,616, CLIP: 10,500 MCF/D, Completed: 10-8-79, Cum. to 11-79: 1,100 MCF, Approx. 1,100 MCF, Producing 15-16 million bbls from Atoka."

Log 3 (Right):

- Header: COMPANY: PRINCE GEORGE COMPANY, WELL: 11,612-11,616, COUNTY: 11,612-11,616.
- Annotations: "11,612-11,616 on 70 min. OTS 8 min. on 20 min. 11,000 MCF/D 5/8" ok @ 6125 psi."
- Labels: "ATOKA", "9000 DATUM", "MORROW LINE", "MORROW SAND", "Morrow part".
- Bottom section: "Perf: 11,612-11,616, CLIP: 10,500 MCF/D, Completed: 10-8-79, Cum. to 11-79: 1,100 MCF, Approx. 1,100 MCF, Producing 15-16 million bbls from Atoka."

