




Case No.  
7340

Large Exhibits





A  
NORTH

+500'

|             |                                                     |
|-------------|-----------------------------------------------------|
| COMPANY     | Gatty-Reasus                                        |
| WELL        | (See California Petroleum)                          |
| SLUR No.    | 26                                                  |
| FIELD       | Jalmit (Oil)                                        |
| LOCATION    | 330 PNL & 330 PNL (H)<br>Section 17, T-25-S, R-37-E |
| COUNTY      | Lea                                                 |
| STATE       | New Mexico                                          |
| ELEVATIONS: | KB 3092<br>GL                                       |


|             |                                                     |
|-------------|-----------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                             |
| WELL        | (Leonard Oil Company)                               |
| SLUR No.    | V. H. Justin No. 2                                  |
| FIELD       | Jalmit (Oil)                                        |
| LOCATION    | 370 PNL & 420 PNL (H)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lea                                                 |
| STATE       | New Mexico                                          |
| ELEVATIONS: | KB 3084<br>GL                                       |

|             |                                                     |
|-------------|-----------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                             |
| WELL        | (Leonard Oil Company)                               |
| SLUR No.    | Justin No. 1                                        |
| FIELD       | Jalmit (Gas)                                        |
| LOCATION    | 990 PNL & 330 PNL (S)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lea                                                 |
| STATE       | New Mexico                                          |
| ELEVATIONS: | KB 3067<br>GL                                       |

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                              |
| WELL        | (Leonard Oil Company)                                |
| SLUR No.    | Gulf-Christians No. 1                                |
| FIELD       | Jalmit (Oil)                                         |
| LOCATION    | 1650 PNL & 330 PNL (S)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lea                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB 3076<br>GL                                        |

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                              |
| WELL        | (Leonard Oil Company)                                |
| SLUR No.    | B. M. Justin No. 1                                   |
| FIELD       | Jalmit (Gas)                                         |
| LOCATION    | 1980 PNL & 660 PNL (H)<br>Section 19, T-25-S, R-37-E |
| COUNTY      | Lea                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB 3071<br>GL                                        |

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                              |
| WELL        | (Leonard Oil Company)                                |
| SLUR No.    | Bates No. 1                                          |
| FIELD       | Jalmit (Gas)                                         |
| LOCATION    | 1980 PNL & 660 PNL (L)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lea                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB 3059<br>GL 3049                                   |



|                    |                                                                                                                                  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------|
| COMPLETION RECORD  |                                                                                                                                  |
| SPUD DATE          | 8-1-53 COMP. DATE 8-26-53                                                                                                        |
| TD                 | 3365 PNL 3365                                                                                                                    |
| CASING RECORD      | 10 3/4 @ 156 w/150<br>5 1/2 @ 3220 w/400                                                                                         |
| PERFORATING RECORD | OH: 3290-3365<br>(4th Seven Rivers)                                                                                              |
| STIMULATION        | SF/1500                                                                                                                          |
| IP                 | 177-19 BOPD                                                                                                                      |
| GOR                | 293 G                                                                                                                            |
| TV                 | CP                                                                                                                               |
| CHOKE              | 10/64 TURNING 2 3/8 @ 3280                                                                                                       |
| DOT RECORD         | 8-10-75 Perf 3190-3264, A/2100<br>and SF/30,000 = 40,000 (3190-<br>3265). Returned well to set.<br>Injection in 5100 waterflood. |
| REMARKS            | April 1981 Inj = 636 BOPD<br>5-1-81 Casing 1st 432 BOPD<br>1-1-81 Casing 1st 432 BOPD                                            |


|                    |                                                                                        |
|--------------------|----------------------------------------------------------------------------------------|
| COMPLETION RECORD  |                                                                                        |
| SPUD DATE          | 11-23-53 COMP. DATE 12-9-53                                                            |
| TD                 | 3335 PNL 3335                                                                          |
| CASING RECORD      | 8 5/8 @ 317 w/160<br>7 @ 3256 w/275                                                    |
| PERFORATING RECORD | OH: 3236-3335<br>(3rd & 4th Seven Rivers)                                              |
| STIMULATION        | SF/3000                                                                                |
| IP                 | 177-180 BOPD                                                                           |
| GOR                | CP 33                                                                                  |
| TV                 | CP                                                                                     |
| CHOKE              | TURNING @                                                                              |
| DOT RECORD         | 3043-3501 Show of oil, gas, water.<br>PRTD @ 2970. Pulled 5 1/2" casing<br>above 2970. |
| REMARKS            | 1980 Prod: 27 BOPD<br>53 BOPD<br>1980 Casing 167.4 BOPD                                |

|                    |                                                                                        |
|--------------------|----------------------------------------------------------------------------------------|
| COMPLETION RECORD  |                                                                                        |
| SPUD DATE          | 9-20-54 COMP. DATE 10-18-58                                                            |
| TD                 | 3501 PNL 2975                                                                          |
| CASING RECORD      | 8 5/8 @ 2660 w/360<br>5 1/2 @ 3043 w/30                                                |
| PERFORATING RECORD | OH: 2660-2975<br>(7/7 @ 2800)                                                          |
| STIMULATION        | Shot w/28 qts<br>(2935-2975)                                                           |
| IP                 | 177-13 BOPD = 2000 MCFFD                                                               |
| GOR                | CP                                                                                     |
| TV                 | CP                                                                                     |
| CHOKE              | TURNING @                                                                              |
| DOT RECORD         | 3043-3501 Show of oil, gas, water.<br>PRTD @ 2970. Pulled 5 1/2" casing<br>above 2970. |
| REMARKS            | 9-1-59: PNL                                                                            |

|                    |                                                                                                                                                                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COMPLETION RECORD  |                                                                                                                                                                                                                                                                    |
| SPUD DATE          | 10-31-53 COMP. DATE 11-21-53                                                                                                                                                                                                                                       |
| TD                 | 3285 PNL 3285                                                                                                                                                                                                                                                      |
| CASING RECORD      | 10 3/4 @ 325 w/200<br>7 @ 3212 w/350                                                                                                                                                                                                                               |
| PERFORATING RECORD | OH: 3212-3285<br>(3rd & 4th Seven Rivers)                                                                                                                                                                                                                          |
| STIMULATION        | SF/1500                                                                                                                                                                                                                                                            |
| IP                 | 177-25 BOPD = 150 MCFFD                                                                                                                                                                                                                                            |
| GOR                | CP                                                                                                                                                                                                                                                                 |
| TV                 | CP                                                                                                                                                                                                                                                                 |
| CHOKE              | TURNING @                                                                                                                                                                                                                                                          |
| DOT RECORD         | 4-18-54 SF/10,000 = 10,000<br>(OH: 3212-3285). 7/107 BOPD<br>= 215 MCFFD.<br>4-18-54 SF/30,000 = 40,000 (OH:<br>3212-3285). 7/15 BOPD = 94 MCFFD.<br>Unknown Late Perforated well:<br>2975-1005.<br>11-7-77 Converted well to salt-<br>water disposal (2975-3285). |
| REMARKS            | 1-1-81 Casing 31.8 MCFFD                                                                                                                                                                                                                                           |

|                    |                                                   |
|--------------------|---------------------------------------------------|
| COMPLETION RECORD  |                                                   |
| SPUD DATE          | 3-5-51 COMP. DATE 6-2-51                          |
| TD                 | 2672 PNL 2672                                     |
| CASING RECORD      | 10 3/4 @ 820 w/50<br>8 5/8 @ 2615 w/155           |
| PERFORATING RECORD | OH: 2615-2795*<br>(7/7 @ 2743)                    |
| STIMULATION        | Natural                                           |
| IP                 | 177-15,000 MCFFD                                  |
| GOR                | CP                                                |
| TV                 | CP                                                |
| CHOKE              | TURNING @                                         |
| DOT RECORD         | "Cupert 51" of Yates.                             |
| REMARKS            | Aug 1981 Prod: 1 MCFFD<br>5-1-81 Casing 420 MCFFD |

|                    |                                                                                                                                                                                        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COMPLETION RECORD  |                                                                                                                                                                                        |
| SPUD DATE          | 6-21-56 COMP. DATE 9-9-56                                                                                                                                                              |
| TD                 | 2672 PNL 2672                                                                                                                                                                          |
| CASING RECORD      | 8 5/8 @ 1328 w/150<br>7 @ 2616 w/150                                                                                                                                                   |
| PERFORATING RECORD | OH: 2616-2872<br>(Yates)                                                                                                                                                               |
| STIMULATION        | Natural                                                                                                                                                                                |
| IP                 | 177-15,300 MCFFD                                                                                                                                                                       |
| GOR                | CP                                                                                                                                                                                     |
| TV                 | CP                                                                                                                                                                                     |
| CHOKE              | TURNING @                                                                                                                                                                              |
| DOT RECORD         | 4-28-60 Desperated well is 1328.<br>Set per at 3082. 7/2400 MCFFD.<br>= 1 BOPD 1306-1360.<br>11-2-55 PRTD @ 2872. 7/7 @ 224.<br>4-15-56 Found bridge @ 224.<br>Lined well out to 2872. |
| REMARKS            | 1981 Aug Rates: 20 MCFFD<br>4-1-81 Casing 5931 MCFFD                                                                                                                                   |





B  
WEST

B'  
EAST

COMPANY: Conoco  
WELL: Sholes "B" No. 1  
FIELD: Jalmat (Gas)  
LOCATION: 660 FSL & 1980 FSL (N)  
Section 19, T-25-S, R-37-E  
COUNTY: Lea  
STATE: New Mexico  
ELEVATIONS: KB 3083  
DF 3083  
GL 3043

COMPANY: Sun Texas  
(S. Glass)  
WELL: Birmingham No. 2  
FIELD: Jalmat  
LOCATION: 598 FSL & 653 FSL (P)  
Section 19, T-25-S, R-37-E  
COUNTY: Lea  
STATE: New Mexico  
ELEVATIONS: KB 3046  
DF 3046  
GL 3045






COMPANY: Texas Pacific  
(Jal Oil Company)  
WELL: Border No. 2  
FIELD: Jalmat-Langlie Mattix  
LOCATION: 1980 FSL & 1905 FSL (J)  
Section 20, T-25-S, R-37-E  
COUNTY: Lea  
STATE: New Mexico  
ELEVATIONS: KB 3055  
DF 3055  
GL 3045

COMPANY: Lewis B. Burleson  
(Sun Oil Company)  
WELL: Border No. 3  
FIELD: Jalmat (Gas)  
LOCATION: 1650 FSL & 1650 FSL (J)  
Section 20, T-25-S, R-37-E  
COUNTY: Lea  
STATE: New Mexico  
ELEVATIONS: KB 3053  
DF 3053  
GL 3043

COMPANY: Lewis B. Burleson  
(Sun Oil Company)  
WELL: Leonard No. 1  
(Leonhart No. 1)  
FIELD: Jalmat  
LOCATION: 660 FSL & 660 FSL (P)  
Section 20, T-25-S, R-37-E  
COUNTY: Lea  
STATE: New Mexico  
ELEVATIONS: KB 3050  
DF 3050  
GL 3043

+500'

+500'



TOP TANSILL

TOP YATES

EST. TOP-NO DATA  
TOP SEVEN RIVERS

TOP COMMITTEE  
LANGLIE MATTIX

TOP "CUO" MARKER

TOP COMMITTEE  
QUEEN

COMPLETION RECORD  
SPUD DATE: 2-27-41 COMP. DATE: 3-22-41  
TO: 2965 FROM: 2965  
Casing Record: 9 5/8 8 1103  
7 8 2662  
PERFORATING RECORD: 2662-2965  
(C/F # 2850)  
STIMULATION: Natural  
IP: 1700 MCPSD  
GOR: 0  
TP: 0  
CHECK: TUBING  
DET RECORD: 2965  
REMARKS: LAST PERIOD: 30-80  
6-1-81 GOR: 5488 MCPSD

COMPLETION RECORD  
SPUD DATE: 11-22-49 COMP. DATE: 12-8-49  
TO: 2841 FROM: 2841  
Casing Record: 9 5/8 8 298 W/200  
7 8 2668 W/375  
PERFORATING RECORD: 2668-2841  
(Upper Yates)  
STIMULATION: Natural  
IP: 4000 MCPSD  
GOR: 0  
TP: 0  
CHECK: 5/8 TUBING  
DET RECORD: 2841  
REMARKS: 11-22-49 12-8-49  
1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2818 2819 2820 2821 2822 2823 2824 2825 2826 2827 2828 2829 2830 2831 2832 2833 2834 2835 2836 2837 2838 2839 2840 2841 2842 2843 2844 2845 2846 2847 2848 2849 2850 2851 2852 2853 2854 2855 2856 2857 2858 2859 2860 2861 2862 2863 2864 2865 2866 2867 2868 2869 2870 2871 2872 2873 2874 2875 2876 2877 2878 2879 2880 2881 2882 2883 2884 2885 2886 2887 2888 2889 2890 2891 2892 2893 2894 2895 2896 2897 2898 2899 2900 2901 2902 2903 2904 2905 2906 2907 2908 2909 2910 2911 2912 2913 2914 2915 2916 2917 2918 2919 2920 2921 2922 2923 2924 2925 2926 2927 2928 2929 2930 2931 2932 2933 2934 2935 2936 2937 2938 2939 2940 2941 2942 2943 2944 2945 2946 2947 2948 2949 2950 2951 2952 2953 2954 2955 2956 2957 2958 2959 2960 2961 2962 2963 2964 2965 2966 2967 2968 2969 2970 2971 2972 2973 2974 2975 2976 2977 2978 2979 2980 2981 2982 2983 2984 2985 2986 2987 2988 2989 2990 2991 2992 2993 2994 2995 2996 2997 2998 2999 3000 3001 3002 3003 3004 3005 3006 3007 3008 3009 3010 3011 3012 3013 3014 3015 3016 3017 3018 3019 3020 3021 3022 3023 3024 3025 3026 3027 3028 3029 3030 3031 3032 3033 3034 3035 3036 3037 3038 3039 3040 3041 3042 3043 3044 3045 3046 3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3067 3068 3069 3070 3071 3072 3073 3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3108 3109 3110 3111 3112 3113 3114 3115 3116 3117 3118 3119 3120 3121 3122 3123 3124 3125 3126 3127 3128 3129 3130 3131 3132 3133 3134 3135 3136 3137 3138 3139 3140 3141 3142 3143 3144 3145 3146 3147 3148 3149 3150 3151 3152 3153 3154 3155 3156 3157 3158 3159 3160 3161 3162 3163 3164 3165 3166 3167 3168 3169 3170 3171 3172 3173 3174 3175 3176 3177 3178 3179 3180 3181 3182 3183 3184 3185 3186 3187 3188 3189 3190 3191 3192 3193 3194 3195 3196 3197 3198 3199 3200 3201 3202 3203 3204 3205 3206 3207 3208 3209 3210 3211 3212 3213 3214 3215 3216 3217 3218 3219 3220 3221 3222 3223 3224 3225 3226 3227 3228 3229 3230 3231 3232 3233 3234 3235 3236 3237 3238 3239 3240 3241 3242 3243 3244 3245 3246 3247 3248 3249 3250 3251 3252 3253 3254 3255 3256 3257 3258 3259 3260 3261 3262 3263 3264 3265 3266 3267 3268 3269 3270 3271 3272 3273 3274 3275 3276 3277 3278 3279 3280 3281 3282 3283 3284 3285 3286 3287 3288 3289 3290 3291 3292 3293 3294 3295 3296 3297 3298 3299 3300 3301 3302 3303 3304 3305 3306 3307 3308 3309 3310 3311 3312 3313 3314 3315 3316 3317 3318 3319 3320 3321 3322 3323 3324 3325 3326 3327 3328 3329 3330 3331 3332 3333 3334 3335 3336 3337 3338 3339 3340 3341 3342 3343 3344 3345 3346 3347 3348 3349 3350 3351 3352 3353 3354 3355 3356 3357 3358 3359 3360 3361 3362 3363 3364 3365 3366 3367 3368 3369 3370 3371 3372 3373 3374 3375 3376 3377 3378 3379 3380 3381 3382 3383 3384 3385 3386 3387 3388 3389 3390 3391 3392 3393 3394 3395 3396 3397 3398 3399 3400 3401 3402 3403 3404 3405 3406 3407 3408 3409 3410 3411 3412 3413 3414 3415 3416 3417 3418 3419 3420 3421 3422 3423 3424 3425 3426 3427 3428 3429 3430 3431 3432 3433 3434 3435 3436 3437 3438 3439 3440 3441 3442 3443 3444 3445 3446 3447 3448 3449 3450 3451 3452 3453 3454 3455 3456 3457 3458 3459 3460 3461 3462 3463 3464 3465 3466 3467 3468 3469 3470 3471 3472 3473 3474 3475 3476 3477 3478 3479 3480 3481 3482 3483 3484 3485 3486 3487 3488 3489 3490 3491 3492 3493 3494 3495 3496 3497 3498 3499 3500 3501 3502 3503 3504 3505 3506 3507 3508 3509 3510 3511 3512 3513 3514 3515 3516 3517 3518 3519 3520 3521 3522 3523 3524 3525 3526 3527 3528 3529 3530 3531 3532 3533 3534 3535 3536 3537 3538 3539 3540 3541 3542 3543 3544 3545 3546 3547 3548 3549 3550 3551 3552 3553 3554 3555 3556 3557 3558 3559 3560 3561 3562 3563 3564 3565 3566 3567 3568 3569 3570 3571 3572 3573 3574 3575 3576 3577 3578 3579 3580 3581 3582 3583 3584 3585 3586 3587 3588 3589 3590 3591 3592 3593 3594 3595 3596 3597 3598 3599 3600 3601 3602 3603 3604 3605 3606 3607 3608 3609 3610 3611 3612 3613 3614 3615 3616 3617 3618 3619 3620 3621 3622 3623 3624 3625 3626 3627 3628 3629 3630 3631 3632 3633 3634 3635 3636 3637 3638 3639 3640 3641 3642 3643 3644 3645 3646 3647 3648 3649 3650 3651 3652 3653 3654 3655 3656 3657 3658 3659 3660 3661 3662 3663 3664 3665 3666 3667 3668 3669 3670 3671 3672 3673 3674 3675 3676 3677 3678 3679 3680 3681 3682 3683 3684 3685 3686 3687 3688 3689 3690 3691 3692 3693 3694 3695 3696 3697 3698 3699 3700 3701 3702 3703 3704 3705 3706 3707 3708 3709 3710 3711 3712 3713 3714 3715 3716 3717 3718 3719 3720 3721 3722 3723 3724 3725 3726 3727 3728 3729 3730 3731 3732 3733 3734 3735 3736 3737 3738 3739 3740 3741 3742 3743 3744 3745 3746 3747 3748 3749 3750 3751 3752 3753 3754 3755 3756 3757 3758 3759 3760 3761 3762 3763 3764 3765 3766 3767 3768 3769 3770 3771 3772 3773 3774 3775 3776 3777 3778 3779 3780 3781 3782 3783 3784 3785 3786 3787 3788 3789 3790 3791 3792 3793 3794 3795 3796 3797 3798 3799 3800 3801 3802 3803 3804 3805 3806 3807 3808 3809 3810 3811 3812 3813 3814 3815 3816 3817 3818 3819 3820 3821 3822 3823 3824 3825 3826 3827 3828 3829 3830 3831 3832 3833 3834 3835 3836 3837 3838 3839 3840 3841 3842 3843 3844 3845 3846 3847 3848 3849 3850 3851 3852 3853 3854 3855 3856 3857 3858 3859 3860 3861 3862 3863 3864 3865 3866 3867 3868 3869 3870 3871 3872 3873 3874 3875 3876 3877 3878 3879 3880 3881 3882 3883 3884 3885 3886 3887 3888 3889 3890 3891 3892 3893 3894 3895 3896 3897 3898 3899 3900 3901 3902 3903 3904 3905 3906 3907 3908 3909 3910 3911 3912 3913 3914 3915 3916 3917 3918 3919 3920 3921 3922 3923 3924 3925 3926 3927 3928 3929 3930 3931 3932 3933 3934 3935 3936 3937 3938 3939 3940 3941 3942 3943 3944 3945 3946 3947 3948 3949 3950 3951 3952 3953 3954 3955 3956 3957 3958 3959 3960 3961 3962 3963 3964 3965 3966 3967 3968 3969 3970 3971 3972 3973 3974 3975 3976 3977 3978 3979 3980 3981 3982 3983 3984 3985 3986 3987 3988 3989 3990 3991 3992 3993 3994 3995 3996 3997 3998 3999 4000 4001 4002 4003 4004 4005 4006 4007 4008 4009 4010 4011 4012 4013 4014 4015 4016 4017 4018 4019 4020 4021 4022 4023 4024 4025 4026 4027 4028 4029 4030 4031 4032 4033 4034 4035 4036 4037 4038 4039 4040 4041 4042 4043 4044 4045 4046 4047 4048 4049 4050 4051 4052 4053 4054 4055 4056 4057 4058 4059 4





+500'

COMPANY      Getty-Reserve  
                (So. California Petroleum)  
WELL         SLJU No. 26  
                (Woolworth "O" No. 2)  
FIELD         Jalmat (Oil)  
LOCATION       330 FSL & 330 FML (M)  
                Section 17, T-2S-E, R-37-E

COUNTY       Ina  
STATE         New Mexico

ELEVATIONS:

KB             -  
DF             3092  
GL             -

COMPANY Bettis, Boyle & Stovall  
(Leonard Oil Company)  
V. H. Justis No. 2

WELL

FIELD Jalmat (Oil)

LOCATION 370 FNL & 420 FNL (b),  
Section 20, T-25-S, R-37-E

COUNTY Lea

STATE New Mexico


ELEVATIONS: 58  
OF 3084  
GL

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall<br>(Leonard Oil Company)     |
| WELL        | Justin No. 1                                         |
| FIELD       | Jalmat (Gas)                                         |
| LOCATION    | 990 FM. & 330 P.M. (b)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lea                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB 3067<br>DF<br>CI                                  |

COMPANY Bettie, Boyle & Stovall  
(Leonard Oil Company)  
WELL Gulf-Christmas No. 1  
FIELD Jalant (oil)  
LOCATION 1650 FNL & 330 FNL (E)  
Section 20, T-25-S, R-37-E  
COUNTY Lea  
STATE New Mexico  
ELEVATIONS: KB \_\_\_\_\_  
DF 3076  
GA \_\_\_\_\_

COMPANY Bettie, Boyle & Stovall  
(Leonard Oil Company)  
WELL B. M. Justis No. 1  
FIELD Jalmat (Gas)  
LOCATION 1980 FNL & 660 FEL (H)  
Section 19, T-25-S, R-37-E  
COUNTY Lea  
STATE New Mexico  
ELEVATIONS: KB  
DF 3071  
GL

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle and Stovall<br>(Leonard Oil Company)   |
| WELL        | Bates No. 1                                          |
| FIELD       | Jalmat (Gas)                                         |
| LOCATION    | 1980 FSL & 660 PML (L)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lea                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB<br>DF 3059<br>GL 3669                             |



COMPLETION RECORD

WELD DATE 8-1-53 COMP DATE 8-24-53

TD 2365 200 3365

CASING RECORD 10 3/4 " 136 w/150

5 1/2 " 1290 w/400

PERFORATING RECORD ON: 1290-1365

(4th SEVEN HOLE)

PERFORATION SP/1500

SP 1290 TO 1365

COMP 1365 TO

1370

1370-1375

1375-1380

1380-1385

1385-1390

1390-1395

1395-1400

1400-1405

1405-1410

1410-1415

1415-1420

1420-1425

1425-1430

1430-1435

1435-1440

1440-1445

1445-1450

1450-1455

1455-1460

1460-1465

1465-1470

1470-1475

1475-1480

1480-1485

1485-1490

1490-1495

1495-1500

1500-1505

1505-1510

1510-1515

1515-1520

1520-1525

1525-1530

1530-1535

1535-1540

1540-1545

1545-1550

1550-1555

1555-1560

1560-1565

1565-1570

1570-1575

1575-1580

1580-1585

1585-1590

1590-1595

1595-1600

1600-1605

1605-1610

1610-1615

1615-1620

1620-1625

1625-1630

1630-1635

1635-1640

1640-1645

1645-1650

1650-1655

1655-1660

1660-1665

1665-1670

1670-1675

1675-1680

1680-1685

1685-1690

1690-1695

1695-1700

1700-1705

1705-1710

1710-1715

1715-1720

1720-1725

1725-1730

1730-1735

1735-1740

1740-1745

1745-1750

1750-1755

1755-1760

1760-1765

1765-1770

1770-1775

1775-1780

1780-1785

1785-1790

1790-1795

1795-1800

1800-1805

1805-1810

1810-1815

1815-1820

1820-1825

1825-1830

1830-1835

1835-1840

1840-1845

1845-1850

1850-1855

1855-1860

1860-1865

1865-1870

1870-1875

1875-1880

1880-1885

1885-1890

1890-1895

1895-1900

1900-1905

1905-1910

1910-1915

1915-1920

1920-1925

1925-1930

1930-1935

1935-1940

1940-1945

1945-1950

1950-1955

1955-1960

1960-1965

1965-1970

1970-1975

1975-1980

1980-1985

1985-1990

1990-1995

1995-2000

2000-2005

2005-2010

2010-2015

2015-2020

2020-2025

2025-2030

2030-2035

2035-2040

2040-2045

2045-2050

2050-2055

2055-2060

2060-2065

2065-2070

2070-2075

2075-2080

2080-2085

2085-2090

2090-2095

2095-2100

2100-2105

2105-2110

2110-2115

2115-2120

2120-2125

2125-2130

2130-2135

2135-2140

2140-2145

2145-2150

2150-2155

2155-2160

2160-2165

2165-2170

2170-2175

2175-2180

2180-2185

2185-2190

2190-2195

2195-2200

2200-2205

2205-2210

2210-2215

2215-2220

2220-2225

2225-2230

2230-2235

2235-2240

2240-2245

2245-2250

2250-2255

2255-2260

2260-2265

2265-2270

2270-2275

2275-2280

2280-2285

2285-2290

2290-2295

2295-2300

2300-2305

2305-2310

2310-2315

2315-2320

2320-2325

2325-2330

2330-2335

2335-2340

2340-2345

2345-2350

2350-2355

2355-2360

2360-2365

2365-2370

2370-2375

2375-2380

2380-2385

2385-2390

2390-2395

2395-2400

2400-2405

2405-2410

2410-2415

2415-2420

2420-2425

2425-2430

2430-2435

2435-2440

2440-2445

2445-2450

2450-2455

2455-2460

2460-2465

2465-2470

2470-2475

2475-2480

2480-2485

2485-2490

2490-2495

2495-2500

2500-2505

2505-2510

2510-2515

2515-2520

2520-2525

2525-2530

2530-2535

2535-2540

2540-2545

2545-2550

2550-2555

2555-2560

2560-2565

2565-2570

2570-2575

2575-2580

2580-2585

2585-2590

2590-2595

2595-2600

2600-2605

2605-2610

2610-2615

2615-2620

2620-2625

2625-2630

2630-2635

2635-2640

2640-2645

2645-2650

2650-2655

2655-2660

2660-2665

2665-2670

2670-2675

2675-2680

2680-2685

2685-2690

2690-2695

2695-2700

2700-2705

2705-2710

2710-2715

2715-2720

2720-2725

2725-2730

2730-2735

2735-2740

2740-2745

2745-2750

2750-2755

2755-2760

2760-2765

2765


| COMPLETION RECORD |                     |                          |         |
|-------------------|---------------------|--------------------------|---------|
| INFL DATE         | 11-23-53            | COST DATE                | 12-9-53 |
| TO                | 3135                | MPD                      | 3135    |
| CALC# RECORD      | 8 5/8 #             | 317 #                    | W/160   |
|                   | 7 R                 | 3256 #                   | W/275   |
| PRODUCTION RECORD | OK.                 | 3256-3135                |         |
|                   |                     | (3rd & 4th Seven Rivers) |         |
| STRAIN & TYPEN    | 37/5000             |                          |         |
| SP                | IFF# 16L BORD       |                          |         |
| SPIN              | SP                  | 35                       |         |
| TR                | 480                 | CP                       |         |
| PROD#             | Typical             |                          |         |
| WT. OF STAIN      |                     |                          |         |
| REMARKS:          | IFF# Prod : 2' BORD |                          |         |
|                   | 4. 16L FFS          |                          |         |
|                   | 5. 16VPS            |                          |         |
| STAIN CODE:       | 16-T : 9880         |                          |         |

**COMPLETION RECORD**

|                    |                                   |            |          |
|--------------------|-----------------------------------|------------|----------|
| SPUD DATE          | 9-30-34                           | COMP. DATE | 10-18-38 |
| TO                 | 3501                              | FEET       | 2975     |
| CASING RECORD      | 6 5/8 @ 2650 w/360                |            |          |
|                    | 5 1/2 @ 3043 w/30                 |            |          |
|                    |                                   |            |          |
| INFORMATING RECORD | ORI: 2660 -2975                   |            |          |
|                    | (279 @ 2800)                      |            |          |
|                    |                                   |            |          |
| STIMULATION        | Shut w/28 qts                     |            |          |
|                    | (2935-2975)                       |            |          |
|                    |                                   |            |          |
| W                  | 1FPw 13 BOPD + 2000 MCFFD         |            |          |
| OPK                | GR                                |            |          |
| TRF                |                                   |            |          |
|                    | THING                             | W          |          |
| SO RECORD          | 3242-3501 Show of oil, gas, water |            |          |
|                    | FFTD @ 2970. Pulled 5 1/2" casing |            |          |
|                    | 8" - 2970.                        |            |          |
|                    |                                   |            |          |
| REMARKS            | 0-1-66; FEA                       |            |          |

**COMPLETION RECORD**

|                                   |                                                                                                                                                                                                                                                                       |           |          |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------|
| SPUD DATE                         | 10-31-53                                                                                                                                                                                                                                                              | COMP DATE | 11-21-53 |
| TD                                | 3285                                                                                                                                                                                                                                                                  | COMP      | 3285     |
| CASING RECORD                     | 10 3/4" @ 325' W/200                                                                                                                                                                                                                                                  |           |          |
|                                   | 7" @ 3212' W/350                                                                                                                                                                                                                                                      |           |          |
| FORMULATING RECORD: OR# 3212-1283 |                                                                                                                                                                                                                                                                       |           |          |
| (12 1/2 & 4 1/2 Seven Rivers)     |                                                                                                                                                                                                                                                                       |           |          |
| STIMULATION SF/1500               |                                                                                                                                                                                                                                                                       |           |          |
|                                   |                                                                                                                                                                                                                                                                       |           |          |
| IP                                | IFF-25 BOP# = 150 RECEFD                                                                                                                                                                                                                                              |           |          |
| ODP                               | " "                                                                                                                                                                                                                                                                   |           |          |
| CHOKE                             | " "                                                                                                                                                                                                                                                                   |           |          |
| IP RECORD                         | A=18-34 18" @ 1500, 10,000;<br>COM: 3212-1283. 8/101 BPPD<br>+ 215 RECEFD;<br>A=4-4 1/2 18" @ 150, 10,000 (OP:<br>3212-1283) 8" @ 150, 14,000;<br>NO. 2-2 1/2 18" @ 150, 14,000;<br>2 1/2" @ 150;<br>11-7-53; Cemented; well to melt;<br>SHUTTER DISPOSAL 22" @ 1283. |           |          |
| SHUTTER                           | 11-7-53; Cement; 8" @ 1500                                                                                                                                                                                                                                            |           |          |

[illegible][illegible]



B  
WEST

B'  
EAST

+500'

+500'

COMPANY Conoco

WELL Sholes "B" (D. 1)

FIELD Jalmat (Gas)

LOCATION 660 FSL & 1980 FSL (P)  
Section 19, T-25-S, R-37-E

COUNTY Lea

STATE New Mexico

ELEVATIONS: KB 3083  
DF 3083  
GL 3043

COMPANY Sun Texas  
(R. Olsen)

WELL Wingham No. 2

FIELD Jalmat

LOCATION 598 FSL & 651 FSL (P)  
Section 19, T-25-S, R-37-E

COUNTY Lea

STATE New Mexico

ELEVATIONS: KB 3046  
DF 3046  
GL 3043

COMPANY Texas Pacific  
(Jal Oil Company)

WELL Horner No. 2

FIELD Jalmat-Langlie Mattix

LOCATION 1980 FSL & 1903 FSL (J)  
Section 20, T-25-S, R-37-E

COUNTY Lea

STATE New Mexico

ELEVATIONS: KB 3055  
DF 3055  
GL 3043

COMPANY Lewis B. Burleson

WELL Brunet No. 3

FIELD Jalmat (Gas)

LOCATION 1650 FSL & 1650 FSL (J)  
Section 20, T-25-S, R-37-E

COUNTY Lea

STATE New Mexico

ELEVATIONS: KB 3053  
DF 3053  
GL 3043

COMPANY Lewis B. Burleson  
(Sun Oil Company)

WELL Leonard No. 1  
(Lanehart No. 1)






FIELD Jalmat

LOCATION 660 FSL & 660 FSL (P)  
Section 20, T-25-S, R-37-E

COUNTY Lea

STATE New Mexico

ELEVATIONS: KB 3050  
DF 3050  
GL 3043



TOP TANSILL

TOP YATES

EST. TOP-NO DATA

TOP SEVEN RIVERS

TOP COMMITTEE  
LANGLIE MATTIX  
TOP "CUO" MARKER

TOP COMMITTEE  
QUEEN

COMPLETION RECORD

WELL DATE 2-27-61 COMP DATE 3-22-61

TO 2945 FSL WTD 2945

CASING RECORD 9 5/8" 8 298 W/200  
7 0 2648 W/375

REPORTING RECORD ORI: 2642-2945  
(T/F R 2850)

STIMULATION Natural

IPF= 12,000 MCFFD

COF 0F

TP 0F

CHOK 5/8" TUBING @

WELL RECORD

WELL PROD 10-80

WELL NAME 660 FSL

COMPLETION RECORD

WELL DATE 11-22-69 COMP DATE 12-8-69

TO 2841 FSL WTD 2841

CASING RECORD 9 5/8" 8 298 W/200  
7 0 2648 W/375

REPORTING RECORD ORI: 2642-2841  
(Upper Yates)

STIMULATION Natural

IPF= 4060 MCFFD

COF 0F

TP 0F

CHOK 5/8" TUBING @

WELL RECORD

WELL PROD 10-80

WELL NAME 598 FSL

COMPLETION RECORD

WELL DATE 5-6-59 COMP DATE 7-15-59

TO 3444 FSL WTD 3444

CASING RECORD 9 5/8" 8 308 W/300  
7 0 3444 W/300

REPORTING RECORD Perf: 3170-3402

STIMULATION A/1000  
507/50,650 = 75,000

IPF= 72,8072 = 648 BHPD

COF 0F

TP 0F

CHOK 5/8" TUBING @

WELL RECORD

WELL PROD 10-80

WELL NAME 1980 FSL

COMPLETION RECORD

WELL DATE 6-27-79 COMP DATE 10-10-77

TO 3400 FSL WTD 3400

CASING RECORD 8 5/8" 8 978 W/500  
6 1/2" 8 3100 W/300

REPORTING RECORD Perf: 3128-3132 W/10  
(4th Section, KAYE)

STIMULATION A/1000  
507/50,650 = 75,000

IPF= 230 MCFFD

COF 0F

TP 40 OF 170

CHOK 5/8" TUBING @

WELL RECORD

WELL PROD 10-80

WELL NAME 1650 FSL

COMPLETION RECORD

WELL DATE 5-6-36 COMP DATE 6-12-36

TO 2757 FSL WTD 2757

CASING RECORD 13 3/8" 8 284 W/125  
9 3/8" 8 255 W/400

REPORTING RECORD ORI: 2353-2757

STIMULATION Natural

IPF= 22,000 MCFFD

COF 0F

TP 100 OF

CHOK 5/8" TUBING @

WELL RECORD

WELL PROD 10-80

WELL NAME 660 FSL

REVISIONS

REVISION NO. 1

DATE 10/10/77

BY J. HARTMAN

REVISION NO. 2

DATE 10/10/77

BY J. HARTMAN

DOYLE HARTMAN


CROSS SECTION B-B'  
(WEST - EAST)

SECTIONS 19 B 20, T-25-S, R-37-E



SHOWING  
JALMAT INTERVAL

VERT SCALE 1"=100'  
HORIZ SCALE NONE

D HARTMAN







A  
NORTH

+500'

|             |                                                     |
|-------------|-----------------------------------------------------|
| COMPANY     | Getty-Reserve                                       |
| WELL        | (So. California Petroleum)                          |
| WELL NO.    | 26                                                  |
| FIELD       | Jalinet (Oil)                                       |
| LOCATION    | 330 FSL & 330 FSL (H)<br>Section 17, T-25-S, R-37-E |
| COUNTY      | Lee                                                 |
| STATE       | New Mexico                                          |
| ELEVATIONS: | KB 3092<br>DF<br>CL                                 |







|             |                                                     |
|-------------|-----------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                             |
| WELL        | (Leonard Oil Company)                               |
| WELL NO.    | V. N. Justice No. 2                                 |
| FIELD       | Jalinet (Oil)                                       |
| LOCATION    | 370 FSL & 420 FSL (H)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lee                                                 |
| STATE       | New Mexico                                          |
| ELEVATIONS: | KB 3084<br>DF<br>CL                                 |

|             |                                                     |
|-------------|-----------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                             |
| WELL        | (Leonard Oil Company)                               |
| WELL NO.    | Justice No. 1                                       |
| FIELD       | Jalinet (Gas)                                       |
| LOCATION    | 990 FSL & 330 FSL (H)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lee                                                 |
| STATE       | New Mexico                                          |
| ELEVATIONS: | KB 3067<br>DF<br>CL                                 |

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                              |
| WELL        | (Leonard Oil Company)                                |
| WELL NO.    | Gulf-Christine No. 1                                 |
| FIELD       | Jalinet (Oil)                                        |
| LOCATION    | 1650 FSL & 330 FSL (H)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lee                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB 3076<br>DF<br>CL                                  |

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                              |
| WELL        | (Leonard Oil Company)                                |
| WELL NO.    | S. N. Justice No. 1                                  |
| FIELD       | Jalinet (Gas)                                        |
| LOCATION    | 1980 FSL & 660 FSL (H)<br>Section 19, T-25-S, R-37-E |
| COUNTY      | Lee                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB 3071<br>DF<br>CL                                  |

|             |                                                      |
|-------------|------------------------------------------------------|
| COMPANY     | Bettie, Boyle & Stovall                              |
| WELL        | (Leonard Oil Company)                                |
| WELL NO.    | Justice No. 1                                        |
| FIELD       | Jalinet (Gas)                                        |
| LOCATION    | 1980 FSL & 660 FSL (H)<br>Section 20, T-25-S, R-37-E |
| COUNTY      | Lee                                                  |
| STATE       | New Mexico                                           |
| ELEVATIONS: | KB 3059<br>DF<br>CL 3049                             |



|                                                                                          |
|------------------------------------------------------------------------------------------|
| COMPLETION RECORD                                                                        |
| SPUD DATE 8-1-53 COMP. DATE 8-26-53                                                      |
| TO 3365 FSL                                                                              |
| FROM 10 3/4" @ 154 W/150                                                                 |
| 5 1/2" @ 3280 W/400                                                                      |
| PERFORATING RECORD (H): 3290-3365                                                        |
| (4th Seven Rivers)                                                                       |
| STIMULATION 87/1500                                                                      |
| IP 179-79 BOFPD                                                                          |
| OP 293                                                                                   |
| CHRT 10/44 hours 2 3/8" @ 3280                                                           |
| DET RECORD 8-20-53 Perf 3190-3265, A/2300                                                |
| and 37 1/2" @ 40,000 (3190-3265). Returned well to 3265. Injection to 3265 water (1954). |
| APR 1954: 1st 1st 325 BOFPD                                                              |
| 1-1-54: 1st 1st 325 BOFPD                                                                |
| 1-1-54: 1st 1st 325 BOFPD                                                                |

|                                                                                          |
|------------------------------------------------------------------------------------------|
| COMPLETION RECORD                                                                        |
| SPUD DATE 11-23-53 COMP. DATE 12-9-53                                                    |
| TO 3325 FSL                                                                              |
| FROM 8 5/8" @ 317 W/160                                                                  |
| 7 1/2" @ 3256 W/275                                                                      |
| PERFORATING RECORD (H): 3256-3325                                                        |
| (3rd & 4th Seven Rivers)                                                                 |
| STIMULATION 87/3000                                                                      |
| IP 179-180 BOFPD                                                                         |
| OP 400                                                                                   |
| CHRT 10/44 hours 2 3/8" @ 3280                                                           |
| DET RECORD 11-20-53 Perf 3190-3265, A/2300                                               |
| and 37 1/2" @ 40,000 (3190-3265). Returned well to 3265. Injection to 3265 water (1954). |
| APR 1954: 1st 1st 325 BOFPD                                                              |
| 1-1-54: 1st 1st 325 BOFPD                                                                |
| 1-1-54: 1st 1st 325 BOFPD                                                                |

|                                                                                          |
|------------------------------------------------------------------------------------------|
| COMPLETION RECORD                                                                        |
| SPUD DATE 9-30-53 COMP. DATE 10-18-53                                                    |
| TO 3301 FSL                                                                              |
| FROM 8 5/8" @ 3240 W/160                                                                 |
| 5 1/2" @ 3043 W/330                                                                      |
| PERFORATING RECORD (H): 2660-2975                                                        |
| (177 @ 2600)                                                                             |
| STIMULATION Shot w/28 lbs (2935-2975)                                                    |
| IP 179-13 BOFPD + 2000 MCFFD                                                             |
| OP 400                                                                                   |
| CHRT 10/44 hours 2 3/8" @ 3280                                                           |
| DET RECORD 11-13-53 Perf 3190-3265, A/2300                                               |
| and 37 1/2" @ 40,000 (3190-3265). Returned well to 3265. Injection to 3265 water (1954). |
| APR 1954: 1st 1st 325 BOFPD                                                              |
| 1-1-54: 1st 1st 325 BOFPD                                                                |
| 1-1-54: 1st 1st 325 BOFPD                                                                |

|                                                                                          |
|------------------------------------------------------------------------------------------|
| COMPLETION RECORD                                                                        |
| SPUD DATE 10-31-53 COMP. DATE 11-21-53                                                   |
| TO 3285 FSL                                                                              |
| FROM 10 3/4" @ 323 W/200                                                                 |
| 7 1/2" @ 3212 W/350                                                                      |
| PERFORATING RECORD (H): 3212-3285                                                        |
| (3rd & 4th Seven Rivers)                                                                 |
| STIMULATION 87/1500                                                                      |
| IP 179-25 BOFPD + 150 MCFFD                                                              |
| OP 400                                                                                   |
| CHRT 10/44 hours 2 3/8" @ 3280                                                           |
| DET RECORD 11-18-53 Perf 3190-3265, A/2300                                               |
| and 37 1/2" @ 40,000 (3190-3265). Returned well to 3265. Injection to 3265 water (1954). |
| APR 1954: 1st 1st 325 BOFPD                                                              |
| 1-1-54: 1st 1st 325 BOFPD                                                                |
| 1-1-54: 1st 1st 325 BOFPD                                                                |

|                                                                                          |
|------------------------------------------------------------------------------------------|
| COMPLETION RECORD                                                                        |
| SPUD DATE 3-5-54 COMP. DATE 6-2-54                                                       |
| TO 2872 FSL                                                                              |
| FROM 10 3/4" @ 820 W/50                                                                  |
| 8 5/8" @ 2615 W/155                                                                      |
| PERFORATING RECORD (H): 2615-2795                                                        |
| (177 @ 2743)                                                                             |
| STIMULATION Natural                                                                      |
| IP 179-15,000 MCFFD                                                                      |
| OP 400                                                                                   |
| CHRT 10/44 hours 2 3/8" @ 3280                                                           |
| DET RECORD 6-2-54 Perf 2615-2795, A/2300                                                 |
| and 37 1/2" @ 40,000 (2615-2795). Returned well to 2795. Injection to 2795 water (1954). |
| APR 1954: 1st 1st 325 BOFPD                                                              |
| 1-1-54: 1st 1st 325 BOFPD                                                                |
| 1-1-54: 1st 1st 325 BOFPD                                                                |

|                                                                                          |
|------------------------------------------------------------------------------------------|
| COMPLETION RECORD                                                                        |
| SPUD DATE 6-21-54 COMP. DATE 6-9-54                                                      |
| TO 2872 FSL                                                                              |
| FROM 10 3/4" @ 820 W/50                                                                  |
| 8 5/8" @ 2615 W/155                                                                      |
| PERFORATING RECORD (H): 2615-2872                                                        |
| (Yates)                                                                                  |
| STIMULATION Natural                                                                      |
| IP 179-21,100 MCFFD                                                                      |
| OP 400                                                                                   |
| CHRT 10/44 hours 2 3/8" @ 3280                                                           |
| DET RECORD 6-2-54 Perf 2615-2872, A/2300                                                 |
| and 37 1/2" @ 40,000 (2615-2872). Returned well to 2872. Injection to 2872 water (1954). |
| APR 1954: 1st 1st 325 BOFPD                                                              |
| 1-1-54: 1st 1st 325 BOFPD                                                                |
| 1-1-54: 1st 1st 325 BOFPD                                                                |



B  
WEST

B'  
EAST

COMPANY: Conoco

WELL: Sholes "B" No. 1

FIELD: Jalmat (Gas)

LOCATION: 660 FSL & 1900 PNL (N)  
Section 19, T-25-S, R-37-E

COUNTY: Lea

STATE: New Mexico

ELEVATIONS: KB 3083  
DF 3083  
GL

COMPANY: Sun Texas  
(R. Olsen)

WELL: Wingham No. 2

FIELD: Jalmat

LOCATION: 598 FSL & 653 PSL (P)  
Section 19, T-25-S, R-37-E

COUNTY: Lea

STATE: New Mexico

ELEVATIONS: KB 3046  
DF 3046  
GL

COMPANY: Texas Pacific  
(Jal Oil Company)

WELL: Horner No. 2

FIELD: Jalmat-Langlie Mattix

LOCATION: 1900 FSL & 1905 PSL (J)  
Section 20, T-25-S, R-37-E

COUNTY: Lea

STATE: New Mexico

ELEVATIONS: KB 3055  
DF 3055  
GL 3045

COMPANY: Lewis B. Burleson

WELL: Horner No. 3

FIELD: Jalmat (Gas)

LOCATION: 1650 FSL & 1650 PSL (J)  
Section 20, T-25-S, R-37-E

COUNTY: Lea

STATE: New Mexico

ELEVATIONS: KB 3053  
DF 3053  
GL 3043

COMPANY: Lewis B. Burleson  
(Sun Oil Company)

WELL: Leonard No. 1  
(Lanehart No. 1)

FIELD: Jalmat

LOCATION: 660 FSL & 660 PSL (P)  
Section 20, T-25-S, R-37-E






COUNTY: Lea

STATE: New Mexico

ELEVATIONS: KB 3050  
DF 3050  
GL

+500'

+500'



TOP TANSILL

TOP YATES

EST. TOP-NO DATA

TOP SEVEN RIVERS

TOP COMMITTEE  
LANGLIE MATTIX  
TOP "CUO" MARKER

TOP COMMITTEE  
QUEEN

COMPLETION RECORD

SPUD DATE: 2-27-41 COMP. DATE: 3-22-41

TO: 2945 WTD: 2945

CASING RECORD: 9 5/8 0 1103

7 0 2642

REPORTING RECORD: ORI: 2642-2945  
(77' & 2850)

STIMULATION: Natural

IP: 177-11,000 MCFFD

OP: 0

TP: 0

CP: 0

CHRT: 0

DET RECORD: 0

REMARKS: 1-18/1 Comp. 1901.1 MCFFD  
2-1-8, 1000, 6588 MCFFD

COMPLETION RECORD

SPUD DATE: 11-22-49 COMP. DATE: 12-8-49

TO: 2841 WTD: 2841

CASING RECORD: 9 5/8 0 298 W/200

7 0 2648 W/375

REPORTING RECORD: ORI: 2648-2841  
(Upper Yates)

STIMULATION: Natural

IP: 177-4040 MCFFD

OP: 0

TP: 0

CP: 0

CHRT: 0

DET RECORD: 0

REMARKS: 1-18/1 Comp. 1901.1 MCFFD  
1901.1, 1000, 6588 MCFFD

COMPLETION RECORD

SPUD DATE: 5-6-59 COMP. DATE: 7-13-59

TO: 3444 WTD: 3444

CASING RECORD: 9 5/8 0 308 W/300

7 0 3444 W/300

REPORTING RECORD: Perf: 3170-3400

STIMULATION: A/1000

IP: 177-72,870 MCFFD

OP: 0

TP: 0

CP: 0

CHRT: 0

DET RECORD: 0

REMARKS: 1-18/1 Comp. 1901.1 MCFFD  
1901.1, 1000, 6588 MCFFD

COMPLETION RECORD

SPUD DATE: 6-27-79 COMP. DATE: 10-10-79

TO: 3400 WTD: 3400

CASING RECORD: 8 5/8 0 978 W/500

1 1/2 0 3400 W/300

REPORTING RECORD: Perf: 3120-3130 W/10  
(4th Seven 14500)

STIMULATION: A/1500

IP: 177-230 MCFFD

OP: 0

TP: 0

CP: 0

CHRT: 0

DET RECORD: 0

REMARKS: 1-18/1 Comp. 1901.1 MCFFD  
1901.1, 1000, 6588 MCFFD

COMPLETION RECORD

SPUD DATE: 5-6-36 COMP. DATE: 6-12-36

TO: 2757 WTD: 2757

CASING RECORD: 13 3/8 0 266 W/125

9 5/8 0 2353 W/400

REPORTING RECORD: ORI: 2353-2757

STIMULATION: Natural

IP: 177-21,000 MCFFD

OP: 0

TP: 0

CP: 0

CHRT: 0

DET RECORD: 0

REMARKS: 1-18/1 Comp. 1901.1 MCFFD  
1901.1, 1000, 6588 MCFFD

BEFORE EXAMINER STAMETS  
OIL CONSERVATION DIVISION  
EXHIBIT NO. 3  
CASE NO. 7340  
Submitted by: [Signature]  
Hearing Date: 5/24/81

DOYLE HARTMAN

CROSS SECTION B-B'  
(WEST - EAST)

SECTIONS 19 & 20, T-25-S, R-37-E

SHOWING  
JALMAT INTERVAL

VERT. SCALE: 1"=100'  
HORIZ. SCALE: NONE

D. HARTMAN

