




Case No
7510

Large Exhibits






A
NW



GETTY # 1 GETTY "32" STATE
SEC. 32, T-21-S,R-32-E
LEA COUNTY, NEW MEXICO



GETTY # 1 BILBREY FEDERAL COM. "4"
SEC. 4, T-22-S,R-32-E
LEA COUNTY, NEW MEXICO



A
SE

GULF # 1 COVINGTON "A" FEDERAL
SEC. 25, T-22-S,R-32-E
LEA COUNTY, NEW MEXICO

CNL-FDC LOG
ELEVATION 3777 K.B.

BHC SONIC LOG
ELEVATION 3816 K. B.

CNL-FDC LOG
ELEVATION 3790 K. B.

PROPOSED LOCATION
PROJECTED

CADDO (Lower Strawn)

ATOKA

DATUM

NO TEST
Core #1 Depth Corrected
11-18.7% Porosity, 13-317
Md Permeability
Good Gas Show

NO TEST

NO TEST

NO TEST

Perf 14527-606
F 490 MCFGPD 18/64 CK
After Froc

MORROW

MIDDLE MORROW

Core #2 Depth Corrected
No Analysis
Core #3 Depth Corrected
Maximum Porosity 9.4%

Perf 14764-756, 14699-895, 14599-702
Prod. Water @ 7-8 Bbl/Hr. W. 10-15 Flare
Temp. 100°F. Shale. Permeability Water Entry
14764-56
F. 50.2 MCFGPD, 18/64 CK. 100% S. 100% S. 100% S.

PERF'D 14305-14320
14605-14613
CADF 1,733 MCFGPD

DST 14458-14720
GTS 1 Hr. 40 Min.
Pr. Failed

DST 14610-14720
GTS 20 Min @ 76 MCFGPD

PERF'D 14679-14914
A 1000 F 183 MCFGPD



