CASE 1849: Application of WESTERN for permission for gas wells in Jalmat Gas Pool to compensate for their overpreduced states

 $\mathcal{T}_{\mathcal{T}}$ 

Case No. Replication, Transcript, Small Exhibits, Etc.



ŧ.

	SANTA FE, NEW MEXICO
	JA NUARY 6, 1960
N THE MAT	TER OF: :
	:
ASE 1849	Application of Western Natural Gas Company for an: exception to the overproduction shut-in provis- : ions of Order R-520, as amended by Order No.R-967: for 3 wells in the Jalmat Gas Pool. Applicant, in: the above-styled cause, speks an order permitting: the following-described gas wells in the Jalmat : Gas Pool, Lea County, New Mexico, to compensate : for their overproduced status without being com- pletely shut-in in order to prevent possible : waste.
	Wells Federal No. 1 Well, SW/4 NE/4 of Section: 6, T-26-S, R-37-E.
	Guthrie No. 1 Well, SW/4 SE/4 of Section 34, : T-23-S, R-36-E.
	State McDonald A-15 Well No. 1, NW/4 SW/4 of Section 15, T-22-S, R-36-E.
BEFORE:	
Dar	iel S. Nutter, Examiner.
<u>T</u>	RANSCRIPT OF PROCEEDINGS
	MR. NUTTER: We will take Case No. 1849.
	MR. PAYNE: Case 1849. Application of Western N
Gas Compar	ny for an exception to the overproduction shut-in pr
ions of Or	der R-520, as amended by Order No. R-967, for 3 wel
he Jalmat	; Gas Pool.



. : = 4

. .

-



PAGE 2 MR. COOLEY: William C. Cooley of Burns & Cooley, Farmington, New Mexico, appearing on behalf of the Western Natural Gas Company. We have one witness, Mr. Scott. (Witness sworn) PHONE CH 3-6691 W. B. SCOTT. Inc.called as a witness, having been first duly sworn, testified as follows: DEARNLEY-MEIER REPORTING SERVICE, DIRECT EXAMINATION BY MR. COOLEY: Q Mr. Scott, will you state your full name to the Commission, please? W. B. Scott. A Where do you reside, Mr. Scott? Q Midland, Texas. A Q What is your occupation? Petroleum production engineer. A Q By whom are you employed? Western Natural Gas Company. À ALBUQUERQUE, NEW MEXICO Do you hold any degrees of higher education? Q Yes. I graduated from the University of Texas in А 1958 with a B. S. in petroleum engineering. Q Will you briefly outline your experience since graduat tion? A I was employed by Western Natural Gas in Houston, and transferred to Midland, Texas division office, and assigned to the



page 3

engineering department as a production engineer. I received training in the field on completions and workovers and testing various wells.

Q Mr. Scott, does the area of Lea County, New Mexico fall within your geographical area of supervision?

A Yes, it does.

Q In particular, does the Jalaac das Pool fall within your supervision?

A Yes, it does. I'm in charge of production in the Jalmat and also oil production in Lea County.

Q Mr. Scott, does Western Natural Gas Company own a gas well in the Jalmat Gas Pool of Lea County, New Mexico known as the Wells Federal No. 1?

A Yes, they do.

Q Have you prepared a plat showing the location of this well and the offsetting leases?

Yes, I have.

A

(Thereupon, Applicant's Exhibit No. 1 was marked for identification.)

I hand you what has been marked for purposes of identification Exhibit No. 1, and ask you if this is a plat to which you refer?

A Yes, it is.

Q Will you briefly explain the significance?

A The area shown, shaded in yellow, is the designated

DEARNLEY-MEIER REPORTING SERVICE, Inc.

ALBUQUERQUE, NEW MIXICO

CH 3-669



acreage to the Wells Federal No. 1 circled in red. What is the location of the well with respect to the Q section lines? A You mean the footages? Q Yes. I don't have the footages indicated here on the plat. A What quarter-quarter section is it in? Q It is in the SW of the NW/4 of Section 6, Township 26 A Bouth, Range 37 East. Do you have the well history on that well, Mr. Scott? Q Yes, I do. A Would you briefly outline the history of this well? Q The well was completed October 19 of 1939 at a TD Α of 3540. It was shot from 3416 to 3505. It tested 75 barrels of fluid, 95 percent salt water. It was then plugged back to 3530; tested 27 barrels of fluid with 30 percent salt water. It was then plugged back to 3395, treated with a thousand gallons of acid, and tested 20 barrels of fluid with 40 percent salt water. It was then plugged back to 3370, perforated from 2830 to 3150, and tested fifteen million cubic feet of gas per day. Q Has this well been on proration in the Jalmat Gas Pool since they instituted proration there?

> Yes, sir, it has. Α

Are you aware of its present status with regard to Q proration?

DEARNLEY-MEIER REPORTING SERVICE, Inc.

ALBUQUERQUE, NEW MEXICO

3-6691

PHONE CH

PAGE 4



A Present status. It was shut-in -- it was shut-in September the 4th, 1959.

Q For what reason?

A Due to overproduction.

Q And what is the amount of overproduction at this time, or as of January 1st, 1960?

A It is overproduced in the amount of sixty-five million five hundred and seventy-one thousand MCF, and it has been shut-in since January 4th, 1959. As of December the 19th it was slightly over seven months overproduced.

MR. NUTTER: Since when?

September the 4th, 1959.

Q (By Mr. Cooley) This well was voluntarily shut-in when it was realized by your company and El Paso Natural Gas Company that the well was substantially overproduced?

A That is correct.

A

Q In relating the well history of the Wells Federal No. 1, I note that you make several references to the occurrence of salt water in this well throughout the producing life. Has there been any water problems experienced?

A Well, when the well is subjected to prolonged shut-in periods, it is necessary to swab the water off and return the well to production.

Q You mean a minor type of workover is required before it can be put back on production?



DEARNLEY-MEIER REPORTING SERVICE, Inc.

ALBUQUERQUE, NEW MEXICO

CH 3-669

# That is right.

А

Q Do you have any idea how long a period of time is necessary for appreciable quantities of water to accumulate in the well bore of the Wells Federal No. 1?

A No, I don't, but as of the test that we ran a pressure survey in December -- excuse me -- that was November of 1959 -- it indicated that we had seven hundred and seven feet of fluid, which would amount to seventy-four days total shut-in.

Q Then after seventy-four days of shut-in, you accumulated seven hundred and seven feet of fluid in the well bore?

A That's right.

Q What type of test was this to which you refer, that was taken on November 17th, 1959?

A It was bottom hole pressure survey run on a wire line.

Q How is it possible to ascertain the liquid level in a

well bore by pressure survey?

A Well, the pressure is measured at various depths, and when there is an increase in the density of fluid or medium, then there is an increase in pressure, and by plotting these points of pressure versus depth, you can determine where the liquid level of the well is.

Q Have you prepared an Exhibit which sets forth the results of the pressure survey to which you refer?

A Yes, we have.



DEARNLEY-MEIER REPORTING SERVICE, Inc.

MEXICO

¥3N

ALBUQUERQUI

3-6691

IJ

(Thereupon, Applicant's Exhibit No. 2 was marked for identification.)

Q I hand you what has been marked for identification purposes Exhibit No. 2, and ask you if this is the plat and Exhibit to which you refer?

> Α That is correct.

Q Would you in some detail explain the significance of this Exhibit?

This survey was run by Coleman Engineering Survey, Α Hobbs, New Mexico on the Wells Federal No. 1, Lea County, New Mexico. It shows that the pressure is plotted as the abscissa and also the ordinate as the depth. The various pressures were plotted, and as you can see, from 2500 to 3000 feet, that there is quite an increase in gradient and slope of the curve, resulting in an intersection of the two at 2663 feet, which is the indicated top of the fluid.

Now, to go into some more additional detail, into the Q manner in which this test reflects the presence of liquid at a given level in this well, can it be correctly stated that the .004 gradient, shown at the first four levels where pressure tests were taken, would indicate the presence of gas?

Yes, it would.

Α

And that as we proceed to the sharply increased gra-Q dient at the three thousand foot test, it must necessarily be something other than gas, some type of fluid?

5 DEARNLEY-MEIER REPORTING SERVICE, Inc. ALBUQUERQUE, NEW MEXICO

1.2

3-6691



PAGE 7



That is correct.

Α

Q Are you aware of whether the type of water that is produced from the Wells Federal No. 1 is of a salient nature?

A I think it is of a corrosive nature, but I have no test or water analysis to prove it is definitely saline.

Q But you feel it is definitely of a corrosive nature?A I think there is a possibility.

Q Of the various types of fluids that could possibly be present in the well bore, would it be correct to state that this water would be the heaviest, thus fall to the bottom?

A That is true. In this case here I believe that water would naturally be on the bottom, and if there is oil or fluid, it would be immediately above the water.

Q Thus, the corrosive water present in this well would be on at least a portion of the perforations and the well bore?

That is correct.

Α

Q Can you state as a professional petroleum engineer as to what your opinion would be as to the possibilities of causing waste and damage to the well bore as a result of permitting such quantities of liquid and particularly the corrosive water to which you testified, to stand on the well bore of the Wells Federal No. 1 for any prolonged period of time?

A Yes, I think there is a good possibility that waste would occur if water was allowed to stand in the well bore for a prolonged period of time.



**ALBUQUERQUE** 



PAGE 8

Q Could you be somewhat more detailed in the manner and types of waste and the ways in which it could come about as a result of permitting this liquid to stand on the well bore?

A There is a possibility of swelling, to a more or less degree, depending on the type of reservoir that you would have, but it is our general opinion along with other operators that to keep water off of the formation is by far the best idea.

Q Well, assuming that swelling did take place in the reservoir, would it have any effect upon the ultimate recovery from the well?

A I believe that there is the possibility that you might decrease your permeability due to this and thereby decrease your production ultimately.

Q Are there any other possibilities or hazards caused by permitting water to stand on the well bore?

A Other than this corrosion, there may be remedial work necessary and cause premature abandonment of the well and undue necessary expense.

Q This is corrosion of what, Mr. Scott?

A Of the casing or the tubing and anything that the salt water would be in contact with, insofar as the well.

Q Again, will you state for the record when this well was drilled?

A It was drilled in December of -- excuse me -- October 19, 1959.





Q And is there considerable probability that this casing has deteriorated simply from age, to a certain degree?

I think there is a possibility.

Q And does the age combined with this hazard-- or of corrosive liquid standing in the casing, increase this hazard?

A I believe it does, yes.

Α

Q In the event that sufficient quantities of liquid should accumulate in the well bore, such as to necessitate a workover, are there any hazards involved in this type of activity?

A Hazards? I don't believe I understand.

Q Hazards of losing the well or possibly damaging the well bore as a result of having to work the well over?

A Well, there would be considerable expense in going in and trying to replace the casing, and if necessary, the expense would be more than the economic limit of the well, and, therefore, result in waste and abandon the well prematurely to replace this casing.

Q Mr. Scott, do you have any idea as to what amount of fluid or what amount of gas would be necessary to alleviate this problem in the Wells Federal No. 1?

A Well, due to large quantities of water present, I believe that fifty percent of the allowable would be enough to keep the well bore clear of fluid.

Q Do you feel that would be the minimum that you could reasonably expect to keep the well bore clear?

DEARNLEY-MEIER REPORTING SERVICE, Inc.

ALBUQUERQUE, NEV MEXICO

CH 3-669

PHONE

A At this time I believe that that would be possibly the minimum.

Q While producing this well at top allowable, have you encountered any water problems throughout its producing history?

I believe there is water present, but by shutting the A well in as we have, it was brought to our knowledge here that we had larger quantities present than we thought we had.

Q Are you aware of what the December allowable for this well was in 1959?

A I believe so. Nineteen million one hundred fiftyfive thousand MCF.

Assuming that you were permitted to produce at fifty Q percent of this rate until such time as the overproduction was compensated for, approximately how long would it take to make up the well's present overproduction?

> (No response) А

Do you understand the question? Q

About seven months, I believe. A

Q Is it your professional opinion that there is more than seven months of productive life remaining in the particular area of the Jalmat Gas Pool in which the Wells Federal No. 1 is located?

> I think there is, yes, sir. А

In view of this fact, do you feel that the granting Q of this application could in any way impair the correlative rights

PHONE CH 3-6691 Inc. DEARNLEY-MEIER REPORTING SERVICE,

ALBUQUERQUE, NEW MEXICO



PAGE 11

of offset operators? No, I don't think it would impair them. A Q Do you feel that the granting of this application could in any way cause waste? 3-6691 А No, I don't believe that it would cause waste. 3 PHONE Q Do you hold the opinion that waste will be caused if Inc. this application is not granted? SERVICE, A Yes, I do. MR. COOLEY: Mr. Examiner, we offer into evidence Exhibits 1 and 2 in this case. DEARNLEY-MEIER REPORTING MR. NUTTER: Western's Exhibits Nos. 1 and 2 will be entered. (Whereupon, Western's Exhibits Nos. 1 and 2 were received in evidence.) MR. COOLEY: We have no further questions on direct. CROSS EXAMINATION BY MR. PAYNE: Q Mr. Scott, is this well located to the flange of the pool down dip from a structural high? ALBUQUERQUE, NEW MEXICO Α It is located in an area where there -- there are water problems in the immediate area, yes. Which particular operators do you have in mind? Q Α Jal Oil and El Paso. Q Now, you say that you do have water problems even when you produce this well at normal allowable rates, is that right?



PAGE 12

-		
	Inc.	PHONE CH 3-6691
	DEARNLEY-MEIER REPORTING SERVICE, Inc.	ALBUQUERQUE, NEW MEXICO

yes.	3.	,
yes	3	•

Q Well, have you found it necessary to unload the liquids when you are producing the well normally?

A In the past, if the well is shut-in for any length of time, we have had to swab the well in order to return it to production.

Q To your knowledge, when you swabbed the well, did you materially damage the formation?

A Well, the well wasn't going to be shut-in for any extended length of time. For a short period, I don't think that it would perhaps damage it as much as the extended length of time.

Q Would it be feasible to unload the liquids in this well daily and then produce it? Let me ask you this, is this well tubed?

A Is this well what, sir?

- Q Tubed?
- A Tubed? Yes, it is.

Q Does it have a blow down string?

A No, it does not.

Q Now, could you unload the liquids from this well daily and then produce the well?

A Unload the liquids daily and then produce the well?

Q And then shut the well in?

A We haven't tested it to that nature, so I couldn't say definitely whether we could or not.



Now, is there any possibility that there is a correlation between the amount of water that this well makes and the depth Q of the perforations? Through the production history, as the well was completed originally, and due to the continuous plug-back operation, A DEARNLEY-MEIER REPORTING SERVICE, Inc. I believe that -- yes, there is a chance that the water is coming possibly from a lower part of the perforations. Would it be feasible to control your water problem by Q plugging this well back? It would be feasible, yes. A But would you have as good a producing well if you did, Q from the standpoint of gas production? Well, I couldn't state whether it would be better or A not, but --Do you feel you are getting any gas from these lower Q perforations? I feel we are. A If you plug it back, in all probability you would get Q ALBUQUERQUE, NEW MEXICO less gas, wouldn't you? In proportion, yes. A MR. PAYNE: That's all. Thank you. MR. NUTTER: Any further questions? QUESTIONS BY MR. UTZ: Mr. Scott, have you run any field tests to determine Q minimum volume of the flow you would have to have to keep this well

1.14

clear of liquids? No, sir, we haven't. A Q Would you object to doing that when you get the well back on the line? PHONE CH 3-6691 A No, sir, we would not. MR. UTZ: That's all. Inc. QUESTIONS BY MR. NUTTER: DEARNLEY-MEIER REPORTING SERVICE, Q You said after the well had been shut-in for seventyfour days you had seven hundred and some odd feet of liquid in the hole, --Α Seven hundred and seven. Q -- now, you don't know whether that was a stabilized fluid level or whether it was still building up? A That's right. We do not know whether it was stabilized at that time or not. Q Now, as you were reading off those various tests that you took, the last one that you -- you know this was when you were completing the well and plugging it back -- the last one that you NEW MEXICO read was 20 barrels of fluid and 40 percent of water. What was the interval? ALBUQUERQUE, 20 barrels of water and 40 percent --A 20 barrels of fluid, 40 percent water, that was the Q. last one prior to the one where you had the fifteen million. What was the interval? А Plug-back depth was -- 3395 was the plug-back depth.



	Q	Now, did the well have casing in it at the time?
	A	Yes. It is cased to 3381 with seven inch casing.
	Q	So, what was that, an open hole, then, from 3381 to
3395	?	
	A	That is correct.
	Q	Okay. Now, your next test yielded fifteen million
cubi	c feet	of gas,
	A	That's correct.
	ହ	what was that perforated interval?
	A	2830 to 3150.
	Q	In other words, it was a good two hundred and thirty
one	feet, s	at least, higher than the previous high perforations?
	A	From 31 that is pretty close, yes.
	ନ୍	Did this gas test that yielded fifteen million cubic
feet	of gas	s show any water?
	A	Well, sir, our records on this particular well are
rath	er old	from back in 139, and I couldn't find any other data on
that	partic	cular test other than this figure which was written in
the	complet	tion history.
	Q	What has been the average daily rate of production
from	the we	all prior to the time you shut it in, in September?
	A	It varies somewhat.
	Q	Do you have daily rates of production or monthly
rate	s?	

Monthly rates.

A

	PAGE 17
	Q Would you give us, say, the last six months of pro-
	duction?
	A Is that up to September?
	Q Up to September, yes, sir. A All right. For April it would be 50,390 MCF; 11,429; 2,625; 7,111, 7,118. In September it was 1.535. MR. COOLEY: Is that 5
	2,625; 7,111, 7,118. In September it was 1,535.
	MR. COOLEY: Is that September production just four
	days?
	A Evidently; the well was shut-in on September 4th.
	Q (By Mr. Nutter) Now, none of those are as high as
	the allowable for the month of December, or even close to it, ex-
	cept April, is that correct?
	A That is correct.
	Q What about the other three months there in 1959,
	January and February and March?
	A January, eight million six hundred and forty-eight.
	reoruary was forty-three million, three hundred and the
	was fifty-two million and fifty-five.
	Q Fifty-two
	A Fifty-two thousand and fifty-five.
	Q Fifty-two zero fifty-five, then?
	<ul> <li>A Right, and fifty thousand three hundred and ninety.</li> <li>Q So it looks like February March 10</li> </ul>
ç	Q So it looks like February, March and April is what got you in trouble, correct?
	A Yes, sir.

·, · --,

-

÷.

.

.

DEARNLEY-MEIER REPORTING SERVICE, Inc.

Ì

Q Now, during the month of June, you produced two thousand six hundred and twenty-five MCF, correct?

Two thousand six hundred, that is correct.

Q Now, do your records indicate that you had to get a swabbing unit during that month to swab that well?

A No, sir, our records do not indicate that.

Q So maybe fifty percent of the allowable wouldn't be necessary to keep the well from being water-logged?

A It is possible it might not take that much. However, until we could test the well and find out exactly how much, then that is the figure that we will have to assume.

Q Do the logs show any record of any bentonitic material present in the well here, or any other similar materials that swell up when water --

A Well, sir, we don't have any logs on this well or any core analysis data, so I don't think we could state that there has been any material in the sand, but as we -- as I stated before, we tried to keep the water off of it, just in case there is that possibility.

Q But you don't have any evidence that the reservoir or the sand would swell up if water were present?

A No direct knowledge, no.

Q Water will probably be there whether you had the well shut-in or not; it would be moving through the sand, wouldn't it? A If the well were shut-in, I don't imagine it would be



DEARNLEY-MEIER REPORTING SERVICE, Inc.

ALBUQUERQUE, NEW MEXICO

A

moving. If the well were producing, the water would be present Q anyway, wouldn't it? Yes, sir. Α MR. NUTTER: Does anyone have any further questions PHONE CH 3-6691 of the witness? Inc. QUESTIONS BY MR. PAINE: Has your company considered the possibility of in-DEARNLEY-MEIER REPORTING SERVICE, Q stalling a pump jack on this well --No, sir, I don't believe we have explored that. Α -- such as Mr. Olson has done on some of his wells in Q. the immediate area? No, sir, I don't believe so. Α QUESTIONS BY MR. NUTTER: Would you check your service company records and find Q out if you did have to have a pulling unit out there in the month of June and let us know, or a swab unit? I certainly will. Α MR. NUTTER: Any further questions of the witness? ALEUQUERQUE, HEW MEXICO MR. COOLEY: I have two questions on redirect examination. MR. NUTTER: Mr. Cooley. REDIRECT EXAMINATION BY MR. COOLEY: Mr. Scott, you testified on cross examination that Jal Q,



Oil Company and El Paso Natural Gas Company had encountered similar problems in this area. Are you aware of whether they have applied for and obtained similar relief, as requested here? Yes, sir, they have applied, and I believe they have A PHONE CH 3-6691 gotten relief. In answer to a question by Mr. Nutter, you stated that you were unable to say as to whether this seven hundred and seven Q. foot fluid level, which you encountered on November 17, 1959, was a stabilized fluid level. Have you calculated it mathematically, the pressure that would be obtained, or the level that would be obtained, assuming an extrapolated bottom hole pressure? You mean the level in the tubing? Α Yes. What is your estimated bottom hole level on Q. this well? According to extrapolation, the pressure is four hun-Α dred and ninety pounds. Assuming that to be the true bottom hole pressure, Q. would you have a stabilized level greater than seven hundred seven ALBUQUERQUE, NEV/ MEXICO feet? I don't believe I understand --Α Would the pressure of four hundred and ninety feet Q drive a hydraulic head higher than seven hundred and seven feet? No, it would not. А It would not? Q I must be confused with the question.



А

PAGE 21 Let's start over. Assuming a given bottom hole pres-Q sure and assuming that you have a given density of fluid, --A That's right. -- is it possible to ascertain how far up the well Q PHONE CH 3-6691 bore this pressure will drive that fluid? DEARNLEY-MEIER REPORTING SERVICE, Inc. Yes, it is. A Have you attempted to calculate what that is, assum-ର ing four hundred ninety pound bottom hole pressure? I haven't calculated it, no, sir. A Can you quickly calculate what that would be? Q A I think so. Assuming this gradient of this water here? Q Yes, please. MR. PAYNE: Mr. Cooley, while your witness is making up the computation, do you propose to amend your application, excluding the Guthrie No. 1 and State McDonald A-15 Well? MR. COOLEY: At the close of this witness! testimony I propose to amend our application, Mr. Payne. MR. PAYNE: All right, sir. NEW MEXICO I will have to extrapolate this to get the pressure. A MR. NUTTER: Mr. Scott, if you desire, you could give ALBUQUERQUE, us that information at the same time you submit the report on whether you had any swabbing units out there in the month of June, and I think you will be able to tell whether there was a stabilized level or not, probably. MR. COOLEY: We will submit that information. I have

no further questions of this witness.

MR. NUTTER:

MR. NUTTER: The witness may be excused.

(Witness excused)

MR. NUTTER: Do you have anything further to offer, Mr. Cooley?

MR. COOLEY: No further evidence to offer. However, I would at this time, Mr. Examiner, move the Commission to permit us to amend our application in this case, to delete therefrom the portions of the application which request relief for the State McDonald A-15 No. 1 Well in Section 15 of Township 22 South, Range 36 East, NMPM, and similarly to delete that portion of our application which requests relief for the Guthrie No. 1 Well in the SW/4 of the SE/4 of Section 34, Township 23 South, Range 36 East, NMPM.

thing further they wish to offer in Case 1849? We will take this

case under advisement and the hearing is adjourned.

MR. NUTTER: And you wish to dismiss those two wells? MR. COOLEY: To delete that portion of the applica-

It shall be done. Does anyone have any-

tion.

DEARNLEY-MEIER REPORTING SERVICE, Inc.

PHONE CH 3-6691

PAGE 22

STATE O	F NEW	MEXICO		~~
COUNTY	OF BER	NALILLO	•	33

PHONE CH 3-669

DEARNLEY-MEIER REPORTING SERVICE, Inc.

ALBUQUERCUE, NEW MEXICO

I, J. A. Trujillo, Notary Public in and for the County of Bernalillo, State of New Mexico, do hereby certify that the foregoing and attached Transcript of Proceedings before the New Mexico Oil Conservation Commission was reported by me in Stenotype and reduced to typewritten transcript by me, and that the same is a true and correct record to the best of my knowledge, skill and ability.

WITNESS my Hand and Seal this, the 5- day of January 1960, in the City of Albuquerque, County of Bernalillo, State of New Mexico.

I do hereby certify that the foregoing is a complete report of the proceedings in

the list of horizing of Case No. 1849

New Mexico Oil Conservation Commission

Alture Examiner

My Commission Expires

**October 5, 1960** 

h q. hujela NOTARY PUBLIC

OIL CONSERVATION COMMISSION P. O. BOX 871 SANTA FE, NEW MEXICO

January 19, 1960 Mr. Jack Cooley Attorney at Law 413} West Main Farmington, New Mexico Dear Mr. Cooley: On behalf of your client, Western Natural Gas Company, we enclose two copies of Order Nc. R-1575 in Case No. 1849 and Order No. R-1577 in Case No. 1845. These orders were issued by the Oil Conservation Commission on January 18, 1960. Very truly yours, A. L. PORTER, Jr. Secretary-Director ir/ Enclosures: (4)

COR Joros

# DEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL COMBERVATION CONDISSION OF HEM MEXICO FOR THE FURPORE OF CONSIDERING:

> CASE No. 1849 Order No. 2-1575

APPLICATION OF WESTERN HATURAL GAS COMPANY FOR AN ORDER PER-NITTING THREE OVER-PRODUCED GAS WELLS IN THE JALMAT GAS POOL, LEA COUNTY, NEW MEXICO, TO COM-PENSATE FOR THEIR OVER-PRODUCED STATUS AT A LESSER RATE THAN COMPLETE SHUT-IN

# ORDER OF THE CONCLESSION

# BY THE CONDISSION:

•

.

This cause came on for hearing at 9 o'clock a.m. on January 6, 1960, at Santa Fe, New Maxico, before Daniel S. Mutter, Runniner duly appointed by the Oil Conservation Commission of New Mexico, hereinafter referred to as the "Commission," in accordance with Rule 1214 cf the Commission Rules and Regulations.

NOW, on this 18 day of January, 1960, the Commission, a quorum being present, having considered the application, the evidence adduced, and the recommendations of the Examiner, Daniel 5. Mutter, and being fully advised in the premises,

# FIEDS:

(1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.

(2) That the applicant has requested that two of the three wells for which exception was originally sought be stricken from the application.

(3) That the applicant is the owner and operator of the Wells Federal No. 1 Well, located in the SW/4 NE/4 of Section 6, Township 25 South, Range 37 East, Jalmat Gas Pool, Lea County, New Maxico.

(4) That the said Wells Federal No. 1 Well is over-produced and is subject to complete shut-in under the provisions of Order R-520 as amended by Order R-967.

-3-Case No. 1849 Order No. R-1875

Ŗ

DONE at Santa Fe, New Maxico, on the day and year herein-above designated.

STATE OF NEW MEXICO OIL CONSERVATION CONNESSION

JOHN MURROUGHS, Chairman

MURRAY E. NORGAN, Momber

 $\langle l \rangle$ Lite L. PORTER, Jr., Member & Secretary A.



vem/

#### BURR & COOLEY ATTORNEYS AND COUNSELORS AT LAW BUITE 1 - BPAFFORD BUILDING 413% WEST MAIN FARMINGTON, NEW MEXICO

GOEL 8. BURR, JR. William J. Cooley

January 13, 1960

TELEPHONE DA 5-0462

: }

153. 1940 j

Mr. D. S. Nutter Oil Conservation Commission Post Office Box 871 Santa Fe, New Mexico

Re: Case No. 1894

Dear Mr. Nutter:

At the hearing of Case No. 1894 on January 6, 1960, you requested that the Applicant, Western Natural Gas Company, furnish the Commission with answers to the following questions:

 Whether the well record of the Wells Federal No. 1 Well, SW¼ NE¼, Section 6, Township 26 South, Range 37 East, indicated that a swabbing unit was used on this well during June of 1959.

Answer: No.

(2) What is the calculated stabilized fluid level in the Wells Federal No. 1 Well?

Answer: 1128 feet. (Answer arrived at by using calculated bottom hole pressure of 478.4 psia and a gradient of .424 psia/ft.)

I am also forwarding herewith a tabulation of the monthly production from the Wells Federal No. 1 Well, together with the number of days during which this production was obtained. Page Two

I submit that there is a strong possibility that liquids have been accumulating in the well bore of the Wells Federal No. 1 Well since June of 1959, due to the extremely low production since that time, and that production at such low rates is not sufficient to keep the well free of liquids.

If you require any further information, please do not hesitate to call on us.

Very truly yours,

BURR & COOLEY Attorneys for Western Natural Gas Company

By William J cooley

WJC:dh Enclosures

# 1959 MONTHLY PRODUCTION AND DAYS PRODUCED

MONTH	MCF PRODUCED	DAYS PRODUCED
HONTH	8,648	5
January	0,040	
February	43,308	23
March	52,055	28
April	50,390	28
May	11,429	6
June	2,625	2
July	7,111	6
August	118	1
September	1,535	3
October	0	0
November	c	0
December	0	0

# SW/4 of NE/4 of Section 6, Twp 25-S, Rge 37-E, Lea County, New Mexico CALCULATION SHEET FOR STATIC COLUMN PRESSURES

0.66	2%(			% N <sub>2</sub>	••••••••••••••••••••••••••••••••••••••		C	r. Press	670	Cr. Te	-mp <u>378</u>	
							1	M	N			
H	Pn	P <sub>t</sub>	T	T <sub>r</sub>	Z	TZ	TZ/P	$P_n - P_n - 1$	I <sub>n</sub> +I <sub>n</sub> -1	MxN	≢ (MxN)	0,0375 x GH
0	* 443.2		510	1.35	0.904	461	1.040				0	
*2980	478.76	0.715	550	1.45	0.921	506.5	1.058	35.566	2.098			73.978
					Check V	alue = <u>0.</u>	<u>9375 GH</u> <sup>=</sup>	35,261	(O.K.)			
					BHP = 4	43.2 / 35	2 = 478.	4 DSia			الم المحمد ( 2010 من 2010 من 2010 من 2010 من 2010 من 2010 	
		A pre	ssure of	478.4 psi		pport a c			L	<b></b>		
		0.424	psi/ft.	to a heig	ht of 112	8 feet.						
	* Note:	This 72	hour SIP	or 443.2	was taken	from the	February	27, 1959	Deliveral	ility Ter	t; also,	
	·	2980 fee	t is the	debth fro	m ground	level to	the cente	c of the	perforat	lons.	 	
								-				
	1											
						•			l			
			}							1		
										1		<u> </u>
	-			1						4	[	
				-	com an ann a cuir an ann a			· · · · · · · · · · · · · · · · · · ·	a a man a terretaria			ł
							an ang gana ang mang mang pang mang pang mang pang pang pang pang pang pang pang p	· · · · · · · · · · · · · · ·	a a man a de deser que a		· · · · · · · · · · · · · · · · · · ·	
		د. د. یا دست میاد میشویم. به ای از ایر محمد میاد مشورمی.	n (1997) - 19900 - 19900 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 199					· · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	

FORM 19**8-8** 8-7-80



1.1. A. C. C.

2 



**Memo** From Dan Nutter Chief Engineer Sete I believe that we should require the Jests which are authorized in the final særagraph Of this order, It Could be done in she letter of trans-mittel.



· fist 14x1

BEFORE THE OIL CONSERVATION COMMISSION OF NEW MEXICO

# APPLICATION FOR HEARING

Comes now WESTERN NATURAL GAS COMPANY, a corporation

authorized to do business in the State of New Mexico, and makes application for a hearing at the earliest possible date before the Oil Conservation Commission of New Mexico or one of its duly appointed Examiners for the following purposes:

To permit the applicant to produce at a curtailed rate the following described gas wells in the Jalmat Gas Pool, which wells are presently shut in by order of the Oil Conservation Commission of New Mexico for reason of the over-produced status of said wells, to-wit:

# NAME

Guthrie No. 1 Well

over-production.

10/ 2 - 5

LOCATION

Western Natural Gas Company Wells Federal No. 1 Well

State McDonald A-15 No. 1 Well (Also known as State

McDonald AC-1 No. 1 Well)

SW1 ME1 of Section 6, T-26S, R-37-E, N.M.P.M. T-25-5,

NW4 SW4 of Section 15, T-22-S, R-36-E, N.M.P.M.

SW\ SE\ of Section 34, T-23-S, R-36-E, N.M.P.M.

In connection herewith applicant states as follows:

(1) That based upon current allowables the Wells Federal Well No. 1 is over-produced to the extent that it will have to be shut in for approximately thirteen months to make up its present over-production.

(2) That based upon current allowables the State McDonald A-15 No. 1 Well is over-produced to the extent that it will have to be shut in for approximately thirteen months to make up its present over-production.

(3) That based upon current allowables the Guthrie No. 1 Well is over-produced to the extent that it will have to be shut in for approximately seven months to make up its present

BURR & COOLEY ATTORNEYS AT LAW 413½ W. MAIN FARMINGTON, NEW MEXIGO (4) That waste as well as undue hardship will be caused if the applicant is required to keep the aforementioned wells completely shut in for the respective periods set forth above.

(5) That the waste and undue hardship referred to above can be avoided by permitting the applicant to produce the aforementioned wells at a curtailed rate of approximately fifty per cent of the current allowable for said wells or at a rate of fifty per cent of the past six months<sup>•</sup> average allowable, whichever is greater, until such time as said wells have been brought into balance.

WHEREFORE applicant prays that the Commission enter its order authorizing the applicant to produce the above described wells at a curtailed rate of approximately fifty per cent of the current allowable for said wells or at a rate of fifty per cent of the past six months' average allowable, whichever is greater, until such time as said wells have been brought into balance.

WESTERN NATURAL GAS COMPANY

William J. Cooley Attorney for Applicant

BURR & COOLEY Attorneys at Law 413½ W. MAIN FARMINGTON, NEW MEXICO