

C-147 Extension request (Sand Dunes 2RF-171)

Date: 7/3/2024

NMOCD,

Chevron MCBU is requesting a **“6-month Extension” from NMOCD** for our Sand Dunes 2RF-171 (Section 11) Recycling Water Containments Structure (RWCS), due to well pad frac schedule shift for the next 6 months, which the last 20% water usage was January 2024.

Thank you for your time and support.

Thank you,

Gene Barchetti *Gene Barchetti*

Lead Environmental Specialist – Factory

ebarchetti@chevron.com

Mid-Continent

6301 Deauville Blvd

Midland TX 79706

Cell : 724-366-5378

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147
Revised April 3, 2017

Recycling Facility and/or Recycling Containment

Type of Facility: Recycling Facility Recycling Containment*
Type of action: Permit Registration
 Modification Extension
 Closure Other (explain) "Extension of cessation of operations request from August 1st to January 31st, 2025."

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: Chevron U.S.A. Inc. _____ (For multiple operators attach page with information) OGRID #: 4323 _____
Address: 1400 Smith Street, Houston, TX 77002 _____
Facility or well name (include API# if associated with a well): Sand Dunes Section 11 Recycling Containment _____
OCD Permit Number: 2RF-171 _____ (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr L/M _____ Section 11 _____ Township 24 _____ Range 31 _____ County: Eddy _____
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

2.
 Recycling Facility:
Location of recycling facility (if applicable): Latitude _____ Longitude _____ NAD83
Proposed Use: Drilling* Completion* Production* Plugging *
**The re-use of produced water may NOT be used until fresh water zones are cased and cemented*
 Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.
 Fluid Storage
 Above ground tanks Recycling containment Activity permitted under 19.15.17 NMAC explain type _____
 Activity permitted under 19.15.36 NMAC explain type: _____ Other explain _____
 For multiple or additional recycling containments, attach design and location information of each containment
 Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date: _____

3.
 Recycling Containment: (Location: U/L: L/M, Section: 11, T24S, R31E)
 Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude 32.227656 _____ Longitude -103.754139 _____ NAD83
 For multiple or additional recycling containments, attach design and location information of each containment
 Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other Field _____ Volume: 637,940 bbl Dimensions: L 900 x W 900 x D 15
 Recycling Containment Closure Completion Date: _____

4.

Bonding:

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$1,302,202.77_ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify **Eight-foot-tall game fence with 3 strands of barbed wire on top. Please see attached (Sec. VIII.B) regarding proposed fencing for details.**

6.

Signs:

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

Variations:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting

Ground water is less than 50 feet below the bottom of the Recycling Containment.

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

Yes No
 NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

Yes No
 NA

- Written confirmation or verification from the municipality; written approval obtained from the municipality

Within the area overlying a subsurface mine.

Yes No

- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division

Within an unstable area.

Yes No

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map

Within a 100-year floodplain. FEMA map

Yes No

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

Yes No

- Topographic map; visual inspection (certification) of the proposed site

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

Yes No

- Visual inspection (certification) of the proposed site; aerial photo; satellite image

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

Yes No

- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site

Within 500 feet of a wetland.

Yes No

- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site

9.

Recycling Facility and/or Containment Checklist:

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Gene Barchetti Title: Safety and Environmental Specialist - Factory

Signature: *Gene Barchetti* Date: 7/3/2024

e-mail address: ebarchetti@chevron.com Telephone: C: 724-366-5378

11.

OCD Representative Signature: *Victoria Venegas* Approval Date: 07/09/2024

Title: Environmental Specialist OCD Permit Number: 2RF-171

OCD Conditions _____

Additional OCD Conditions on Attachment

Sand Dunes NM (2RF-171) Section 11 North Weekly Inspections					
DATE	BIRD DETERRENT ISSUES	FLUID IN LEAK DETECTION ISSUES	FENCE ISSUES	BERM OR LINER ISSUES	NOTES
3/1/2024	NO	NO	NO	NO	NO ISSUES
3/8/2024	NO	NO	NO	NO	NO ISSUES
3/15/2024	NO	NO	NO	NO	NO ISSUES
3/22/2024	NO	NO	NO	NO	NO ISSUES
3/29/2024	NO	NO	NO	NO	NO ISSUES
4/5/2024	NO	NO	NO	NO	NO ISSUES
4/12/2024	NO	NO	NO	NO	NO ISSUES
4/19/2024	NO	NO	NO	NO	NO ISSUES
4/26/2024	NO	NO	NO	NO	NO ISSUES
5/3/2024	NO	NO	NO	NO	NO ISSUES
5/10/2024	NO	NO	NO	NO	NO ISSUES
5/17/2024	NO	NO	NO	NO	NO ISSUES
5/24/2024	NO	NO	NO	NO	NO ISSUES
5/31/2024	NO	NO	NO	NO	NO ISSUES
6/7/2024	NO	NO	NO	NO	NO ISSUES
6/14/2024	NO	NO	NO	NO	NO ISSUES
6/21/2024	NO	NO	NO	NO	NO ISSUES
6/28/2024	NO	NO	NO	NO	NO ISSUES

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Tuesday, July 9, 2024 11:29 AM
To: Barchetti, Gene
Subject: 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959]
Attachments: C-147 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959] 07.09.2024.pdf

2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959]

Good afternoon Mr. Barchetti,

NMOCD has reviewed the extension of the cessation of operations request for 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959], received from [4323] CHEVRON USA INC on 7/3/2024, Application ID 360926. The extension of the cessation of operations is approved with the following conditions of approval:

- 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959] registration/permit expires on March 15, 2027.
- 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959] extension of cessation of operations is approved from August 1st, 2024, to January 31st, 2025. Per NMAC 19.15.34.13.C extensions of the cessation of operations are considered for a maximum length of six months. If after this 6-month approved period, the containment was not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.
- [4323] CHEVRON USA INC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [4323] CHEVRON USA INC may maintain a higher liquid level if they choose.
- [4323] CHEVRON USA INC will provide written notice to OCD at least 72 hours, but no more than one week, prior to the recommencement of operations. Recommencement of recycling operations means that the operator plans to resume moving fluids through the containment and discharging fluids from the containment
 - At the resumption of recycling operations, [4323] CHEVRON USA INC is required to perform an incremental fluid level test for containment liquid levels above the minimum liquid level.
 - [4323] CHEVRON USA INC will fill the containment. [4323] CHEVRON USA INC will pause filling operations at every 10% of total fluid capacity above the minimum level.
 - [4323] CHEVRON USA INC will maintain the liquid level for each 10% volume increase for 24 hours and inspect and operate the leak detection system at the end of the 24-hour period.
 - If there are no liquids present in the leak detection system, [4323] CHEVRON USA INC may proceed to fill the next 10% volume and repeat the process until the containment full design capacity minus the 3-feet of freeboard is reached. If liquids are present, [4323] CHEVRON USA INC should immediately cease the incremental fill test and perform a liner inspection. [4323] CHEVRON USA INC should provide written notice of the fluid detection and liner inspection findings through OCD Online using a C-147 (long form) with the "Other" box checked and "Notice of fluid detection" written as the explanation of "Other."
 - If the detected fluid is confirmed to be condensation, [4323] CHEVRON USA INC will proceed with the incremental fluid level test.
 - If the detected fluid is confirmed to be produced water, [4323] CHEVRON USA INC must comply with 19.15.34.13 NMAC. [4323] CHEVRON USA INC must provide written notification through OCD Online on the actions taken to comply with 19.15.34.13 NMAC.

- [4323] CHEVRON USA INC must submit copies of the detailed containment inspection records for the prior three (3) months and a report detailing the incremental fluid level test process and results to through OCD Online using a C-147 (long form) with the “Other” box checked. “Recommendation of Operations - Incremental Fluid Level Test” should be written as the explanation of “Other.” Form C-147 must be completed and include information in sections 1 General Information, 2 Recycling Facility 3 Recycling Containment, 4 Bonding, and 10 Operator Application Certification. Section 9 Recycling Facility and/or Containment Checklist may also need to be partially completed. [4323] CHEVRON USA INC should verify that the resumption of operations notification does not result in any changes to the recycling containment operating and maintenance plan or the closure plan. If the recommencement of operations will affect the operating and maintenance plan or closure plan, operators should check those boxes in section 9 and provide updated plans or plan addendums as attachments to the C-147.
- [4323] CHEVRON USA INC will continue to operate, maintain, and close the 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959] in compliance with 19.15.34 NMAC, to include but not limited detailed inspection records, removal of trash/oil from containment, and monthly C-148 reporting (even if there is zero activity).
- A minimum of 3-feet freeboard must always be maintained in the recycling containment during operations.

Please let me know if you have any additional questions.

Regards,

Victoria Venegas • Environmental Specialist

Environmental Bureau

EMNRD - Oil Conservation Division

506 W. Texas Ave. Artesia, NM 88210

(575) 909-0269 | Victoria.Venegas@emnrd.nm.gov

<https://www.emnrd.nm.gov/ocd/>



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 360926

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 360926
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	<ul style="list-style-type: none"> • 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959] extension of cessation of operations is approved from August 1st, 2024, to January 31st, 2025. • [4323] CHEVRON USA INC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [4323] CHEVRON USA INC may maintain a higher liquid level if they choose. • [4323] CHEVRON USA INC will continue to operate, maintain, and close the 2RF-171 - SAND DUNES SECTION 11 RECYCLING CONTAINMENT FACILITY ID [fVV2208136959] in compliance with 19.15.34 NMAC, to include but not limited detailed inspection records, removal of trash/oil from containment, and monthly C-148 reporting (even if there is zero activity). • A minimum of 3-feet freeboard must always be maintained in the recycling containment during operations. 	7/9/2024