Page 1 of 12 Form C-147

Revised October 11, 2022

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe, NM 87505 https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment		
Type of Facility: ☐ Recycling Facility ☐ Recycling Containment*		
Type of action: Permit Registration		
Modification		
* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.		
Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.		
Operator: OWL SWD Operating LLC (For multiple operators attach page with information) OGRID #: 308339 Address: 20 Greenway Plaza, Suite 500 Houston, TX 77046		
Facility or well name (include API# if associated with a well): Javelina Facility AST		
OCD Permit Number: 1RF-463 (For new facilities the permit number will be assigned by the district office)		
U/L or Qtr/Qtr E1/2 of NE1/4 Section 18 Township 26 South Range 35 East County: Lea County		
Surface Owner: Federal State Private Tribal Trust or Indian Allotment		
2.		
✓ <u>Recycling Facility</u> :		
Location of recycling facility (if applicable): Latitude 32.048956 Longitude -103.401212 NAD83		
Proposed Use: ☐ Drilling* ☑ Completion* ☐ Production* ☐ Plugging *		
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on		
groundwater or surface water. ✓ Fluid Storage		
Above ground tanks Recycling containment Activity permitted under 19.15.17 NMAC explain type		
Activity permitted under 19.15.36 NMAC explain type: Other explain		
For multiple or additional recycling containments, attach design and location information of each containment		
Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:		
3. ✓ Recycling Containment:		
☐ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)		
Center of Recycling Containment (if applicable): Latitude Longitude NAD83		
For multiple or additional recycling containments, attach design and location information of each containment		
□ Lined □ Liner type: Thickness 60/40 mil □ LLDPE □ HDPE □ PVC □ Other With Leak Detection		
☐ String-Reinforced		
Liner Seams: Welded Factory Other Volume: 48,000 bbl Dimensions: Lx Wx D		
Recycling Containment Closure Completion Date:		

Bonding: Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells operated by the owners of the containment.)	s owned or	
☑ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$58,000 (work on these facilities cannot commence to	until bonding	
amounts are approved)		
Attach closure cost estimate and documentation on how the closure cost was calculated.		
5. Fencing: ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet ☐ Alternate. Please specify 6' Chain Link Fence		
6. Signs: ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC		
7.		
Variances:	1 14 14	
Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, hur environment.	nan neaith, and the	
Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation.		
8. Siting Criteria for Recycling Containment		
Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.		
General siting		
Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☑ No	
- Written confirmation or verification from the municipality; written approval obtained from the municipality	□ NA	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	☐ Yes ☐No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	☐ Yes ☑ No	
Within a 100-year floodplain. FEMA map	☐ Yes ☑ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	☐ Yes ☑ No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	☐ Yes ☑ No	
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	☐ Yes ☑ No	
- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	☐ Yes ☑ No	

Recycling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application. Design Plan - based upon the appropriate requirements. Operating and Maintenance Plan - based upon the appropriate requirement Closure Plan - based upon the appropriate requirements. Site Specific Groundwater Data - Siting Criteria Compliance Demonstrations - Certify that notice of the C-147 (only) has been sent to the surface ow	nts.
Operator Application Certification: I hereby certify that the information and attachments submitted with this application (Print): David Grounds Signature: David Grounds e-mail address: David.Grounds@pilotwater.com	ation are true, accurate and complete to the best of my knowledge and belief. Title: VP Regulatory Date: 08/19/2025 Telephone: (817) 897-0135
OCD Representative Signature: Victoria Venegas Title: Environmental Specialist X OCD Conditions Additional OCD Conditions on Attachment	Approval Date: 1RF-463 OCD Permit Number: 08/20/2025

Page 4 of 12Form C-147

Revised October 11, 2022

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment
Type of Facility: Recycling Facility Recycling Containment* Type of action: Permit Registration Modification Extension Closure Other (explain) Notice of Fluid Detection
At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.
e advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. or does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Owl SWD Operating LLC (For multiple operators attach page with information) OGRID #: 308339 Address: 20 Greenway Plaza, Suite 500 Houston, TX 77046
Facility or well name (include API# if associated with a well): Javelina Facility North Pit
OCD Permit Number: 1RF-463 (For new facilities the permit number will be assigned by the district office) U/L or Qtr/Qtr
✓ Recycling Facility:
Location of recycling facility (if applicable): Latitude 32.048477 Longitude -103.400286 NAD83
Proposed Use: ☐ Drilling* ☑ Completion* ☐ Production* ☐ Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on
groundwater or surface water.
✓ Fluid Storage
Above ground tanks Recycling containment Activity permitted under 19.15.17 NMAC explain type
Activity permitted under 19.15.36 NMAC explain type: Other explain
☐ For multiple or additional recycling containments, attach design and location information of each containment
Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:
Recycling Containment:
Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude Longitude NAD83
For multiple or additional recycling containments, attach design and location information of each containment
☐ Lined ☐ Liner type: Thickness 60/40 mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other With Leak Detection
String-Reinforced
Liner Seams: Welded Factory Other Volume: 346,000 bbl Dimensions: L 320 x W 565 x D 18

☐ Recycling Containment Closure Completion Date:_

4.		
Bonding:		
Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or		
operated by the owners of the containment.)		
☑ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$442,500 (work on these facilities cannot commence used)	ıntil bonding	
amounts are approved)		
☐ Attach closure cost estimate and documentation on how the closure cost was calculated.		
5.		
Fencing:		
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet		
☑ Alternate. Please specify 6' Chain Link Fence		
6.		
Signs:		
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
☐ Signed in compliance with 19.15.16.8 NMAC		
7. Variances:		
Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, hun	nan health, and the	
environment.	nan nearm, and the	
Check the below box only if a variance is requested:		
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requeste variance information on a separate page and attach it to the C-147 as part of the application.	ed, include the	
If a Variance is requested, it must be approved prior to implementation.		
8. Siting Criteria for Recycling Containment		
String Criteria for Recycling Contaminient		
Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.		
General siting		
Ground water is less than 50 feet below the bottom of the Recycling Containment.	☐ Yes ☑ No	
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☑ No	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	□ NA	
- Written confirmation or verification from the municipality; written approval obtained from the municipality		
Within the area overlying a subsurface mine.	Yes No	
- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	L res W No	
Within an unstable area.		
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map 	Yes 🛭 No	
Within a 100-year floodplain. FEMA map	☐ Yes ☑ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa		
lake (measured from the ordinary high-water mark).	☐ Yes ☑ No	
- Topographic map; visual inspection (certification) of the proposed site		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes \\No	
- Visual inspection (certification) of the proposed site; aerial photo; satellite image		
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of	Yes No	
initial application NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	☐ Yes ☑ No	

Recycling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application Design Plan - based upon the appropriate requirements. Operating and Maintenance Plan - based upon the appropriate requirements. Closure Plan - based upon the appropriate requirements. Site Specific Groundwater Data - Siting Criteria Compliance Demonstrations - Certify that notice of the C-147 (only) has been sent to the surface of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of the C-147 (only) has been sent to the content of t	nents.
Operator Application Certification: I hereby certify that the information and attachments submitted with this app Name (Print): David Grounds Signature: David Grounds e-mail address: David. Grounds@pilotwater.com	Discation are true, accurate and complete to the best of my knowledge and belief. Title: VP Regulatory Date: Telephone: (817) 897-0135
OCD Representative Signature: Victoria Venegas Title: Environmental Specialist X OCD Conditions Additional OCD Conditions on Attachment	Approval Date: 08/20/2025 OCD Permit Number: 1RF-463

Page 7 of 12Form C-147

Revised October 11, 2022

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment
Type of Facility: Recycling Facility Recycling Containment*
Type of action: Permit Registration
☐ Modification ☐ Extension ☐ Closure ☐ Other (explain) Notice of Fluid Detection
At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.
e advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment.
or does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: OWL SWD Operating LLC (For multiple operators attach page with information) OGRID #: 308339
Address: 20 Greenway Plaza, Suite 500 Houston, TX 77046
Facility or well name (include API# if associated with a well): Javelina Facility South Pit
OCD Permit Number: 1RF-463 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr E1/2 of NE1/4 Section 18 Township 26 South Range 35 East County: Lea County
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
2.
✓ Recycling Facility:
Location of recycling facility (if applicable): Latitude 32.046680 Longitude -103.400658 NAD83
Proposed Use: ☐ Drilling* ☐ Completion* ☐ Production* ☐ Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on
groundwater or surface water.
✓ Fluid Storage
✓ Above ground tanks ✓ Recycling containment ☐ Activity permitted under 19.15.17 NMAC explain type
Activity permitted under 19.15.36 NMAC explain type: Other explain
For multiple or additional recycling containments, attach design and location information of each containment
Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:
3.
Recycling Containment:
Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude Longitude NAD83
For multiple or additional recycling containments, attach design and location information of each containment
Lined Liner type: Thickness 60/40 mil LLDPE HDPE PVC Other With Leak Detection
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: 512,000 bbl Dimensions: L 500' x W 500' x D 18'
Recycling Containment Closure Completion Date:

4.		
Bonding:		
Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells	s owned or	
operated by the owners of the containment.) Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$654,000 (work on these facilities cannot commence to the containment.)	mtil handina	
	intii bonding	
amounts are approved) Attach closure cost estimate and documentation on how the closure cost was calculated.		
5. Fencing:		
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
☑ Alternate. Please specify 6' Chain Link Fence		
6.		
Signs:		
☑ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
☐ Signed in compliance with 19.15.16.8 NMAC		
7.		
Variances:		
Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, hun	nan health, and the	
environment. Check the below box only if a variance is requested:		
☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requeste	ed, include the	
variance information on a separate page and attach it to the C-147 as part of the application.		
If a Variance is requested, it must be approved prior to implementation.		
8.		
Siting Criteria for Recycling Containment		
Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.		
General siting		
Ground water is less than 50 feet below the bottom of the Recycling Containment.	☐ Yes ☐No	
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA □	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☑ No	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	□ NA	
- Written confirmation or verification from the municipality; written approval obtained from the municipality		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	☐ Yes ☑ No	
Within an unstable area.	,	
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map 	☐ Yes ☐No	
Within a 100-year floodplain. FEMA map	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa	Yes No	
lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	☐ Yes ☑ No	
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of	☐ Yes ☑ No	
initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site		
Within 500 feet of a wetland.		
- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	☐ Yes ☑ No	

Recycling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application Design Plan - based upon the appropriate requirements. Operating and Maintenance Plan - based upon the appropriate requirements. Closure Plan - based upon the appropriate requirements. Site Specific Groundwater Data - Siting Criteria Compliance Demonstrations - Certify that notice of the C-147 (only) has been sent to the surface of	nents.
Operator Application Certification: I hereby certify that the information and attachments submitted with this apple Name (Print): David Grounds Signature: David Grounds e-mail address: David. Grounds@pilotwater.com	ication are true, accurate and complete to the best of my knowledge and belief. Title: VP Regulatory Date: 08/19/2025 Telephone: (817) 897-0135
OCD Representative Signature: Victoria Venegas Title:Environmental Specialist X OCD Conditions Additional OCD Conditions on Attachment	Approval Date: 08/20/2025 OCD Permit Number: 1RF-463

Venegas, Victoria, EMNRD

From: Shelly Cook-Cowden <Shelly.Cowden@pilotwater.com>

Sent: Monday, August 18, 2025 10:31 AM

To: Venegas, Victoria, EMNRD

Cc: David Grounds; Patrick Hardwick; Kem Ramnath; Ankush Gupta; Clarence Wong; Luis

Molina

Subject: RE: [EXTERNAL] RE: 1RF-463 - JAVELINA FACILITY [fVV2108855989] Facility

Recommencement Notification - Fluid Observed Leak Detection System

Yes ma'am. Will do.

Thank you, Shelly Cowden

From: Venegas, Victoria, EMNRD < Victoria. Venegas@emnrd.nm.gov>

Sent: Monday, August 18, 2025 10:26 AM

To: Shelly Cook-Cowden <Shelly.Cowden@pilotwater.com>

Cc: David Grounds <Patrick Hardwick <patrick.hardwick@pilotwater.com>; Kem Ramnath <Kem.Ramnath@pilotwater.com>; Ankush Gupta <Ankush.Gupta@pilotwater.com>; Clarence Wong <Clarence.Wong@pilotwater.com>; Luis Molina <Luis.Molina@pilotwater.com>

Subject: RE: [EXTERNAL] RE: 1RF-463 - JAVELINA FACILITY [fVV2108855989] Facility Recommencement Notification - Fluid Observed Leak Detection System

CAUTION: External Sender Email: Use caution with links / attachments.

Good morning, Ms. Cook-Cowden.

Please submit the notification along with Form C-147 to the OCD's Permitting portal.

Thank you for the notice. The OCD appreciates your cooperation.

Best regards,

Victoria Venegas • Environmental Specialist Advanced

EMNRD - Oil Conservation Division 506 W. Texas Ave. Artesia, NM 88210 575.909.0269 | Victoria. Venegas@emnrd.nm.gov

From: Shelly Cook-Cowden < Shelly.Cowden@pilotwater.com >

Sent: Monday, August 18, 2025 10:13 AM

To: Venegas, Victoria, EMNRD < Victoria. Venegas@emnrd.nm.gov>

Cc: David Grounds < <u>David.Grounds@pilotwater.com</u>>; Patrick Hardwick < <u>patrick.hardwick@pilotwater.com</u>>; Kem Ramnath < <u>Kem.Ramnath@pilotwater.com</u>>; Ankush Gupta < <u>Ankush.Gupta@pilotwater.com</u>>; Clarence Wong < Clarence.Wong@pilotwater.com>; Luis Molina < Luis.Molina@pilotwater.com>

Subject: [EXTERNAL] RE: 1RF-463 - JAVELINA FACILITY [fVV2108855989] Facility Recommencement Notification - Fluid Observed Leak Detection System

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Victoria,

During the incremental fill test, fluid was observed in the leak detection system. OWL has ceased the test and will proceed with a liner inspection. A formal C-147 Long Form will follow via the NMOCD portal.

OWL will begin assessing the liner condition, performing the necessary inspection and repairs, and will resume the incremental fill test once corrective actions are completed to safely return the facility to operation. Please reach out with any questions/concerns.

Respectfully,



Shelly Cowden

Sr. Regulatory Manager 20 Greenway Plaza, Suite 500 Houston, TX. 77046 Cell: 505-692-0354

Shelly.cowden@pilotwater.com

From: Shelly Cowden

Sent: Thursday, August 7, 2025 3:23 PM

To: Venegas, Victoria, EMNRD < victoria.venegas@emnrd.nm.gov>

<<u>Clarence.Wong@pilotwater.com</u>>; Luis Molina <<u>Luis.Molina@pilotwater.com</u>>

Subject: 1RF-463 - JAVELINA FACILITY [fVV2108855989] Facility Recommencement Notification

Importance: High

Victoria,

OWL SWD Operating, LLC intends to initiate incremental fluid level testing at the Javelina Recycling Facility to return to active status beginning **August 13, 2025**. OWL has confirmed that the bobcat family previously observed onsite has vacated the area and no longer presents an impediment to resuming operations.

Please reach out with any questions/concerns.

Regards,



Shelly Cowden

Sr. Regulatory Manager 20 Greenway Plaza, Suite 500 Houston, TX. 77046

Cell: 505-692-0354

Shelly.cowden@pilotwater.com

This e-mail message and all corresponding e-mail messages, including all attachments, are intended solely for the individual(s) named above. They contain confidential and/or proprietary information. Do not forward, copy, distribute or otherwise relay the messages or their content to any individual without first contacting the Pilot Water Solutions Law Department.

If you have received this e-mail message in error, do not read, forward, copy or distribute it or any of its content to anyone. In addition, please notify the sender that you have received this message immediately by return e-mail and delete it.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 497233

CONDITIONS

Operator:	OGRID:
OWL SWD OPERATING, LLC	308339
20 Greenway Plaza	Action Number:
Houston, TX 77046	497233
	Action Type:
	[C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	OWL SWD Operating, LLC intends to initiate incremental fluid level testing at the Javelina Recycling Facility to return to active status beginning August 13, 2025. OWL has confirmed that the bobcat family previously observed onsite has vacated the area and no longer presents an impediment to resuming operations. During the incremental fill test, fluid was observed in the leak detection system. OWL has ceased the test and will proceed with a liner inspection. A formal C-147 Long Form will follow via the NMOCD portal.	8/20/2025