

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment

Type of Facility: [X] Recycling Facility [X] Recycling Containment*

Type of action: [] Permit [] Registration
[] Modification [X] Extension Annual Extension 2/14/2026 - 2/14/2027
[] Closure [] Other (explain)

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1. Operator: Oxy USA, Inc. (For multiple operators attach page with information) OGRID #: 16696
Address: 1600 Gehrig Dr., Midland, TX 79706
Facility or well name (include API# if associated with a well): Corral Fly Recycling Facility and Containments
OCD Permit Number: 2RF-119 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr P Section 2 Township 25S Range 29E County: Eddy
Surface Owner: [] Federal [X] State [] Private [] Tribal Trust or Indian Allotment

2. [X] Recycling Facility:
Location of recycling facility (if applicable): Latitude 32.153442 Longitude -103.947021 NAD83
Proposed Use: [X] Drilling* [X] Completion* [] Production* [] Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
[] Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.
[X] Fluid Storage
[X] Above ground tanks [X] Recycling containment [] Activity permitted under 19.15.17 NMAC explain type
[] Activity permitted under 19.15.36 NMAC explain type: [] Other explain
[X] For multiple or additional recycling containments, attach design and location information of each containment
[] Closure Report (required within 60 days of closure completion): [] Recycling Facility Closure Completion Date:

3. [X] Recycling Containment: See Attachment for Additional Containment Description
[X] Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude Longitude NAD83
[X] For multiple or additional recycling containments, attach design and location information of each containment
[] Lined [] Liner type: Thickness mil [] LLDPE [] HDPE [] PVC [] Other
[] String-Reinforced
Liner Seams: [] Welded [] Factory [] Other Volume: bbl Dimensions: L x W x D
[] Recycling Containment Closure Completion Date:

4.

Bonding:

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify _____

6.

Signs:

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

Variances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting	
Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

9.

Recycling Facility and/or Containment Checklist:

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Justin Steinmann Title: Environmental Advisor
 Signature:  Date: 01/22/2026
 e-mail address: Justin_Steinmann@oxy.com Telephone: (713) 350-4633

11.

OCD Representative Signature: Victoria Venegas Approval Date: 02/05/2026

Title: Senior Environmental Scientist OCD Permit Number: FAB1804555023

- OCD Conditions _____
- Additional OCD Conditions on Attachment _____

Recycling Containment: Corral Fly Containment "A" (U/L: P, Section 2, T25S R29E, Eddy County)

Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 32.154916 Longitude -103.949745 NAD83

For multiple or additional recycling containments, attach design and location information of each containment

Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other _____

String-Reinforced

Liner Seams: Welded Factory Other _____ Volume: 325,000 bbl Dimensions: L 400' xW 400' xD 20'

Recycling Containment Closure Completion Date: _____

Recycling Containment: Corral Fly Containment "B" (U/L: P, Section 2, T25S R29E, Eddy County)

Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 32.155194 Longitude -103.948393 NAD83

For multiple or additional recycling containments, attach design and location information of each containment

Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other _____

String-Reinforced

Liner Seams: Welded Factory Other _____ Volume: 325,000 bbl Dimensions: L 400' xW 400' xD 20'

Recycling Containment Closure Completion Date: _____

Recycling Containment: Corral Fly Containment "C" (U/L: P, Section 2, T25S R29E, Eddy County)

Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 32.155472 Longitude -103.947075 NAD83

For multiple or additional recycling containments, attach design and location information of each containment

Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other _____

String-Reinforced

Liner Seams: Welded Factory Other _____ Volume: 325,000 bbl Dimensions: L 400' xW 400' xD 20'

Recycling Containment Closure Completion Date: _____

Recycling Containment: Corral Fly Containment "D" (U/L: L, Section 1, T25S R29E, Eddy County)

Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 32.155736 Longitude -103.945719 NAD83

For multiple or additional recycling containments, attach design and location information of each containment

Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other _____

String-Reinforced

Liner Seams: Welded Factory Other _____ Volume: 325,000 bbl Dimensions: L 400' xW 400' xD 20'

Recycling Containment Closure Completion Date: _____

Recycling Containment: Corral Fly Containment "E" (U/L: L, Section 2, T25S R29E, Eddy County)

Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 32.156228 Longitude -103.950118 NAD83

For multiple or additional recycling containments, attach design and location information of each containment

Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other _____

String-Reinforced

Liner Seams: Welded Factory Other _____ Volume: 325,000 bbl Dimensions: L 400' xW 400' xD 20'

Recycling Containment Closure Completion Date: _____

Recycling Containment: Corral Fly Containment "F" (U/L: L, Section 2, T25S R29E, Eddy County)

Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)

Center of Recycling Containment (if applicable): Latitude 32.156500 Longitude -103.948745 NAD83

For multiple or additional recycling containments, attach design and location information of each containment

Lined Liner type: Thickness 60 mil LLDPE HDPE PVC Other _____

String-Reinforced

Liner Seams: Welded Factory Other _____ Volume: 325,000 bbl Dimensions: L 400' xW 400' xD 20'

Recycling Containment Closure Completion Date: _____



Oxy USA Inc.
1600 Gehrig Drive
Midland, TX 79706

January 22, 2026

State of New Mexico
Energy, Minerals, and Natural Resources Department
Oil Conservation Division, District II
811 S. First St.
Artesia, NM 88210

Re: Corral Fly Recycling Facility (2RF-119 A-F) and Containments C-147 Annual Registration Extension

To Whom It May Concern,

Oxy USA Inc. submits the enclosed C-147 form and summary of monthly containment and leak detection inspections for the Corral Fly Recycling Facility (2RF-119 A-F) and associated containments. In accordance with *NMAC 19.15.34.10 Recycling Containments*, Oxy USA Inc. requests a one-year registration extension, valid from February 14, 2026, through February 14, 2027, for the Corral Fly Recycling Facility (2RF-119), recycling containments (A-F), and two 60,000 bbl ASTs as described in the registration modification submitted May 23, 2018.

For original site plans and the detailed closure completion steps that will be taken, in accordance with *NMAC 19.15.34.14*, please refer to the facility's original registration (C-147), OCD Registration Number 2RF-119 A-F, and the modifications to registration dated May 23, 2018.

Should you have any questions or require additional information, please contact me at your convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Justin Steinmann", written in a cursive style.

Justin Steinmann
ENVIRONMENTAL ADVISOR
OXY USA INC.

✉ justin_steinmann@oxy.com

☎ (713) 350-4633

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-WTF	Date: 9-2025
--------------------------	--------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection

Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-A	Date: 9-2025
------------------------	--------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST monthly Inspection Above Ground Storage Tank (AST) MONTHLY Inspection Checklist

This section provides a detailed checklist for the monthly inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-B	Date: 9-2025
------------------------	--------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection

Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-C Date: 9-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-D Date: 9-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-E Date: 9-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection

Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-F Date: 9-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports


Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 04-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119 WTF			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 04-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-A			

		<h2 style="margin: 0;">Monthly Inspection Report</h2> <p style="margin: 0;">Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 04-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-B			

		<h2 style="margin: 0;">Monthly Inspection Report</h2> <p style="margin: 0;">Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 04-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-C			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>			Date/Time: 04-2025	
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-D			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 04-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-E			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 04-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-F			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 08-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i> <i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-WTF			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 08-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-A			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 08-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-B			

		<h2 style="margin: 0;">Monthly Inspection Report</h2> <p style="margin: 0;">Treated Water Containment / Pond</p>			
Work Order No:					
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 08-2025	
Review of Prior Corrections		Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?		X			
Equipment Description		Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)		YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).		YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?		NO	GOOD		
Are the sources and disposition of all recycled water recorded?		YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>					
Additional Comments (including any equipment not checked off):		ID#2RF-119-C			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 08-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-D			

		<h2 style="margin: 0;">Monthly Inspection Report</h2> <p style="margin: 0;">Treated Water Containment / Pond</p>			
Work Order No:					
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 08-2025	
Review of Prior Corrections		Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?		X			
Equipment Description		Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)		YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).		YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?		NO	GOOD		
Are the sources and disposition of all recycled water recorded?		YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>					
Additional Comments (including any equipment not checked off):		ID#2RF-119-E			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 08-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-F			

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-WTF Date: 12-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-A Date: 12-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-B Date: 12-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-C Date: 12-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-D Date: 12-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-E Date: 12-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-F	Date: 12-2025
------------------------	---------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection

Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 02-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119 WTF			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 02-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-A			


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 02-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-B			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 02-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-C			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 02-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-D			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 02-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-E			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 02-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-F			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119 WTF			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-A			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-B			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-C			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-D			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-E			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-F			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 01-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119 WTF			

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-A Date: 1-2026

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-B Date: 1-2026

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-C	Date: 1-2026
------------------------	--------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-D Date: 1-2026

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-E	Date: 1-2026
------------------------	--------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection

Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-F Date: 1-2026

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-WTF Date: 1-2026

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 07-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?**)	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-WTF			

		<h2 style="margin: 0;">Monthly Inspection Report</h2> <p style="margin: 0;">Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 07-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	NO	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	YES	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-A			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 07-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	NO	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	YES	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-B			

		<h2 style="margin: 0;">Monthly Inspection Report</h2> <p style="margin: 0;">Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 07-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-C			


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 07-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-D			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 07-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-E			


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Nathaniel Martinez <i>Nathaniel Martinez</i>				Date/Time: 07-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID#2RF-119-F			


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature):			Marcos Montano <i>Marcos Montano</i>	
			Date/Time: 06-2025	
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119 WTF			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 06-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-A			


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 06-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-B			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>			Date/Time: 06-2025	
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-C			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 06-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?	NO	GOOD		
Are the sources and disposition of all recycled water recorded?	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-D			


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 06-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-E			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 06-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-F			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 03-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119 WTF			

		<h2 style="margin: 0;">Monthly Inspection Report</h2> <p style="margin: 0;">Treated Water Containment / Pond</p>			
Work Order No:					
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 03-2025	
Review of Prior Corrections		Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?		X			
Equipment Description		Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)		YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).		YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?		NO	GOOD		
Are the sources and disposition of all recycled water recorded?		YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>					
Additional Comments (including any equipment not checked off):		ID #2RF-119-A			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 03-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-B			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 03-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-C			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 03-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-D			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 03-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-E			


		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 03-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-F			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119 WTF			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-A			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-B			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-C			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-D			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-E			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2025
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p><i>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</i></p> <p><i>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</i></p>				
Additional Comments (including any equipment not checked off):	ID #2RF-119-F			

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-WTF Date: 11-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-A	Date: 11-2025
------------------------	---------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-B Date: 11-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-C Date: 11-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-D	Date: 11-2025
------------------------	---------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection

Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-E Date: 11-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-F Date: 11-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-WTF Date: 10-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-A Date: 10-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-B	Date: 10-2025
------------------------	---------------

Inspected By:	NAME: Nathaniel Martinez	SIGNATURE: <i>Nathaniel Martinez</i>
---------------	--------------------------	--------------------------------------

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-C Date: 10-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-D Date: 10-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-E Date: 10-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

- Reporting Requirements and Additional Guidance
- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
 - ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

OXY Permian MONTHLY Inspection Report
Treated Water, Ponds, and ASTs

Facility Information

Facility ID: 2RF-119-F Date: 10-2025

Inspected By: NAME: Nathaniel Martinez SIGNATURE: *Nathaniel Martinez*

Review of Previous Inspection Reports

Equipment Description	YES	NO	Working Condition (Good/Needs Repair)
Have all identified issues from the previous facility inspection report been corrected and noted?	✓		
Are the containments intact? No physical damage.	✓		
Are diversion ditches and berms around the containment secure? *	✓		
Is the leak detection system intact? **	✓		
Are there any dead migratory birds or other wildlife inside the ponds or containments?		✓	
Are the sources and disposition of all recycled water recorded? **	✓		

Reporting Requirements and Additional Guidance

- Report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the Division District Office within 30 days of discovery. This facilitates assessment and the implementation of measures to prevent incidents from recurring.
- ** Report to the Division on the total volume of water received for recycling. List the amount of fresh water received separately and report the total volume of water leaving the facility for disposition using Form C-148.

AST Inspection Above Ground Storage Tank (AST) Inspection Checklist

This section provides a detailed checklist for the inspection of Above Ground Storage Tanks (AST). For each AST, complete a separate form to ensure proper documentation and compliance with inspection requirements.

Inspection Item: AST 1	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?	✓		
Is the bird deterrent/netting present and functioning?	✓		
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?	✓		
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact?	✓		
What is the fluid height of the AST?	5.2 FT		EAST AST
Inspection Item: AST 2	YES	NO	COMMENTS/Any issues?
Is the liner intact and free from damage?		✓	
Is the bird deterrent/netting present and functioning?		✓	
Is there any fluid in the leak detection system/secondary liner?		✓	
Is there at least 3' freeboard present?		✓	
Is there any damage/excessive wear to the AST structure?		✓	
Is the containment intact? Use comment section if		✓	
What is the fluid height of the AST?		0 FT	WEST AST BEING REPAIRED

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Thursday, February 5, 2026 11:04 AM
To: Steinmann, Justin W
Subject: 2RF-119 - CORRAL FLY RECYCLING AND CONTAINMENT FACILITY ID [FAB1804555023]
Attachments: C-147 2RF-119 - Corral Fly Recycling and Containment Facility [fAB1804555023]
02.05.2026.pdf

**2RF-119 - CORRAL FLY RECYCLING AND CONTAINMENT FACILITY ID [FAB1804555023]
OXY USA INC [16696]**

Good morning Mr. Steinmann

NMOCD has reviewed the registration/permit annual extension request for 2RF-119 - Corral Fly Recycling and Containment Facility ID [fAB1804555023], received from OXY USA INC [16696] on 01/22/2026, Action ID **545345**. The registration/permit extension request is approved with the following conditions of approval:

- 2RF-119 - Corral Fly Recycling and Containment Facility ID [fAB1804555023] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of February 14, 2026. The new registration/permit expiration date is February 14, 2027.
- OXY USA INC [16696] will continue to operate, maintain, and close the 2RF-119 - Corral Fly Recycling and Containment Facility ID [fAB1804555023] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment (NMAC 19.15.34.13); recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via OCD Permitting.
- OXY USA INC [16696] will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. OXY USA INC [16696] may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically to OCD Permitting. A request to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 long form through OCD Permitting.
- OCD will grant an additional 6 months to operate the containment if all the requirements of 19.15.34 are met. However, if after that 6-month period the containment was not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements per 19.15.34.14.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reused and recycled from 2RF-119 - Corral Fly Recycling and Containment Facility ID [fAB1804555023] is limited to wells owned or operated by OXY USA INC [16696].
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- OXY USA INC [16696] will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 2RF-119 - Corral Fly Recycling and Containment Facility ID [fAB1804555023].
- OXY USA INC [16696] will comply with all other OCD rules.
- OXY USA INC [16696] must perform weekly inspections of the containment and leak detection system.
- If OXY USA INC [16696] wishes to extend the registration/permit past February 14, 2027, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through OCD Permitting on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection

reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than January 14, 2027.

Please let me know if you have any additional questions.
Regards,

Victoria Venegas • Senior Environmental Scientist
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
575.909.0269 | Victoria.Venegas@emnrd.nm.gov

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 545345

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 545345
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	<ul style="list-style-type: none"> • 2RF-119 - Corral Fly Recycling and Containment Facility ID [fAB1804555023] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of February 14, 2026. The new registration/permit expiration date is February 14, 2027. • If OXY USA INC [16696] wishes to extend the registration/permit past February 14, 2027, a registration/permit extension request must be submitted to OCD no later than January 14, 2027 	2/5/2026