

Kristen Houston
Regulatory Analyst
XTO Permian Operating, LLC
6401 Holiday Hill Road, Bldg 5



January 30, 2026

Victoria Venegas
ENMRD-Oil Conservation Division
Environmental Bureau -
506 W. Texas Ave.
Artesia, NM 88210

Re: Administrative Order 2RF-125
JRU Legg Recycling Facility
Facility ID (FAB1805930906)

Victoria,

XTO Permian Operating, LLC. Respectfully requests a one-year extension to the existing C-147 permit for the JRU Legg Recycling Facility. The annual extension requests of the Permit 2RF-125 JRU Legg recycling Facility ID (fab1805930906) from February 27, 2026, to February 27, 2027.

If you have any questions or need any additional information, please feel free to contact me at (432)894-1588.

Sincerely,

A handwritten signature in black ink that reads 'Kristen Houston'.

Kristen Houston
Regulatory Analyst

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505
https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment

Type of Facility: [X] Recycling Facility [X] Recycling Containment*
Type of action: [X] Permit [] Registration
[] Modification [X] Extension
[] Closure [] Other (explain)

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1. Operator: XTO Permian Operating LLC (For multiple operators attach page with information) OGRID #: 373075
Address: 6401 Holiday Hill Rd Bldg 5 Midland Tx 79707
Facility or well name (include API# if associated with a well): JRU Legg Recycling Facility
OCD Permit Number: 2RF-125/fAB1805930906 (For new facilities the permit number will be assigned by the district office)
U/L or Qtr/Qtr F/G/J Section 27 Township 22S Range 30E County: Eddy
Surface Owner: [X] Federal [] State [] Private [] Tribal Trust or Indian Allotment

2. [X] Recycling Facility:
Location of recycling facility (if applicable): Latitude 32.36587 Longitude -103.88046 NAD83
Proposed Use: [X] Drilling* [X] Completion* [X] Production* [X] Plugging *
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented
[] Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.
[X] Fluid Storage
[] Above ground tanks [X] Recycling containment [] Activity permitted under 19.15.17 NMAC explain type
[] Activity permitted under 19.15.36 NMAC explain type: [] Other explain
[] For multiple or additional recycling containments, attach design and location information of each containment
[] Closure Report (required within 60 days of closure completion): [] Recycling Facility Closure Completion Date:

3. [X] Recycling Containment:
[X] Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
Center of Recycling Containment (if applicable): Latitude 32.36498 Longitude -103.86900 NAD83
[] For multiple or additional recycling containments, attach design and location information of each containment
[X] Lined [] Liner type: Thickness mil [X] LLDPE [X] HDPE [] PVC [] Other
[] String-Reinforced
Liner Seams: [X] Welded [] Factory [] Other Volume: 500,000 x 2 bbl Dimensions: L 1450' x W 800' x D 12'
[] Recycling Containment Closure Completion Date:

4.

Bonding:

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify 8' game fence w/ 3 strands barbed wire _____

6.

Signs:

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

Variances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

<u>General siting</u>	
<u>Ground water is less than 50 feet below the bottom of the Recycling Containment.</u> NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

9.

Recycling Facility and/or Containment Checklist:

Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Kristen Houston Title: Regulatory Advisor
 Signature: *Kristen Houston* Date: 01/24/2026
 e-mail address: kristen.houston@exxonmobil.com Telephone: (432)894-1588

11.

OCD Representative Signature: *Victoria Venegas* Approval Date: 02/11/2026

Title: Senior Environmental Scientist OCD Permit Number: fab1805930906

- OCD Conditions _____
- Additional OCD Conditions on Attachment _____

FRAC PIT

LEAK DETECTION DATA

SOUTH PIT: Brackish Water

Month	Action	Date	Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
JANUARY	INITIAL Pond Drain	01/02/25	10:00am	133	0/133	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	01/12/25	9:00 AM	106	0-106	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	01/17/25	11:00am	118	0/118	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	01/26/25	6:00 AM	99	0-99	ran till empty LG
24 HR Leak Detection						
FEBRUARY	INITIAL Pond Drain	02/03/25	10:30am	145	0/145	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	02/09/25	11am	154 gal	0-154	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	02/14/25	11:15 AM	136	0/136	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	02/23/25	630 am	110 gal	0-110	ran till empty LG
24 HR Leak Detection						
MARCH	INITIAL Pond Drain	03/01/25	11:45am	151	0/151	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	03/09/25	630 am	130 gal	0-130	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	03/18/25	12:15pm	138	0/138	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	03/24/25	730 am	102gal	0-102	ran till empty LG
24 HR Leak Detection						
APRIL	INITIAL Pond Drain	04/02/25	10:30am	118	0/118	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	04/11/25	11:15am	127	0/127	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	04/19/25	3pm	110	0-110	ran till empty LG
24 HR Leak Detection						

	INITIAL Pond Drain	04/25/25	11:45am	130	0/130	ran to empty -JD
	24 HR Leak Detection					
May	INITIAL Pond Drain	05/03/25	1pm	120 gal	0-120	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/11/25	1:30pm	132	0/132	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	05/21/25	7:00 AM	119 gal	0-119	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/26/25	9am	107 gal	0-107	ran till empty LG
24 HR Leak Detection						
June	INITIAL Pond Drain	06/01/25	10am	100gal	0-100	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	06/06/25	7am	78 gal	0-78	ran till emptyca
	24 HR Leak Detection					
	INITIAL Pond Drain	06/21/25	2pm	39 gal	0-39	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	06/29/25	830am	111 gal	0-111	ran till empty LG
24 HR Leak Detection						
july	INITIAL Pond Drain	07/05/25	1pm	77 gal	0-77	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	07/12/25	930am	54 gal	0-54	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	07/22/25	11am	102 gal	0-102	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	07/27/25	9am	86 gal	0-86	ran till empty LG
24 HR Leak Detection						
Aug.	INITIAL Pond Drain	08/04/25	7am	81 gal	0-81	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	08/11/25	11am	69 gal	0-69	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	08/18/25	10am	71 gal	0-71	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	08/24/25	1pm	59 gal	0-59	ran till empty LG
24 HR Leak Detection						
sept	INITIAL Pond Drain	09/13/25	8am	61gal	0-61	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	09/08/25	12pm	110 gal.	0-110	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	09/27/15	8am	79gal	0-79	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	09/20/25	930am	90 Gal	0-90	ran till empty LG
24 HR Leak Detection						

OCT	INITIAL Pond Drain	10/04/25	1230pm	102 gal	0-100	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/13/25	12pm	57 gal	0-57	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	10/18/25	12pm	51 gal	0-51	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/27/25	8am	42 gal	0-42	ran till empty ca
	24 HR Leak Detection					
Nov	INITIAL Pond Drain	11/01/25	2pm	31 gal	0-31	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/08/25	7am	46 gal	0-46	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	11/18/26	2pm	29 gal	0-29	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/25/25	10am	16 gal	0-16	ran till empty ca
	24 HR Leak Detection					
Dec	INITIAL Pond Drain	11/30/25	1pm	20 gal	0-20	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	12/14/25	12pm	11 gal	0-11	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	12/08/25	10am	19 gal	0-19	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	12/20/25	11am	22 gal	0-22	ran till empty ca
	24 HR Leak Detection					

NORTH PIT: Recycled Produced Water

Month	Action	Date	Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
-------	--------	------	------	----------------------------------	------------------	--------

JANUARY	INITIAL Pond Drain	01/02/25	10:00am	123	0/123	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	01/12/25	9:00 AM	120	0-120	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	01/17/25	11:00am	133	0/133	ran to empty -JD
	24 HR Leak Detection					
INITIAL Pond Drain	01/26/25	6:00 AM	130 gal	0-130	ran till empty LG	
24 HR Leak Detection						
	INITIAL Pond Drain	02/03/25	10:30am	101	0/101	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	02/09/25	11:00 AM	90 gal	0-90	ran till empty LG

FEBRUARY	24 HR Leak Detection			90 gal		ran till empty LG
	INITIAL Pond Drain	02/14/25	11:15am	143	0/143	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	02/23/25	630 am	100 gal	0-100	ran till empty LG
	24 HR Leak Detection					
MARCH	INITIAL Pond Drain	03/01/25	11:45am	129 gal	0-129	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	03/09/25	630 am	120 gal	0-120	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	03/18/25	12:15pm	119	0/119	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	03/24/25	730am	110 gal	0-110	ran till empty LG
24 HR Leak Detection						
APRIL	INITIAL Pond Drain	04/02/25	10:30am	103	0/103	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	04/11/25	11:15am	126	0/126	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	04/19/25	3pm	103 gal	0-103	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	04/25/25	11:45am	134	0/134	ran to empty -JD
24 HR Leak Detection						
May	INITIAL Pond Drain	05/03/25	1pm	121	0-121	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/11/25	1:30pm	158	0/158	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	05/21/25	7:00 AM	90 gal	0-90	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/29/25	12pm	80gal	0-80	ran till empty LG
24 HR Leak Detection						
June	INITIAL Pond Drain	06/01/25	10am	176gal	0-176	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	06/08/25	8am	0	0	no flow ca
	24 HR Leak Detection				power issues	
	INITIAL Pond Drain	06/22/25	9am	344gal	344	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	06/29/25	830am	119 gal	0-119	ran till empty LG
24 HR Leak Detection						
July	INITIAL Pond Drain	07/04/25	10:30am	105gal	0-105gal	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	07/12/25	930am	45gal	0-45	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	07/22/25	7:30am	98gal	0-98	ran till empty ca
	24 HR Leak Detection					
INITIAL Pond Drain	07/27/25	9am	79 gal	0-79	ran till empty LG	

	24 HR Leak Detection			79 gal		ran till empty LG
Aug.	INITIAL Pond Drain	08/03/25	12pm	121gal	0-121	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	08/11/25	11am	69gal	0-69	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	08/18/25		109 gal	0-109	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	08/24/25	1pm	95 gal	0-95	ran till empty LG
24 HR Leak Detection						
SEPTEMBER	INITIAL Pond Drain	09/14/25	11:30am	200 gal	0-200	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	09/08/25	12pm	120 gal.	0-120	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	09/27/25	8:30am	88 gal	0-88	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	09/20/25	930am	65 gal	0-65	ran till empty LG
24 HR Leak Detection						
OCT	INITIAL Pond Drain	10/04/25	1230pm	43 gal	0-43	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/02/25	7;30am	51 gal	0-51	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	10/18/25	12pm	28 gal	0-28	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/30/25	9am	19 gal	0-19	ran till empty ca
24 HR Leak Detection						
Nov	INITIAL Pond Drain	11/01/25	2pm	21 gal	0-21	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/10/25	12pm	28 gal	0-28	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	11/18/25	2pm	12 gal	0-12	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/23/25	6:30am	17 gal	0-17	ran till empty ca
24 HR Leak Detection						
Dec	INITIAL Pond Drain	11/30/25	1pm	9 gal	0-9	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	12/14/25	12pm	13 gal	0-13	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	12/08/25	10am	10 gal	0-10	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	12/20/25	8am	7 gal	0-7	ran till empty ca
24 HR Leak Detection						

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Thursday, February 12, 2026 8:31 AM
To: Houston, Kristen /C
Subject: 2RF-125 - JRU Legg Recycling FACILITY [fAB1805930906]
Attachments: C-147 2RF-125 - JRU LEGG RECYCLING FACILITY ID [FAB1805930906] 02.11.2026.pdf

2RF-125 - JRU Legg Recycling FACILITY [fAB1805930906]

Good morning Ms. Houston,

NMOCD has reviewed the annual registration/permit extension request for 2RF-125 - JRU LEGG RECYCLING FACILITY [FAB1805930906] received from [373075] XTO PERMIAN OPERATING LLC on 01/31/2026 Application ID **548788**. The registration/permit extension request is approved with the following conditions of approval:

- 2RF-125 - JRU LEGG RECYCLING FACILITY [FAB1805930906] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of February 27, 2026. The new registration/permit expiration date is February 27, 2027.
- [373075] XTO PERMIAN OPERATING LLC will continue to operate, maintain, and close the for 2RF-125 - JRU LEGG RECYCLING FACILITY [FAB1805930906] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- [373075] XTO PERMIAN OPERATING LLC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [373075] XTO PERMIAN OPERATING LLC may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and a notification of cessation of operations should be sent electronically through OCD Permitting. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form to OCD Permitting.
- If after that 6-month extension period, the containment is not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from for 2RF-125 - JRU LEGG RECYCLING FACILITY [FAB1805930906] is limited to wells owned or operated by [373075] XTO PERMIAN OPERATING LLC.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [373075] XTO PERMIAN OPERATING LLC will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at for 2RF-125 - JRU Legg Recycling FACILITY [fAB1805930906]. [373075] XTO PERMIAN OPERATING LLC will comply with all other OCD rules.
- [373075] XTO PERMIAN OPERATING LLC must perform weekly inspections of the containment and leak detection system.
- [373075] XTO PERMIAN OPERATING LLC must submit monthly reports of recycling and reuse of produced water, to OCD Permitting even if there is zero activity.
- If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past February 27, 2027, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through OCD Online on a Form C-147 as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit

period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than January 27, 2027.

Please let me know if you have any additional questions.
Best regards,

Victoria Venegas • Senior Environmental Scientist
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
575.909.0269 | Victoria.Venegas@emnrn.nm.gov

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 548788

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 3617 Big Spring St. MIDLAND, TX 79705	OGRID: 373075
	Action Number: 548788
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	• 2RF-125 - JRU LEGG RECYCLING FACILITY [FAB1805930906] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of February 27, 2026. The new registration/permit expiration date is February 27, 2027. • If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past February 27, 2027, a registration/permit extension request must be submitted to OCD no later than January 27, 2027.	2/12/2026