



Kristen Houston  
Regulatory Advisor  
(432)894-1588  
XTO Permian Operating, LLC  
6401 Holiday Hill Road, Bldg 5  
Midland, TX 79707

January 30, 2026

Victoria Venegas  
ENMRD-Oil Conservation Division  
Environmental Bureau -  
506 W. Texas Ave.  
Artesia, NM 88210

Re: Administrative Order 2RF-145  
BEU DI 5 Recycling Facility  
Facility ID(fSL19343534776)

Victoria,

XTO Permian Operating, LLC. Respectfully requests a one-year extension to the existing C-147 permit for the BEU DI 5 Recycling Facility. The annual extension requests of the Permit 2RF-145 BEU DI 5 Recycling Facility ID (fSL1934534776) from March 15, 2026, to March 14, 2027.

If you have any questions or need any additional information, please feel free to contact me at (432)894-1588.

Sincerely,

A handwritten signature in black ink that reads 'Kristen Houston'.

Kristen Houston  
Regulatory Advisor

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-147  
Revised April 3, 2017

## Recycling Facility and/or Recycling Containment

**Type of Facility:**  Recycling Facility  Recycling Containment\*  
**Type of action:**  Permit  Registration  
 Modification  Extension  
 Closure  Other (explain) \_\_\_\_\_

\* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: \_\_\_\_\_ (For multiple operators attach page with information) OGRID #: \_\_\_\_\_  
Address: \_\_\_\_\_  
Facility or well name (include API# if associated with a well): \_\_\_\_\_  
OCD Permit Number: \_\_\_\_\_ (For new facilities the permit number will be assigned by the district office)  
U/L or Qtr/Qtr \_\_\_\_\_ Section \_\_\_\_\_ Township \_\_\_\_\_ Range \_\_\_\_\_ County: \_\_\_\_\_  
Surface Owner:  Federal  State  Private  Tribal Trust or Indian Allotment

2.  
 **Recycling Facility:**  
Location of recycling facility (if applicable): Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD83  
Proposed Use:  Drilling\*  Completion\*  Production\*  Plugging \*  
*\*The re-use of produced water may NOT be used until fresh water zones are cased and cemented*  
 Other, *requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.*  
 Fluid Storage  
 Above ground tanks  Recycling containment  Activity permitted under 19.15.17 NMAC explain type \_\_\_\_\_  
 Activity permitted under 19.15.36 NMAC explain type: \_\_\_\_\_  Other explain \_\_\_\_\_  
 For multiple or additional recycling containments, attach design and location information of each containment  
 **Closure Report (required within 60 days of closure completion):**  Recycling Facility Closure Completion Date: \_\_\_\_\_

3.  
 **Recycling Containment:**  
 Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)  
Center of Recycling Containment (if applicable): Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD83  
 For multiple or additional recycling containments, attach design and location information of each containment  
 Lined  Liner type: Thickness \_\_\_\_\_ mil  LLDPE  HDPE  PVC  Other \_\_\_\_\_  
 String-Reinforced  
Liner Seams:  Welded  Factory  Other \_\_\_\_\_ Volume: \_\_\_\_\_ bbl Dimensions: L \_\_\_\_\_ x W \_\_\_\_\_ x D \_\_\_\_\_  
 Recycling Containment Closure Completion Date: \_\_\_\_\_

4.

**Bonding:**

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ \_\_\_\_\_ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

**Fencing:**

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify \_\_\_\_\_

6.

**Signs:**

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

**Variations:**

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

**Check the below box only if a variance is requested:**

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

**If a Variance is requested, it must be approved prior to implementation.**

8.

**Siting Criteria for Recycling Containment**

*Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.*

<b>General siting</b>	
<b>Ground water is less than 50 feet below the bottom of the Recycling Containment.</b> NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No

9.

**Recycling Facility and/or Containment Checklist:**

*Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.*

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)**

10.

**Operator Application Certification:**

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): \_\_\_\_\_ Title: \_\_\_\_\_

Signature: Kristen Howland Date: \_\_\_\_\_

e-mail address: \_\_\_\_\_ Telephone: \_\_\_\_\_

11.

**OCD Representative Signature:** \_\_\_\_\_ **Approval Date:** \_\_\_\_\_

**Title:** \_\_\_\_\_ **OCD Permit Number:** \_\_\_\_\_

OCD Conditions \_\_\_\_\_

Additional OCD Conditions on Attachment

# FRAC PIT

## LEAK DETECTION DATA

### EAST PIT: Brackish Water

Month	Action	Date	Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
-------	--------	------	------	----------------------------------	------------------	--------

JANUARY	INITIAL Pond Drain	01/02/25	8:15am	122gal	0/122	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	01/11/25	6:15 AM	135 Gal	0-135	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	01/17/25	9:00am	140gal	0/140	ran to empty -JD
	24 HR Leak Detection					
INITIAL Pond Drain	01/25/25	630 am	173 gal	0-173	ran till empty LG	
24 HR Leak Detection						
FEBRUARY	INITIAL Pond Drain	02/03/25	8:00am	68gal	0/68	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	02/08/25	630am	9 gal	0-9	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	02/14/25	9:30am	60 gal	0/60	ran to empty -JD
	24 HR Leak Detection					
INITIAL Pond Drain	02/22/25	615 am	44 gal	0-44	ran till empty LG	
24 HR Leak Detection						
MARCH	INITIAL Pond Drain	03/01/25	9:45am	33 gal	0-33	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	03/08/25	630 am	15 gal	0-15	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	03/18/25	3:30pm	25 gal	0/25	ran to empty -JD
	24 HR Leak Detection					
INITIAL Pond Drain	03/24/25	630am	18 gal	0-18	ran till empty LG	
24 HR Leak Detection						
APRIL	INITIAL Pond Drain	04/02/25	8:15am	29 Gal	0/29	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	04/11/25	9:00am	12gal	0/12	ran to empty -JD
	24 HR Leak Detection					

	INITIAL Pond Drain	04/19/25	6:00 AM	15 gal	0-15	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	04/25/25	9:15am	38gal	0/38	ran to empty -JD
	24 HR Leak Detection					
May	INITIAL Pond Drain	05/03/25	6am	57 gal	0-57	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/11/25	11:00am	150Gal	0/150	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	05/18/25	615 am	188 gal	0-188	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/25/25	630am	120 gal	0-120	ran till empty LG
24 HR Leak Detection						
June	INITIAL Pond Drain	06/01/25	6am	43gal	0-43	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	06/06/25	7am	80gal	0-80	pump till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	06/20/25	8am	278gal	0-278	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	06/29/25	630am	61gal	0-61	ran till empty LG
24 HR Leak Detection						
july	INITIAL Pond Drain	07/05/25		331gal	0-331	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	07/12/25	615am	65 gal	0-65	min pump empty
	24 HR Leak Detection					
	INITIAL Pond Drain	07/19/25	9am	228gal	0-228	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	07/27/25	8am	112gal	0-112	ran till empty LG
24 HR Leak Detection						
Aug.	INITIAL Pond Drain	08/01/25	8am	154gal	0-154	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	08/11/25	615am	55 gal.	0-55	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	08/18/25	10am	206gal	0-206	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	08/23/25	630am	0	0	ran till empty LG
24 HR Leak Detection						
sept	INITIAL Pond Drain	09/12/25	1pm	56gal	0-56	ran till empty CA
	24 HR Leak Detection					
	INITIAL Pond Drain	09/08/25	615am	45 Gal.	0-45	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	09/27/25	7am	42gal	0-42	ran till empty CA
24 HR Leak Detection						

	INITIAL Pond Drain	09/02/25	630am	63 Gal	0-63	ran till empty LG
	24 HR Leak Detection					
OCT	INITIAL Pond Drain	10/04/25	615 am	171gal	0-171	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/12/25	7am	244gal	0-244	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	10/19/25	6am	65 Gal	0-65	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/29/25	9am	160gal	0-160	ran till empty ca
	24 HR Leak Detection					
Nov	INITIAL Pond Drain	11/01/25	0615am	45 Gal	0-45	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/10/25	7am	120gal	0-120	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	11/16/25	930am	107 Gal	0-107	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/20/25	12pm	88gal	0-88	ran till empty ca
	24 HR Leak Detection					
Dec	INITIAL Pond Drain	11/30/25	630am	78gal	0-78	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	12/14/25	615am	105 gal	0-105	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	12/06/25	7am	155gal	0-155	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	12/20/25	12pm	134gal	0-134	ran till empty ca
	24 HR Leak Detection					

**West PIT: Recycled Produced Water**

Month	Action	Date	Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
-------	--------	------	------	----------------------------------	------------------	--------

JANUARY	INITIAL Pond Drain	01/02/25	8:15am	76	0-76	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	01/11/25	6:15 AM	88gal	0-88	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	01/17/25	9:00am	144	0/144	ran to empty -JD
	24 HR Leak Detection					
INITIAL Pond Drain	01/25/25	630 am	126 gal	0-126	ran till empty LG	
24 HR Leak Detection						

FEBRUARY	INITIAL Pond Drain	02/03/25	8:00am	169	0/169	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	02/08/25	630am	200 GAL	0-200	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	02/14/25	9:30am	185	0/185	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	02/22/25	615 am	235 gal	0-235	ran till empty LG
24 HR Leak Detection						
MARCH	INITIAL Pond Drain	03/01/25	9:45am	215	0/215	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	03/08/25	630 am	210 gal	0-210	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	03/18/25	3:30pm	232	0/232	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	03/24/25	630 am	325 gal	0-325	ran till empty LG
24 HR Leak Detection						
APRIL	INITIAL Pond Drain	04/02/25	8:15am	178	0/178	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	04/11/25	9:00am	125	0/125	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	04/19/25	6am	55 gal	0-55	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	04/25/25	9:15am	166	0/166	ran to empty -JD
24 HR Leak Detection						
May	INITIAL Pond Drain	05/03/25	6am	227 gal	0-227	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/11/25	11:00am	192	0/192	ran to empty -JD
	24 HR Leak Detection					
	INITIAL Pond Drain	05/18/25	615 am	60 gal	0-60	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	05/25/25	630am	47 gal	47	ran till empty LG
24 HR Leak Detection						
June	INITIAL Pond Drain	06/01/25	6am	0	0	no flow LG
	24 HR Leak Detection					
	INITIAL Pond Drain	06/11/25	12pm	0	0	no flow ca
	24 HR Leak Detection					
	INITIAL Pond Drain	06/24/25	9am	144gal	0-144	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	06/29/25	630am	111 gal	0-111	ran till empty LG
24 HR Leak Detection						
	INITIAL Pond Drain	07/05/25	7am	30gal	0-30	ran till empty ca

July	24 HR Leak Detection			30gal		ran till empty ca
	INITIAL Pond Drain	07/12/25	615am	23gal	0-23	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	07/19/25	7am	120gal	0-120	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	07/27/25	6am	32 gal.	0-32	ran till empty LG
24 HR Leak Detection						
Aug.	INITIAL Pond Drain	08/06/25	7am	43gal	0-43	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	08/11/25	615am	39gal	0-39	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	08/20/25	2pm	55gal	0-55	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	08/23/25	630am	44 Gal	0-44	ran to empty LG
24 HR Leak Detection						
SEPTEMBER	INITIAL Pond Drain	09/03/25	7am	101gal	0-101	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	09/08/25	615am	55 gal.	0-55	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	09/15/25	8am	84gal	0-84	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	09/20/25	630am	45 Gal	0-45	ran till empty LG
24 HR Leak Detection						
OCT	INITIAL Pond Drain	10/04/25	615am	23 Gal	0-23	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/11/25	7am	44gal	0-44	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	10/19/26	930am	45 gal	0-45	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	10/27/25	1pm	80gal	0-80	ran till empty ca
24 HR Leak Detection						
Nov	INITIAL Pond Drain	11/01/25	615am	40 gal	0-40	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/16/25	930am	41 Gal.	0-41	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	11/11/25	12pm	66gal	0-66	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	11/24/25	11am	60gal	0-60	ran till empty ca
24 HR Leak Detection						
	INITIAL Pond Drain	11/30/25	630am	33 gal	0-33	ran till empty LG
	24 HR Leak Detection					
	INITIAL Pond Drain	12/14/25	615am	65 Gal	0-65	ran till empty LG

Dec	24 HR Leak Detection			00 Gal.		ran till empty ca
	INITIAL Pond Drain	12/06/25	8am	77gal	0-77	ran till empty ca
	24 HR Leak Detection					
	INITIAL Pond Drain	12/24/25	11am	111gal	0-111	ran till empty ca
24 HR Leak Detection						

## Venegas, Victoria, EMNRD

---

**From:** Venegas, Victoria, EMNRD  
**Sent:** Monday, February 16, 2026 2:01 PM  
**To:** Houston, Kristen /C  
**Subject:** 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]  
**Attachments:** C-147 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]  
02.16.2026.pdf

### 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]

NMOCD has reviewed the registration /permit extension request for 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] received from [373075] XTO PERMIAN OPERATING LLC on 01/31/2026, Application ID **482136**. The registration/permit extension request is approved with the following conditions of approval:

- 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of March 15, 2026. The new registration/permit expiration date is March 15, 2027.
- [373075] XTO PERMIAN OPERATING LLC will continue to operate, maintain, and close the for 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- [373075] XTO PERMIAN OPERATING LLC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [373075] XTO PERMIAN OPERATING LLC may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and a notification of cessation of operations should be sent to OCD Permitting. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form through OCD Permitting. If after that 6-month extension period, the containment is not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reused and recycled from 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] is limited to wells owned or operated by [373075] XTO PERMIAN OPERATING LLC.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [373075] XTO PERMIAN OPERATING LLC will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]. [373075] XTO PERMIAN OPERATING LLC will comply with all other OCD rules.
- [373075] XTO PERMIAN OPERATING LLC must perform weekly inspections of the containment and leak detection system.
- If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past March 15, 2027, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through OCD Online on a Form C-147 (long form) as an extension request and should include a formal extension request letter, a summary of the prior

registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than February 15, 2027.

Please let me know if you have any additional questions.  
Best regards,

**Victoria Venegas** • Senior Environmental Scientist  
EMNRD - Oil Conservation Division  
506 W. Texas Ave. Artesia, NM 88210  
575.909.0269 | [Victoria.Venegas@emnrd.nm.gov](mailto:Victoria.Venegas@emnrd.nm.gov)

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 548791

**CONDITIONS**

Operator: XTO PERMIAN OPERATING LLC. 3617 Big Spring St. MIDLAND, TX 79705	OGRID: 373075
	Action Number: 548791
	Action Type: [C-147] Water Recycle Long (C-147L)

**CONDITIONS**

Created By	Condition	Condition Date
vvenegas	• 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of March 15, 2026. The new registration/permit expiration date is March 15, 2027. • If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past March 15, 2027, a registration/permit extension request must be submitted to OCD no later than February 15, 2027.	2/16/2026