

Site Assessment Report and Remediation Plan

Langley Getty Com #002
Produced Water Spill
Lea County, New Mexico
New Mexico Oil Conservation Division
(NMOCD) Incident ID: nAB1904357971

Prepared For:
Chevron Mid-Continent Business Unit (MCBU)

Prepared By:
AECOM
19219 Katy Freeway, Suite 100
Houston, Texas 77094

Site Assessment Report and Remediation Plan

Site Assessment Report and Remediation Plan

Langley Getty Com #002
Produced Water Spill Site
Lea County, New Mexico
New Mexico Oil Conservation Division
(NMOCD) Incident ID: nAB1904357971

Chevron Mid-Continent Business Unit (MCBU)

May 2020
AECOM Project No. 60608313



Prepared by: Wally Gilmore, P.G.
Senior Project Manager



Reviewed by: Peter Hicks
Team Leader

Prepared for: Chevron Mid-Continent Business Unit (MCBU)

AECOM

Table of Contents

1.	Executive Summary	1
2.	Introduction.....	2
3.	Background	2
4.	Initial Site Assessment/Characterization	2
5.	Initial Soil Assessment.....	3
6.	Remediation Plan	5
7.	Schedule	6
8.	References	6

Figures

Figure 1	Site Location Map
Figure 2	Sample Location Map

Tables

Table 1	Soil Analytical Results
---------	-------------------------

Appendices

Appendix A	Form C-141 – Langley Getty Com #002
Appendix B	NMWRRS Water Column/Average Depth to Water
Appendix C	Photographic Documentation
Appendix D	LG-06 Field Soil Boring Log
Appendix E	Summary of Field Sample Collection and Screening Activities
Appendix F	Laboratory Analytical Report

1. Executive Summary

Langley Getty Com #002, Lea County, NM, NMOCD ID: nAB1904357971

Site Background			
Release Description: On October January 30, 2019, approximately 43.41 barrels (bbls) of produced water were released within an earthen berm secondary containment for a heater treater and a separator at the Site.		Release Response: Stopped the release at the source, secured the impacted area to prevent impact to protect human health and the environment, contained the release, and recovered approximately 40 bbls of produced water.	Current and Planned Future Land Use: The Site and surrounding area are used for oil and gas exploration, development and production (E&P), and livestock grazing. Future land use is expected to be the same as the current use.
Summary of Sensitive Receptor Survey			
Depth to Groundwater: Based on an online Water Column/Average Depth to Water Report from the New Mexico Water Rights Reporting System (NMWRRS), there are no water wells located within 1,000 meters of the Site. On January 8, 2020, soil boring LG-6 was drilled to a depth of 51 ft below ground surface (ft bgs) to demonstrate that groundwater is not present within the upper 50 ft beneath the site. No evidence of groundwater was observed to a depth of 51 ft bgs in boring LG-6.			
Sensitive Receptors Survey Results: - There are no known water wells within ½ mile of the Site. The closest relevant water well identified in the online NMWRRS report with depth to water data is a well drilled by O.R. Musselwhite Water Well SE in 1972 and screened from 180 to 220 ft bgs at a location approximately 1.27-miles north of the Site. This well has a depth to groundwater of 170 ft bgs. The initial use and current status of this water well is currently unknown. - No continuously flowing watercourses, known springs, or wells used for domestic or stock watering purposes were identified within ½ mile of the Site. - The Site is not located within 200 ft of any lakebed, known sinkhole, or playa lake. - No occupied permanent residence, school, hospital, institution, church, incorporated municipal boundaries or defined municipal fresh water well fields are located within 8 miles of the Site. - No wetlands are present within 300 feet of the Site. - No subsurface mines are located beneath the Site, no karst geology features, or other unstable areas are known to be located near the Site, and the Site is not located within a 100-year floodplain. - Operations near the Site are for agricultural/livestock grazing use and oil and gas exploration, development, production, or storage only, and no impact to areas that are not on an exploration, development, production, or storage site are expected.			
Constituent	19.15.29.12 NMAC Table I Regulatory Limits (GW 51-100 ft bgs) (mg/kg)	19.15.29.13.D.(1) NMAC Reclamation Standard (mg/kg)	Maximum Concentration Detected (mg/kg)
Chloride	10,000	600	38,700
TPH	2,500	100	Below laboratory method reporting limits
Soil Assessment Results Discussion			
Soil Sample Results Comparison to 19.15.29.12 NMAC Table I Regulatory Limits: The regulatory limits in <i>Table I</i> above are associated with protection of sensitive receptors, which are primarily water resources for this Site. The chloride concentration of 38,700 mg/kg reported for sample LG-05-0-1 exceeds the regulatory limit of 10,000 mg/kg <i>Table I</i> for sites where groundwater is between 50 and 100 ft bgs. Though groundwater is likely deeper than 100 ft bgs, drilling was conducted only to 51 ft bgs at this time, therefore the regulatory limit of 10,000 mg/kg was selected. No other samples exhibited constituent of concern (COC) concentrations above the applicable regulatory limits listed in <i>Table I</i>.			
Soil Sample Results Comparison to 19.15.29.13.D.(1) NMAC Reclamation Standard of 600 mg/kg Chloride and 100 mg/kg TPH: Chloride concentrations in samples LG-05-0-1 (38,700 mg/kg), LG-05-1-2 (6,530 mg/kg) and LG-05-2-3 (3,090 mg/kg) exceeded the chloride reclamation standard of 600 mg/kg. Elevated chloride concentrations in source area boring LG-05 have been delineated vertically and horizontally. Reported BTEX and TPH concentrations were below laboratory method reporting for each of the samples submitted for laboratory analysis of petroleum hydrocarbons, including the samples submitted from source area soil boring LG-05. Based on these results, no additional soil assessment is recommended at this time.			
Path Forward Recommendations			
Remediation/Reclamation Plan activities for the Site include the following: - At this time, it is not practicable to remediate the upper one foot of impacted soil within the secondary containment due to the presence of production equipment (separator and heater treater) and associated subsurface piping. Chevron MCBU requests NMOCD approval for deferral of remediation/reclamation of chloride-impacted soil in accordance with 19.15.29.12(C)(2). - Once the separator and heater treater in the affected area are removed from service, remediation/reclamation will be performed by excavation and off-site disposal of impacted soil. The remediation/reclamation activities will include collection of closure confirmation samples according to NMOCD requirements. - A Site Closure Report will be prepared to document soil remediation and confirmation sampling activities.			

2. Introduction

On behalf of Chevron Mid-Continent Business Unit (MCBU), AECOM Technical Services, Inc. (AECOM) has prepared this Site Assessment Report and Remediation Plan to address constituent of concern (COC) impacts to soil resulting from a produced water spill that occurred at the Langley Getty Com #002 (Langley Getty) site in Lea County, New Mexico ("the Site").

3. Background

The Site is located at Latitude 32.3727112 North, Longitude 103.2754517 West in Lea County, New Mexico (**Figure 1**).

AECOM understands that, on January 30, 2019, approximately 43.41 barrels (bbls) of produced water were released within an earthen berm secondary containment for a heater treater and a separator at the Site. As required by the New Mexico Oil Conservation Division (NMOCD) under 19.15.29 New Mexico Administrative Code (NMAC), Chevron's initial response to the release included:

- Stopping the release at the source;
- Securing the impacted soil area to protect human health and the environment;
- Containing the released produced water and crude oil; and
- Recovering approximately 40 bbls of produced water.

A Release Notification, Form C-141, dated February 12, 2019, was submitted to the NMOCD. The Form C-141 documents the responsible party, location of the release source, nature and volume of the release, and initial response to the release. NMOCD assigned Incident ID nAB1904357971 to the release. An updated Form C-141 is provided as **Appendix A**.

4. Initial Site Assessment/Characterization

The findings from an initial desktop assessment/characterization of the Site are summarized below.

- Based on an online Water Column/Average Depth to Water Report from the New Mexico Water Rights Reporting System (NMWRRS), there are no wells within 1,000 meters (about 3,281 feet) of the Site. A copy of the Water Column/Average Depth to Water Report is provided as Appendix B.
- The underlying soils at the Site are comprised of fine sand, sandy clay loam, and caliche past 50 inches.
- There are no continuously flowing watercourses or other significant watercourses within ½ mile of the Site.
- The Site is not located within 200 ft of any lakebed, known sinkhole, or playa lake.
- The nearest occupied permanent residence, school, hospital, institution, or church is approximately 8 miles from the Site, the distance from the site to Eunice, NM.
- There are no possible springs or wells used for domestic or stock watering purposes within ½ mile of the Site.
- There are no known water wells within ½ mile of the Site. The closest relevant water well identified in the online NMWRRS report with depth to water data is a well drilled by O.R. Musselwhite Water Well SE in 1972 and screened from 180 to 220 feet below ground surface (ft bgs) at a location approximately 1.27-miles north of the Site. This well has a depth to groundwater of 170 ft below ground surface. The initial use and current status of this water well is currently unknown.

- The closest incorporated municipal boundaries or defined municipal fresh water well fields are located approximately 8 miles northeast of the Site, which is the approximate distance from the Site to Eunice, NM.
- A review of the online U.S. Fish & Wildlife Wetlands Mapper tool indicates no wetland areas present within one mile of the Site.
- No subsurface mines are located beneath the Site.
- No karst geology features or other unstable areas are known to be located near the Site.
- A 100-year floodplain was not identified near the Site.
- Operations near the Site are for oil and gas exploration, development, production, or storage only, and no impact to areas that are not on an exploration, development, production, or storage site are expected.
- **Figure 1** shows the location of the Site and surrounding area on a topographic map. Based on information obtained during the initial desktop assessment/characterization and the volume of produced water released and recovered, no impact to groundwater, surface water, springs, or other sources of fresh water is currently suspected.

5. Initial Soil Assessment

On August 1, 2019, initial soil assessment activities were conducted at the Site, which included collection of soil samples from five hand auger soil boring locations (LG-01 through LG-05) as shown on **Figure 2**. Site photographs are provided in **Appendix C**.

Caliche and silty sand surface pad material were generally observed in the upper one foot of the borings, which was underlain by reddish brown silty sand to the total depth of 5 ft bgs in borings LG-01 through LG-05. On January 8, 2020, air rotary drilling equipment was used to advance boring LG-06 to a depth of 51 ft bgs to demonstrate that groundwater is not present within the upper 50 ft bgs at the Site. Below a depth of 1 ft bgs, the caliche pad material was underlain by reddish-brown fine-grained sand to 10 ft bgs where caliche was observed to a depth of 12 ft bgs. The caliche seam was underlain by tan and reddish-brown silty sand to the total depth of the boring at 51 ft bgs. No groundwater was observed in LG-06. The field soil boring log for LG-06 is provided as **Appendix D**.

Soil samples were collected from each of the borings and field-screened for petroleum hydrocarbons using a photoionization detector (PID) to measure volatile organic vapor concentrations and an electrical conductivity probe. A Summary of Field Sample Collection and Screening Activities is provided as **Appendix E**.

The soil samples were transferred into clean, laboratory-provided sample containers, labeled and placed on ice in laboratory-provided coolers. Chain of Custody forms were completed and the samples were shipped to the ALS Laboratory in Houston, Texas for analysis of benzene, toluene, ethylbenzene and xylenes (BTEX) by EPA Method 8260C, total petroleum hydrocarbons (TPH) by EPA Method 8015M and chloride by EPA Method 9250. The laboratory results are summarized in **Table 1** and the laboratory analytical report is provided as **Appendix F**.

Each of the depth interval samples from borings LG-01 through LG-05 were submitted for laboratory analysis of chloride. Based on PID field screening results, additional depth intervals were also submitted for laboratory analysis of BTEX and TPH.

At the conclusion of drilling and soil sampling activities, the soil cuttings were returned to the boreholes, which were then sealed near the surface with bentonite chips.

5.1 Initial Soil Sampling Results

The soil analytical results were initially compared to *Table I, Closure Criteria for Soils Impacted by a Release* provided in 19.15.29.12 NMAC, which includes the following:

Table I Closure Criteria for Soils Impacted by a Release		
Minimum depth below any point within the horizontal boundary of the release to groundwater less than 10,000 mg/L TDS	Constituent	Limit (mg/kg)
All depths	Benzene	10
	Total BTEX	50
≤ 50 ft bgs	Chloride	600
	TPH (GRO+DRO+MRO)	100
51 – 100 ft bgs	Chloride	10,000
	TPH (GRO+DRO+MRO)	2,500
>100 ft bgs	Chloride	20,000
	TPH (GRO+DRO+MRO)	2,500
mg/kg – milligrams per kilogram		

The regulatory limits in *Table I* above are associated with protection of sensitive receptors, which are primarily water resources for this Site. As described above, no groundwater was observed to a depth of 51 ft bgs in boring LG-6. The chloride concentration of 38,700 mg/kg reported for sample LG-05-0-1 exceeds the *Table I* regulatory limits where groundwater is deeper than 50 ft bgs. No other samples exhibited COC concentrations above the applicable regulatory limits listed in *Table I*.

The laboratory analytical results were also compared to the reclamation requirements for the upper four feet of soil under 19.15.29.13.D.(1) NMAC, which states, “*The reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division.*”

- Although not described under 19.15.29 NMAC, the NMOC further clarified soil reclamation requirements in a document entitled *Procedures for Implementation of the Spill Rule (19.15.29)*, September 6, 2019. This document says, *the word “uncontaminated” means soils not only with a chloride concentration of less than 600 mg/kg, but also a TPH concentration of no more than 100 mg/kg, a total BTEX concentration of no more than 50 mg/kg, and a benzene concentration of no more than 10 mg/kg.* This clarification means that all soil to a depth of 4 ft bgs is subject to the *Table I* standards for sites where groundwater is present at a depth of less than 50 ft bgs, regardless of the actual depth to groundwater.

In source area boring LG-05, chloride concentrations of 38,700 milligrams per kilogram (mg/kg), 6,530 mg/kg and 3,090 mg/kg were reported by the laboratory for the 0 to 1, 1 to 2 and 2 to 3 ft bgs depth intervals, respectively. These concentrations exceeded the chloride reclamation standard of 600 mg/kg. The chloride concentrations reported for the 3 to 4 and 4 to 5 ft bgs depth intervals from boring LG-05 were below the reclamation standard. The chloride concentrations reported for the samples collected from horizontal delineation borings LG-01 through LG-04 were also below the reclamation standard.

Reported BTEX and TPH concentrations were below laboratory method reporting for each of the samples submitted for laboratory analysis of petroleum hydrocarbons, including the samples submitted from source area boring LG-05.

The sampling results indicate that chloride impacts to soil have been delineated to a depth of three ft bgs within the secondary containment where the release occurred and that no elevated COC concentrations

are present in soil outside of the bermed containment area. Therefore, no additional delineation soil sampling is recommended for the Site.

The laboratory analytical results for the initial soil assessment samples are summarized in **Table 1** and on **Figure 2**. The laboratory analytical report is provided in **Appendix G**.

6. Remediation Plan

Future Site remediation activities will be conducted to address the following regulatory requirements applicable to the site:

- Soil remediation requirements in *Table I, Closure Criteria for Soils Impacted by a Release* provided in 19.15.29.12 NMAC; and
- Soil reclamation requirements under 19.15.29.13.D.(1) NMAC.

6.1 Proposed Soil Remediation/Reclamation Approach

Only the upper one foot of soil within the secondary containment area in which the release occurred exhibited a chloride concentration above the *Table I* regulatory limit of 10,000 mg/kg for sites where groundwater is present between 51 and 100 ft bgs (38,700 mg/kg for the 0 to 1 ft depth interval of boring LG-05). Remediation is not currently recommended for the upper one foot of impacted soil within the secondary containment area based on the following:

- The laboratory analytical results for 1-ft depth interval samples collected from 2 to 5 ft bgs indicated chloride concentrations below 10,000 mg/kg and the reported concentrations for the 3-4 and 4-5 ft bgs samples were 70.6 mg/kg and 249 mg/kg, respectively. These results demonstrate that the vertical extent of the chloride impacts to soil have been adequately delineated within the secondary containment area in which the release occurred.
- The samples collected from the soil borings outside of the secondary containment exhibited chloride concentrations below 600 mg/kg, which confirms that the horizontal extent of chloride-impacted soil has been delineated to below the remediation standard.
- No groundwater was observed in LG-06, which was drilled to a depth of 51 ft bgs. Based on depth to groundwater being greater than 50 ft bgs and vertical delineation of impacted soil as described above, there is currently minimal potential for chloride impact to groundwater beneath the Site.
- At this time, it is not practicable to remediate the upper one foot of impacted soil within the secondary containment due to the presence of production equipment (separator and heater treater) and associated subsurface piping. More thorough remediation of chloride-impacted soil can be performed when the existing production equipment is no longer operational.

Based on the information provided above, Chevron MCBU requests NMOCD approval for deferral of remediation/reclamation of chloride-impacted soil in accordance with 19.15.29.12(C)(2). As described below, remediation/reclamation of chloride-impacted soil will be performed once the separator and heater treater in the impacted area have been taken out of service.

6.2 Soil Excavation and Confirmation Sampling associated with Future Site Remediation/Reclamation

Once the separator and heater treater in the affected area are removed from service, remediation/reclamation will be performed by excavation and off-site disposal of impacted soil. The excavated soil will be transported off site for disposal at a Chevron approved waste disposal facility that accepts oil and gas exploration and production (E&P) exempt wastes.

In conjunction with excavation of impacted soil, confirmation samples will be collected from the walls and bottom of the excavation according to NMOCD requirements. The soil samples will be submitted for

laboratory analysis of chloride by EPA Method 9056A or Method 9250. The soil samples will be collected in clean, laboratory-provided sample containers, labeled, and placed on ice in laboratory-provided coolers. AECOM will complete Chain of Custody forms and arrange for shipment/transportation of the samples to AECOM's subcontractor, ALS Laboratory in Houston, Texas.

6.3 Site Closure Report

Upon completion of soil remediation/reclamation activities, a Site Closure Report will be submitted to the NMOC describing the soil excavation and disposal activities, and the closure confirmation sampling results.

7. Schedule

No further action is recommended at this time. The schedule for future soil remediation/reclamation will be determined once the production equipment in the impacted area has been taken out of service.

8. References

New Mexico Water Rights Reporting System (NMWRRS), Water Column/Average Depth to Water Report.
<http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html> .



National Wetlands Inventory, Surface Waters and Wetlands.
<https://www.fws.gov/wetlands/data/mapper.html>

Google Earth Pro.

United States Department of Agriculture – Natural Resources Conservation Service. Web Soil Survey.
Available on line at <https://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx>.

Figures


Path: C:\Houston\ushourfso01\prod\Projects_ENVP2\JOBS2\Chevron\Chevron MCBU NM Spill Sites\60608313 TRP-5361 Langley Getty Com\900-CAD, GIS\920-929 (GIS-Graphics)\WXD\Fig 1 Site Loc Map_LangleyGetty.mxd Date: 2/26/2020



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Legend

 Site Area



AECOM

9400 Amberglenn Blvd.
Austin, TX 78729
Phone: (512) 454-4797
Fax: (512) 419-5474

Drawn by:
NH

Client: Chevron MCBU
Lea County, New Mexico


Report: Langley Getty Com
Site Sampling Plan

Site Location Map

Date: 2/26/2020

GIS File:
Fig 1 Site Loc Map_Langley
Getty.mxd

Figure:
1



Tables

Table 1
Soil Analytical Results
Langley Getty Com #002

Soil Boring	Sample Date	Sample Depth (ft bgs)	Total Petroleum Hydrocarbons (EPA 8015B)				Volatile Organics (EPA 8260B)				Chloride (Method 9056A)
			GRO C6-C10	DRO C10-C28	MRO C28-C36	TPH GRO+DRO+MRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	
Regulatory Limits			--	--	--	2,500	10	--	--	--	600
LG - 01	08/01/19	0-1	NA	34.4 U	34.4 U	ND	0.000647 U	0.00142 U	0.00105 U	0.00116 U	429
	08/01/19	1-2	NA	NA	NA	NA	NA	NA	NA	NA	21.4
	08/01/19	2-3	NA	NA	NA	NA	NA	NA	NA	NA	31.1
	08/01/19	3-4	NA	NA	NA	NA	NA	NA	NA	NA	11.4 J
	08/01/19	4-5	NA	NA	NA	NA	NA	NA	NA	NA	24.5
LG - 02	08/01/19	0-1	NA	34 U	34 U	ND	0.000669 U	0.00146 U	0.00108 U	0.00120 U	33.5
	08/01/19	1-2	NA	NA	NA	NA	NA	NA	NA	NA	22.2
	08/01/19	2-3	NA	NA	NA	NA	NA	NA	NA	NA	11.6
	08/01/19	3-4	NA	NA	NA	NA	NA	NA	NA	NA	110
	08/01/19	4-5	NA	34 U	34 U	ND	0.00603 U	0.00132 U	0.000977 U	0.00108 U	21.1
LG - 03	08/01/19	0-1	NA	34.3 U	34.3 U	ND	0.00620 U	0.00136 U	0.00100 U	0.00111 U	2.41 J
	08/01/19	1-2	NA	NA	NA	NA	NA	NA	NA	NA	24.1
	08/01/19	2-3	NA	NA	NA	NA	NA	NA	NA	NA	5.88
	08/01/19	3-4	NA	NA	NA	NA	NA	NA	NA	NA	35.4
	08/01/19	4-5	NA	NA	NA	NA	NA	NA	NA	NA	25.7
LG - 04	08/01/19	0-1	0.0643 U	33.9 U	33.9 U	ND	0.000610 U	0.00134 U	0.000988 U	0.00109 U	2.47 J
	08/01/19	1-2	NA	NA	NA	NA	NA	NA	NA	NA	2.46 J
	08/01/19	2-3	NA	NA	NA	NA	NA	NA	NA	NA	7.05
	08/01/19	3-4	NA	NA	NA	NA	NA	NA	NA	NA	3.76 J
	08/01/19	4-5	NA	34.2 U	34.2 U	ND	0.00134 U	0.00294 U	0.00217 U	0.00240 U	33.1
LG - 05	08/01/19	0-1	0.0637 U	34.0 U	34.0 U	ND	0.000605 U	0.00132 U	0.000979 U	0.00108 U	38,700
	08/01/19	1-2	NA	NA	NA	NA	NA	NA	NA	NA	6,530
	08/01/19	2-3	NA	NA	NA	NA	NA	NA	NA	NA	3,090
	08/01/19	3-4	NA	NA	NA	NA	NA	NA	NA	NA	70.6
	08/01/19	4-5	0.0639 U	34.8 U	34.8 U	ND	0.000603 U	0.00132 U	0.000977 U	0.00108 U	249

Notes:

- Soil analyses performed by TestAmerica Laboratories, Inc. in Houston, Texas.
- Units for all analytical data provided are mg/Kg (milligrams per kilogram).
- GRO - Gasoline Range Organic Compounds
- DRO - Diesel Range Organic Compounds
- MRO - Motor Oil/Lube Range Organic Compounds
- Regulatory Limits are from 19.15.29 New Mexico Administrative Code (NMAC).
- NA - Not analyzed.
- ND - Not detected.
- J - Indicates that the result is less than the Method Quantitation Limit (MQL) but greater than or equal to the Sample Detection Limit (SDL).
- U - Indicates that the analyte was analyzed but not detected at or above the laboratory SDL.
- Bold** - Detectable concentration that exceeds laboratory method reporting limits.
- Bold and Shaded** - Reported concentration exceeds Regulatory Limits.
- ft bgs - feet below ground surface.
- Indicates that no applicable regulatory limit exists for that analyte.

Appendix A

Form C-141 – Langley Getty Com #002

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NAB1904357971
District RP	1RP-5361
Facility ID	
Application ID	pAB1904357585

Release Notification

Responsible Party

Responsible Party: Chevron USA Inc.	OGRID: 4323
Contact Name: Josepha DeLeon	Contact Telephone: 575-263-0424
Contact email: jdx@chevron.com	Incident # (assigned by OCD) NAB1904357971
Contact mailing address: 1616 W. Bender Blvd., Hobbs, NM 88240	

Location of Release Source

Latitude: 32.3727112 Longitude: -103.2754517
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Langley Getty Com #002	Site Type: Oil
Date Release Discovered: 01/30/2019	API# (if applicable): 30-025-32210

Unit Letter	Section	Township	Range	County
M	21	22S	36E	Lea

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☒ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☒ Produced Water	Volume Released (bbls): 43.41 barrels	Volume Recovered (bbls): 40 barrels
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Incident ID	NAB1904357971
District RP	1RP-5361
Facility ID	
Application ID	pAB1904357585

Cause of Release:

2" by pass line had internal corrosion resulting in pin holes. Spill to land.

Calculations: Assumed soil pore space: 5%

Area	size	Standing Liquid Oil/Water mixture (bbl)	In Soil, water only no oil (bbl)	Oil Volume (bbl)	Water Volume (bbl)
1	39'x25' free liquid: ~3" depth in soil: ~1" depth	43.41	0.25	0	43.41
Total Fluid spilled				0	43.41
Total Fluid recovered				0	40

Was this a major
release as defined by
19.15.29.7(A) NMAC?☒ Yes ☐ NoIf YES, for what reason(s) does the responsible party consider this a major release?
Exceeds 25 barrels.If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?
By: Josepha DeLeon, To: Christina Hernandez, Paul Kautz, email 01/31/2019; 10:05 AM

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

- ☒ The source of the release has been stopped.
- ☒ The impacted area has been secured to protect human health and the environment.
- ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
- ☒ All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

State of New Mexico
Oil Conservation Division

Page 3

Incident ID	NAB1904357971
District RP	1RP-5361
Facility ID	
Application ID	pAB1904357585

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.



Signature:

Date: **February 12, 2019**

Printed Name: **Josepha DeLeon**

Title: **Environmental Compliance Specialist**

email: **jdx@chevron.com**

Telephone: **575-263-0424**

OCD Only

Received by: _____



Date: 2/12/2019

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☐ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☐ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☐ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☐ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☐ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☐ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☐ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☐ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☐ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody


If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 5

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill Title: Environmental Specialist-Water
Signature:  Date: 4-1-21
email: ABarnhill@chevron.com Telephone: 432-687-7108

OCD Only

Received by: _____ Date: _____

Incident ID	NCH1903942116
District RP	1RP-5356
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: Each of the following items must be confirmed as part of any request for deferral of remediation.

- ☒ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☒ Extents of contamination must be fully delineated.
- ☒ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill Title: Environmental Specialist - Water
Signature: Amy Barnhill Date: 4-1-21
email: ABarnhill@chevron.com Telephone: 432-687-7108

OCD Only

Received by: Chad Hensley Date: 04/15/2021

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☒ Deferral Approved

Signature: Chad Hensley Date: 04/15/2021

Appendix B

NMWRRS Water Column/Average Depth to Water



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
CP 01147 POD1	CP	LE					22	22S	36E	663749	3582965	1510	25		
CP 01147 POD2	CP	LE					22	22S	36E	663749	3582965	1510	20		
CP 00485 POD1	CP	LE		3	1		22	22S	36E	663732	3583788*	1660	500		
CP 01148 POD2	CP	LE					27	22S	36E	663827	3582239	1783	40		
CP 01148 POD1	CP	LE					27	22S	36E	663840	3582232	1798	40		
CP 01148 POD3	CP	LE					27	22S	36E	663839	3582227	1800	100		
CP 00070	CP	LE		2	2	3	16	22S	36E	662604	3585071*	2046	220	170	50
CP 00070 CLW472929	O	CP	LE	2	2	3	16	22S	36E	662604	3585071*	2046	220	170	50
CP 00764 POD1	CP	LE		2	1	4	16	22S	36E	663006	3585079*	2162	4700	4000	700
CP 00609	CP	LE		1	3	4	22	22S	36E	664451	3583098*	2210	199	22	177
CP 01146 POD2	CP	LE					34	22S	36E	664041	3580954	2767	100		
CP 01146 POD3	CP	LE					34	22S	36E	664045	3580932	2786	20		
CP 01146 POD1	CP	LE					34	22S	36E	664065	3580944	2791	101		
CP 00393 POD1	CP	LE		2	2	2	27	22S	36E	665060	3582703*	2841	160		
CP 00575	CP	LE		3	4		27	22S	36E	664576	3581388*	2870	198	160	38

Average Depth to Water: **904 feet**

Minimum Depth: **22 feet**

Maximum Depth: **4000 feet**

Record Count: 15

UTMNAD83 Radius Search (in meters):

Easting (X): 662240.93

Northing (Y): 3583056.67

Radius: 3000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

8/27/19 8:46 AM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER

Appendix C

Photographic Documentation

Client: Chevron MCBU	Project Number: 60608313
Project Name: Langley Getty Com 002 Tank Battery	Site Location: Lea County, New Mexico

Photograph No. 1	
Photographer: J. Lovely	
Date: 7/29/2019	
Comments: Bermed area for separator and heater treater where the produced water release occurred.	

Appendix D

LG-6 Soil Boring Log



Client: Chevron		BORING ID: LG	
Project Number:		51 ft Boring	
Site Location: Langley Getty Battery		Sheet: 1 of 3	
Coordinates: 32.372461, -103.275836		Elevation: 3,448 ft	
Drilling Method: Air-Rotary		Monitoring Well Installed: NO	
Sample Type(s):		Boring Diameter: 6 in	Screened Interval: N/A
Weather: Partly Cloudy, Temps in 60's		Logged By: J. Lovely	Date/Time Started: 1/8/20
Drilling Contractor: HCI		Ground Elevation:	Date/Time Finished: 1/8/20
			Water Level: None

Depth (ft)	Geologic sample ID	Sample Depth (ft)	Blows per 6"	Recovery (inches)	Headspace (ppm)	U.S.C.S	MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)	Lab Sample ID	Lab Sample Depth (Ft.)
1							Caliche (Pd) 0-1 ft bgs		
2							sm Silty Sand, Dark Reddish-Brown, Fine Grained, Dry, 1-6 ft bgs		
3									
4									
5									
6									
7							changes to light Brown, Dry, 6-10 ft bgs		
8									
9									
10							Caliche, 10-12 ft bgs		
11									
12							Silty Sand, Tan, Fine grained, Dry with Caliche Nodules		
13									
14									
15							Caliche Nodules Grade Out at 15 ft bgs		
16									
17									
18									
19									
20									

NOTES:

Date	Time	Depth to groundwater while drilling

Checked by

Date

		Client:				BORING ID: LG 51 ft Boring								
		Project Number:												
		Site Location:												
		Coordinates:				Elevation:				Sheet: 2 of 3				
		Drilling Method:				Monitoring Well Installed:								
Sample Type(s):				Boring Diameter:				Screened Interval:						
Weather:						Logged By:		Date/Time Started:		Depth of Boring:				
Drilling Contractor:						Ground Elevation:		Date/Time Finished:		Water Level:				
Depth (ft)	Geologic sample ID	Sample Depth (ft)	Blows per 6"	Recovery (inches)	Headspace (ppm)	U.S.C.S	MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)						Lab Sample ID	Lab Sample Depth (Ft.)
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
32														
33														
34														
35														
36														
37														
38														
39														
40														
NOTES:							Date	Time	Depth to groundwater while drilling					
Checked by							Date							

		Client:				BORING ID: LG 51 ft Boring								
		Project Number:												
		Site Location:												
		Coordinates:				Elevation:				Sheet: 3 of 3				
		Drilling Method:				Monitoring Well Installed:								
		Sample Type(s):				Boring Diameter:				Screened Interval:				
Weather:						Logged By:		Date/Time Started:		Depth of Boring:				
Drilling Contractor:						Ground Elevation:		Date/Time Finished:		Water Level:				
Depth (ft)	Geologic sample ID	Sample Depth (ft)	Blows per 6"	Recovery (inches)	Headspace (ppm)	U.S.C.S	MATERIALS: Color, size, range, MAIN COMPONENT, minor component(s), moisture content, structure, angularity, maximum grain size, odor, and Geologic Unit (If Known)						Lab Sample ID	Lab Sample Depth (Ft.)
41							changes to Reddish-Brown at 40 ft bgs. Dry							
42														
43														
44														
45														
46														
47														
48														
49														
50														
51							End of Boring at 51 ft bgs, Dry							
52														
53														
54														
55														
56														
57														
58														
59														
60														
NOTES:							Date	Time	Depth to groundwater while drilling					
Checked by							Date							

Appendix E

Summary of Field Sample Collection and Screening Activities

Sample Collection and Screening
Langley Getty Com #002

Date	Boring ID	Depth (ft bgs)	Lithology	Time	PID (ppm)	Conductivity Probe (mS/cm)	EC Meter (mS/cm)	Chloride Lab Result (mg/kg)
8/1/2019	LG-01	0-1	Reddish brown silty sand with caliche inclusions	1000	0.0	0.350	0.140	
		1-2	Reddish brown silty sand	1005	0.0	0.071	0.050	
		2-3		1010	0.0	0.038	0.042	
		3-4		1015	0.0	0.049	0.064	
		4-5		1020	0.0	0.044	0.049	
8/1/2019	LG-02	0-1	Reddish brown silty sand with caliche inclusions	1025	0.0	0.060	0.039	
		1-2	Reddish brown silty sand	1030	0.0	0.047	0.023	
		2-3		1035	0.0	0.037	0.029	
		3-4		1040	0.0	0.035	0.017	
		4-5		1045	0.0	0.021	0.034	
8/1/2019	LG-03	0-1	Reddish brown silty sand with caliche inclusions	1050	0.0	0.026	0.014	
		1-2	Reddish brown silty sand	1055	0.0	0.019	0.022	
		2-3		1100	0.0	0.016	0.008	
		3-4		1105	0.0	0.011	0.013	
		4-5		1110	0.0	0.105	0.035	
8/1/2019	LG-04	0-1	Reddish brown silty sand	1115	0.0	0.022	0.009	
		1-2		1120	0.0	0.033	0.018	
		2-3		1125	0.0	0.025	0.020	
		3-4		1130	0.0	0.011	0.033	
		4-5		1135	0.0	0.064	0.045	
8/1/2019	LG-05	0-1	Caliche, tan silty sand	1140	1.4	3.36	2.20	
		1-2	Reddish brown silty sand	1145	0.1	3.90	1.99	
		2-3		1150	0.0	Out of Range	1.850	
		3-4		1155	0.0	0.183	0.091	
		4-5		1200	0.0	0.112	0.164	

Appendix F

Laboratory Analytical Report



Environment Testing
TestAmerica

ANALYTICAL REPORT

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

Laboratory Job ID: 600-189564-1

Client Project/Site: Langley Getty & central Dinkard Unit

For:

AECOM
19219 Katy Freeway
Suite 100
Houston, Texas 77094

Attn: Mr. Wallace Gilmore

Authorized for release by:

9/23/2019 11:18:05 AM

Jasmine Turner, Project Management Assistant I
(713)690-4444

jasmine.turner@testamericainc.com

Designee for

Sachin Kudchadkar, Senior Project Manager
(713)690-4444

sachin.kudchadkar@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: AECOM
Project/Site: Langley Getty & central Dinkard Unit

Laboratory Job ID: 600-189564-1

Table of Contents

Cover Page	1
Table of Contents	2
TRRP Checklists & DCSs	3
Case Narrative	13
Method Summary	14
Sample Summary	15
Client Sample Results	16
Definitions/Glossary	26
Surrogate Summary	27
QC Sample Results	29
Default Detection Limits	36
QC Association Summary	37
Lab Chronicle	42
Certification Summary	50
Chain of Custody	51
Receipt Checklists	61

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Appendix A

Laboratory Data Package Cover Page - Page 1 of 4

This data package is for Eurofins TestAmerica, Houston job number 600-189564-1 and consists of:

- ☒ R1 - Field chain-of-custody documentation;
- ☒ R2 - Sample identification cross-reference;
- ☒ R3 - Test reports (analytical data sheets) for each environmental sample that includes:
 - a. Items consistent with NELAC Chapter 5,
 - b. dilution factors,
 - c. preparation methods,
 - d. cleanup methods, and
 - e. if required for the project, tentatively identified compounds (TICs).
- ☒ R4 - Surrogate recovery data including:
 - a. Calculated recovery (%R), and
 - b. The laboratory's surrogate QC limits.
- ☒ R5 - Test reports/summary forms for blank samples;
- ☒ R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
 - a. LCS spiking amounts,
 - b. Calculated %R for each analyte, and
 - c. The laboratory's LCS QC limits.
- ☒ R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a. Samples associated with the MS/MSD clearly identified,
 - b. MS/MSD spiking amounts,
 - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d. Calculated %Rs and relative percent differences (RPDs), and
 - e. The laboratory's MS/MSD QC limits
- ☐ R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
 - a. The amount of analyte measured in the duplicate,
 - b. The calculated RPD, and
 - c. The laboratory's QC limits for analytical duplicates.
- ☒ R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- ☒ R10 - Other problems or anomalies.

The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Jasmine Turner, for Sachin Kudchadkar

Name (printed)



Signature

9/23/2019

Date

Senior Project Manager

Official Title (printed)

Laboratory Review Checklist: Reportable Data - Page 2 of 4

Laboratory Name:	Eurofins TestAmerica, Houston	LRC Date:	9/23/2019
Project Name:	Langley Getty & central Dinkard Unit	Laboratory Job Number:	600-189564-1
Reviewer Name:	Jasmine Turner, for Sachin Kudchadkar		

# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?	X				
		If required for the project, are TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				R05D
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?		X			R07C
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

- Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
- O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
- NA = Not applicable;
- NR = Not reviewed;
- ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review checklist: Supporting Data - Page 3 of 4

Laboratory Name:	Eurofins TestAmerica, Houston	LRC Date:	9/23/2019
Project Name:	Langley Getty & central Dinkard Unit	Laboratory Job Number:	600-189564-1
Reviewer Name:	Jasmine Turner, for Sachin Kudchadkar		

# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?	X				
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?	X				
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSS?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed?	X				
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).							

Laboratory Review Checklist: Exception Reports - Page 4 of 4

Laboratory Name:	Eurofins TestAmerica, Houston	LRC Date:	9/23/2019
Project Name:	Langley Getty & central Dinkard Unit	Laboratory Job Number:	600-189564-1
Reviewer Name:	Jasmine Turner, for Sachin Kudchadkar		

ER # ¹	Description
R05D	Method 9056A: The method blank for analytical batch 600-271834 contained chloride below the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed. Method 9056A: The method blank for preparation batch 600-271758 and analytical batch 600-271834 contained Chloride above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed. Method 9056A: The method blank for preparation batch 600-271884 and analytical batch 600-271990 contained chloride below the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.
R07C	Method 9056A: 600-189564-1 MS and 600-189564-1 MSD recovered below QC limits for the following analyte: Chloride. Matrix interference is suspected. Method 9056A: 600-189564-27 MS and 600-189564-27 MSD recovered above QC limits for the following analyte: Chloride. Matrix interference is suspected. Method 9056A: 600-189564-35 MS and 600-189564-35 MSD recovered above QC limits for the following analyte: Chloride. Matrix interference is suspected. Method 9056A: 600-189564-41 MSD recovered above QC limits for the following analyte: Chloride. Matrix interference is suspected. Method 9056A: 600-189564-B-21-B MS and 600-189564-B-21-C MSD recovered below QC limits for the following analyte: Chloride. Matrix interference is suspected.
- Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. - O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); - NA = Not applicable; - NR = Not reviewed; - ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).	

Method 8015B GRO Detection Limit Validation**Laboratory** Eurofins TestAmerica, Canton

Preparation Method: 5030B_SolidNAC MDLV

Limit Group GCVOA 8015B GRO Sol P&T/Enc RL/MDL

Analysis Dates: 4/18/2019 to 4/24/2019

Analyte**C6-C10**

Current		Calculations								*MDLV used - 377126-7* All values recovered MDLV: Pass				
<u>MDL</u>	<u>RL</u>	Ver	Spike	Spike	Std	Edit								
		<u>MDL</u>	<u>amount</u>	<u>Units</u>	<u>/MDL</u>	<u>Mean</u>	<u>Dev</u>	<u>Reps</u>	<u>Limits?</u>					
64.2	100	64.2	100.0	ug/Kg	1.6	82.9006	12.068924	4	N					
<u>Lab ID</u>	<u>Anal Date</u>	<u>Batch</u>	<u>Samp</u>	<u>Analyst</u>	<u>Method</u>	<u>Prep Method</u>	<u>Equipment</u>	<u>Result</u>	<u>Units</u>	<u>Detected?</u>				
240-110308-A-3-A MD	04/18/2019	377126	7	Grossman, Lucas	8015B_GRO	5030B_SolidNAC	AFID	77.2098004	ug/Kg	Pass				
240-110308-A-4-A MD	04/18/2019	377126	8	Grossman, Lucas	8015B_GRO	5030B_SolidNAC	AFID	74.6646849	ug/Kg	Pass				
240-110306-A-3-A MD	04/24/2019	378036	6	Grossman, Lucas	8015B_GRO	5030B_SolidNAC	YPID	78.9146744	ug/Kg	Pass				
240-110306-A-4-A MD	04/24/2019	378036	7	Grossman, Lucas	8015B_GRO	5030B_SolidNAC	YPID	100.813548	ug/Kg	Pass				

Detected? Pass = result was detected ; Fail = result <= 0 . If MDLV is < MDL , verify Detection or S/N ratio

MDLV: Pass = meets Spike/MDL ratio , Spike High =Spike/MDL > ratio , Spike Low = Spike < MDL

Spike/MDL ratio = 3.00

Method 8015B DRO Detection Limit Validation**Laboratory** Eurofins TestAmerica, Canton

Preparation Method: 3546

MDLV

Limit Group GCS 8015B_C DRO 3546 Solid RL/MDL

Analysis Dates: 4/1/2019 to 7/22/2019

Analyte**Diesel**

Current		Calculations								*MDLV used - 386836-9* All values recovered MDLV: Pass		
<u>MDL</u>	<u>RL</u>	Ver	Spike	Spike	Std	Edit						
		<u>MDL</u>	<u>amount</u>	<u>Units</u>	<u>/ MDL</u>	<u>Mean</u>	<u>Dev</u>	<u>Reps</u>	<u>Limits?</u>			
34.58	50	34.58	50.0	mg/Kg	1.4	44.6510	5.1007347	8	N			
Lab ID	Anal Date	Batch	Samp	Analyst	Method	Prep Method	Equipment	Result	Units	Detected?		
240-110302-A-7-A MD	06/18/2019	386836	9	Bolgrin, Deborah	8015B_DRO	3546	A2HP5F	54.7914449	mg/Kg	Pass		
240-110302-A-8-A MD	06/18/2019	386836	10	Bolgrin, Deborah	8015B_DRO	3546	A2HP5F	49.4051637	mg/Kg	Pass		
240-110302-A-20-A MI	06/18/2019	386887	11	Bolgrin, Deborah	8015B_DRO	3546	A2HP5R	41.8150117	mg/Kg	Pass		
240-110302-A-21-A MI	06/18/2019	386887	12	Bolgrin, Deborah	8015B_DRO	3546	A2HP5R	38.6871397	mg/Kg	Pass		
240-110302-A-9-A MD	06/18/2019	386849	11	Bolgrin, Deborah	8015B_DRO	3546	A2HP6F	44.5286106	mg/Kg	Pass		
240-110302-A-22-A MI	06/18/2019	386859	11	Bolgrin, Deborah	8015B_DRO	3546	A2HP6R	42.2728391	mg/Kg	Pass		
240-110302-A-24-A MI	06/18/2019	386849	12	Bolgrin, Deborah	8015B_DRO	3546	A2HP6F	42.1637227	mg/Kg	Pass		
240-110302-A-23-A MI	06/18/2019	386859	12	Bolgrin, Deborah	8015B_DRO	3546	A2HP6R	43.5445928	mg/Kg	Pass		

Detected? Pass = result was detected ; Fail = result <= 0 . If MDLV is < MDL , verify Detection or S/N ratio

MDLV: Pass = meets Spike/MDL ratio , Spike High =Spike/MDL > ratio , Spike Low = Spike < MDL

Spike/MDL ratio = 3.00

Detection Check Standard

EuroFins TestAmerica, Houston

Matrix: Solid
Method: SW-846 9056 / EPA 300
Prep Method: DI Leach
Date Analyzed: 9/19/2018
Job #: 600-168589
TALS Batch: 247740
Units: mg/Kg

Analyte	Instrument #	MDL	DCS Spike	Measured Result	MQL
Bromide	CHWC11	1.005	2.000	2.980	4
Chloride	CHWC11	0.534	4.000	5.990	4
Fluoride	CHWC11	0.601	2.000	1.797	2
Nitrate as N	CHWC11	0.251	2.000	2.891	2
Nitrite as N	CHWC11	0.297	2.000	0.547	2
Sulfate	CHWC11	0.957	4.000	8.820	5

DCS = Detection Check Standard

MQL = Method Quantitation Limit

Page 1 of 1

9/23/2019

Detection Check Standard

EuroFins TestAmerica, Houston

Matrix: Solid
Method: 8260B
Prep Method: 5030B_SolidNAC
Date Analyzed: 4/16/2019
Job #: 600-183722
TALS Batch: 262887
Units: ug/Kg

Analyte	Instrument #	MDL	DCS Spike	Measured Result	MQL
1,1,1,2-Tetrachloroethane	CHVOAMS09	1.400	5.000	2.973	5
1,1,1-Trichloroethane	CHVOAMS09	0.740	2.500	2.291	5
1,1,2,2-Tetrachloroethane	CHVOAMS09	0.870	2.500	4.436	5
1,1,2-Trichloro-1,2,2-trifluoroethane	CHVOAMS09	1.440	5.000	1.787	5
1,1,2-Trichloroethane	CHVOAMS09	0.730	2.500	2.507	40
1,1-Dichloroethane	CHVOAMS09	0.870	2.500	2.114	5
1,1-Dichloroethene	CHVOAMS09	1.220	5.000	2.697	5
1,1-Dichloropropene	CHVOAMS09	0.650	2.500	2.328	5
1,2,3-Trichlorobenzene	CHVOAMS09	0.620	2.500	4.993	5
1,2,3-Trichloropropane	CHVOAMS09	1.310	2.500	5.837	5
1,2,3-Trimethylbenzene	CHVOAMS09	1.820	2.500	0.131	5
1,2,4-Trichlorobenzene	CHVOAMS09	1.970	2.500	0.414	5
1,2,4-Trimethylbenzene	CHVOAMS09	0.920	2.500	2.310	5
1,2-Dibromo-3-Chloropropane	CHVOAMS09	2.440	2.500	1.563	5
1,2-Dichlorobenzene	CHVOAMS09	0.800	2.500	0.320	5
1,2-Dichloroethane	CHVOAMS09	0.900	2.500	2.248	5
1,2-Dichloroethene, Total	CHVOAMS09	1.900	5.000	5.000	10
1,2-Dichloropropane	CHVOAMS09	0.710	2.500	2.125	5
1,3,5-Trichlorobenzene	CHVOAMS09	2.500	5.000	2.414	5
1,3,5-Trimethylbenzene	CHVOAMS09	1.600	2.500	2.173	5
1,3-Dichlorobenzene	CHVOAMS09	0.710	2.500	2.239	5
1,3-Dichloropropane	CHVOAMS09	0.630	2.500	2.265	5
1,4-Dichlorobenzene	CHVOAMS09	0.660	2.500	2.063	5
1,4-Dioxane	CHVOAMS09	62.070	50.000	21.646	500
2,2-Dichloropropane	CHVOAMS04	1.820	2.500	2.214	5
2-Butanone (MEK)	CHVOAMS09	1.900	5.000	3.640	10
2-Chloro-1,3-butadiene	CHVOAMS09	2.710	2.500	1.799	5
2-Chloroethyl vinyl ether	CHVOAMS09	0.980	5.000	4.606	10
2-Chlorotoluene	CHVOAMS09	0.680	2.500	2.155	5
2-Hexanone	CHVOAMS09	1.010	10.000	3.867	10
2-Methyl-2-propanol	CHVOAMS09	10.000	25.000	0.029	50
2-Methyltetrahydrofuran	CHVOAMS09	5.430	12.500	14.242	50
2-Methyltetrahydropyran	CHVOAMS09	4.820	12.500	15.854	50
2-Nitropropane	CHVOAMS09	24.290	5.000	4.186	50
3-Chloro-1-propene	CHVOAMS09	1.390	2.500	2.192	5
4-Chlorotoluene	CHVOAMS09	0.830	2.500	2.305	5
4-Isopropyltoluene	CHVOAMS09	1.020	2.500	0.124	5
4-Methyl-2-pentanone (MIBK)	CHVOAMS09	1.470	5.000	0.216	10
Acetone	CHVOAMS04	1.660	5.000	4.014	10
Acetonitrile	CHVOAMS09	1.390	25.000	10.912	50
Acrolein	CHVOAMS09	6.230	12.500	2.141	25
Acrylonitrile	CHVOAMS09	5.820	25.000	3.681	50
Benzene	CHVOAMS09	0.630	2.500	2.420	5
Benzyl chloride	CHVOAMS09	2.140	2.500	0.377	5
Bromobenzene	CHVOAMS09	0.990	2.500	2.602	5
Bromoform	CHVOAMS09	1.370	2.500	1.878	5
Bromomethane	CHVOAMS09	0.830	2.500	1.965	10
Butadiene	CHVOAMS09	1.250	2.500	1.845	5
Carbon disulfide	CHVOAMS04	0.550	2.500	1.935	10

DCS = Detection Check Standard

MQL = Method Quantitation Limit

Page 1 of 3

9/23/2019

Detection Check Standard

EuroFins TestAmerica, Houston

Matrix: Solid
Method: 8260B
Prep Method: 5030B_SolidNAC
Date Analyzed: 4/16/2019
Job #: 600-183722
TALS Batch: 262887
Units: ug/Kg

Analyte	Instrument #	MDL	DCS Spike	Measured Result	MQL
Carbon tetrachloride	CHVOAMS09	1.130	2.500	2.146	5
Chlorobenzene	CHVOAMS09	0.960	2.500	2.539	5
Chlorobromomethane	CHVOAMS09	1.780	2.500	2.263	5
Chlorodibromomethane	CHVOAMS09	0.940	2.500	2.383	5
Chloroethane	CHVOAMS09	1.400	5.000	2.362	10
Chloroform	CHVOAMS09	0.660	2.500	2.440	10
Chloromethane	CHVOAMS09	1.660	5.000	1.375	10
cis-1,2-Dichloroethene	CHVOAMS09	0.830	2.500	2.473	5
cis-1,3-Dichloropropene	CHVOAMS09	0.540	2.500	2.335	5
Cyclohexane	CHVOAMS09	1.920	5.000	2.952	5
Dibromomethane	CHVOAMS09	0.750	2.500	2.411	5
Dichlorobromomethane	CHVOAMS09	0.660	2.500	2.590	5
Dichlorodifluoromethane	CHVOAMS09	1.540	5.000	1.951	5
Dichlorofluoromethane	CHVOAMS09	1.000	2.500	1.932	5
Ethyl acetate	CHVOAMS09	2.810	5.000	3.504	5
Ethyl acrylate	CHVOAMS09	10.660	2.500	1.638	20
Ethyl ether	CHVOAMS09	1.950	2.500	1.822	5
Ethyl methacrylate	CHVOAMS09	1.660	2.500	0.603	5
Ethylbenzene	CHVOAMS09	1.020	2.500	2.624	5
Ethylene Dibromide	CHVOAMS09	1.020	2.500	2.413	5
Hexachlorobutadiene	CHVOAMS09	1.130	2.500	2.306	5
Hexane	CHVOAMS09	1.230	2.500	1.859	5
Iodomethane	CHVOAMS09	2.500	5.000	3.118	5
Isobutyl alcohol	CHVOAMS04	17.160	62.500	76.211	125
Isooctane	CHVOAMS09	10.000	5.000	1.018	10
Isopropyl alcohol	CHVOAMS09	27.470	50.000	34.005	100
Isopropyl ether	CHVOAMS09	1.760	2.500	1.676	5
Isopropylbenzene	CHVOAMS09	0.920	2.500	2.104	5
Methacrylonitrile	CHVOAMS09	5.000	25.000	23.410	50
Methyl acetate	CHVOAMS09	2.910	5.000	2.835	5
Methyl methacrylate	CHVOAMS09	2.860	5.000	3.621	10
Methyl tert-butyl ether	CHVOAMS09	1.830	2.500	2.421	5
Methylcyclohexane	CHVOAMS09	1.460	2.500	2.552	5
Methylene Chloride	CHVOAMS09	2.190	5.000	2.227	10
m-Xylene & p-Xylene	CHVOAMS09	1.520	2.500	2.525	5
Naphthalene	CHVOAMS09	2.370	2.500	6.777	10
n-Butyl acetate	CHVOAMS09	2.370	5.000	2.147	5
n-Butylbenzene	CHVOAMS04	0.580	2.500	1.992	5
n-Heptane	CHVOAMS09	10.000	2.500	1.474	20
N-Propylbenzene	CHVOAMS09	0.950	2.500	2.016	5
o-Xylene	CHVOAMS09	1.130	5.000	2.960	5
Propionitrile	CHVOAMS09	2.360	50.000	18.349	5
sec-Butylbenzene	CHVOAMS09	0.700	2.500	0.193	5
Styrene	CHVOAMS09	0.710	2.500	2.925	5
tert-Butylbenzene	CHVOAMS09	0.950	2.500	2.237	5
Tetrachloroethene	CHVOAMS09	0.710	2.500	2.350	5
Tetrahydrofuran	CHVOAMS09	5.390	10.000	4.590	50
Tetrahydropyran	CHVOAMS09	5.220	12.500	13.469	50
Toluene	CHVOAMS09	1.380	2.500	2.561	5

DCS = Detection Check Standard

MQL = Method Quantitation Limit

Page 2 of 3

9/23/2019

Detection Check Standard

EuroFins TestAmerica, Houston

Matrix: Solid
Method: 8260B
Prep Method: 5030B_SolidNAC
Date Analyzed: 4/16/2019
Job #: 600-183722
TALS Batch: 262887
Units: ug/Kg

Analyte	Instrument #	MDL	DCS Spike	Measured Result	MQL
trans-1,2-Dichloroethene	CHVOAMS09	1.140	2.500	2.470	5
trans-1,3-Dichloropropene	CHVOAMS09	0.580	2.500	2.304	5
trans-1,4-Dichloro-2-butene	CHVOAMS09	1.900	2.500	4.958	5
Trichloroethene	CHVOAMS09	1.400	2.500	2.306	5
Trichlorofluoromethane	CHVOAMS09	0.660	2.500	1.842	10
Vinyl acetate	CHVOAMS09	0.930	5.000	3.262	10
Vinyl chloride	CHVOAMS04	0.900	2.500	1.917	10
Xylenes, Total	CHVOAMS09	1.130	5.000	2.500	5

DCS = Detection Check Standard

MQL = Method Quantitation Limit

Page 3 of 3

9/23/2019

Case Narrative

Client: AECOM
Project/Site: Langley Getty & central Dinkard Unit

Job ID: 600-189564-1

Job ID: 600-189564-1

Laboratory: Eurofins TestAmerica, Houston

Narrative

**Job Narrative
600-189564-1**

Comments

No additional comments.

Receipt

The samples were received on 8/2/2019 9:52 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 2.2° C, 2.4° C and 2.9° C.

All applicable analytical narratives can be found in the TRRP Checklist section of this report.

Method Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL HOU
8015B	Gasoline Range Organics - (GC)	SW846	TAL CAN
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL CAN
9056A	Anions, Ion Chromatography	SW846	TAL HOU
3546	Microwave Extraction	SW846	TAL CAN
5030A	Purge and Trap	SW846	TAL CAN
5035	Closed System Purge & Trap/Laboratory Preservation	SW846	TAL HOU
DI Leach	Deionized Water Leaching Procedure (Routine)	ASTM	TAL HOU

Protocol References:

ASTM = ASTM International

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Eurofins TestAmerica, Houston

Sample Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
600-189564-1	LG - 01-0-1	Solid	08/01/19 10:00	08/02/19 09:52	
600-189564-2	LG - 01-1-2	Solid	08/01/19 10:05	08/02/19 09:52	
600-189564-3	LG - 01-2-3	Solid	08/01/19 10:10	08/02/19 09:52	
600-189564-4	LG - 01-3-4	Solid	08/01/19 10:15	08/02/19 09:52	
600-189564-5	LG - 01-4-5	Solid	08/01/19 10:20	08/02/19 09:52	
600-189564-6	LG - 02-0-1	Solid	08/01/19 10:25	08/02/19 09:52	
600-189564-7	LG - 02-1-2	Solid	08/01/19 10:30	08/02/19 09:52	
600-189564-8	LG - 02-2-3	Solid	08/01/19 10:35	08/02/19 09:52	
600-189564-9	LG - 02-3-4	Solid	08/01/19 10:40	08/02/19 09:52	
600-189564-10	LG - 02-4-5	Solid	08/01/19 10:45	08/02/19 09:52	
600-189564-11	LG - 03-0-1	Solid	08/01/19 10:50	08/02/19 09:52	
600-189564-12	LG - 03-1-2	Solid	08/01/19 10:55	08/02/19 09:52	
600-189564-13	LG - 03-2-3	Solid	08/01/19 11:00	08/02/19 09:52	
600-189564-14	LG - 03-3-4	Solid	08/01/19 11:05	08/02/19 09:52	
600-189564-15	LG - 03-4-5	Solid	08/01/19 11:10	08/02/19 09:52	
600-189564-16	LG - 04-0-1	Solid	08/01/19 11:15	08/02/19 09:52	
600-189564-17	LG - 04-1-2	Solid	08/01/19 11:20	08/02/19 09:52	
600-189564-18	LG - 04-2-3	Solid	08/01/19 11:25	08/02/19 09:52	
600-189564-19	LG - 04-3-4	Solid	08/01/19 11:30	08/02/19 09:52	
600-189564-20	LG - 04-4-5	Solid	08/01/19 11:35	08/02/19 09:52	
600-189564-21	LG - 05-0-1	Solid	08/01/19 11:40	08/02/19 09:52	
600-189564-22	LG - 05-1-2	Solid	08/01/19 11:45	08/02/19 09:52	
600-189564-23	LG -05-2-3	Solid	08/01/19 11:50	08/02/19 09:52	
600-189564-24	LG - 05-3-4	Solid	08/01/19 11:55	08/02/19 09:52	
600-189564-25	LG - 05-4-5	Solid	08/01/19 12:00	08/02/19 09:52	
600-189564-26	CDU - 11-0-1	Solid	08/01/19 13:20	08/02/19 09:52	
600-189564-27	CDU - 11-1-2	Solid	08/01/19 13:25	08/02/19 09:52	
600-189564-28	CDU - 11-2-3	Solid	08/01/19 13:30	08/02/19 09:52	
600-189564-29	CDU - 11-3-4	Solid	08/01/19 13:35	08/02/19 09:52	
600-189564-30	CDU - 11-4-5	Solid	08/01/19 13:40	08/02/19 09:52	
600-189564-31	CDU - 12-0-1	Solid	08/01/19 13:45	08/02/19 09:52	
600-189564-32	CDU - 12-1-2	Solid	08/01/19 13:50	08/02/19 09:52	
600-189564-33	CDU - 12-3-4	Solid	08/01/19 13:55	08/02/19 09:52	
600-189564-34	CDU - 12-4-5	Solid	08/01/19 14:05	08/02/19 09:52	
600-189564-35	CDU - 13-0-1	Solid	08/01/19 14:10	08/02/19 09:52	
600-189564-36	CDU - 13-1-2	Solid	08/01/19 14:15	08/02/19 09:52	
600-189564-37	CDU - 13-2-3	Solid	08/01/19 14:20	08/02/19 09:52	
600-189564-38	CDU - 14-0-1	Solid	08/01/19 14:30	08/02/19 09:52	
600-189564-39	CDU - 14-1-2	Solid	08/01/19 14:35	08/02/19 09:52	
600-189564-40	CDU - 14-2-3	Solid	08/01/19 14:40	08/02/19 09:52	
600-189564-41	CDU - 14-3-4	Solid	08/01/19 14:45	08/02/19 09:52	

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 01-0-1

Lab Sample ID: 600-189564-1

Date Collected: 08/01/19 10:00

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	429	b	20.0	2.66	mg/Kg	-		08/15/19 08:18	5

Client Sample ID: LG - 01-1-2

Lab Sample ID: 600-189564-2

Date Collected: 08/01/19 10:05

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.4	b	4.01	0.535	mg/Kg	-		08/14/19 09:17	1

Client Sample ID: LG - 01-2-3

Lab Sample ID: 600-189564-3

Date Collected: 08/01/19 10:10

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	31.1	b	20.0	2.66	mg/Kg	-		08/14/19 09:37	5

Client Sample ID: LG - 01-3-4

Lab Sample ID: 600-189564-4

Date Collected: 08/01/19 10:15

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.4	J b	20.0	2.66	mg/Kg	-		08/14/19 09:58	5

Client Sample ID: LG - 01-4-5

Lab Sample ID: 600-189564-5

Date Collected: 08/01/19 10:20

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.5	b	3.98	0.532	mg/Kg	-		08/14/19 10:58	1

Client Sample ID: LG - 02-0-1

Lab Sample ID: 600-189564-6

Date Collected: 08/01/19 10:25

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33.5	b	3.98	0.531	mg/Kg	-		08/14/19 11:18	1

Client Sample ID: LG - 02-1-2

Lab Sample ID: 600-189564-7

Date Collected: 08/01/19 10:30

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.2	b	3.98	0.532	mg/Kg	-		08/14/19 11:38	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 02-2-3

Lab Sample ID: 600-189564-8

Date Collected: 08/01/19 10:35

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.6	b	3.98	0.531	mg/Kg	-		08/14/19 12:38	1

Client Sample ID: LG - 02-3-4

Lab Sample ID: 600-189564-9

Date Collected: 08/01/19 10:40

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	110	b	3.98	0.531	mg/Kg	-		08/14/19 12:58	1

Client Sample ID: LG - 02-4-5

Lab Sample ID: 600-189564-10

Date Collected: 08/01/19 10:45

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.1	b	3.97	0.530	mg/Kg	-		08/14/19 13:18	1

Client Sample ID: LG - 03-0-1

Lab Sample ID: 600-189564-11

Date Collected: 08/01/19 10:50

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.41	J b	3.98	0.532	mg/Kg	-		08/14/19 13:38	1

Client Sample ID: LG - 03-1-2

Lab Sample ID: 600-189564-12

Date Collected: 08/01/19 10:55

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.1	b	3.96	0.529	mg/Kg	-		08/14/19 13:58	1

Client Sample ID: LG - 03-2-3

Lab Sample ID: 600-189564-13

Date Collected: 08/01/19 11:00

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.88	b	3.97	0.530	mg/Kg	-		08/14/19 14:58	1

Client Sample ID: LG - 03-3-4

Lab Sample ID: 600-189564-14

Date Collected: 08/01/19 11:05

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	35.4	b	3.96	0.529	mg/Kg	-		08/14/19 15:18	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 03-4-5

Lab Sample ID: 600-189564-15

Date Collected: 08/01/19 11:10

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25.7	b	4.00	0.534	mg/Kg	-		08/14/19 15:38	1

Client Sample ID: LG - 04-0-1

Lab Sample ID: 600-189564-16

Date Collected: 08/01/19 11:15

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000610	U	0.00484	0.000610	mg/Kg	-	08/02/19 15:40	08/05/19 18:36	1
Ethylbenzene	0.000988	U	0.00484	0.000988	mg/Kg	-	08/02/19 15:40	08/05/19 18:36	1
Toluene	0.00134	U	0.00484	0.00134	mg/Kg	-	08/02/19 15:40	08/05/19 18:36	1
Xylenes, Total	0.00109	U	0.00484	0.00109	mg/Kg	-	08/02/19 15:40	08/05/19 18:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		61 - 130	08/02/19 15:40	08/05/19 18:36	1
Dibromofluoromethane	89		68 - 140	08/02/19 15:40	08/05/19 18:36	1
Toluene-d8 (Surr)	93		50 - 130	08/02/19 15:40	08/05/19 18:36	1
4-Bromofluorobenzene	101		57 - 140	08/02/19 15:40	08/05/19 18:36	1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	64.3	U	100	64.3	ug/Kg	-	08/08/19 08:39	08/08/19 15:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	88		20 - 140	08/08/19 08:39	08/08/19 15:47	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	33.9	U	49.0	33.9	mg/Kg	-	08/09/19 09:11	08/12/19 16:39	1
C28-C36	33.9	U	49.0	33.9	mg/Kg	-	08/09/19 09:11	08/12/19 16:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	69		26 - 125	08/09/19 09:11	08/12/19 16:39	1

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.47	J b	3.96	0.529	mg/Kg	-		08/14/19 16:38	1

Client Sample ID: LG - 04-1-2

Lab Sample ID: 600-189564-17

Date Collected: 08/01/19 11:20

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.46	J b	3.99	0.533	mg/Kg	-		08/14/19 16:58	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 04-2-3

Lab Sample ID: 600-189564-18

Date Collected: 08/01/19 11:25

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.05	b	3.98	0.532	mg/Kg	-		08/14/19 17:18	1

Client Sample ID: LG - 04-3-4

Lab Sample ID: 600-189564-19

Date Collected: 08/01/19 11:30

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.76	J b	4.00	0.534	mg/Kg	-		08/14/19 17:38	1

Client Sample ID: LG - 04-4-5

Lab Sample ID: 600-189564-20

Date Collected: 08/01/19 11:35

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33.1	b	4.00	0.534	mg/Kg	-		08/14/19 17:58	1

Client Sample ID: LG - 05-0-1

Lab Sample ID: 600-189564-21

Date Collected: 08/01/19 11:40

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000605	U	0.00480	0.000605	mg/Kg	-	08/02/19 15:40	08/05/19 19:01	1
Ethylbenzene	0.000979	U	0.00480	0.000979	mg/Kg	-	08/02/19 15:40	08/05/19 19:01	1
Toluene	0.00132	U	0.00480	0.00132	mg/Kg	-	08/02/19 15:40	08/05/19 19:01	1
Xylenes, Total	0.00108	U	0.00480	0.00108	mg/Kg	-	08/02/19 15:40	08/05/19 19:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		61 - 130	08/02/19 15:40	08/05/19 19:01	1
Dibromofluoromethane	91		68 - 140	08/02/19 15:40	08/05/19 19:01	1
Toluene-d8 (Surr)	92		50 - 130	08/02/19 15:40	08/05/19 19:01	1
4-Bromofluorobenzene	101		57 - 140	08/02/19 15:40	08/05/19 19:01	1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	63.7	U	99.2	63.7	ug/Kg	-	08/08/19 08:39	08/08/19 16:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	88		20 - 140	08/08/19 08:39	08/08/19 16:31	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.0	U	49.2	34.0	mg/Kg	-	08/09/19 09:11	08/12/19 17:07	1
C28-C36	34.0	U	49.2	34.0	mg/Kg	-	08/09/19 09:11	08/12/19 17:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	81		26 - 125	08/09/19 09:11	08/12/19 17:07	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 05-0-1

Lab Sample ID: 600-189564-21

Date Collected: 08/01/19 11:40

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	38700	b	396	52.9	mg/Kg	-		08/15/19 15:57	100

Client Sample ID: LG - 05-1-2

Lab Sample ID: 600-189564-22

Date Collected: 08/01/19 11:45

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6530	b	198	26.5	mg/Kg	-		08/14/19 21:03	50

Client Sample ID: LG -05-2-3

Lab Sample ID: 600-189564-23

Date Collected: 08/01/19 11:50

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3090	b	79.2	10.6	mg/Kg	-		08/14/19 21:21	20

Client Sample ID: LG - 05-3-4

Lab Sample ID: 600-189564-24

Date Collected: 08/01/19 11:55

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	70.6	b	3.96	0.529	mg/Kg	-		08/14/19 21:39	1

Client Sample ID: LG - 05-4-5

Lab Sample ID: 600-189564-25

Date Collected: 08/01/19 12:00

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000603	U	0.00479	0.000603	mg/Kg	-	08/02/19 15:40	08/06/19 18:23	1
Ethylbenzene	0.000977	U	0.00479	0.000977	mg/Kg	-	08/02/19 15:40	08/06/19 18:23	1
Toluene	0.00132	U	0.00479	0.00132	mg/Kg	-	08/02/19 15:40	08/06/19 18:23	1
Xylenes, Total	0.00108	U	0.00479	0.00108	mg/Kg	-	08/02/19 15:40	08/06/19 18:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		61 - 130	08/02/19 15:40	08/06/19 18:23	1
Dibromofluoromethane	93		68 - 140	08/02/19 15:40	08/06/19 18:23	1
Toluene-d8 (Surr)	93		50 - 130	08/02/19 15:40	08/06/19 18:23	1
4-Bromofluorobenzene	107		57 - 140	08/02/19 15:40	08/06/19 18:23	1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	63.9	U	99.6	63.9	ug/Kg	-	08/08/19 08:39	08/08/19 17:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	88		20 - 140	08/08/19 08:39	08/08/19 17:15	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 05-4-5

Lab Sample ID: 600-189564-25

Date Collected: 08/01/19 12:00

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.8	U	50.4	34.8	mg/Kg	-	08/09/19 09:11	08/12/19 17:35	1
C28-C36	34.8	U	50.4	34.8	mg/Kg	-	08/09/19 09:11	08/12/19 17:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	84		26 - 125				08/09/19 09:11	08/12/19 17:35	1

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	249	b	3.96	0.529	mg/Kg	-		08/14/19 21:57	1

Client Sample ID: CDU - 11-0-1

Lab Sample ID: 600-189564-26

Date Collected: 08/01/19 13:20

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.1	b	3.97	0.530	mg/Kg	-		08/14/19 22:14	1

Client Sample ID: CDU - 11-1-2

Lab Sample ID: 600-189564-27

Date Collected: 08/01/19 13:25

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.8	b	4.00	0.534	mg/Kg	-		08/15/19 16:15	1

Client Sample ID: CDU - 11-2-3

Lab Sample ID: 600-189564-28

Date Collected: 08/01/19 13:30

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.3	b	3.98	0.531	mg/Kg	-		08/15/19 17:08	1

Client Sample ID: CDU - 11-3-4

Lab Sample ID: 600-189564-29

Date Collected: 08/01/19 13:35

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.5	b	3.98	0.532	mg/Kg	-		08/15/19 17:26	1

Client Sample ID: CDU - 11-4-5

Lab Sample ID: 600-189564-30

Date Collected: 08/01/19 13:40

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000761	U	0.00604	0.000761	mg/Kg	-	08/02/19 15:40	08/06/19 18:49	1
Ethylbenzene	0.00123	U	0.00604	0.00123	mg/Kg	-	08/02/19 15:40	08/06/19 18:49	1
Toluene	0.00167	U	0.00604	0.00167	mg/Kg	-	08/02/19 15:40	08/06/19 18:49	1
Xylenes, Total	0.00136	U	0.00604	0.00136	mg/Kg	-	08/02/19 15:40	08/06/19 18:49	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: CDU - 11-4-5

Lab Sample ID: 600-189564-30

Date Collected: 08/01/19 13:40

Matrix: Solid

Date Received: 08/02/19 09:52

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		61 - 130	08/02/19 15:40	08/06/19 18:49	1
Dibromofluoromethane	90		68 - 140	08/02/19 15:40	08/06/19 18:49	1
Toluene-d8 (Surr)	92		50 - 130	08/02/19 15:40	08/06/19 18:49	1
4-Bromofluorobenzene	102		57 - 140	08/02/19 15:40	08/06/19 18:49	1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	64.7	U	101	64.7	ug/Kg		08/08/19 08:39	08/08/19 17:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	84		20 - 140	08/08/19 08:39	08/08/19 17:58	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	355		47.7	33.0	mg/Kg		08/09/19 09:11	08/12/19 18:02	1
C28-C36	249		47.7	33.0	mg/Kg		08/09/19 09:11	08/12/19 18:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	71		26 - 125	08/09/19 09:11	08/12/19 18:02	1

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.69	b	3.96	0.529	mg/Kg			08/15/19 17:44	1

Client Sample ID: CDU - 12-0-1

Lab Sample ID: 600-189564-31

Date Collected: 08/01/19 13:45

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.2	b	3.98	0.532	mg/Kg			08/15/19 18:02	1

Client Sample ID: CDU - 12-1-2

Lab Sample ID: 600-189564-32

Date Collected: 08/01/19 13:50

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.8	b	3.99	0.533	mg/Kg			08/15/19 18:56	1

Client Sample ID: CDU - 12-3-4

Lab Sample ID: 600-189564-33

Date Collected: 08/01/19 13:55

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.6	b	4.00	0.534	mg/Kg			08/15/19 19:14	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: CDU - 12-4-5

Lab Sample ID: 600-189564-34

Date Collected: 08/01/19 14:05

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000665	U	0.00527	0.000665	mg/Kg	-	08/02/19 15:40	08/06/19 19:15	1
Ethylbenzene	0.00108	U	0.00527	0.00108	mg/Kg	-	08/02/19 15:40	08/06/19 19:15	1
Toluene	0.00146	U	0.00527	0.00146	mg/Kg	-	08/02/19 15:40	08/06/19 19:15	1
Xylenes, Total	0.00119	U	0.00527	0.00119	mg/Kg	-	08/02/19 15:40	08/06/19 19:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		61 - 130	08/02/19 15:40	08/06/19 19:15	1
Dibromofluoromethane	92		68 - 140	08/02/19 15:40	08/06/19 19:15	1
Toluene-d8 (Surr)	94		50 - 130	08/02/19 15:40	08/06/19 19:15	1
4-Bromofluorobenzene	104		57 - 140	08/02/19 15:40	08/06/19 19:15	1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	64.6	U	101	64.6	ug/Kg	-	08/08/19 08:39	08/08/19 18:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	94		20 - 140	08/08/19 08:39	08/08/19 18:42	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.3	U	49.7	34.3	mg/Kg	-	08/09/19 09:11	08/12/19 18:58	1
C28-C36	34.3	U	49.7	34.3	mg/Kg	-	08/09/19 09:11	08/12/19 18:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	71		26 - 125	08/09/19 09:11	08/12/19 18:58	1

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13.7	b	3.99	0.533	mg/Kg	-		08/15/19 19:32	1

Client Sample ID: CDU - 13-0-1

Lab Sample ID: 600-189564-35

Date Collected: 08/01/19 14:10

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.17	b	3.98	0.532	mg/Kg	-		08/15/19 19:50	1

Client Sample ID: CDU - 13-1-2

Lab Sample ID: 600-189564-36

Date Collected: 08/01/19 14:15

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.71	b	4.00	0.534	mg/Kg	-		08/15/19 20:43	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: CDU - 13-2-3

Lab Sample ID: 600-189564-37

Date Collected: 08/01/19 14:20

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000774	U	0.00614	0.000774	mg/Kg	-	08/02/19 15:40	08/06/19 19:41	1
Ethylbenzene	0.00125	U	0.00614	0.00125	mg/Kg	-	08/02/19 15:40	08/06/19 19:41	1
Toluene	0.00170	U	0.00614	0.00170	mg/Kg	-	08/02/19 15:40	08/06/19 19:41	1
Xylenes, Total	0.00139	U	0.00614	0.00139	mg/Kg	-	08/02/19 15:40	08/06/19 19:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		61 - 130	08/02/19 15:40	08/06/19 19:41	1
Dibromofluoromethane	90		68 - 140	08/02/19 15:40	08/06/19 19:41	1
Toluene-d8 (Surr)	92		50 - 130	08/02/19 15:40	08/06/19 19:41	1
4-Bromofluorobenzene	101		57 - 140	08/02/19 15:40	08/06/19 19:41	1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	63.4	U	98.8	63.4	ug/Kg	-	08/08/19 08:39	08/08/19 19:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	88		20 - 140	08/08/19 08:39	08/08/19 19:25	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	35.0	U	50.7	35.0	mg/Kg	-	08/09/19 09:11	08/12/19 19:53	1
C28-C36	35.0	U	50.7	35.0	mg/Kg	-	08/09/19 09:11	08/12/19 19:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	76		26 - 125	08/09/19 09:11	08/12/19 19:53	1

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.1	b	3.96	0.529	mg/Kg	-		08/15/19 21:01	1

Client Sample ID: CDU - 14-0-1

Lab Sample ID: 600-189564-38

Date Collected: 08/01/19 14:30

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.4	b	3.98	0.532	mg/Kg	-		08/15/19 21:19	1

Client Sample ID: CDU - 14-1-2

Lab Sample ID: 600-189564-39

Date Collected: 08/01/19 14:35

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.4	b	4.00	0.534	mg/Kg	-		08/15/19 21:37	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: CDU - 14-2-3

Lab Sample ID: 600-189564-40

Date Collected: 08/01/19 14:40

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	34.6	b	4.00	0.534	mg/Kg	-		08/15/19 22:31	1

Client Sample ID: CDU - 14-3-4

Lab Sample ID: 600-189564-41

Date Collected: 08/01/19 14:45

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000421	U	0.00334	0.000421	mg/Kg	-	08/02/19 15:40	08/05/19 14:16	1
Ethylbenzene	0.000681	U	0.00334	0.000681	mg/Kg	-	08/02/19 15:40	08/05/19 14:16	1
Toluene	0.000921	U	0.00334	0.000921	mg/Kg	-	08/02/19 15:40	08/05/19 14:16	1
Xylenes, Total	0.000754	U	0.00334	0.000754	mg/Kg	-	08/02/19 15:40	08/05/19 14:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		61 - 130	08/02/19 15:40	08/05/19 14:16	1
Dibromofluoromethane	92		68 - 140	08/02/19 15:40	08/05/19 14:16	1
Toluene-d8 (Surr)	93		50 - 130	08/02/19 15:40	08/05/19 14:16	1
4-Bromofluorobenzene	106		57 - 140	08/02/19 15:40	08/05/19 14:16	1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	63.1	U	98.2	63.1	ug/Kg	-	08/08/19 08:39	08/08/19 21:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	87		20 - 140	08/08/19 08:39	08/08/19 21:30	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	35.2	U	50.9	35.2	mg/Kg	-	08/09/19 09:11	08/12/19 20:21	1
C28-C36	35.2	U	50.9	35.2	mg/Kg	-	08/09/19 09:11	08/12/19 20:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	70		26 - 125	08/09/19 09:11	08/12/19 20:21	1

Method: 9056A - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	36.1		4.00	0.534	mg/Kg	-		08/15/19 23:24	1

Eurofins TestAmerica, Houston

Definitions/Glossary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Qualifiers

GC/MS VOA

Qualifier Qualifier Description

U Analyte was not detected at or above the SDL.

GC VOA

Qualifier Qualifier Description

U Analyte was not detected at or above the SDL.

GC Semi VOA

Qualifier Qualifier Description

U Analyte was not detected at or above the SDL.

HPLC/IC

Qualifier Qualifier Description

4 MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

b The compound was found in the blank and sample

E Result is greater than the UQL and the concentration is an estimated value.

J Result is less than the MQL but greater than or equal to the SDL and the concentration is an estimated value.

N1 MS, MSD: Spike recovery exceeds upper or lower control limits.

U Analyte was not detected at or above the SDL.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

□ Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery

CFL Contains Free Liquid

CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit

ML Minimum Level (Dioxin)

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

PQL Practical Quantitation Limit

QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)

TEQ Toxicity Equivalent Quotient (Dioxin)

Surrogate Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (61-130)	DBFM (68-140)	TOL (50-130)	BFB (57-140)
600-189564-16	LG - 04-0-1	85	89	93	101
600-189564-21	LG - 05-0-1	88	91	92	101
600-189564-25	LG - 05-4-5	88	93	93	107
600-189564-30	CDU - 11-4-5	86	90	92	102
600-189564-34	CDU - 12-4-5	87	92	94	104
600-189564-37	CDU - 13-2-3	87	90	92	101
600-189564-41	CDU - 14-3-4	89	92	93	106
LCS 600-271138/3	Lab Control Sample	79	91	101	113
LCS 600-271253/3	Lab Control Sample	88	94	97	109
LCSD 600-271138/4	Lab Control Sample Dup	80	92	100	116
LCSD 600-271253/4	Lab Control Sample Dup	86	91	94	107
MB 600-271138/6	Method Blank	97	93	95	106
MB 600-271253/6	Method Blank	101	94	94	102

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

DBFM = Dibromofluoromethane

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		TFT2 (20-140)			
180-93437-C-2-F MS	Matrix Spike	87			
180-93437-C-2-G MSD	Matrix Spike Duplicate	89			
600-189564-16	LG - 04-0-1	88			
600-189564-21	LG - 05-0-1	88			
600-189564-25	LG - 05-4-5	88			
600-189564-30	CDU - 11-4-5	84			
600-189564-34	CDU - 12-4-5	94			
600-189564-37	CDU - 13-2-3	88			
600-189564-41	CDU - 14-3-4	87			
LCS 240-394979/2-A	Lab Control Sample	93			
MB 240-394979/1-A	Method Blank	88			

Surrogate Legend

TFT = Trifluorotoluene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		OTPH1 (26-125)			
600-189564-16	LG - 04-0-1	69			
600-189564-21	LG - 05-0-1	81			
600-189564-25	LG - 05-4-5	84			
600-189564-30	CDU - 11-4-5	71			

Eurofins TestAmerica, Houston

Surrogate Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)**Matrix: Solid****Prep Type: Total/NA**

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTPH1 (26-125)
600-189564-34	CDU - 12-4-5	71
600-189564-37	CDU - 13-2-3	76
600-189564-41	CDU - 14-3-4	70
600-189564-41 MS	CDU - 14-3-4	64
600-189564-41 MSD	CDU - 14-3-4	74
LCS 240-395221/13-A	Lab Control Sample	87
MB 240-395221/12-A	Method Blank	71

Surrogate Legend

OTPH = o-Terphenyl (Surr)

QC Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 600-271138/6

Matrix: Solid

Analysis Batch: 271138

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000630	U	0.00500	0.000630	mg/Kg			08/05/19 10:32	1
Ethylbenzene	0.00102	U	0.00500	0.00102	mg/Kg			08/05/19 10:32	1
Toluene	0.00138	U	0.00500	0.00138	mg/Kg			08/05/19 10:32	1
Xylenes, Total	0.00113	U	0.00500	0.00113	mg/Kg			08/05/19 10:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		61 - 130		08/05/19 10:32	1
Dibromofluoromethane	93		68 - 140		08/05/19 10:32	1
Toluene-d8 (Surr)	95		50 - 130		08/05/19 10:32	1
4-Bromofluorobenzene	106		57 - 140		08/05/19 10:32	1

Lab Sample ID: LCS 600-271138/3

Matrix: Solid

Analysis Batch: 271138

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.04746		mg/Kg		95	70 - 131
Ethylbenzene	0.0500	0.05092		mg/Kg		102	66 - 130
Toluene	0.0500	0.05159		mg/Kg		103	67 - 130
Xylenes, Total	0.100	0.1018		mg/Kg		102	63 - 130
m-Xylene & p-Xylene	0.0500	0.05120		mg/Kg		102	64 - 130
o-Xylene	0.0500	0.05060		mg/Kg		101	62 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		61 - 130
Dibromofluoromethane	91		68 - 140
Toluene-d8 (Surr)	101		50 - 130
4-Bromofluorobenzene	113		57 - 140

Lab Sample ID: LCSD 600-271138/4

Matrix: Solid

Analysis Batch: 271138

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04808		mg/Kg		96	70 - 131	1	30
Ethylbenzene	0.0500	0.05156		mg/Kg		103	66 - 130	1	30
Toluene	0.0500	0.05147		mg/Kg		103	67 - 130	0	30
Xylenes, Total	0.100	0.1027		mg/Kg		103	63 - 130	1	30
m-Xylene & p-Xylene	0.0500	0.05111		mg/Kg		102	64 - 130	0	30
o-Xylene	0.0500	0.05156		mg/Kg		103	62 - 130	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	80		61 - 130
Dibromofluoromethane	92		68 - 140
Toluene-d8 (Surr)	100		50 - 130
4-Bromofluorobenzene	116		57 - 140

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 600-271253/6

Matrix: Solid

Analysis Batch: 271253

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000630	U	0.00500	0.000630	mg/Kg			08/06/19 11:49	1
Ethylbenzene	0.00102	U	0.00500	0.00102	mg/Kg			08/06/19 11:49	1
Toluene	0.00138	U	0.00500	0.00138	mg/Kg			08/06/19 11:49	1
Xylenes, Total	0.00113	U	0.00500	0.00113	mg/Kg			08/06/19 11:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		61 - 130		08/06/19 11:49	1
Dibromofluoromethane	94		68 - 140		08/06/19 11:49	1
Toluene-d8 (Surr)	94		50 - 130		08/06/19 11:49	1
4-Bromofluorobenzene	102		57 - 140		08/06/19 11:49	1

Lab Sample ID: LCS 600-271253/3

Matrix: Solid

Analysis Batch: 271253

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.04202		mg/Kg		84	70 - 131
Ethylbenzene	0.0500	0.04475		mg/Kg		90	66 - 130
Toluene	0.0500	0.04289		mg/Kg		86	67 - 130
Xylenes, Total	0.100	0.08943		mg/Kg		89	63 - 130
m-Xylene & p-Xylene	0.0500	0.04537		mg/Kg		91	64 - 130
o-Xylene	0.0500	0.04406		mg/Kg		88	62 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	88		61 - 130
Dibromofluoromethane	94		68 - 140
Toluene-d8 (Surr)	97		50 - 130
4-Bromofluorobenzene	109		57 - 140

Lab Sample ID: LCSD 600-271253/4

Matrix: Solid

Analysis Batch: 271253

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04141		mg/Kg		83	70 - 131	1	30
Ethylbenzene	0.0500	0.04453		mg/Kg		89	66 - 130	0	30
Toluene	0.0500	0.04322		mg/Kg		86	67 - 130	1	30
Xylenes, Total	0.100	0.08926		mg/Kg		89	63 - 130	0	30
m-Xylene & p-Xylene	0.0500	0.04525		mg/Kg		90	64 - 130	0	30
o-Xylene	0.0500	0.04401		mg/Kg		88	62 - 130	0	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	86		61 - 130
Dibromofluoromethane	91		68 - 140
Toluene-d8 (Surr)	94		50 - 130
4-Bromofluorobenzene	107		57 - 140

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 240-394979/1-A

Matrix: Solid

Analysis Batch: 394975

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 394979

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	64.2	U	100	64.2	ug/Kg	-	08/08/19 08:39	08/08/19 10:41	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	88		20 - 140				08/08/19 08:39	08/08/19 10:41	1

Lab Sample ID: LCS 240-394979/2-A

Matrix: Solid

Analysis Batch: 394975

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 394979

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
Gasoline Range Organics [C6 - C10]		800	755.4		ug/Kg	-	94	75 - 126	
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
Trifluorotoluene (Surr)	93		20 - 140						

Lab Sample ID: 180-93437-C-2-F MS

Matrix: Solid

Analysis Batch: 394975

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 394979

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	
Gasoline Range Organics [C6 - C10]	62.9	U	792	576.9		ug/Kg	-	73	10 - 134	
Surrogate	MS %Recovery	MS Qualifier	Limits							
Trifluorotoluene (Surr)	87		20 - 140							

Lab Sample ID: 180-93437-C-2-G MSD

Matrix: Solid

Analysis Batch: 394975

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 394979

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Gasoline Range Organics [C6 - C10]	62.9	U	794	571.2		ug/Kg	-	72	10 - 134	1	40
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Trifluorotoluene (Surr)	89		20 - 140								

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 240-395221/12-A

Matrix: Solid

Analysis Batch: 395565

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 395221

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.6	U	50.0	34.6	mg/Kg	-	08/09/19 09:11	08/12/19 14:49	1
C28-C36	34.6	U	50.0	34.6	mg/Kg	-	08/09/19 09:11	08/12/19 14:49	1

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 240-395221/12-A

Matrix: Solid

Analysis Batch: 395565

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 395221

	MB	MB								
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac				
o-Terphenyl (Surr)	71		26 - 125	08/09/19 09:11	08/12/19 14:49	1				

Lab Sample ID: LCS 240-395221/13-A

Matrix: Solid

Analysis Batch: 395565

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 395221

			Spike	LCS	LCS					
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Diesel Range Organics [C10 - C28]			250	208.7		mg/Kg		83	45 - 120	
Surrogate	%Recovery	Qualifier	Limits							
o-Terphenyl (Surr)	87		26 - 125							

Lab Sample ID: 600-189564-41 MS

Matrix: Solid

Analysis Batch: 395565

Client Sample ID: CDU - 14-3-4

Prep Type: Total/NA

Prep Batch: 395221

	Sample	Sample	Spike	MS	MS					
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Diesel Range Organics [C10 - C28]	35.2	U	241	149.6		mg/Kg		62	27 - 120	
Surrogate	%Recovery	Qualifier	Limits							
o-Terphenyl (Surr)	64		26 - 125							

Lab Sample ID: 600-189564-41 MSD

Matrix: Solid

Analysis Batch: 395565

Client Sample ID: CDU - 14-3-4

Prep Type: Total/NA

Prep Batch: 395221

	Sample	Sample	Spike	MSD	MSD						
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Diesel Range Organics [C10 - C28]	35.2	U	241	174.1		mg/Kg		72	27 - 120	15	40
Surrogate	%Recovery	Qualifier	Limits								
o-Terphenyl (Surr)	74		26 - 125								

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 600-271758/1-A

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: Method Blank

Prep Type: Soluble

	MB	MB								
Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	3.389	J	4.00	0.534	mg/Kg			08/14/19 07:37	1	

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 9056A - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 600-271758/2-A

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	201.9		mg/Kg		101	90 - 110

Lab Sample ID: 600-189564-1 MS

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: LG - 01-0-1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	424	E b	99.8	494.0	E 4	mg/Kg		70	80 - 120

Lab Sample ID: 600-189564-1 MSD

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: LG - 01-0-1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	424	E b	99.8	491.6	E 4	mg/Kg		68	80 - 120	0	20

Lab Sample ID: 600-189564-7 MS

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: LG - 02-1-2

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	22.2	b	99.6	129.2		mg/Kg		107	80 - 120

Lab Sample ID: 600-189564-7 MSD

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: LG - 02-1-2

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	22.2	b	99.6	129.4		mg/Kg		108	80 - 120	0	20

Lab Sample ID: 600-189564-15 MS

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: LG - 03-4-5

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.7	b	100	135.9		mg/Kg		110	80 - 120

Lab Sample ID: 600-189564-15 MSD

Matrix: Solid

Analysis Batch: 271834

Client Sample ID: LG - 03-4-5

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	25.7	b	100	134.9		mg/Kg		109	80 - 120	1	20

Lab Sample ID: MB 600-271884/1-A

Matrix: Solid

Analysis Batch: 271990

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.860	J	4.00	0.534	mg/Kg			08/14/19 19:33	1

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: LCS 600-271884/2-A

Matrix: Solid

Analysis Batch: 271990

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	192.6		mg/Kg		96	90 - 110

Lab Sample ID: 600-189564-B-21-B MS

Matrix: Solid

Analysis Batch: 271990

Client Sample ID: 600-189564-B-21-B MS

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	18300	E	99.0	16750	E 4	mg/Kg		-1515	80 - 120

Lab Sample ID: 600-189564-B-21-C MSD

Matrix: Solid

Analysis Batch: 271990

Client Sample ID: 600-189564-B-21-C MSD

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	18300	E	99.0	16860	E 4	mg/Kg		-1408	80 - 120	1	20

Lab Sample ID: MB 600-271884/1-A

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.781	J	4.00	0.534	mg/Kg			08/15/19 15:21	1

Lab Sample ID: MB 600-272123/1-A

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.534	U	4.00	0.534	mg/Kg			08/15/19 22:49	1

Lab Sample ID: LCS 600-271884/2-A

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	213.2		mg/Kg		107	90 - 110

Lab Sample ID: LCS 600-272123/2-A

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	217.2		mg/Kg		109	90 - 110

Lab Sample ID: 600-189564-27 MS

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: CDU - 11-1-2

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	18.8	b	100	200.2	N1	mg/Kg		181	80 - 120

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: 600-189564-27 MSD

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: CDU - 11-1-2

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	18.8	b	100	164.3	N1	mg/Kg	-	145	80 - 120	20	20

Lab Sample ID: 600-189564-35 MS

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: CDU - 13-0-1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	4.17	b	99.6	143.4	N1	mg/Kg	-	140	80 - 120		

Lab Sample ID: 600-189564-35 MSD

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: CDU - 13-0-1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	4.17	b	99.6	131.1	N1	mg/Kg	-	127	80 - 120	9	20

Lab Sample ID: 600-189564-41 MS

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: CDU - 14-3-4

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	36.1		100	154.1		mg/Kg	-	118	80 - 120		

Lab Sample ID: 600-189564-41 MSD

Matrix: Solid

Analysis Batch: 272090

Client Sample ID: CDU - 14-3-4

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	36.1		100	186.6	N1	mg/Kg	-	150	80 - 120	19	20

Eurofins TestAmerica, Houston

Unadjusted Detection Limits

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS)**Prep: 5035**

Analyte	MQL	MDL	Units
Benzene	0.00500	0.000630	mg/Kg
Ethylbenzene	0.00500	0.00102	mg/Kg
Toluene	0.00500	0.00138	mg/Kg
Xylenes, Total	0.00500	0.00113	mg/Kg

Method: 8015B - Gasoline Range Organics - (GC)**Prep: 5030A**

Analyte	MQL	MDL	Units
Gasoline Range Organics [C6 - C10]	100	64.2	ug/Kg

Method: 8015B - Diesel Range Organics (DRO) (GC)**Prep: 3546**

Analyte	MQL	MDL	Units
C28-C36	50.0	34.6	mg/Kg
Diesel Range Organics [C10 - C28]	50.0	34.6	mg/Kg

Method: 9056A - Anions, Ion Chromatography - Soluble**Leach: DI Leach**

Analyte	MQL	MDL	Units
Chloride	4.00	0.534	mg/Kg

QC Association Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

GC/MS VOA

Analysis Batch: 271138

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-16	LG - 04-0-1	Total/NA	Solid	8260B	271171
600-189564-21	LG - 05-0-1	Total/NA	Solid	8260B	271171
600-189564-41	CDU - 14-3-4	Total/NA	Solid	8260B	271171
MB 600-271138/6	Method Blank	Total/NA	Solid	8260B	
LCS 600-271138/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 600-271138/4	Lab Control Sample Dup	Total/NA	Solid	8260B	

Prep Batch: 271171

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-16	LG - 04-0-1	Total/NA	Solid	5035	
600-189564-21	LG - 05-0-1	Total/NA	Solid	5035	
600-189564-25	LG - 05-4-5	Total/NA	Solid	5035	
600-189564-30	CDU - 11-4-5	Total/NA	Solid	5035	
600-189564-34	CDU - 12-4-5	Total/NA	Solid	5035	
600-189564-37	CDU - 13-2-3	Total/NA	Solid	5035	
600-189564-41	CDU - 14-3-4	Total/NA	Solid	5035	

Analysis Batch: 271253

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-25	LG - 05-4-5	Total/NA	Solid	8260B	271171
600-189564-30	CDU - 11-4-5	Total/NA	Solid	8260B	271171
600-189564-34	CDU - 12-4-5	Total/NA	Solid	8260B	271171
600-189564-37	CDU - 13-2-3	Total/NA	Solid	8260B	271171
MB 600-271253/6	Method Blank	Total/NA	Solid	8260B	
LCS 600-271253/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 600-271253/4	Lab Control Sample Dup	Total/NA	Solid	8260B	

GC VOA

Analysis Batch: 394975

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-16	LG - 04-0-1	Total/NA	Solid	8015B	394979
600-189564-21	LG - 05-0-1	Total/NA	Solid	8015B	394979
600-189564-25	LG - 05-4-5	Total/NA	Solid	8015B	394979
600-189564-30	CDU - 11-4-5	Total/NA	Solid	8015B	394979
600-189564-34	CDU - 12-4-5	Total/NA	Solid	8015B	394979
600-189564-37	CDU - 13-2-3	Total/NA	Solid	8015B	394979
600-189564-41	CDU - 14-3-4	Total/NA	Solid	8015B	394979
MB 240-394979/1-A	Method Blank	Total/NA	Solid	8015B	394979
LCS 240-394979/2-A	Lab Control Sample	Total/NA	Solid	8015B	394979
180-93437-C-2-F MS	Matrix Spike	Total/NA	Solid	8015B	394979
180-93437-C-2-G MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B	394979

Prep Batch: 394979

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-16	LG - 04-0-1	Total/NA	Solid	5030A	
600-189564-21	LG - 05-0-1	Total/NA	Solid	5030A	
600-189564-25	LG - 05-4-5	Total/NA	Solid	5030A	
600-189564-30	CDU - 11-4-5	Total/NA	Solid	5030A	
600-189564-34	CDU - 12-4-5	Total/NA	Solid	5030A	
600-189564-37	CDU - 13-2-3	Total/NA	Solid	5030A	

Eurofins TestAmerica, Houston

QC Association Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

GC VOA (Continued)

Prep Batch: 394979 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-41	CDU - 14-3-4	Total/NA	Solid	5030A	
MB 240-394979/1-A	Method Blank	Total/NA	Solid	5030A	
LCS 240-394979/2-A	Lab Control Sample	Total/NA	Solid	5030A	
180-93437-C-2-F MS	Matrix Spike	Total/NA	Solid	5030A	
180-93437-C-2-G MSD	Matrix Spike Duplicate	Total/NA	Solid	5030A	

GC Semi VOA

Prep Batch: 395221

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-16	LG - 04-0-1	Total/NA	Solid	3546	
600-189564-21	LG - 05-0-1	Total/NA	Solid	3546	
600-189564-25	LG - 05-4-5	Total/NA	Solid	3546	
600-189564-30	CDU - 11-4-5	Total/NA	Solid	3546	
600-189564-34	CDU - 12-4-5	Total/NA	Solid	3546	
600-189564-37	CDU - 13-2-3	Total/NA	Solid	3546	
600-189564-41	CDU - 14-3-4	Total/NA	Solid	3546	
MB 240-395221/12-A	Method Blank	Total/NA	Solid	3546	
LCS 240-395221/13-A	Lab Control Sample	Total/NA	Solid	3546	
600-189564-41 MS	CDU - 14-3-4	Total/NA	Solid	3546	
600-189564-41 MSD	CDU - 14-3-4	Total/NA	Solid	3546	

Analysis Batch: 395565

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-16	LG - 04-0-1	Total/NA	Solid	8015B	395221
600-189564-21	LG - 05-0-1	Total/NA	Solid	8015B	395221
600-189564-25	LG - 05-4-5	Total/NA	Solid	8015B	395221
600-189564-30	CDU - 11-4-5	Total/NA	Solid	8015B	395221
600-189564-34	CDU - 12-4-5	Total/NA	Solid	8015B	395221
600-189564-37	CDU - 13-2-3	Total/NA	Solid	8015B	395221
600-189564-41	CDU - 14-3-4	Total/NA	Solid	8015B	395221
MB 240-395221/12-A	Method Blank	Total/NA	Solid	8015B	395221
LCS 240-395221/13-A	Lab Control Sample	Total/NA	Solid	8015B	395221
600-189564-41 MS	CDU - 14-3-4	Total/NA	Solid	8015B	395221
600-189564-41 MSD	CDU - 14-3-4	Total/NA	Solid	8015B	395221

HPLC/IC

Leach Batch: 271758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-1	LG - 01-0-1	Soluble	Solid	DI Leach	
600-189564-2	LG - 01-1-2	Soluble	Solid	DI Leach	
600-189564-3	LG - 01-2-3	Soluble	Solid	DI Leach	
600-189564-4	LG - 01-3-4	Soluble	Solid	DI Leach	
600-189564-5	LG - 01-4-5	Soluble	Solid	DI Leach	
600-189564-6	LG - 02-0-1	Soluble	Solid	DI Leach	
600-189564-7	LG - 02-1-2	Soluble	Solid	DI Leach	
600-189564-8	LG - 02-2-3	Soluble	Solid	DI Leach	
600-189564-9	LG - 02-3-4	Soluble	Solid	DI Leach	
600-189564-10	LG - 02-4-5	Soluble	Solid	DI Leach	
600-189564-11	LG - 03-0-1	Soluble	Solid	DI Leach	
600-189564-12	LG - 03-1-2	Soluble	Solid	DI Leach	

Eurofins TestAmerica, Houston

QC Association Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

HPLC/IC (Continued)

Leach Batch: 271758 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-13	LG - 03-2-3	Soluble	Solid	DI Leach	
600-189564-14	LG - 03-3-4	Soluble	Solid	DI Leach	
600-189564-15	LG - 03-4-5	Soluble	Solid	DI Leach	
600-189564-16	LG - 04-0-1	Soluble	Solid	DI Leach	
600-189564-17	LG - 04-1-2	Soluble	Solid	DI Leach	
600-189564-18	LG - 04-2-3	Soluble	Solid	DI Leach	
600-189564-19	LG - 04-3-4	Soluble	Solid	DI Leach	
600-189564-20	LG - 04-4-5	Soluble	Solid	DI Leach	
MB 600-271758/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 600-271758/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
600-189564-1 MS	LG - 01-0-1	Soluble	Solid	DI Leach	
600-189564-1 MSD	LG - 01-0-1	Soluble	Solid	DI Leach	
600-189564-7 MS	LG - 02-1-2	Soluble	Solid	DI Leach	
600-189564-7 MSD	LG - 02-1-2	Soluble	Solid	DI Leach	
600-189564-15 MS	LG - 03-4-5	Soluble	Solid	DI Leach	
600-189564-15 MSD	LG - 03-4-5	Soluble	Solid	DI Leach	

Analysis Batch: 271834

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-1	LG - 01-0-1	Soluble	Solid	9056A	271758
600-189564-2	LG - 01-1-2	Soluble	Solid	9056A	271758
600-189564-3	LG - 01-2-3	Soluble	Solid	9056A	271758
600-189564-4	LG - 01-3-4	Soluble	Solid	9056A	271758
600-189564-5	LG - 01-4-5	Soluble	Solid	9056A	271758
600-189564-6	LG - 02-0-1	Soluble	Solid	9056A	271758
600-189564-7	LG - 02-1-2	Soluble	Solid	9056A	271758
600-189564-8	LG - 02-2-3	Soluble	Solid	9056A	271758
600-189564-9	LG - 02-3-4	Soluble	Solid	9056A	271758
600-189564-10	LG - 02-4-5	Soluble	Solid	9056A	271758
600-189564-11	LG - 03-0-1	Soluble	Solid	9056A	271758
600-189564-12	LG - 03-1-2	Soluble	Solid	9056A	271758
600-189564-13	LG - 03-2-3	Soluble	Solid	9056A	271758
600-189564-14	LG - 03-3-4	Soluble	Solid	9056A	271758
600-189564-15	LG - 03-4-5	Soluble	Solid	9056A	271758
600-189564-16	LG - 04-0-1	Soluble	Solid	9056A	271758
600-189564-17	LG - 04-1-2	Soluble	Solid	9056A	271758
600-189564-18	LG - 04-2-3	Soluble	Solid	9056A	271758
600-189564-19	LG - 04-3-4	Soluble	Solid	9056A	271758
600-189564-20	LG - 04-4-5	Soluble	Solid	9056A	271758
MB 600-271758/1-A	Method Blank	Soluble	Solid	9056A	271758
LCS 600-271758/2-A	Lab Control Sample	Soluble	Solid	9056A	271758
600-189564-1 MS	LG - 01-0-1	Soluble	Solid	9056A	271758
600-189564-1 MSD	LG - 01-0-1	Soluble	Solid	9056A	271758
600-189564-7 MS	LG - 02-1-2	Soluble	Solid	9056A	271758
600-189564-7 MSD	LG - 02-1-2	Soluble	Solid	9056A	271758
600-189564-15 MS	LG - 03-4-5	Soluble	Solid	9056A	271758
600-189564-15 MSD	LG - 03-4-5	Soluble	Solid	9056A	271758

Leach Batch: 271884

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-21	LG - 05-0-1	Soluble	Solid	DI Leach	

Eurofins TestAmerica, Houston

QC Association Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

HPLC/IC (Continued)

Leach Batch: 271884 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-22	LG - 05-1-2	Soluble	Solid	DI Leach	
600-189564-23	LG -05-2-3	Soluble	Solid	DI Leach	
600-189564-24	LG - 05-3-4	Soluble	Solid	DI Leach	
600-189564-25	LG - 05-4-5	Soluble	Solid	DI Leach	
600-189564-26	CDU - 11-0-1	Soluble	Solid	DI Leach	
600-189564-27	CDU - 11-1-2	Soluble	Solid	DI Leach	
600-189564-28	CDU - 11-2-3	Soluble	Solid	DI Leach	
600-189564-29	CDU - 11-3-4	Soluble	Solid	DI Leach	
600-189564-30	CDU - 11-4-5	Soluble	Solid	DI Leach	
600-189564-31	CDU - 12-0-1	Soluble	Solid	DI Leach	
600-189564-32	CDU - 12-1-2	Soluble	Solid	DI Leach	
600-189564-33	CDU - 12-3-4	Soluble	Solid	DI Leach	
600-189564-34	CDU - 12-4-5	Soluble	Solid	DI Leach	
600-189564-35	CDU - 13-0-1	Soluble	Solid	DI Leach	
600-189564-36	CDU - 13-1-2	Soluble	Solid	DI Leach	
600-189564-37	CDU - 13-2-3	Soluble	Solid	DI Leach	
600-189564-38	CDU - 14-0-1	Soluble	Solid	DI Leach	
600-189564-39	CDU - 14-1-2	Soluble	Solid	DI Leach	
600-189564-40	CDU - 14-2-3	Soluble	Solid	DI Leach	
MB 600-271884/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 600-271884/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
600-189564-27 MS	CDU - 11-1-2	Soluble	Solid	DI Leach	
600-189564-27 MSD	CDU - 11-1-2	Soluble	Solid	DI Leach	
600-189564-35 MS	CDU - 13-0-1	Soluble	Solid	DI Leach	
600-189564-35 MSD	CDU - 13-0-1	Soluble	Solid	DI Leach	
600-189564-B-21-B MS	600-189564-B-21-B MS	Soluble	Solid	DI Leach	
600-189564-B-21-C MSD	600-189564-B-21-C MSD	Soluble	Solid	DI Leach	

Analysis Batch: 271990

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-22	LG - 05-1-2	Soluble	Solid	9056A	271884
600-189564-23	LG -05-2-3	Soluble	Solid	9056A	271884
600-189564-24	LG - 05-3-4	Soluble	Solid	9056A	271884
600-189564-25	LG - 05-4-5	Soluble	Solid	9056A	271884
600-189564-26	CDU - 11-0-1	Soluble	Solid	9056A	271884
MB 600-271884/1-A	Method Blank	Soluble	Solid	9056A	271884
LCS 600-271884/2-A	Lab Control Sample	Soluble	Solid	9056A	271884
600-189564-B-21-B MS	600-189564-B-21-B MS	Soluble	Solid	9056A	271884
600-189564-B-21-C MSD	600-189564-B-21-C MSD	Soluble	Solid	9056A	271884

Analysis Batch: 272090

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-21	LG - 05-0-1	Soluble	Solid	9056A	271884
600-189564-27	CDU - 11-1-2	Soluble	Solid	9056A	271884
600-189564-28	CDU - 11-2-3	Soluble	Solid	9056A	271884
600-189564-29	CDU - 11-3-4	Soluble	Solid	9056A	271884
600-189564-30	CDU - 11-4-5	Soluble	Solid	9056A	271884
600-189564-31	CDU - 12-0-1	Soluble	Solid	9056A	271884
600-189564-32	CDU - 12-1-2	Soluble	Solid	9056A	271884
600-189564-33	CDU - 12-3-4	Soluble	Solid	9056A	271884
600-189564-34	CDU - 12-4-5	Soluble	Solid	9056A	271884

Eurofins TestAmerica, Houston

QC Association Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

HPLC/IC (Continued)

Analysis Batch: 272090 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-35	CDU - 13-0-1	Soluble	Solid	9056A	271884
600-189564-36	CDU - 13-1-2	Soluble	Solid	9056A	271884
600-189564-37	CDU - 13-2-3	Soluble	Solid	9056A	271884
600-189564-38	CDU - 14-0-1	Soluble	Solid	9056A	271884
600-189564-39	CDU - 14-1-2	Soluble	Solid	9056A	271884
600-189564-40	CDU - 14-2-3	Soluble	Solid	9056A	271884
600-189564-41	CDU - 14-3-4	Soluble	Solid	9056A	272123
MB 600-271884/1-A	Method Blank	Soluble	Solid	9056A	271884
MB 600-272123/1-A	Method Blank	Soluble	Solid	9056A	272123
LCS 600-271884/2-A	Lab Control Sample	Soluble	Solid	9056A	271884
LCS 600-272123/2-A	Lab Control Sample	Soluble	Solid	9056A	272123
600-189564-27 MS	CDU - 11-1-2	Soluble	Solid	9056A	271884
600-189564-27 MSD	CDU - 11-1-2	Soluble	Solid	9056A	271884
600-189564-35 MS	CDU - 13-0-1	Soluble	Solid	9056A	271884
600-189564-35 MSD	CDU - 13-0-1	Soluble	Solid	9056A	271884
600-189564-41 MS	CDU - 14-3-4	Soluble	Solid	9056A	272123
600-189564-41 MSD	CDU - 14-3-4	Soluble	Solid	9056A	272123

Leach Batch: 272123

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-41	CDU - 14-3-4	Soluble	Solid	DI Leach	
MB 600-272123/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 600-272123/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
600-189564-41 MS	CDU - 14-3-4	Soluble	Solid	DI Leach	
600-189564-41 MSD	CDU - 14-3-4	Soluble	Solid	DI Leach	

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 01-0-1

Lab Sample ID: 600-189564-1

Date Collected: 08/01/19 10:00

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		5	271834	08/15/19 08:18	SKR	TAL HOU

Client Sample ID: LG - 01-1-2

Lab Sample ID: 600-189564-2

Date Collected: 08/01/19 10:05

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 09:17	SKR	TAL HOU

Client Sample ID: LG - 01-2-3

Lab Sample ID: 600-189564-3

Date Collected: 08/01/19 10:10

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		5	271834	08/14/19 09:37	SKR	TAL HOU

Client Sample ID: LG - 01-3-4

Lab Sample ID: 600-189564-4

Date Collected: 08/01/19 10:15

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		5	271834	08/14/19 09:58	SKR	TAL HOU

Client Sample ID: LG - 01-4-5

Lab Sample ID: 600-189564-5

Date Collected: 08/01/19 10:20

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 10:58	SKR	TAL HOU

Client Sample ID: LG - 02-0-1

Lab Sample ID: 600-189564-6

Date Collected: 08/01/19 10:25

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 11:18	SKR	TAL HOU

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 02-1-2

Lab Sample ID: 600-189564-7

Date Collected: 08/01/19 10:30

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 11:38	SKR	TAL HOU

Client Sample ID: LG - 02-2-3

Lab Sample ID: 600-189564-8

Date Collected: 08/01/19 10:35

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 12:38	SKR	TAL HOU

Client Sample ID: LG - 02-3-4

Lab Sample ID: 600-189564-9

Date Collected: 08/01/19 10:40

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 12:58	SKR	TAL HOU

Client Sample ID: LG - 02-4-5

Lab Sample ID: 600-189564-10

Date Collected: 08/01/19 10:45

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 13:18	SKR	TAL HOU

Client Sample ID: LG - 03-0-1

Lab Sample ID: 600-189564-11

Date Collected: 08/01/19 10:50

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 13:38	SKR	TAL HOU

Client Sample ID: LG - 03-1-2

Lab Sample ID: 600-189564-12

Date Collected: 08/01/19 10:55

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 13:58	SKR	TAL HOU

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 03-2-3**Lab Sample ID: 600-189564-13****Date Collected: 08/01/19 11:00****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 14:58	SKR	TAL HOU

Client Sample ID: LG - 03-3-4**Lab Sample ID: 600-189564-14****Date Collected: 08/01/19 11:05****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 15:57	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 15:18	SKR	TAL HOU

Client Sample ID: LG - 03-4-5**Lab Sample ID: 600-189564-15****Date Collected: 08/01/19 11:10****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 17:03	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 15:38	SKR	TAL HOU

Client Sample ID: LG - 04-0-1**Lab Sample ID: 600-189564-16****Date Collected: 08/01/19 11:15****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271138	08/05/19 18:36	WS1	TAL HOU
Total/NA	Prep	5030A			394979	08/08/19 08:39	MBB	TAL CAN
Total/NA	Analysis	8015B		1	394975	08/08/19 15:47	MBB	TAL CAN
Total/NA	Prep	3546			395221	08/09/19 09:11	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	395565	08/12/19 16:39	LKG	TAL CAN
Soluble	Leach	DI Leach			271758	08/12/19 17:03	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 16:38	SKR	TAL HOU

Client Sample ID: LG - 04-1-2**Lab Sample ID: 600-189564-17****Date Collected: 08/01/19 11:20****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 17:03	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 16:58	SKR	TAL HOU

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 04-2-3**Lab Sample ID: 600-189564-18****Date Collected: 08/01/19 11:25****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 17:03	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 17:18	SKR	TAL HOU

Client Sample ID: LG - 04-3-4**Lab Sample ID: 600-189564-19****Date Collected: 08/01/19 11:30****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 17:03	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 17:38	SKR	TAL HOU

Client Sample ID: LG - 04-4-5**Lab Sample ID: 600-189564-20****Date Collected: 08/01/19 11:35****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271758	08/12/19 17:03	SKR	TAL HOU
Soluble	Analysis	9056A		1	271834	08/14/19 17:58	SKR	TAL HOU

Client Sample ID: LG - 05-0-1**Lab Sample ID: 600-189564-21****Date Collected: 08/01/19 11:40****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271138	08/05/19 19:01	WS1	TAL HOU
Total/NA	Prep	5030A			394979	08/08/19 08:39	MBB	TAL CAN
Total/NA	Analysis	8015B		1	394975	08/08/19 16:31	MBB	TAL CAN
Total/NA	Prep	3546			395221	08/09/19 09:11	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	395565	08/12/19 17:07	LKG	TAL CAN
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		100	272090	08/15/19 15:57	SKR	TAL HOU

Client Sample ID: LG - 05-1-2**Lab Sample ID: 600-189564-22****Date Collected: 08/01/19 11:45****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		50	271990	08/14/19 21:03	SKR	TAL HOU

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG -05-2-3**Lab Sample ID: 600-189564-23****Date Collected: 08/01/19 11:50****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		20	271990	08/14/19 21:21	SKR	TAL HOU

Client Sample ID: LG - 05-3-4**Lab Sample ID: 600-189564-24****Date Collected: 08/01/19 11:55****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	271990	08/14/19 21:39	SKR	TAL HOU

Client Sample ID: LG - 05-4-5**Lab Sample ID: 600-189564-25****Date Collected: 08/01/19 12:00****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271253	08/06/19 18:23	WS1	TAL HOU
Total/NA	Prep	5030A			394979	08/08/19 08:39	MBB	TAL CAN
Total/NA	Analysis	8015B		1	394975	08/08/19 17:15	MBB	TAL CAN
Total/NA	Prep	3546			395221	08/09/19 09:11	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	395565	08/12/19 17:35	LKG	TAL CAN
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	271990	08/14/19 21:57	SKR	TAL HOU

Client Sample ID: CDU - 11-0-1**Lab Sample ID: 600-189564-26****Date Collected: 08/01/19 13:20****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	271990	08/14/19 22:14	SKR	TAL HOU

Client Sample ID: CDU - 11-1-2**Lab Sample ID: 600-189564-27****Date Collected: 08/01/19 13:25****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 16:15	SKR	TAL HOU

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: CDU - 11-2-3

Lab Sample ID: 600-189564-28

Date Collected: 08/01/19 13:30

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 17:08	SKR	TAL HOU

Client Sample ID: CDU - 11-3-4

Lab Sample ID: 600-189564-29

Date Collected: 08/01/19 13:35

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 17:26	SKR	TAL HOU

Client Sample ID: CDU - 11-4-5

Lab Sample ID: 600-189564-30

Date Collected: 08/01/19 13:40

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271253	08/06/19 18:49	WS1	TAL HOU
Total/NA	Prep	5030A			394979	08/08/19 08:39	MBB	TAL CAN
Total/NA	Analysis	8015B		1	394975	08/08/19 17:58	MBB	TAL CAN
Total/NA	Prep	3546			395221	08/09/19 09:11	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	395565	08/12/19 18:02	LKG	TAL CAN
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 17:44	SKR	TAL HOU

Client Sample ID: CDU - 12-0-1

Lab Sample ID: 600-189564-31

Date Collected: 08/01/19 13:45

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 18:02	SKR	TAL HOU

Client Sample ID: CDU - 12-1-2

Lab Sample ID: 600-189564-32

Date Collected: 08/01/19 13:50

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 18:56	SKR	TAL HOU

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: CDU - 12-3-4**Lab Sample ID: 600-189564-33****Date Collected: 08/01/19 13:55****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 19:14	SKR	TAL HOU

Client Sample ID: CDU - 12-4-5**Lab Sample ID: 600-189564-34****Date Collected: 08/01/19 14:05****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271253	08/06/19 19:15	WS1	TAL HOU
Total/NA	Prep	5030A			394979	08/08/19 08:39	MBB	TAL CAN
Total/NA	Analysis	8015B		1	394975	08/08/19 18:42	MBB	TAL CAN
Total/NA	Prep	3546			395221	08/09/19 09:11	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	395565	08/12/19 18:58	LKG	TAL CAN
Soluble	Leach	DI Leach			271884	08/13/19 17:26	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 19:32	SKR	TAL HOU

Client Sample ID: CDU - 13-0-1**Lab Sample ID: 600-189564-35****Date Collected: 08/01/19 14:10****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:32	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 19:50	SKR	TAL HOU

Client Sample ID: CDU - 13-1-2**Lab Sample ID: 600-189564-36****Date Collected: 08/01/19 14:15****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:32	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 20:43	SKR	TAL HOU

Client Sample ID: CDU - 13-2-3**Lab Sample ID: 600-189564-37****Date Collected: 08/01/19 14:20****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271253	08/06/19 19:41	WS1	TAL HOU
Total/NA	Prep	5030A			394979	08/08/19 08:39	MBB	TAL CAN
Total/NA	Analysis	8015B		1	394975	08/08/19 19:25	MBB	TAL CAN
Total/NA	Prep	3546			395221	08/09/19 09:11	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	395565	08/12/19 19:53	LKG	TAL CAN
Soluble	Leach	DI Leach			271884	08/13/19 17:32	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 21:01	SKR	TAL HOU

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: CDU - 14-0-1

Lab Sample ID: 600-189564-38

Date Collected: 08/01/19 14:30

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:32	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 21:19	SKR	TAL HOU

Client Sample ID: CDU - 14-1-2

Lab Sample ID: 600-189564-39

Date Collected: 08/01/19 14:35

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:36	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 21:37	SKR	TAL HOU

Client Sample ID: CDU - 14-2-3

Lab Sample ID: 600-189564-40

Date Collected: 08/01/19 14:40

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			271884	08/13/19 17:36	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 22:31	SKR	TAL HOU

Client Sample ID: CDU - 14-3-4

Lab Sample ID: 600-189564-41

Date Collected: 08/01/19 14:45

Matrix: Solid

Date Received: 08/02/19 09:52

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271138	08/05/19 14:16	WS1	TAL HOU
Total/NA	Prep	5030A			394979	08/08/19 08:39	MBB	TAL CAN
Total/NA	Analysis	8015B		1	394975	08/08/19 21:30	MBB	TAL CAN
Total/NA	Prep	3546			395221	08/09/19 09:11	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	395565	08/12/19 20:21	LKG	TAL CAN
Soluble	Leach	DI Leach			272123	08/15/19 17:51	SKR	TAL HOU
Soluble	Analysis	9056A		1	272090	08/15/19 23:24	SKR	TAL HOU

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Eurofins TestAmerica, Houston

Accreditation/Certification Summary

Client: AECOM

Job ID: 600-189564-1

Project/Site: Langley Getty & central Dinkard Unit

Laboratory: Eurofins TestAmerica, Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704223-18-23	10-31-19
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
California	State Program	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Connecticut	State Program	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Georgia	State Program	N/A	02-23-20
Illinois	NELAP	200004	07-31-20
Illinois	NELAP	004498	07-31-20
Iowa	State	421	06-01-20
Iowa	State Program	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State	112225	02-23-20
Kentucky (UST)	State Program	58	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Kentucky (WW)	State Program	98016	12-31-19
Minnesota	NELAP	039-999-348	12-31-19 *
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Ohio VAP	State Program	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-20
Texas	NELAP	T104704517-19-11	08-31-20
USDA	Federal	P330-16-00404	12-28-19
USDA	US Federal Programs	P330-16-00404	12-28-19
Virginia	NELAP	460175	09-14-20
Washington	State	C971	01-12-20
Washington	State Program	C971	01-12-20 *
West Virginia DEP	State	210	12-31-19
West Virginia DEP	State Program	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Houston

Eurofins TestAmerica, Houston

6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record



Environment Testing
TestAmerica

Client Information		Lab PM		Carrier Tracking No(s)		COC No	
Company: AECOM		Kudchadkar, Sachin G		600-70018-19143.1		Page: 1	
Address: 19219 Katy Freeway Suite 100		E-Mail: sachin.kudchadkar@testamericainc.com		Job #		Page: 1	
City: Houston		Phone: 713-520-9900(Tel) 713-520-680(Fax)		Due Date Requested:		Analysis Requested	
State, Zip: TX, 77094		Purchase Order Requested		TAT Requested (days):		Preservation Codes:	
Phone: 713-520-9900(Tel) 713-520-680(Fax)		WO #		PO #		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
Email: wallace.gilmore@aecom.com		Project # 60008660		SSOW#		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecalhydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Wallace Gilmore		Chevron		Site:		Special Instructions/Note:	
Sample Identification 600-189564 Chain of Custody Total Number of Containers 600-189564 Chain of Custody							
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=Solid, O=Soil, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B - BRO - (MOD) Diesel Range Organics [C10-C28]
L6-01-0-1	8/11/19	1200	G	Solid	X	X	X
L6-01-1-2		1005		Solid	X	X	X
L6-01-2-3		1010		Solid	X	X	X
L6-01-3-4		1015		Solid	X	X	X
L6-01-4-5		1020		Solid	X	X	X
L6-02-0-1		1025		Solid	X	X	X
L6-02-1-2		1030		Solid	X	X	X
L6-02-2-3		1035		Solid	X	X	X
L6-02-3-4		1040		Solid	X	X	X
L6-02-4-5		1045		Solid	X	X	X
L6-03-0-1		1050		Solid	X	X	X
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological Deliverable Requested: I, II, III, IV, Other (specify)							
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For Months Special Instructions/QC Requirements:							
Empty Kit Relinquished by: Relinquished by: Sethu Frederick Relinquished by: Relinquished by: * Custody Seals Intact: ☐ Yes ☐ No							
Received by: JRS Received by: Received by: Cooler Temperature(s) °C and Other Remarks							

Ver: 01/16/2019

Chain of Custody Record



Environment Testing
TestAmerica

Client Information Client Contact: Mr. Wallace Gilmore Company: AECOM Address: 19219 Katy Freeway Suite 100 City: Houston State: TX Zip: 77094 Phone: 713-520-9900 (Tel) 713-520-6800 (Fax) Email: wallace.gilmore@aecom.com Project Name: Chevron Site:		Lab PM: Kudchadkar, Sachin G E-Mail: sachin.kudchadkar@testamericainc.com Phone:		Carrier Tracking No(s): 600-70018-19143.1 Page: 2 Job #:		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Anichlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Analysis Requested							
Due Date Requested:		Total Number of Containers:		Special Instructions/Note:			
TAT Requested (days):		8015B_DRO - (MOD) Diesel Range Organics (C10-C28)		Hold all but chloride			
PO # Purchase Order Requested		8015B_GRO -		Hold all but chloride			
WO #		8260B - BTEX Only		Hold all but chloride			
Project # 60008660		9056_ORGFM_28D - Chloride		Hold all but chloride			
SSOW#		Perform MS/MSD (Yes or No)		Field Filtered Sample (Yes or No)			
Sample Identification		Matrix (W=water, S=solid, O=oil/water)		Preservation Code:			
LG-03-1-2	Sample Date: 8/1/19	Sample Time: 1055	Sample Type: G	Solid	X		
LG-03-2-3	Sample Date:	Sample Time: 1100	Sample Type:	Solid	X		
LG-03-3-4	Sample Date:	Sample Time: 1105	Sample Type:	Solid	X		
LG-03-4-5	Sample Date:	Sample Time: 1110	Sample Type:	Solid	X		
LG-04-0-1	Sample Date:	Sample Time: 1115	Sample Type:	Solid	X		
LG-04-1-2	Sample Date:	Sample Time: 1120	Sample Type:	Solid	X		
LG-04-2-3	Sample Date:	Sample Time: 1125	Sample Type:	Solid	X		
LG-04-3-4	Sample Date:	Sample Time: 1130	Sample Type:	Solid	X		
LG-04-4-5	Sample Date:	Sample Time: 1135	Sample Type:	Solid	X		
LG-05-0-1	Sample Date:	Sample Time: 1140	Sample Type:	Solid	X		
LG-05-1-2	Sample Date:	Sample Time: 1145	Sample Type:	Solid	X		
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological							
Deliverable Requested: I, II, III, IV, Other (specify)							
Empty Kit Relinquished by:							
Relinquished by: Seth Frederick		Date: 8/1/19 @ 1700		Company: AECOM			
Relinquished by:		Date/Time:		Company:			
Relinquished by:		Date/Time:		Company:			
Custody Seals Intact:		Date/Time:		Company:			
Custody Seal No.:		Date/Time:		Company:			

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record



Environment Testing
TestAmerica

Client Information		Sampler		Lab PM		Carrier Tracking No(s)		COC No									
19219 Katy Freeway Suite 100		Kudchadkar, Sachin G		E-Mail: sachin.kudchadkar@testamericainc.com				600-70018-19143.1									
City: Houston		Phone:		E-Mail:				Page: 3									
State, Zip: TX, 77094								Job #									
Phone: 713-520-9900(Tel) 713-520-690(Fax)		PO #:		Purchase Order Requested													
Email: wallace.gilmore@aecom.com		WO #:															
Project Name: Chevron		Project #:		60008660													
Site:		SSOW#:															
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	9056 ORGM 28D - Chloride	8260B - BTEX Only	8015B - GRO -	8015B - PRO - (MOD) Diesel Range Organics [C10-C28]	Analysis Requested		Preservation Codes:		Special Instructions/Note:		
LG-05-2-3	8/11/19	1150	G	Solid			X							A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Anchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:			
LG-05-3-4		1155		Solid			X							M - Hexane N - None O - AshNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecaldehyde U - Acetone V - MCAA W - pH 4-5 Z - other (specify)			
LG-05-4-5		1200		Solid			X	X									
CDU-11-0-1		1320		Solid			X										
CDU-11-1-2		1325		Solid			X										
CDU-11-2-3		1330		Solid			X										
CDU-11-3-4		1335		Solid			X										
CDU-11-4-5		1340		Solid			X	X	X								
CDU-12-0-1		1345		Solid			X										
CDU-12-1-2		1350		Solid			X										
CDU-12-3-4		1355		Solid			X										
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological Deliverable Requested: I, II, III, IV, Other (specify)																	
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For Months																	
Special Instructions/QC Requirements:																	
Empty Kit Relinquished by:																	
Relinquished by: <i>Seth Frederick</i>																	
Relinquished by: <i>8/11/19 @ 1700</i>																	
Relinquished by:																	
Custody Seal No:																	
Custody Seal Intact: * Δ Yes Δ No																	
Received by: <i>YERS</i>																	
Received by: <i>8/2/19 951 T A H</i>																	
Received by:																	
Cooler Temperature(s) °C and Other Remarks:																	

Ver: 01/16/2019

Client Information			Company			Lab PM			Carrier Tracking No(s)			COC No.			
Client Contact:			Mr. Wallace Gilmore			Kudchadkar, Sachin G			600-70018-19143.1			Page			
Phone:						E-Mail:			sachin.kudchadkar@testamericainc.com			Page			
Address:			19219 Katy Freeway Suite 100			Due Date Requested:			Analysis Requested			Job #			
City:			Houston			TAT Requested (days):									
State, Zip:			TX, 77094			PO #									
Phone:			713-520-9900(Tel) 713-520-6800(Fax)			Purchase Order Requested									
Email:			wallace.gilmore@aecom.com			WO #									
Project Name:			Chevron			Project #			60008660						
Site:						SSOW#									
Sample Identification			Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=oil, A=air)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	9056_ORGFM_28D - Chloride	8260B - BTEX Only	8015B_GRO -	8015B_DRO - (MOD) Diesel Range Organics [C10-C28]	Total Number of Containers	Special Instructions/Note:
CDU-12-4-5	8/1/19	1405	G	Solid						X	X	X	X		
CDU-13-0-1		1410		Solid						X					
CDU-13-1-2		1415		Solid						X					
CDU-13-2-3		1420		Solid						X	X	X	X		
CDU-14-0-1		1430		Solid						X					
CDU-14-1-2		1435		Solid						X					
CDU-14-2-3		1440		Solid						X	X	X	X		
CDU-14-3-4		1445		Solid						X	X	X	X		
				Solid											
				Solid											
				Solid											
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological															
Deliverable Requested: I, II, III, IV, Other (specify)															
Empty Kit Relinquished by															
Relinquished by: Setha Frederick															
Relinquished by:															
Relinquished by:															
Custody Seals Intact: Yes A No															
Custody Seal No.:															
Date: 8/1/19 @ 1700															
Date/Time: 8/1/19 @ 1700															
Company: AECOM															
Received by: YAPES															
Date/Time: 8/2/19 958															
Company: T-A-H															
Date/Time:															
Received by:															
Date/Time:															
Company:															
Cooler Temperature(s) °C and Other Remarks:															

TestAmerica Houston

Loc: 600
189564

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

19 AUG 2 9:52

Sample Receipt Checklist

JOB NUMBER: _____

Date/Time Received: _____

CLIENT: _____

UNPACKED BY: JP

CARRIER/DRIVER: _____

Custody Seal Present: ☒ YES ☐ NONumber of Coolers Received: 3

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Therm CF	Corrected Temp (°C)
WIB	Y / N	Y / N	2.1	678	+0.1	2.2
WIB	Y / N	Y / N	2.8			2.9
WIB	Y / N	Y / N	2.3			2.4
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☒ YES ☐ NOLABORATORY PRESERVATION OF SAMPLES REQUIRED: ☒ NO ☐ YESBase samples are >pH 12: ☐ YES ☐ NOAcid preserved are <pH 2: ☐ YES ☐ NO

pH paper Lot # _____

VOA headspace acceptable (5-6mm): ☐ YES ☐ NO ☒ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☒	☐

COMMENTS:

JP 8/2/19

1 of 3
TRK# 7888 5084 3590
0201
MASTER


AB LKSA

FRI - 02 AUG 10:30A
PRIORITY OVERNIGHT

77040
TX-US IAH



600-189564 Waybill



2 of 3
MPS# 7888 5084 3605
0263
Metr# 7888 5084 3590

AB LKSA

FRI - 02 AUG 10:30A
PRIORITY OVERNIGHT

77040
TX-US IAH

0201



3 of 3
MPS# 7888 5084 3616
0263
Metr# 7888 5084 3590

AB LKSA

FRI - 02 AUG 10:30A
PRIORITY OVERNIGHT

77040
TX-US IAH

0201



[illegible]

Eurofins TestAmerica Canton Sample Receipt Form/Narrative		Login # : _____
Canton Facility		
Client <u>TA Houston</u>	Site Name _____	Cooler unpacked by: <u>[Signature]</u>
Cooler Received on <u>8/6/19</u>	Opened on <u>8/6/19</u>	
FedEx: 1 st Grd Exp UPS FAS Clipper	Client Drop Off / TestAmerica Courier	Other _____
Receipt After-hours: Drop-off Date/Time		Storage Location
TestAmerica Cooler # <u>16</u>	Foam Box Client Cooler Box Other _____	
Packing material used: <u>Bubble Wrap</u>	Foam <u>Plastic Bag</u> None Other _____	
COOLANT: <u>Wet Ice</u>	Blue Ice Dry Ice Water None	
1. Cooler temperature upon receipt ☐ See Multiple Cooler Form		
IR GUN# IR-8 (CF +0.1 °C) Observed Cooler Temp. <u>1.0</u> °C Corrected Cooler Temp. <u>1.1</u> °C		
IR GUN #36 (CF +0.6 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C		
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u>	Yes No	Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC
-Were the seals on the outside of the cooler(s) signed & dated?	Yes No NA	
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes No	
-Were tamper/custody seals intact and uncompromised?	Yes No NA	
3. Shippers' packing slip attached to the cooler(s)?	Yes No	
4. Did custody papers accompany the sample(s)?	Yes No	
5. Were the custody papers relinquished & signed in the appropriate place?	Yes No	
6. Was/were the person(s) who collected the samples clearly identified on the COC?	Yes No	
7. Did all bottles arrive in good condition (Unbroken)?	Yes No	
8. Could all bottle labels be reconciled with the COC?	Yes No	
9. Were correct bottle(s) used for the test(s) indicated?	Yes No	pH Strip Lot# <u>HC984738</u>
10. Sufficient quantity received to perform indicated analyses?	Yes No	
11. Are these work share samples?	Yes No	
If yes, Questions 12-16 have been checked at the originating laboratory.		
12. Were all preserved sample(s) at the correct pH upon receipt?	Yes No NA	
13. Were VOAs on the COC?	Yes No	
14. Were air bubbles >6 mm in any VOA vials? Larger than this.	Yes No NA	
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____	Yes No	
16. Was a LL Hg or Me Hg trip blank present? _____	Yes No	
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____		
Concerning _____		

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

Eurofins TestAmerica, Houston

6310 Rothway Street
Houston, TX 77040
Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record

Environment Testing
TestAmerica

Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:
Client Contact: Shipping/Receiving		Phone:	Kudchadkar, Sachin G	State of Origin: Texas	600-41314.1
Company: TestAmerica Laboratories, Inc.		E-Mail:	sachin.kudchadkar@testamericainc.com	Page 1 of 1	
Address: 4101 Shuffel Street NW, City: North Canton State, Zip: OH, 44720 Phone: 330-497-9396(Tel) 330-497-0772(Fax) Email:		Accreditations Required (See note): NELAP - Texas		Job #: 600-189564-2	
Project Name: Langley Getty & central Dinkard Unit Site:		Due Date Requested: 8/9/2019	Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)		
TAT Requested (days):		PO #:	Analysis Requested		
WO #:		Project #: 60008660	Total Number of containers		
SSOW#:		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=oil, BT=Tissue, AA=Air)
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type	Matrix
LG - 01-0-1 (600-189564-1)	8/1/19	10:00	Central	Solid	8015B_GRO/3546 (MOD) Diesel Range Organics (C10- C29)
LG - 01-4-5 (600-189564-5)	8/1/19	10:20	Central	Solid	8015B_GRO/3546 (MOD) Diesel Range Organics (C10- C29)
LG - 02-0-1 (600-189564-6)	8/1/19	10:25	Central	Solid	8015B_GRO/3546 (MOD) Diesel Range Organics (C10- C29)
LG - 02-4-5 (600-189564-10)	8/1/19	10:45	Central	Solid	8015B_GRO/3546 (MOD) Diesel Range Organics (C10- C29)
LG - 03-0-1 (600-189564-11)	8/1/19	10:50	Central	Solid	8015B_GRO/3546 (MOD) Diesel Range Organics (C10- C29)
LG - 03-4-5 (600-189564-15)	8/1/19	11:10	Central	Solid	8015B_GRO/3546 (MOD) Diesel Range Organics (C10- C29)
LG - 04-4-5 (600-189564-20)	8/1/19	11:35	Central	Solid	8015B_GRO/3546 (MOD) Diesel Range Organics (C10- C29)
Special Instructions/Note: C94					
Note: Since laboratory accreditations are subject to change, TestAmerica Laboratories, Inc. places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to TestAmerica Laboratories, Inc. attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to TestAmerica Laboratories, Inc.					
Possible Hazard Identification					
Unconfirmed					
Deliverable Requested: I, II, III, IV, Other (specify)					
Primary Deliverable Rank: 2					
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
Return To Client ☐ Disposal By Lab ☐ Archive For ☐ Months					
Special Instructions/QC Requirements:					
Empty Kit Relinquished by:					
Relinquished by: <i>Prayer</i> Date: 8/1/19 10:00 Company: <i>ETA</i>					
Relinquished by: Date: Company:					
Relinquished by: Date: Company:					
Custody Seals Intact: Custody Seal No.:					
Cooler Temperature(s) °C and Other Remarks:					

Ver: 01/16/2019

Eurofins TestAmerica Canton Sample Receipt Form/Narrative				Login # : _____
Canton Facility				
Client <u>ETA</u>		Site Name _____		Cooler unpacked by: <u>Ryan Cribler</u>
Cooler Received on <u>8-15-19</u>		Opened on <u>8-15-19 915</u>		
FedEx: 1 st Grd <u>Exp</u> UPS FAS Clipper		Client Drop Off TestAmerica Courier		Other _____
Receipt After-hours: Drop-off Date/Time _____			Storage Location _____	
TestAmerica Cooler # <u>74</u>		Foam Box	Client Cooler	Box Other _____
Packing material used: <u>Bubble Wrap</u>		Foam <u>Plastic Bag</u>	None	Other _____
COOLANT: <u>Wet Ice</u>		Blue Ice	Dry Ice	Water None
1. Cooler temperature upon receipt ☐ See Multiple Cooler Form				
IR GUN# IR-8 (CF +0.1 °C) Observed Cooler Temp. <u>1.4</u> °C Corrected Cooler Temp. <u>1.5</u> °C				
IR GUN #36 (CF +0.6 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C				
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u> ☒ Yes ☐ No				
-Were the seals on the outside of the cooler(s) signed & dated? ☒ Yes ☐ No NA				
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? ☒ Yes ☐ No NA				
-Were tamper/custody seals intact and uncompromised? ☒ Yes ☐ No NA				
3. Shippers' packing slip attached to the cooler(s)? ☒ Yes ☐ No				
4. Did custody papers accompany the sample(s)? ☒ Yes ☐ No				
5. Were the custody papers relinquished & signed in the appropriate place? ☒ Yes ☐ No				
6. Was/were the person(s) who collected the samples clearly identified on the COC? ☒ Yes ☐ No				
7. Did all bottles arrive in good condition (Unbroken)? ☒ Yes ☐ No				
8. Could all bottle labels be reconciled with the COC? ☒ Yes ☐ No				
9. Were correct bottle(s) used for the test(s) indicated? ☒ Yes ☐ No				
10. Sufficient quantity received to perform indicated analyses? ☒ Yes ☐ No				
11. Are these work share samples? ☒ Yes ☐ No				
If yes, Questions 12-16 have been checked at the originating laboratory.				
12. Were all preserved sample(s) at the correct pH upon receipt? ☒ Yes ☐ No <u>NA</u> pH Strip Lot# <u>HC984738</u>				
13. Were VOAs on the COC? ☒ Yes ☐ No <u>NA</u>				
14. Were air bubbles >6 mm in any VOA vials? ☒ Yes ☐ No <u>NA</u>  Larger than this.				
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ ☒ Yes ☐ No				
16. Was a LL Hg or Me Hg trip blank present? ☒ Yes ☐ No				
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____				
Concerning _____				

Tests that are not
checked for pH by
Receiving:

VOAs
Oil and Grease
TOC

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES _____ _____ _____ _____ _____	Samples processed by: _____
18. SAMPLE CONDITION Sample(s) _____ were received after the recommended holding time had expired. Sample(s) _____ were received in a broken container. Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)	
19. SAMPLE PRESERVATION Sample(s) _____ were further preserved in the laboratory. Time preserved: _____ Preservative(s) added/Lot number(s): _____ VOA Sample Preservation - Date/Time VOAs Frozen: _____	

WI-NC-099

Login Sample Receipt Checklist

Client: AECOM

Job Number: 600-189564-1

Login Number: 189564

List Source: Eurofins TestAmerica, Houston

List Number: 1

Creator: Rubio, Yuri

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.2,2.9,2.4
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.



Environment Testing
TestAmerica

ANALYTICAL REPORT

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

Laboratory Job ID: 600-189564-2

Client Project/Site: Langley Getty & central Dinkard Unit

For:

AECOM
19219 Katy Freeway
Suite 100
Houston, Texas 77094

Attn: Mr. Wallace Gilmore

Authorized for release by:

8/21/2019 11:10:19 AM

Jasmine Turner, Project Management Assistant I
(713)690-4444

jasmine.turner@testamericainc.com

Designee for

Sachin Kudchadkar, Senior Project Manager
(713)690-4444

sachin.kudchadkar@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: AECOM

Laboratory Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Table of Contents

Cover Page	1
Table of Contents	2
TRRP Checklists & DCSs	3
Case Narrative	11
Method Summary	12
Sample Summary	13
Client Sample Results	14
Definitions/Glossary	18
Surrogate Summary	19
QC Sample Results	20
Default Detection Limits	23
QC Association Summary	24
Lab Chronicle	26
Certification Summary	28
Chain of Custody	29
Receipt Checklists	39

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Appendix A

Laboratory Data Package Cover Page - Page 1 of 4

This data package is for Eurofins TestAmerica, Houston job number 600-189564-2 and consists of:

- ☒ R1 - Field chain-of-custody documentation;
- ☒ R2 - Sample identification cross-reference;
- ☒ R3 - Test reports (analytical data sheets) for each environmental sample that includes:
 - a. Items consistent with NELAC Chapter 5,
 - b. dilution factors,
 - c. preparation methods,
 - d. cleanup methods, and
 - e. if required for the project, tentatively identified compounds (TICs).
- ☒ R4 - Surrogate recovery data including:
 - a. Calculated recovery (%R), and
 - b. The laboratory's surrogate QC limits.
- ☒ R5 - Test reports/summary forms for blank samples;
- ☒ R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
 - a. LCS spiking amounts,
 - b. Calculated %R for each analyte, and
 - c. The laboratory's LCS QC limits.
- ☒ R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a. Samples associated with the MS/MSD clearly identified,
 - b. MS/MSD spiking amounts,
 - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d. Calculated %Rs and relative percent differences (RPDs), and
 - e. The laboratory's MS/MSD QC limits
- ☐ R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
 - a. The amount of analyte measured in the duplicate,
 - b. The calculated RPD, and
 - c. The laboratory's QC limits for analytical duplicates.
- ☒ R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- ☒ R10 - Other problems or anomalies.

The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Jasmine Turner, for Sachin Kudchadkar

Name (printed)



Signature

8/21/2019

Date

Senior Project Manager

Official Title (printed)

Laboratory Review Checklist: Reportable Data - Page 2 of 4

Laboratory Name:	Eurofins TestAmerica, Houston	LRC Date:	8/21/2019
Project Name:	Langley Getty & central Dinkard Unit	Laboratory Job Number:	600-189564-2
Reviewer Name:	Jasmine Turner, for Sachin Kudchadkar		

# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?	X				
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?	X				
		If required for the project, are TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?			X		
		Were analytical duplicates analyzed at the appropriate frequency?			X		
		Were RPDs or relative standard deviations within the laboratory QC limits?			X		
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review checklist: Supporting Data - Page 3 of 4

Laboratory Name:	Eurofins TestAmerica, Houston	LRC Date:	8/21/2019
Project Name:	Langley Getty & central Dinkard Unit	Laboratory Job Number:	600-189564-2
Reviewer Name:	Jasmine Turner, for Sachin Kudchadkar		

# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?	X				
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSS?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed?	X				
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).							

Laboratory Review Checklist: Exception Reports - Page 4 of 4

Laboratory Name:	Eurofins TestAmerica, Houston	LRC Date:	8/21/2019
Project Name:	Langley Getty & central Dinkard Unit	Laboratory Job Number:	600-189564-2
Reviewer Name:	Jasmine Turner, for Sachin Kudchadkar		

ER # ¹	Description
Misc	The following sample was preserved via freezing on 08/02/19 at 3:40 pm: LG - 02-4-5 (600-189564-10) . This is outside the 48 hour time frame required by the method. The following samples were preserved via freezing on 08/02/19 at 3:40 pm: LG - 03-0-1 (600-189564-11), LG - 03-4-5 (600-189564-15) and LG - 04-4-5 (600-189564-20) . This is outside the 48 hour time frame required by the method.
	- Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. - O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); - NA = Not applicable; - NR = Not reviewed; - ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Method 8015B DRO Detection Limit Validation**Laboratory** Eurofins TestAmerica, Canton

Preparation Method: 3546

MDLV

Limit Group GCS 8015B_C DRO 3546 Solid RL/MDL

Analysis Dates: 4/1/2019 to 7/22/2019

Analyte**Diesel**

Current		Calculations								*MDLV used - 386836-9* All values recovered MDLV: Pass		
<u>MDL</u>	<u>RL</u>	Ver	Spike	Spike	Std	Edit						
		<u>MDL</u>	<u>amount</u>	<u>Units</u>	<u>/ MDL</u>	<u>Mean</u>	<u>Dev</u>	<u>Reps</u>	<u>Limits?</u>			
34.58	50	34.58	50.0	mg/Kg	1.4	44.6510	5.1007347	8	N			
Lab ID	Anal Date	Batch	Samp	Analyst	Method	Prep Method	Equipment	Result	Units	Detected?		
240-110302-A-7-A MD	06/18/2019	386836	9	Bolgrin, Deborah	8015B_DRO	3546	A2HP5F	54.7914449	mg/Kg	Pass		
240-110302-A-8-A MD	06/18/2019	386836	10	Bolgrin, Deborah	8015B_DRO	3546	A2HP5F	49.4051637	mg/Kg	Pass		
240-110302-A-20-A MI	06/18/2019	386887	11	Bolgrin, Deborah	8015B_DRO	3546	A2HP5R	41.8150117	mg/Kg	Pass		
240-110302-A-21-A MI	06/18/2019	386887	12	Bolgrin, Deborah	8015B_DRO	3546	A2HP5R	38.6871397	mg/Kg	Pass		
240-110302-A-9-A MD	06/18/2019	386849	11	Bolgrin, Deborah	8015B_DRO	3546	A2HP6F	44.5286106	mg/Kg	Pass		
240-110302-A-22-A MI	06/18/2019	386859	11	Bolgrin, Deborah	8015B_DRO	3546	A2HP6R	42.2728391	mg/Kg	Pass		
240-110302-A-24-A MI	06/18/2019	386849	12	Bolgrin, Deborah	8015B_DRO	3546	A2HP6F	42.1637227	mg/Kg	Pass		
240-110302-A-23-A MI	06/18/2019	386859	12	Bolgrin, Deborah	8015B_DRO	3546	A2HP6R	43.5445928	mg/Kg	Pass		

Detected? Pass = result was detected ; Fail = result <= 0 . If MDLV is < MDL , verify Detection or S/N ratio

MDLV: Pass = meets Spike/MDL ratio , Spike High =Spike/MDL > ratio , Spike Low = Spike < MDL

Spike/MDL ratio = 3.00

Detection Check Standard

EuroFins TestAmerica, Houston

Matrix: Solid
Method: 8260B
Prep Method: 5030B_SolidNAC
Date Analyzed: 4/16/2019
Job #: 600-183722
TALS Batch: 262887
Units: ug/Kg

Analyte	Instrument #	MDL	DCS Spike	Measured Result	MQL
1,1,1,2-Tetrachloroethane	CHVOAMS09	1.400	5.000	2.973	5
1,1,1-Trichloroethane	CHVOAMS09	0.740	2.500	2.291	5
1,1,2,2-Tetrachloroethane	CHVOAMS09	0.870	2.500	4.436	5
1,1,2-Trichloro-1,2,2-trifluoroethane	CHVOAMS09	1.440	5.000	1.787	5
1,1,2-Trichloroethane	CHVOAMS09	0.730	2.500	2.507	40
1,1-Dichloroethane	CHVOAMS09	0.870	2.500	2.114	5
1,1-Dichloroethene	CHVOAMS09	1.220	5.000	2.697	5
1,1-Dichloropropene	CHVOAMS09	0.650	2.500	2.328	5
1,2,3-Trichlorobenzene	CHVOAMS09	0.620	2.500	4.993	5
1,2,3-Trichloropropane	CHVOAMS09	1.310	2.500	5.837	5
1,2,3-Trimethylbenzene	CHVOAMS09	1.820	2.500	0.131	5
1,2,4-Trichlorobenzene	CHVOAMS09	1.970	2.500	0.414	5
1,2,4-Trimethylbenzene	CHVOAMS09	0.920	2.500	2.310	5
1,2-Dibromo-3-Chloropropane	CHVOAMS09	2.440	2.500	1.563	5
1,2-Dichlorobenzene	CHVOAMS09	0.800	2.500	0.320	5
1,2-Dichloroethane	CHVOAMS09	0.900	2.500	2.248	5
1,2-Dichloroethene, Total	CHVOAMS09	1.900	5.000	5.000	10
1,2-Dichloropropane	CHVOAMS09	0.710	2.500	2.125	5
1,3,5-Trichlorobenzene	CHVOAMS09	2.500	5.000	2.414	5
1,3,5-Trimethylbenzene	CHVOAMS09	1.600	2.500	2.173	5
1,3-Dichlorobenzene	CHVOAMS09	0.710	2.500	2.239	5
1,3-Dichloropropane	CHVOAMS09	0.630	2.500	2.265	5
1,4-Dichlorobenzene	CHVOAMS09	0.660	2.500	2.063	5
1,4-Dioxane	CHVOAMS09	62.070	50.000	21.646	500
2,2-Dichloropropane	CHVOAMS04	1.820	2.500	2.214	5
2-Butanone (MEK)	CHVOAMS09	1.900	5.000	3.640	10
2-Chloro-1,3-butadiene	CHVOAMS09	2.710	2.500	1.799	5
2-Chloroethyl vinyl ether	CHVOAMS09	0.980	5.000	4.606	10
2-Chlorotoluene	CHVOAMS09	0.680	2.500	2.155	5
2-Hexanone	CHVOAMS09	1.010	10.000	3.867	10
2-Methyl-2-propanol	CHVOAMS09	10.000	25.000	0.029	50
2-Methyltetrahydrofuran	CHVOAMS09	5.430	12.500	14.242	50
2-Methyltetrahydropyran	CHVOAMS09	4.820	12.500	15.854	50
2-Nitropropane	CHVOAMS09	24.290	5.000	4.186	50
3-Chloro-1-propene	CHVOAMS09	1.390	2.500	2.192	5
4-Chlorotoluene	CHVOAMS09	0.830	2.500	2.305	5
4-Isopropyltoluene	CHVOAMS09	1.020	2.500	0.124	5
4-Methyl-2-pentanone (MIBK)	CHVOAMS09	1.470	5.000	0.216	10
Acetone	CHVOAMS04	1.660	5.000	4.014	10
Acetonitrile	CHVOAMS09	1.390	25.000	10.912	50
Acrolein	CHVOAMS09	6.230	12.500	2.141	25
Acrylonitrile	CHVOAMS09	5.820	25.000	3.681	50
Benzene	CHVOAMS09	0.630	2.500	2.420	5
Benzyl chloride	CHVOAMS09	2.140	2.500	0.377	5
Bromobenzene	CHVOAMS09	0.990	2.500	2.602	5
Bromoform	CHVOAMS09	1.370	2.500	1.878	5
Bromomethane	CHVOAMS09	0.830	2.500	1.965	10
Butadiene	CHVOAMS09	1.250	2.500	1.845	5
Carbon disulfide	CHVOAMS04	0.550	2.500	1.935	10

DCS = Detection Check Standard

MQL = Method Quantitation Limit

Page 1 of 3

8/21/2019

Detection Check Standard

EuroFins TestAmerica, Houston

Matrix: Solid
Method: 8260B
Prep Method: 5030B_SolidNAC
Date Analyzed: 4/16/2019
Job #: 600-183722
TALS Batch: 262887
Units: ug/Kg

Analyte	Instrument #	MDL	DCS Spike	Measured Result	MQL
Carbon tetrachloride	CHVOAMS09	1.130	2.500	2.146	5
Chlorobenzene	CHVOAMS09	0.960	2.500	2.539	5
Chlorobromomethane	CHVOAMS09	1.780	2.500	2.263	5
Chlorodibromomethane	CHVOAMS09	0.940	2.500	2.383	5
Chloroethane	CHVOAMS09	1.400	5.000	2.362	10
Chloroform	CHVOAMS09	0.660	2.500	2.440	10
Chloromethane	CHVOAMS09	1.660	5.000	1.375	10
cis-1,2-Dichloroethene	CHVOAMS09	0.830	2.500	2.473	5
cis-1,3-Dichloropropene	CHVOAMS09	0.540	2.500	2.335	5
Cyclohexane	CHVOAMS09	1.920	5.000	2.952	5
Dibromomethane	CHVOAMS09	0.750	2.500	2.411	5
Dichlorobromomethane	CHVOAMS09	0.660	2.500	2.590	5
Dichlorodifluoromethane	CHVOAMS09	1.540	5.000	1.951	5
Dichlorofluoromethane	CHVOAMS09	1.000	2.500	1.932	5
Ethyl acetate	CHVOAMS09	2.810	5.000	3.504	5
Ethyl acrylate	CHVOAMS09	10.660	2.500	1.638	20
Ethyl ether	CHVOAMS09	1.950	2.500	1.822	5
Ethyl methacrylate	CHVOAMS09	1.660	2.500	0.603	5
Ethylbenzene	CHVOAMS09	1.020	2.500	2.624	5
Ethylene Dibromide	CHVOAMS09	1.020	2.500	2.413	5
Hexachlorobutadiene	CHVOAMS09	1.130	2.500	2.306	5
Hexane	CHVOAMS09	1.230	2.500	1.859	5
Iodomethane	CHVOAMS09	2.500	5.000	3.118	5
Isobutyl alcohol	CHVOAMS04	17.160	62.500	76.211	125
Isooctane	CHVOAMS09	10.000	5.000	1.018	10
Isopropyl alcohol	CHVOAMS09	27.470	50.000	34.005	100
Isopropyl ether	CHVOAMS09	1.760	2.500	1.676	5
Isopropylbenzene	CHVOAMS09	0.920	2.500	2.104	5
Methacrylonitrile	CHVOAMS09	5.000	25.000	23.410	50
Methyl acetate	CHVOAMS09	2.910	5.000	2.835	5
Methyl methacrylate	CHVOAMS09	2.860	5.000	3.621	10
Methyl tert-butyl ether	CHVOAMS09	1.830	2.500	2.421	5
Methylcyclohexane	CHVOAMS09	1.460	2.500	2.552	5
Methylene Chloride	CHVOAMS09	2.190	5.000	2.227	10
m-Xylene & p-Xylene	CHVOAMS09	1.520	2.500	2.525	5
Naphthalene	CHVOAMS09	2.370	2.500	6.777	10
n-Butyl acetate	CHVOAMS09	2.370	5.000	2.147	5
n-Butylbenzene	CHVOAMS04	0.580	2.500	1.992	5
n-Heptane	CHVOAMS09	10.000	2.500	1.474	20
N-Propylbenzene	CHVOAMS09	0.950	2.500	2.016	5
o-Xylene	CHVOAMS09	1.130	5.000	2.960	5
Propionitrile	CHVOAMS09	2.360	50.000	18.349	5
sec-Butylbenzene	CHVOAMS09	0.700	2.500	0.193	5
Styrene	CHVOAMS09	0.710	2.500	2.925	5
tert-Butylbenzene	CHVOAMS09	0.950	2.500	2.237	5
Tetrachloroethene	CHVOAMS09	0.710	2.500	2.350	5
Tetrahydrofuran	CHVOAMS09	5.390	10.000	4.590	50
Tetrahydropyran	CHVOAMS09	5.220	12.500	13.469	50
Toluene	CHVOAMS09	1.380	2.500	2.561	5

DCS = Detection Check Standard

MQL = Method Quantitation Limit

Page 2 of 3

8/21/2019

Detection Check Standard

EuroFins TestAmerica, Houston

Matrix: Solid
Method: 8260B
Prep Method: 5030B_SolidNAC
Date Analyzed: 4/16/2019
Job #: 600-183722
TALS Batch: 262887
Units: ug/Kg

Analyte	Instrument #	MDL	DCS Spike	Measured Result	MQL
trans-1,2-Dichloroethene	CHVOAMS09	1.140	2.500	2.470	5
trans-1,3-Dichloropropene	CHVOAMS09	0.580	2.500	2.304	5
trans-1,4-Dichloro-2-butene	CHVOAMS09	1.900	2.500	4.958	5
Trichloroethene	CHVOAMS09	1.400	2.500	2.306	5
Trichlorofluoromethane	CHVOAMS09	0.660	2.500	1.842	10
Vinyl acetate	CHVOAMS09	0.930	5.000	3.262	10
Vinyl chloride	CHVOAMS04	0.900	2.500	1.917	10
Xylenes, Total	CHVOAMS09	1.130	5.000	2.500	5

DCS = Detection Check Standard

MQL = Method Quantitation Limit

Page 3 of 3

8/21/2019

Case Narrative

Client: AECOM
Project/Site: Langley Getty & central Dinkard Unit

Job ID: 600-189564-2

Job ID: 600-189564-2

Laboratory: Eurofins TestAmerica, Houston

Narrative

**Job Narrative
600-189564-2**

Comments

No additional comments.

Receipt

The samples were received on 8/2/2019 9:52 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 2.2° C, 2.4° C and 2.9° C.

All applicable analytical narratives can be found in the TRRP Checklist section of this report.

Method Summary

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL HOU
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL CAN
3546	Microwave Extraction	SW846	TAL CAN
5035	Closed System Purge & Trap/Laboratory Preservation	SW846	TAL HOU

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Eurofins TestAmerica, Houston

Sample Summary

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
600-189564-1	LG - 01-0-1	Solid	08/01/19 10:00	08/02/19 09:52	
600-189564-5	LG - 01-4-5	Solid	08/01/19 10:20	08/02/19 09:52	
600-189564-6	LG - 02-0-1	Solid	08/01/19 10:25	08/02/19 09:52	
600-189564-10	LG - 02-4-5	Solid	08/01/19 10:45	08/02/19 09:52	
600-189564-11	LG - 03-0-1	Solid	08/01/19 10:50	08/02/19 09:52	
600-189564-15	LG - 03-4-5	Solid	08/01/19 11:10	08/02/19 09:52	
600-189564-20	LG - 04-4-5	Solid	08/01/19 11:35	08/02/19 09:52	

Client Sample Results

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 01-0-1

Lab Sample ID: 600-189564-1

Date Collected: 08/01/19 10:00

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000647	U	0.00513	0.000647	mg/Kg	-	08/02/19 15:40	08/13/19 22:16	1
Ethylbenzene	0.00105	U	0.00513	0.00105	mg/Kg	-	08/02/19 15:40	08/13/19 22:16	1
Toluene	0.00142	U	0.00513	0.00142	mg/Kg	-	08/02/19 15:40	08/13/19 22:16	1
Xylenes, Total	0.00116	U	0.00513	0.00116	mg/Kg	-	08/02/19 15:40	08/13/19 22:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		61 - 130	08/02/19 15:40	08/13/19 22:16	1
Dibromofluoromethane	82		68 - 140	08/02/19 15:40	08/13/19 22:16	1
Toluene-d8 (Surr)	90		50 - 130	08/02/19 15:40	08/13/19 22:16	1
4-Bromofluorobenzene	118		57 - 140	08/02/19 15:40	08/13/19 22:16	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	33.8	U	48.9	33.8	mg/Kg	-	08/15/19 12:00	08/16/19 17:17	1
C28-C36	33.8	U	48.9	33.8	mg/Kg	-	08/15/19 12:00	08/16/19 17:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	72		26 - 125	08/15/19 12:00	08/16/19 17:17	1

Client Sample ID: LG - 01-4-5

Lab Sample ID: 600-189564-5

Date Collected: 08/01/19 10:20

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000592	U	0.00470	0.000592	mg/Kg	-	08/02/19 15:40	08/13/19 22:42	1
Ethylbenzene	0.000959	U	0.00470	0.000959	mg/Kg	-	08/02/19 15:40	08/13/19 22:42	1
Toluene	0.00130	U	0.00470	0.00130	mg/Kg	-	08/02/19 15:40	08/13/19 22:42	1
Xylenes, Total	0.00106	U	0.00470	0.00106	mg/Kg	-	08/02/19 15:40	08/13/19 22:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		61 - 130	08/02/19 15:40	08/13/19 22:42	1
Dibromofluoromethane	83		68 - 140	08/02/19 15:40	08/13/19 22:42	1
Toluene-d8 (Surr)	90		50 - 130	08/02/19 15:40	08/13/19 22:42	1
4-Bromofluorobenzene	117		57 - 140	08/02/19 15:40	08/13/19 22:42	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.4	U	49.8	34.4	mg/Kg	-	08/15/19 12:00	08/16/19 17:45	1
C28-C36	34.4	U	49.8	34.4	mg/Kg	-	08/15/19 12:00	08/16/19 17:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	74		26 - 125	08/15/19 12:00	08/16/19 17:45	1

Client Sample ID: LG - 02-0-1

Lab Sample ID: 600-189564-6

Date Collected: 08/01/19 10:25

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000669	U	0.00531	0.000669	mg/Kg	-	08/02/19 15:40	08/13/19 23:07	1
Ethylbenzene	0.00108	U	0.00531	0.00108	mg/Kg	-	08/02/19 15:40	08/13/19 23:07	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 02-0-1

Lab Sample ID: 600-189564-6

Date Collected: 08/01/19 10:25

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	0.00146	U	0.00531	0.00146	mg/Kg		08/02/19 15:40	08/13/19 23:07	1
Xylenes, Total	0.00120	U	0.00531	0.00120	mg/Kg		08/02/19 15:40	08/13/19 23:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		61 - 130				08/02/19 15:40	08/13/19 23:07	1
Dibromofluoromethane	85		68 - 140				08/02/19 15:40	08/13/19 23:07	1
Toluene-d8 (Surr)	91		50 - 130				08/02/19 15:40	08/13/19 23:07	1
4-Bromofluorobenzene	120		57 - 140				08/02/19 15:40	08/13/19 23:07	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.0	U	49.2	34.0	mg/Kg		08/15/19 12:00	08/16/19 18:12	1
C28-C36	34.0	U	49.2	34.0	mg/Kg		08/15/19 12:00	08/16/19 18:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	76		26 - 125				08/15/19 12:00	08/16/19 18:12	1

Client Sample ID: LG - 02-4-5

Lab Sample ID: 600-189564-10

Date Collected: 08/01/19 10:45

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000603	U H	0.00479	0.000603	mg/Kg		08/13/19 15:57	08/13/19 23:32	1
Ethylbenzene	0.000977	U H	0.00479	0.000977	mg/Kg		08/13/19 15:57	08/13/19 23:32	1
Toluene	0.00132	U H	0.00479	0.00132	mg/Kg		08/13/19 15:57	08/13/19 23:32	1
Xylenes, Total	0.00108	U H	0.00479	0.00108	mg/Kg		08/13/19 15:57	08/13/19 23:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		61 - 130				08/13/19 15:57	08/13/19 23:32	1
Dibromofluoromethane	86		68 - 140				08/13/19 15:57	08/13/19 23:32	1
Toluene-d8 (Surr)	92		50 - 130				08/13/19 15:57	08/13/19 23:32	1
4-Bromofluorobenzene	115		57 - 140				08/13/19 15:57	08/13/19 23:32	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.0	U	49.2	34.0	mg/Kg		08/15/19 12:00	08/16/19 18:40	1
C28-C36	34.0	U	49.2	34.0	mg/Kg		08/15/19 12:00	08/16/19 18:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	78		26 - 125				08/15/19 12:00	08/16/19 18:40	1

Client Sample ID: LG - 03-0-1

Lab Sample ID: 600-189564-11

Date Collected: 08/01/19 10:50

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000620	U H	0.00492	0.000620	mg/Kg		08/13/19 15:57	08/14/19 12:02	1
Ethylbenzene	0.00100	U H	0.00492	0.00100	mg/Kg		08/13/19 15:57	08/14/19 12:02	1
Toluene	0.00136	U H	0.00492	0.00136	mg/Kg		08/13/19 15:57	08/14/19 12:02	1
Xylenes, Total	0.00111	U H	0.00492	0.00111	mg/Kg		08/13/19 15:57	08/14/19 12:02	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 03-0-1

Lab Sample ID: 600-189564-11

Date Collected: 08/01/19 10:50

Matrix: Solid

Date Received: 08/02/19 09:52

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		61 - 130	08/13/19 15:57	08/14/19 12:02	1
Dibromofluoromethane	85		68 - 140	08/13/19 15:57	08/14/19 12:02	1
Toluene-d8 (Surr)	90		50 - 130	08/13/19 15:57	08/14/19 12:02	1
4-Bromofluorobenzene	115		57 - 140	08/13/19 15:57	08/14/19 12:02	1

Method: 8015B - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.3	U	49.6	34.3	mg/Kg		08/15/19 12:00	08/16/19 19:35	1
C28-C36	34.3	U	49.6	34.3	mg/Kg		08/15/19 12:00	08/16/19 19:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	75		26 - 125	08/15/19 12:00	08/16/19 19:35	1

Client Sample ID: LG - 03-4-5

Lab Sample ID: 600-189564-15

Date Collected: 08/01/19 11:10

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)									
Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000599	U H	0.00475	0.000599	mg/Kg		08/13/19 15:57	08/14/19 12:29	1
Ethylbenzene	0.000970	U H	0.00475	0.000970	mg/Kg		08/13/19 15:57	08/14/19 12:29	1
Toluene	0.00131	U H	0.00475	0.00131	mg/Kg		08/13/19 15:57	08/14/19 12:29	1
Xylenes, Total	0.00107	U H	0.00475	0.00107	mg/Kg		08/13/19 15:57	08/14/19 12:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		61 - 130	08/13/19 15:57	08/14/19 12:29	1
Dibromofluoromethane	87		68 - 140	08/13/19 15:57	08/14/19 12:29	1
Toluene-d8 (Surr)	93		50 - 130	08/13/19 15:57	08/14/19 12:29	1
4-Bromofluorobenzene	120		57 - 140	08/13/19 15:57	08/14/19 12:29	1

Method: 8015B - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	33.2	U	48.0	33.2	mg/Kg		08/15/19 12:00	08/16/19 20:03	1
C28-C36	33.2	U	48.0	33.2	mg/Kg		08/15/19 12:00	08/16/19 20:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	77		26 - 125	08/15/19 12:00	08/16/19 20:03	1

Client Sample ID: LG - 04-4-5

Lab Sample ID: 600-189564-20

Date Collected: 08/01/19 11:35

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS)									
Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00134	U H	0.0106	0.00134	mg/Kg		08/13/19 15:57	08/14/19 12:56	1
Ethylbenzene	0.00217	U H	0.0106	0.00217	mg/Kg		08/13/19 15:57	08/14/19 12:56	1
Toluene	0.00294	U H	0.0106	0.00294	mg/Kg		08/13/19 15:57	08/14/19 12:56	1
Xylenes, Total	0.00240	U H	0.0106	0.00240	mg/Kg		08/13/19 15:57	08/14/19 12:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		61 - 130	08/13/19 15:57	08/14/19 12:56	1
Dibromofluoromethane	87		68 - 140	08/13/19 15:57	08/14/19 12:56	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 04-4-5

Lab Sample ID: 600-189564-20

Date Collected: 08/01/19 11:35

Matrix: Solid

Date Received: 08/02/19 09:52

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	92		50 - 130	08/13/19 15:57	08/14/19 12:56	1
4-Bromofluorobenzene	122		57 - 140	08/13/19 15:57	08/14/19 12:56	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.2	U	49.4	34.2	mg/Kg		08/15/19 12:00	08/16/19 20:30	1
C28-C36	34.2	U	49.4	34.2	mg/Kg		08/15/19 12:00	08/16/19 20:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	80		26 - 125	08/15/19 12:00	08/16/19 20:30	1

Eurofins TestAmerica, Houston

Definitions/Glossary

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time
U	Analyte was not detected at or above the SDL.

GC Semi VOA

Qualifier	Qualifier Description
U	Analyte was not detected at or above the SDL.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Surrogate Summary

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (61-130)	DBFM (68-140)	TOL (50-130)	BFB (57-140)
600-189564-1	LG - 01-0-1	82	82	90	118
600-189564-5	LG - 01-4-5	84	83	90	117
600-189564-6	LG - 02-0-1	86	85	91	120
600-189564-10	LG - 02-4-5	85	86	92	115
600-189564-11	LG - 03-0-1	85	85	90	115
600-189564-15	LG - 03-4-5	84	87	93	120
600-189564-20	LG - 04-4-5	84	87	92	122
LCS 600-271800/3	Lab Control Sample	75	87	101	124
LCS 600-271908/3	Lab Control Sample	80	89	96	127
LCSD 600-271800/4	Lab Control Sample Dup	70	85	101	129
LCSD 600-271908/4	Lab Control Sample Dup	76	86	94	123
MB 600-271800/6	Method Blank	83	86	95	116
MB 600-271908/6	Method Blank	90	87	93	117

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

DBFM = Dibromofluoromethane

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		OTPH1 (26-125)			
600-189372-A-8-D MS	Matrix Spike	79			
600-189372-A-8-E MSD	Matrix Spike Duplicate	77			
600-189564-1	LG - 01-0-1	72			
600-189564-5	LG - 01-4-5	74			
600-189564-6	LG - 02-0-1	76			
600-189564-10	LG - 02-4-5	78			
600-189564-11	LG - 03-0-1	75			
600-189564-15	LG - 03-4-5	77			
600-189564-20	LG - 04-4-5	80			
LCS 240-396217/2-A	Lab Control Sample	78			
MB 240-396217/1-A	Method Blank	65			

Surrogate Legend

OTPH = o-Terphenyl (Surr)

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 600-271800/6

Matrix: Solid

Analysis Batch: 271800

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000630	U	0.00500	0.000630	mg/Kg			08/13/19 16:50	1
Ethylbenzene	0.00102	U	0.00500	0.00102	mg/Kg			08/13/19 16:50	1
Toluene	0.00138	U	0.00500	0.00138	mg/Kg			08/13/19 16:50	1
Xylenes, Total	0.00113	U	0.00500	0.00113	mg/Kg			08/13/19 16:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	83		61 - 130		08/13/19 16:50	1
Dibromofluoromethane	86		68 - 140		08/13/19 16:50	1
Toluene-d8 (Surr)	95		50 - 130		08/13/19 16:50	1
4-Bromofluorobenzene	116		57 - 140		08/13/19 16:50	1

Lab Sample ID: LCS 600-271800/3

Matrix: Solid

Analysis Batch: 271800

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.04722		mg/Kg		94	70 - 131
Ethylbenzene	0.0500	0.04716		mg/Kg		94	66 - 130
Toluene	0.0500	0.04980		mg/Kg		100	67 - 130
Xylenes, Total	0.100	0.09130		mg/Kg		91	63 - 130
m-Xylene & p-Xylene	0.0500	0.04569		mg/Kg		91	64 - 130
o-Xylene	0.0500	0.04561		mg/Kg		91	62 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	75		61 - 130
Dibromofluoromethane	87		68 - 140
Toluene-d8 (Surr)	101		50 - 130
4-Bromofluorobenzene	124		57 - 140

Lab Sample ID: LCSD 600-271800/4

Matrix: Solid

Analysis Batch: 271800

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04739		mg/Kg		95	70 - 131	0	30
Ethylbenzene	0.0500	0.04754		mg/Kg		95	66 - 130	1	30
Toluene	0.0500	0.05063		mg/Kg		101	67 - 130	2	30
Xylenes, Total	0.100	0.09190		mg/Kg		92	63 - 130	1	30
m-Xylene & p-Xylene	0.0500	0.04564		mg/Kg		91	64 - 130	0	30
o-Xylene	0.0500	0.04626		mg/Kg		93	62 - 130	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	70		61 - 130
Dibromofluoromethane	85		68 - 140
Toluene-d8 (Surr)	101		50 - 130
4-Bromofluorobenzene	129		57 - 140

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 600-271908/6

Matrix: Solid

Analysis Batch: 271908

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000630	U	0.00500	0.000630	mg/Kg			08/14/19 11:35	1
Ethylbenzene	0.00102	U	0.00500	0.00102	mg/Kg			08/14/19 11:35	1
Toluene	0.00138	U	0.00500	0.00138	mg/Kg			08/14/19 11:35	1
Xylenes, Total	0.00113	U	0.00500	0.00113	mg/Kg			08/14/19 11:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		61 - 130		08/14/19 11:35	1
Dibromofluoromethane	87		68 - 140		08/14/19 11:35	1
Toluene-d8 (Surr)	93		50 - 130		08/14/19 11:35	1
4-Bromofluorobenzene	117		57 - 140		08/14/19 11:35	1

Lab Sample ID: LCS 600-271908/3

Matrix: Solid

Analysis Batch: 271908

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.05008		mg/Kg		100	70 - 131
Ethylbenzene	0.0500	0.04670		mg/Kg		93	66 - 130
Toluene	0.0500	0.04855		mg/Kg		97	67 - 130
Xylenes, Total	0.100	0.09131		mg/Kg		91	63 - 130
m-Xylene & p-Xylene	0.0500	0.04521		mg/Kg		90	64 - 130
o-Xylene	0.0500	0.04610		mg/Kg		92	62 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	80		61 - 130
Dibromofluoromethane	89		68 - 140
Toluene-d8 (Surr)	96		50 - 130
4-Bromofluorobenzene	127		57 - 140

Lab Sample ID: LCSD 600-271908/4

Matrix: Solid

Analysis Batch: 271908

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04912		mg/Kg		98	70 - 131	2	30
Ethylbenzene	0.0500	0.04579		mg/Kg		92	66 - 130	2	30
Toluene	0.0500	0.04797		mg/Kg		96	67 - 130	1	30
Xylenes, Total	0.100	0.09021		mg/Kg		90	63 - 130	1	30
m-Xylene & p-Xylene	0.0500	0.04470		mg/Kg		89	64 - 130	1	30
o-Xylene	0.0500	0.04551		mg/Kg		91	62 - 130	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	76		61 - 130
Dibromofluoromethane	86		68 - 140
Toluene-d8 (Surr)	94		50 - 130
4-Bromofluorobenzene	123		57 - 140

Eurofins TestAmerica, Houston

QC Sample Results

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 240-396217/1-A

Matrix: Solid

Analysis Batch: 396355

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 396217

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10 - C28]	34.6	U	50.0	34.6	mg/Kg	-	08/15/19 12:00	08/16/19 14:58	1
C28-C36	34.6	U	50.0	34.6	mg/Kg	-	08/15/19 12:00	08/16/19 14:58	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl (Surr)	65		26 - 125				08/15/19 12:00	08/16/19 14:58	1

Lab Sample ID: LCS 240-396217/2-A

Matrix: Solid

Analysis Batch: 396355

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 396217

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
Diesel Range Organics [C10 - C28]	250	192.5		mg/Kg	-	77	45 - 120		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
o-Terphenyl (Surr)	78		26 - 125						

Lab Sample ID: 600-189372-A-8-D MS

Matrix: Solid

Analysis Batch: 396355

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 396217

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits		
Diesel Range Organics [C10 - C28]	34.2	U	245	190.4		mg/Kg	-	78	27 - 120		
Surrogate	MS %Recovery	MS Qualifier	Limits								
o-Terphenyl (Surr)	79		26 - 125								

Lab Sample ID: 600-189372-A-8-E MSD

Matrix: Solid

Analysis Batch: 396355

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 396217

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Diesel Range Organics [C10 - C28]	34.2	U	242	185.4		mg/Kg	-	77	27 - 120	3	40
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
o-Terphenyl (Surr)	77		26 - 125								

Eurofins TestAmerica, Houston

Unadjusted Detection Limits

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Method: 8260B - Volatile Organic Compounds (GC/MS)

Prep: 5035

Analyte	MQL	MDL	Units
Benzene	0.00500	0.000630	mg/Kg
Ethylbenzene	0.00500	0.00102	mg/Kg
Toluene	0.00500	0.00138	mg/Kg
Xylenes, Total	0.00500	0.00113	mg/Kg

Method: 8015B - Diesel Range Organics (DRO) (GC)

Prep: 3546

Analyte	MQL	MDL	Units
C28-C36	50.0	34.6	mg/Kg
Diesel Range Organics [C10 - C28]	50.0	34.6	mg/Kg

QC Association Summary

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

GC/MS VOA

Prep Batch: 271171

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-1	LG - 01-0-1	Total/NA	Solid	5035	
600-189564-5	LG - 01-4-5	Total/NA	Solid	5035	
600-189564-6	LG - 02-0-1	Total/NA	Solid	5035	
600-189564-10	LG - 02-4-5	Total/NA	Solid	5035	
600-189564-11	LG - 03-0-1	Total/NA	Solid	5035	
600-189564-15	LG - 03-4-5	Total/NA	Solid	5035	
600-189564-20	LG - 04-4-5	Total/NA	Solid	5035	

Analysis Batch: 271800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-1	LG - 01-0-1	Total/NA	Solid	8260B	271171
600-189564-5	LG - 01-4-5	Total/NA	Solid	8260B	271171
600-189564-6	LG - 02-0-1	Total/NA	Solid	8260B	271171
600-189564-10	LG - 02-4-5	Total/NA	Solid	8260B	271171
MB 600-271800/6	Method Blank	Total/NA	Solid	8260B	
LCS 600-271800/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 600-271800/4	Lab Control Sample Dup	Total/NA	Solid	8260B	

Analysis Batch: 271908

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-11	LG - 03-0-1	Total/NA	Solid	8260B	271171
600-189564-15	LG - 03-4-5	Total/NA	Solid	8260B	271171
600-189564-20	LG - 04-4-5	Total/NA	Solid	8260B	271171
MB 600-271908/6	Method Blank	Total/NA	Solid	8260B	
LCS 600-271908/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 600-271908/4	Lab Control Sample Dup	Total/NA	Solid	8260B	

GC Semi VOA

Prep Batch: 396217

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-1	LG - 01-0-1	Total/NA	Solid	3546	
600-189564-5	LG - 01-4-5	Total/NA	Solid	3546	
600-189564-6	LG - 02-0-1	Total/NA	Solid	3546	
600-189564-10	LG - 02-4-5	Total/NA	Solid	3546	
600-189564-11	LG - 03-0-1	Total/NA	Solid	3546	
600-189564-15	LG - 03-4-5	Total/NA	Solid	3546	
600-189564-20	LG - 04-4-5	Total/NA	Solid	3546	
MB 240-396217/1-A	Method Blank	Total/NA	Solid	3546	
LCS 240-396217/2-A	Lab Control Sample	Total/NA	Solid	3546	
600-189372-A-8-D MS	Matrix Spike	Total/NA	Solid	3546	
600-189372-A-8-E MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

Analysis Batch: 396355

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-1	LG - 01-0-1	Total/NA	Solid	8015B	396217
600-189564-5	LG - 01-4-5	Total/NA	Solid	8015B	396217
600-189564-6	LG - 02-0-1	Total/NA	Solid	8015B	396217
600-189564-10	LG - 02-4-5	Total/NA	Solid	8015B	396217
600-189564-11	LG - 03-0-1	Total/NA	Solid	8015B	396217
600-189564-15	LG - 03-4-5	Total/NA	Solid	8015B	396217

Eurofins TestAmerica, Houston

QC Association Summary

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

GC Semi VOA (Continued)

Analysis Batch: 396355 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-189564-20	LG - 04-4-5	Total/NA	Solid	8015B	396217
MB 240-396217/1-A	Method Blank	Total/NA	Solid	8015B	396217
LCS 240-396217/2-A	Lab Control Sample	Total/NA	Solid	8015B	396217
600-189372-A-8-D MS	Matrix Spike	Total/NA	Solid	8015B	396217
600-189372-A-8-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B	396217

Lab Chronicle

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 01-0-1**Lab Sample ID: 600-189564-1****Date Collected: 08/01/19 10:00****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271800	08/13/19 22:16	WS1	TAL HOU
Total/NA	Prep	3546			396217	08/15/19 12:00	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	396355	08/16/19 17:17	LKG	TAL CAN

Client Sample ID: LG - 01-4-5**Lab Sample ID: 600-189564-5****Date Collected: 08/01/19 10:20****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271800	08/13/19 22:42	WS1	TAL HOU
Total/NA	Prep	3546			396217	08/15/19 12:00	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	396355	08/16/19 17:45	LKG	TAL CAN

Client Sample ID: LG - 02-0-1**Lab Sample ID: 600-189564-6****Date Collected: 08/01/19 10:25****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/02/19 15:40	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271800	08/13/19 23:07	WS1	TAL HOU
Total/NA	Prep	3546			396217	08/15/19 12:00	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	396355	08/16/19 18:12	LKG	TAL CAN

Client Sample ID: LG - 02-4-5**Lab Sample ID: 600-189564-10****Date Collected: 08/01/19 10:45****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/13/19 15:57	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271800	08/13/19 23:32	WS1	TAL HOU
Total/NA	Prep	3546			396217	08/15/19 12:00	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	396355	08/16/19 18:40	LKG	TAL CAN

Client Sample ID: LG - 03-0-1**Lab Sample ID: 600-189564-11****Date Collected: 08/01/19 10:50****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/13/19 15:57	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271908	08/14/19 12:02	WS1	TAL HOU
Total/NA	Prep	3546			396217	08/15/19 12:00	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	396355	08/16/19 19:35	LKG	TAL CAN

Eurofins TestAmerica, Houston

Lab Chronicle

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Client Sample ID: LG - 03-4-5**Lab Sample ID: 600-189564-15****Date Collected: 08/01/19 11:10****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/13/19 15:57	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271908	08/14/19 12:29	WS1	TAL HOU
Total/NA	Prep	3546			396217	08/15/19 12:00	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	396355	08/16/19 20:03	LKG	TAL CAN

Client Sample ID: LG - 04-4-5**Lab Sample ID: 600-189564-20****Date Collected: 08/01/19 11:35****Matrix: Solid****Date Received: 08/02/19 09:52**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			271171	08/13/19 15:57	WS1	TAL HOU
Total/NA	Analysis	8260B		1	271908	08/14/19 12:56	WS1	TAL HOU
Total/NA	Prep	3546			396217	08/15/19 12:00	ZMF	TAL CAN
Total/NA	Analysis	8015B		1	396355	08/16/19 20:30	LKG	TAL CAN

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Accreditation/Certification Summary

Client: AECOM

Job ID: 600-189564-2

Project/Site: Langley Getty & central Dinkard Unit

Laboratory: Eurofins TestAmerica, Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704223-18-23	10-31-19
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-20
California	State Program	2927	02-23-20
Connecticut	State	PH-0590	12-31-19
Connecticut	State Program	PH-0590	12-31-19
Florida	NELAP	E87225	06-30-20
Florida	NELAP	E87225	06-30-20
Georgia	State	4062	02-23-20
Georgia	State Program	N/A	02-23-20
Illinois	NELAP	200004	07-31-20
Iowa	State Program	421	06-01-21
Kansas	NELAP	E-10336	04-30-20
Kansas	NELAP	E-10336	04-30-20
Kentucky (UST)	State Program	58	02-23-20
Kentucky (WW)	State	KY98016	12-31-19
Kentucky (WW)	State Program	98016	12-31-19
Minnesota	NELAP	039-999-348	12-31-19 *
Minnesota	NELAP	OH00048	12-31-19
Minnesota (Petrofund)	State Program	3506	07-31-21
New Jersey	NELAP	OH001	06-30-20
New Jersey	NELAP	OH001	06-30-20
New York	NELAP	10975	03-31-20
New York	NELAP	10975	03-31-20
Ohio VAP	State	CL0024	06-05-21
Ohio VAP	State Program	CL0024	06-05-21
Oregon	NELAP	4062	02-23-20
Oregon	NELAP	4062	02-23-20
Pennsylvania	NELAP	68-00340	08-31-19 *
Pennsylvania	NELAP	68-00340	08-31-19
Texas	NELAP	T104704517-19-11	08-31-20
Texas	NELAP	T104704517-18-10	08-31-19
USDA	Federal	P330-16-00404	12-28-19
Virginia	NELAP	460175	09-14-19 *
Virginia	NELAP	010101	09-14-19
Washington	State	C971	01-12-20
Washington	State Program	C971	01-12-20 *
West Virginia DEP	State	210	12-31-19
West Virginia DEP	State Program	210	12-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Houston

Eurofins TestAmerica, Houston

6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record



Environment Testing
TestAmerica

Client Information		Lab PM		Carrier Tracking No(s)		COC No	
Company: AECOM		Lab PM: Kudchadkar, Sachin G		Carrier Tracking No(s):		600-70018-19143.1	
Address: 19219 Katy Freeway Suite 100		E-Mail: sachin.kudchadkar@testamericainc.com		Page:		Page:	
City: Houston		Phone: James Loveley		Job #:		Job #:	
State, Zip: TX, 77094		Purchase Order Requested		Analysis Requested		Preservation Codes:	
Phone: 713-520-9900(Tel) 713-520-680(Fax)		WO #:		Field Filtered Sample (Yes or No)		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
Email: wallace.gilmore@aecom.com		Project # 60008660		Perform MS/MSD (Yes or No)		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecaldehyde U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Wallace Gilmore		SSOW#		9056 ORGM 28D - Chloride		Total Number of Containers	
Site: Longley Getty & Central District Unit		Sample Date		8260B - BTEX Only		Special Instructions/Note:	
Sample Identification		Sample Time		8015B - GRO - (MOD) Diesel Range Organics [C10-C28]		Hold all but chloride	
L6-01-0-1		1200		8015B - GRO -		Hold all but chloride	
L6-01-1-2		1005				Hold all but chloride	
L6-01-2-3		1010				Hold all but chloride	
L6-01-3-4		1015				Hold all but chloride	
L6-01-4-5		1020				Hold all but chloride	
L6-02-0-1		1025				Hold all but chloride	
L6-02-1-2		1030				Hold all but chloride	
L6-02-2-3		1035				Hold all but chloride	
L6-02-3-4		1040				Hold all but chloride	
L6-02-4-5		1045				Hold all but chloride	
L6-03-0-1		1050				Hold all but chloride	
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological							
Deliverable Requested: I, II, III, IV, Other (specify)							
Empty Kit Relinquished by:							
Relinquished by: Sethu Frederick							
Relinquished by:							
Relinquished by:							
Custody Seal No.:							
Custody Seal Intact:							
Received by: J. H. S.							
Received by:							
Received by:							
Cooler Temperature(s) °C and Other Remarks:							
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For Months							
Special Instructions/QC Requirements:							
Method of Shipment:							
Date/Time: 8/2/19 05:27 AM							
Date/Time:							
Date/Time:							
Company:							

Ver: 01/16/2019

Eurofins TestAmerica, Houston

6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record



Environment Testing
TestAmerica's

Client Information		Lab PM		Carrier Tracking No(s)		COC No						
Address: 19219 Katy Freeway Suite 100 City: Houston State, Zip: TX, 77094 Phone: 713-520-990(Tel) 713-520-680(Fax) Email: wallace.gilmore@aecom.com Project Name: Chevron Site:		Kudchadkar, Sachin G E-Mail: sachin.kudchadkar@testamericainc.com				600-70018-19143.1						
Company: AECOM		Sampler:		Page 2		Job #:						
Due Date Requested: TAT Requested (days): PO #: Purchase Order Requested WO #: Project #: 60008660 SSOW#:												
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=oil, A=air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_GRO - 8260B - BTEX Only	8015B_DRO - (MOD) Diesel Range Organics [C10-C28]	Analysis Requested	Preservation Codes:	Total Number of Containers	Special Instructions/Note:
L6-03-1-2	8/1/19	1055	G	Solid	X	X	X	X		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Anichlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		
L6-03-2-3		1100		Solid								
L6-03-3-4		1105		Solid								
L6-03-4-5		1110		Solid								Hold all but chloride
L6-04-0-1		1115		Solid								
L6-04-1-2		1120		Solid								
L6-04-2-3		1125		Solid								
L6-04-3-4		1130		Solid								
L6-04-4-5		1135		Solid								Hold all but chloride
L6-05-0-1		1140		Solid								
L6-05-1-2		1145		Solid								
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological								Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For ☐ Months				
Empty Kit Relinquished by: ☐ Relinquished by ☐ Relinquished by ☐ Relinquished by								Special Instructions/QC Requirements: Method of Shipment Date/Time Company				
Relinquished by Date/Time Company								Relinquished by Date/Time Company				
Relinquished by Date/Time Company								Relinquished by Date/Time Company				
Custody Seals Intact: Yes No								Custody Seal No.: 8/2/19 8/2/19				

Ver: 01/16/2019

Client Information Client Contact: Mr. Wallace Gilmore Company: AECOM		Lab PM: Kudchadkar, Sachin G E-Mail: sachin.kudchadkar@testamericainc.com		Carrier Tracking No(s): 600-70018-19143.1 Page: 3 Job #:	
Analysis Requested					
Due Date Requested:		Total Number of Containers:			
TAT Requested (days):		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:			
PO # Purchase Order Requested		Special Instructions/Note:			
WO # Project # 60008660 SSOW#					
Address: 19219 Katy Freeway Suite 100 City: Houston State, Zip: TX, 77094 Phone: 713-520-9900 (Tel) 713-520-6800 (Fax) Email: wallace.gilmore@aecom.com Project Name: Chevron Site:					
Sample Identification					
Sample ID LG-05-2-3 LG-05-3-4 LG-05-4-5 CDU-11-0-1 CDU-11-1-2 CDU-11-2-3 CDU-11-3-4 CDU-11-4-5 CDU-12-0-1 CDU-12-1-2 CDU-12-3-4	Sample Date 8/11/19 8/11/19 8/11/19 8/11/19 8/11/19 8/11/19 8/11/19 8/11/19 8/11/19 8/11/19 8/11/19	Sample Time 1150 1155 1200 1320 1325 1330 1335 1340 1345 1350 1355	Sample Type (C=Comp, G=grab) G G G G G G G G G G G	Matrix (W=Water, S=Solid, O=Oil) Solid Solid Solid Solid Solid Solid Solid Solid Solid Solid Solid Solid	Preservation Code: 8015B-DRO - (MOD) Diesel Range Organics [C10-C28] 8015B-GRO - 8260B - BTEX Only 9056-ORGFMS-28D - Chloride Perform MS/MSD (Yes or No) Field Filtered Sample (Yes or No)
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months			
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:			
Empty Kit Relinquished by:		Method of Shipment:			
Relinquished by: Seth Friederich		Received by: JPRS			
Relinquished by:		Received by:			
Relinquished by:		Received by:			
Custody Seal No.:		Date: 8/11/19 @ 1700			
Relinquished by:		Date/Time: 8/12/19 952 T A H			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by:		Date/Time:			
Custody Seal No.:		Date/Time:			
Relinquished by:		Date/Time:			
Relinquished by					

[illegible]

TestAmerica Houston

Loc: 600
189564

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

19 AUG 2 9:52

Sample Receipt Checklist

JOB NUMBER: _____

Date/Time Received: _____

CLIENT: _____

UNPACKED BY: YP

CARRIER/DRIVER: _____

Custody Seal Present: ☒ YES ☐ NONumber of Coolers Received: 3

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Therm CF	Corrected Temp (°C)
WIB	Y / N	Y / N	2.1	678	+0.1	2.2
WIB	Y / N	Y / N	2.8			2.9
WIB	Y / N	Y / N	2.3			2.4
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☒ YES ☐ NOLABORATORY PRESERVATION OF SAMPLES REQUIRED: ☒ NO ☐ YESBase samples are >pH 12: ☐ YES ☐ NO Acid preserved are <pH 2: ☐ YES ☐ NO

pH paper Lot # _____

VOA headspace acceptable (5-6mm): ☐ YES ☐ NO ☒ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☒	☐

COMMENTS:

YP 8/2/19

1 of 3
TRK# 7888 5084 3590
0201
MASTER

AB LKSA

FRI - 02 AUG 10:30A
PRIORITY OVERNIGHT

77040
TX-US IAH



600-189564 Waybill



2 of 3
MPS# 7888 5084 3605
0263
Metr# 7888 5084 3590

AB LKSA

FRI - 02 AUG 10:30A
PRIORITY OVERNIGHT

77040
TX-US IAH

0201



3 of 3
MPS# 7888 5084 3616
0263
Metr# 7888 5084 3590

AB LKSA

FRI - 02 AUG 10:30A
PRIORITY OVERNIGHT

77040
TX-US IAH

0201



Eurofins TestAmerica, Houston

6310 Rothway Street
Houston, TX 77040

Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record

Environment Testing
TestAmerica

Client Information (Sub Contract Lab)		Sampler: Lab PM: Kuchadkar, Sachin G		Carrier Tracking No(s):		COC No: 600-41148-1	
Client Contact: Phone: Sachin.kuchadkar@testamericainc.com		E-Mail: sachin.kuchadkar@testamericainc.com		State of Origin: Texas		Page 1 of 1	
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Texas		Job #:		600-189564-1	
Address: 4101 Shuffel Street NW, North Canton, OH, 44720		Due Date Requested: 8/9/2019		Analysis Requested:		Preservation Codes:	
City: North Canton		TAT Requested (days):		8015B_GRO/5035A_FM (MOD) Diesel Range Organics (C10-)		A - HCL	
State, Zip: OH, 44720		PO #:		8015B_DRO/3546 (MOD) Diesel Range Organics (C10-)		B - NaOH	
Phone: 330-497-9396(Tel) 330-497-0772(Fax)		WO #:		Field Filtered Sample (Yes or No)		C - Zn Acetate	
Email:		Project #:		Perform MS/MSD (Yes or No)		D - Nitric Acid	
Project Name: Langley Getty & central Dinkard Unit		SSOW#:		8015B_GRO/5035A_FM (MOD) Diesel Range Organics (C10-)		E - NaHSO4	
Site:		Sample Date		Sample Time		F - MeOH	
Sample Identification - Client ID (Lab ID)		Sample Date		Sample Time		G - Ascorbic Acid	
LG - 04-0-1 (600-189564-16)		8/1/19		11:15 Central		H - Ice	
LG - 05-0-1 (600-189564-21)		8/1/19		11:40 Central		I - Ice	
LG - 05-4-5 (600-189564-25)		8/1/19		12:00 Central		J - DI Water	
CDU - 11-4-5 (600-189564-30)		8/1/19		13:40 Central		K - EDTA	
CDU - 12-4-5 (600-189564-34)		8/1/19		14:05 Central		L - EDA	
CDU - 13-2-3 (600-189564-37)		8/1/19		14:20 Central		Other:	
CDU - 14-3-4 (600-189564-41)		8/1/19		14:45 Central		M - Hexane	
						N - None	
						O - AsNaO2	
						P - Na2O4S	
						Q - Na2SO3	
						R - Na2SO4	
						S - H2SO4	
						T - TSP Dodecahydrate	
						U - Acetone	
						V - MCAA	
						W - pH 4-5	
						Z - other (specify)	
						Total Number of containers	
						Special Instructions/Note:	
						GC, CUS	

Note: Since laboratory accreditations are subject to change, TestAmerica Laboratories, Inc. places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to TestAmerica Laboratories, Inc. attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to TestAmerica Laboratories, Inc.

Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Unconfirmed		Return To Client ☐ Disposal By Lab ☐ Archive For ☐ Months	
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Method of Shipment:	
Relinquished by: [Signature]		Received by: [Signature]	
Relinquished by: [Signature]		Received by: [Signature]	
Relinquished by: [Signature]		Received by: [Signature]	
Custody Seals Intact: ☐ Yes ☐ No		Cooler Temperature(s) °C and Other Remarks:	

Ver: 01/16/2019

Eurofins TestAmerica Canton Sample Receipt Form/Narrative		Login # : _____
Canton Facility		
Client <u>TA Houston</u>	Site Name _____	Cooler unpacked by: <u>[Signature]</u>
Cooler Received on <u>8/6/19</u>	Opened on <u>8/6/19</u>	
FedEx: 1 st Grd Exp UPS FAS Clipper	Client Drop Off / TestAmerica Courier	Other _____
Receipt After-hours: Drop-off Date/Time		Storage Location
TestAmerica Cooler # <u>16</u>	Foam Box Client Cooler Box Other _____	
Packing material used: <u>Bubble Wrap</u>	Foam <u>Plastic Bag</u> None Other _____	
COOLANT: <u>Wet Ice</u>	Blue Ice Dry Ice Water None	
1. Cooler temperature upon receipt ☐ See Multiple Cooler Form		
IR GUN# IR-8 (CF +0.1 °C) Observed Cooler Temp. <u>1.0</u> °C Corrected Cooler Temp. <u>1.1</u> °C		
IR GUN #36 (CF +0.6 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C		
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u>		Yes No
-Were the seals on the outside of the cooler(s) signed & dated?		Yes No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?		Yes No
-Were tamper/custody seals intact and uncompromised?		Yes No NA
3. Shippers' packing slip attached to the cooler(s)?		Yes No
4. Did custody papers accompany the sample(s)?		Yes No
5. Were the custody papers relinquished & signed in the appropriate place?		Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC?		Yes No
7. Did all bottles arrive in good condition (Unbroken)?		Yes No
8. Could all bottle labels be reconciled with the COC?		Yes No
9. Were correct bottle(s) used for the test(s) indicated?		Yes No
10. Sufficient quantity received to perform indicated analyses?		Yes No
11. Are these work share samples?		Yes No
If yes, Questions 12-16 have been checked at the originating laboratory.		
12. Were all preserved sample(s) at the correct pH upon receipt?		Yes No NA
13. Were VOAs on the COC?		Yes No
14. Were air bubbles >6 mm in any VOA vials? Larger than this.		Yes No NA
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____		Yes No
16. Was a LL Hg or Me Hg trip blank present? _____		Yes No
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____		
Concerning _____		

Tests that are not
checked for pH by
Receiving:

VOAs
Oil and Grease
TOC

pH Strip Lot# HC984738

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: _____

18. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

19. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

Eurofins TestAmerica, Houston

6310 Rothway Street
Houston, TX 77040
Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record



Environment Testing
TestAmerica

Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:
Client Contact: 6310 Rothway Street, Houston, TX 77040		Phone:	Kudchadkar, Sachin G		600-41314.1
Shipping/Receiving		E-Mail:	sachin.kudchadkar@testamericainc.com	State of Origin: Texas	Page: 1 of 1
Company: TestAmerica Laboratories, Inc.		Address:	4101 Shuffel Street NW, North Canton, OH, 44720	Accreditations Required (See note): NELAP - Texas	Job #: 600-189564-2
Due Date Requested: 8/9/2019		TAT Requested (days):		Preservation Codes:	
PO #:				A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
WO #:				M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Project #:				Total Number of containers	
SSOW#:				Special Instructions/Note:	
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=Solid, O=Other, A=Air)
LG - 01-0-1 (600-189564-1)	8/1/19	10:00 Central			Solid
LG - 01-4-5 (600-189564-5)	8/1/19	10:20 Central			Solid
LG - 02-0-1 (600-189564-6)	8/1/19	10:25 Central			Solid
LG - 02-4-5 (600-189564-10)	8/1/19	10:45 Central			Solid
LG - 03-0-1 (600-189564-11)	8/1/19	10:50 Central			Solid
LG - 03-4-5 (600-189564-15)	8/1/19	11:10 Central			Solid
LG - 04-4-5 (600-189564-20)	8/1/19	11:35 Central			Solid
Note: Since laboratory accreditations are subject to change, TestAmerica Laboratories, Inc. places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to TestAmerica Laboratories, Inc. attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to TestAmerica Laboratories, Inc.					
Possible Hazard Identification					
Unconfirmed					
Deliverable Requested: I, II, III, IV, Other (specify)					
Primary Deliverable Rank: 2					
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
☐ Return To Client ☐ Disposal By Lab ☐ Archive For Months					
Special Instructions/QC Requirements:					
Empty Kit Relinquished by:					
Relinquished by: [Signature]					
Relinquished by: [Signature]					
Relinquished by: [Signature]					
Custody Seals Intact: ☐ Yes ☐ No					
Custody Seal No.:					
Cooler Temperature(s) °C and Other Remarks:					
Received by: [Signature] Date: 8/15/19 Received by: [Signature] Date: 8/15/19 Received by: [Signature] Date: 8/15/19					
Company: E-TA					
Company: E-TA					
Company: E-TA					

Ver: 01/16/2019

Eurofins TestAmerica Canton Sample Receipt Form/Narrative				Login # : _____
Canton Facility				Cooler unpacked by: _____
Client <u>ETA</u>		Site Name _____		Cooler unpacked by: <u>Ryan Cribler</u>
Cooler Received on <u>8-15-19</u>		Opened on <u>8-15-19</u> <u>915</u>		
FedEx: 1 st Grd ☒ Exp ☐ UPS ☐ FAS ☐ Clipper ☐ Client Drop Off ☐ TestAmerica Courier ☐ Other ☐				
Receipt After-hours: Drop-off Date/Time				Storage Location
TestAmerica Cooler # <u>74</u> Foam Box ☐ Client Cooler ☐ Box ☐ Other ☐				
Packing material used: <u>Bubble Wrap</u> Foam <u>Plastic Bag</u> None ☐ Other ☐				
COOLANT: <u>Wet Ice</u> Blue Ice ☐ Dry Ice ☐ Water ☐ None ☐				
1. Cooler temperature upon receipt ☐ See Multiple Cooler Form				
IR GUN# IR-8 (CF +0.1 °C) Observed Cooler Temp. <u>1.4</u> °C Corrected Cooler Temp. <u>1.5</u> °C				
IR GUN #36 (CF +0.6 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C				
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u> ☒ Yes ☐ No				
-Were the seals on the outside of the cooler(s) signed & dated? ☒ Yes ☐ No ☐ NA				
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? ☒ Yes ☐ No ☐ NA				
-Were tamper/custody seals intact and uncompromised? ☒ Yes ☐ No ☐ NA				
3. Shippers' packing slip attached to the cooler(s)? ☒ Yes ☐ No				
4. Did custody papers accompany the sample(s)? ☒ Yes ☐ No				
5. Were the custody papers relinquished & signed in the appropriate place? ☒ Yes ☐ No				
6. Was/were the person(s) who collected the samples clearly identified on the COC? ☒ Yes ☐ No				
7. Did all bottles arrive in good condition (Unbroken)? ☒ Yes ☐ No				
8. Could all bottle labels be reconciled with the COC? ☒ Yes ☐ No				
9. Were correct bottle(s) used for the test(s) indicated? ☒ Yes ☐ No				
10. Sufficient quantity received to perform indicated analyses? ☒ Yes ☐ No				
11. Are these work share samples? ☒ Yes ☐ No				
If yes, Questions 12-16 have been checked at the originating laboratory.				
12. Were all preserved sample(s) at the correct pH upon receipt? ☒ Yes ☐ No ☐ NA pH Strip Lot# <u>HC984738</u>				
13. Were VOAs on the COC? ☒ Yes ☐ No ☐ NA				
14. Were air bubbles >6 mm in any VOA vials? ☒ Yes ☐ No ☐ NA				
15. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ ☒ Yes ☐ No				
16. Was a LL Hg or Me Hg trip blank present? ☒ Yes ☐ No				
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____				
Concerning _____				

Tests that are not
checked for pH by
Receiving:

VOAs
Oil and Grease
TOC

17. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES	Samples processed by: _____
18. SAMPLE CONDITION	
Sample(s) _____ were received after the recommended holding time had expired.	
Sample(s) _____ were received in a broken container.	
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)	
19. SAMPLE PRESERVATION	
Sample(s) _____ were further preserved in the laboratory.	
Time preserved: _____ Preservative(s) added/Lot number(s): _____	
VOA Sample Preservation - Date/Time VOAs Frozen: _____	

WI-NC-099

Login Sample Receipt Checklist

Client: AECOM

Job Number: 600-189564-2

Login Number: 189564

List Source: Eurofins TestAmerica, Houston

List Number: 1

Creator: Rubio, Yuri

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.2,2.9,2.4
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 22519

CONDITIONS OF APPROVAL

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX79706			OGRID: 4323	Action Number: 22519	Action Type: C-141
OCD Reviewer	Condition				
chensley	Chevron's deferral requests to complete final remediation during any future major construction/alteration or final plugging and abandonment, whichever occurs first is approved. The release will remain open in OCD database files and reflect an open environmental issue till final remediation.				