



2030 Afton Place
Farmington, NM 87401
(505) 325-6622

Analysis No: LG2021131
Cust No: 46600-11775

Well/Lease Information

Customer Name: LOGOS OPERATING LLC	Source: FLOWBACK SEPARATOR
Well Name: OMEGA 4H; FB SEP	Well Flowing: Y
County/State: NM	Pressure: PSIG
Location:	Flow Temp: DEG. F
Lease/PA/CA:	Ambient Temp: DEG. F
Formation:	Flow Rate: MCF/D
Cust. Stn. No.:	Sample Method: Purge & Fill
	Sample Date: 06/14/2021
	Sample Time: 7.10 AM
	Sampled By: TRAVIS K.
	Sampled by (CO):
Heat Trace:	
Remarks:	

Analysis

Component::	Mole%:	Unnormalized %:	**GPM:	*BTU:	*SP Gravity:
Nitrogen	41.5637	41.6130	4.5840	0.00	0.4020
CO2	0.3313	0.3317	0.0570	0.00	0.0050
Methane	38.3215	38.3668	6.5130	387.05	0.2123
Ethane	7.7301	7.7393	2.0720	136.80	0.0803
Propane	6.7860	6.7940	1.8740	170.74	0.1033
Iso-Butane	0.8567	0.8577	0.2810	27.86	0.0172
N-Butane	2.3411	2.3439	0.7400	76.37	0.0470
I-Pentane	0.5751	0.5758	0.2110	23.01	0.0143
N-Pentane	0.5733	0.5740	0.2080	22.98	0.0143
Hexane Plus	0.9212	0.9223	0.4120	48.56	0.0305
Total	100.0000	100.1185	16.9520	893.37	0.9261

* @ 14.730 PSIA DRY & UNCORRECTED FOR COMPRESSIBILITY

**@ 14.730 PSIA & 60 DEG. F.

COMPRESSIBILITY FACTOR (1/Z):	1.0027	CYLINDER #:	6131
BTU/CU.FT IDEAL:	895.4	CYLINDER PRESSURE:	87 PSIG
BTU/CU.FT (DRY) CORRECTED FOR (1/Z):	897.9	ANALYSIS DATE:	06/14/2021
BTU/CU.FT (WET) CORRECTED FOR (1/Z):	882.3	ANALYSIS TIME:	10:20:37 AM
DRY BTU @ 15.025:	915.9	ANALYSIS RUN BY:	RICHARD WILSON
REAL SPECIFIC GRAVITY:	0.9283		

GPM, BTU, and SPG calculations as shown above are based on current GPA constants.

GPA Standard: GPA-2261

GC: Danalyzer Model 500 Last Cal/Verify: 06/14/2021

GC Method: C6+ Gas



LOGOS OPERATING LLC
WELL ANALYSIS COMPARISON

Lease: OMEGA 4H; FB SEP
 Stn. No.:
 Mtr. No.:

FLOWBACK SEPARATOR

06/14/2021
 46600-11775

Smpl Date:	06/14/2021	06/13/2021	06/12/2021	06/11/2021	06/10/2021	06/09/2021	06/08/2021
Test Date:	06/14/2021	06/13/2021	06/13/2021	06/11/2021	06/10/2021	06/09/2021	06/08/2021
Run No:	LG2021131	LG2021125	LG2021124	LG2021120	LG2021116	LG2021112	LG2021108
Nitrogen:	41.5637	41.6960	45.7736	43.5406	50.7414	52.8423	55.6438
CO2:	0.3313	0.3331	0.3068	0.3318	0.3234	0.3178	0.3062
Methane:	38.3215	36.3719	34.8047	36.8888	33.4403	31.0797	29.6557
Ethane:	7.7301	8.1871	7.3451	7.5594	6.5386	6.2394	5.7816
Propane:	6.7860	7.7231	6.6351	6.6362	5.4930	5.5858	5.0823
I-Butane:	0.8567	0.9942	0.8520	0.8266	0.6576	0.7111	0.6378
N-Butane:	2.3411	2.6211	2.2760	2.2419	1.6309	1.8205	1.6296
I-Pentane:	0.5751	0.6138	0.5568	0.5214	0.3600	0.4250	0.3756
N-Pentane:	0.5733	0.6020	0.5556	0.5144	0.3384	0.4065	0.3575
Hexane+:	0.9212	0.8577	0.8943	0.9389	0.4764	0.5719	0.5299
BTU:	897.9	923.1	846.2	868.6	722.4	713.9	663.6
GPM:	16.9520	17.1490	16.6180	16.7620	15.7930	15.7370	15.3980
SPG:	0.9283	0.9460	0.9395	0.9305	0.9130	0.9298	0.9271
	06/07/2021	06/06/2021	06/05/2021				
	06/07/2021	06/06/2021	06/05/2021				
	LG2021104	LG2021099	LG2021096				
	59.3257	62.1739	66.2364				
	0.2934	0.2886	0.2660				
	27.2753	24.9792	22.3273				
	5.1970	4.8388	4.1186				
	4.5914	4.3943	3.6958				
	0.5865	0.5606	0.4828				
	1.5172	1.5183	1.3654				
	0.3600	0.3579	0.3675				
	0.3452	0.3441	0.3745				
	0.5083	0.5443	0.7657				
	609.0	575.2	523.6				
	15.0300	14.8080	14.4540				
	0.9309	0.9395	0.9492				

LOGOS Operating, LLC
Omega 2308 03 Com 004H
Flared Meter 11961
API: 30-045-38179
Unit H, Section 03, T23N R08W
36.285232, -107.660916 NAD 83

OMEGA 2308 03 FED COM 4H FLARE METER					11961
Date ▼	Gas Flowed	Differential	Static Pressure Psia	Gas Temp	
6/17/2021	0.00	0	0	60	
6/16/2021	1,392.50	0	0	60	
6/15/2021	1,461.70	0	0	60	
6/14/2021	1,549.81	0	0	60	
6/13/2021	1,408.80	0	0	60	
6/12/2021	1,114.90	0	0	60	
6/11/2021	1,431.00	0	0	60	
6/10/2021	1,556.00	0	0	60	
6/9/2021	1,767.00	0	0	60	
6/8/2021	2,169.00	0	0	60	
6/7/2021	2,356.00	0	0	60	
6/6/2021	2,280.00	0	0	60	
6/5/2021	1,403.00	0	0	60	
6/4/2021	0.00	0	0	60	
6/3/2021	0.00	0	0	60	
6/2/2021	0.00	0	0	60	

LOGOS Operating, LLC
Omega 2308 03 Com 001H, 002H, 004H & 005H
PAD
API: 30-045-38179
Unit H, Section 03, T23N R08W
36.258232, -107.660916 NAD83



Google Earth

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 34683

QUESTIONS

Operator: LOGOS OPERATING, LLC 2010 Afton Place Farmington, NM 87401	OGRID: 289408
	Action Number: 34683
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS**Determination of Reporting Requirements**

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was or is this venting or flaring caused by an emergency or malfunction	No
Did or will this venting or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a notification of a major venting or flaring	Yes, major venting or flaring of natural gas.
The operator shall file a form C-141 instead of a form C-129 for a release that includes liquid during venting or flaring that is or may be a major or minor release under 19.13.29.7 NMAC.	
Was there or will there be at least 50 MCF of natural gas vented or flared during this event	Yes
Did this venting or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No

Unregistered Facility Site

Please provide the facility details, if the venting or flaring occurred or is occurring at a facility that does not have an Facility ID (##) yet.

Facility or Site Name	Omega 2308 03 Com 004H
Facility Type	Flare Stack - (FS)

Equipment Involved

Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	38
Nitrogen (N2) percentage, if greater than one percent	42
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Date(s) and Time(s)

Date venting or flaring was discovered or commenced	06/14/2021
Time venting or flaring was discovered or commenced	07:10 AM
Is the venting or flaring event complete	No
Date venting or flaring was terminated	Not answered.
Time venting or flaring was terminated	Not answered.
Total duration of venting or flaring in hours, if venting or flaring has terminated	Not answered.
Longest duration of cumulative hours within any 24-hour period during this event	24

Measured or Estimated Volume of Vented or Flared Natural Gas

Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Separator Natural Gas Flared Spilled: 1,550 Mcf Recovered: 0 Mcf Lost: 1,550 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity

Was or is this venting or flaring a result of downstream activity	No
Date notified of downstream activity requiring this venting or flaring	Not answered.
Time notified of downstream activity requiring this venting or flaring	Not answered.

Steps and Actions to Prevent Waste

For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	Drilling and Completion operations were completed. The Nitrogen content level was above Harvest pipeline standards.
Steps taken to limit the duration and magnitude of venting or flaring	Utilizing separator on location and pipeline is currently installed ready to flow downline once N2 content level is acceptable per Harvest standards.
Corrective actions taken to eliminate the cause and reoccurrence of venting or flaring	Utilizing separator on location and pipeline is currently installed ready to flow downline once N2 content level is acceptable per Harvest standards.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 34683

CONDITIONS

Operator: LOGOS OPERATING, LLC 2010 Afton Place Farmington, NM 87401	OGRID: 289408
	Action Number: 34683
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
system	If the information provided in this report requires an amendment, submit a [C-129] Request to Amend Venting and/or Flaring Incident, utilizing your incident number from this event.	7/1/2021