

MANLEY GAS TESTING, INC.

P.O. DRAWER 193
OFFICE(432)367-3024

FAX(432)367-1166

ODESSA, TEXAS 79760
E-MAIL: MANLEYGAST@AOL.COM

CHARGE..... 150 - 0
REC. NO. 5
TEST NUMBER.. 23697

DATE SAMPLED..... 04-09-21
DATE RUN..... 04-21-21
EFFECT. DATE..... 05-01-21

STATION NO. ... 06511003

PRODUCER DURANGO MIDSTREAM

SAMPLE NAME.... LOCO HILLS FLARE GAS

TYPE: SPOT

RECEIVED FROM.. FRONTIER FIELD SERVICES LLC - MALJAMAR

FLOWING PRESSURE 24.0 PSIA

FLOWING TEMPERATURE 64 F

SAMPLED BY: DD

CYLINDER NO. ...

FRACTIONAL ANALYSIS CALCULATED @ 14.650 PSIA AND 60F

	MOL%	GPM (REAL)
HYDROGEN SULFIDE...	0.400	
NITROGEN.....	1.907	
CARBON DIOXIDE.....	0.729	
METHANE.....	72.984	
ETHANE.....	13.004	3.473
PROPANE.....	6.215	1.709
ISO-BUTANE.....	0.763	0.249
NOR-BUTANE.....	1.861	0.585
ISO-PENTANE.....	0.468	0.171
NOR-PENTANE.....	0.480	0.174
HEXANES +.....	1.189	0.518
TOTALS	100.000	6.879

H2S PPMV = 4000

'Z' FACTOR (DRY) = 0.9958
'Z' FACTOR (WET) = 0.9954

CALC. MOL. WT. = 22.66

..CALCULATED SPECIFIC GRAVITIES..

REAL, DRY 0.7856

REAL, WET 0.7831

..CALCULATED GROSS HEATING VALUES..

BTU/CF - REAL, DRY 1309

BTU/CF - REAL, WET 1287

DISTRIBUTION AND REMARKS:

J

ANALYZED BY: JT

* R **

HE ~

APPROVED:



MANLEY GAS TESTING, INC.

P.O. DRAWER 193
OFFICE (432) 367-3024

FAX (432) 367-1166

ODESSA, TEXAS 79760
E-MAIL: MANLEYGAST@AOL.COMCHARGE..... 150 - 0
REC. NO. 1
TEST NUMBER.. 23426DATE SAMPLED..... 01-29-21
DATE RUN..... 02-10-21
EFFECT. DATE..... 02-01-21

STATION NO. ... 06511001

PRODUCER FRONTIER FIELD SERVICES

SAMPLE NAME.... LOBO COMPRESSOR FLARE GAS

TYPE: SPOT

RECEIVED FROM.. FRONTIER FIELD SERVICES LLC - MALJAMAR

FLOWING PRESSURE 478.0 PSIA

FLOWING TEMPERATURE 90 F

SAMPLED BY: DD

CYLINDER NO. ...

FRACTIONAL ANALYSIS
CALCULATED @ 14.650 PSIA AND 60F

	MOL%	GPM (REAL)
HYDROGEN SULFIDE...	0.200	
NITROGEN.....	4.390	
CARBON DIOXIDE.....	1.384	
METHANE.....	71.108	
ETHANE.....	13.778	3.677
PROPANE.....	6.199	1.704
ISO-BUTANE.....	0.676	0.221
NOR-BUTANE.....	1.445	0.455
ISO-PENTANE.....	0.268	0.097
NOR-PENTANE.....	0.231	0.083
HEXANES +.....	0.321	0.139
TOTALS	100.000	6.376

H2S PPMV = 2000

'Z' FACTOR (DRY) = 0.9964
'Z' FACTOR (WET) = 0.9960

CALC. MOL. WT. = 22.08

..CALCULATED SPECIFIC GRAVITIES..

REAL, DRY 0.7649

REAL, WET 0.7628

..CALCULATED GROSS HEATING VALUES..

BTU/CF - REAL, DRY 1224

BTU/CF - REAL, WET 1204

DISTRIBUTION AND REMARKS:

N

ANALYZED BY: JT

** R **

~ HE ~

APPROVED: MC

MANLEY GAS TESTING, INC.

P.O. DRAWER 193
OFFICE(432)367-3024

FAX(432)367-1166

ODESSA, TEXAS 79760
E-MAIL: MANLEYGAST@AOL.COMCHARGE..... 150 - 0
REC. NO. 18
TEST NUMBER.. 23341DATE SAMPLED..... 01-21-21
DATE RUN..... 01-25-21
EFEC. DATE..... 02-01-21

STATION NO. ... 06511002

PRODUCER DURANGO MIDSTREAM

SAMPLE NAME.... BKU FLARE

TYPE: SPOT

RECEIVED FROM.. FRONTIER FIELD SERVICES LLC - MALJAMAR

FLOWING PRESSURE 24.0 PSIA

FLOWING TEMPERATURE 65 F

SAMPLED BY: DD

CYLINDER NO. ...

FRACTIONAL ANALYSIS
CALCULATED @ 14.650 PSIA AND 60F

	MOL%	GPM (REAL)
HYDROGEN SULFIDE...	1.000	
NITROGEN.....	1.743	
CARBON DIOXIDE.....	2.071	
METHANE.....	63.739	
ETHANE.....	16.716	4.468
PROPANE.....	8.554	2.355
ISO-BUTANE.....	1.026	0.336
NOR-BUTANE.....	2.636	0.830
ISO-PENTANE.....	0.672	0.245
NOR-PENTANE.....	0.721	0.261
HEXANES +.....	1.122	0.490
TOTALS	100.000	8.985

H2S PPMV = 10000

'Z' FACTOR (DRY) = 0.9949

'Z' FACTOR (WET) = 0.9945

CALC. MOL. WT. = 24.94

..CALCULATED SPECIFIC GRAVITIES..

REAL, DRY 0.8653

REAL, WET 0.8614

..CALCULATED GROSS HEATING VALUES..

BTU/CF - REAL, DRY 1390

BTU/CF - REAL, WET 1367

DISTRIBUTION AND REMARKS:

N

ANALYZED BY: JT

** R **

~ HE ~

APPROVED:



Facility: Loco Hills CS
Date: 8/17/2021

FL-1_Flare		
Time	Event Type	Flare Volume (Mcf)
0:00	-	0.0
1:00	-	0.0
2:00	-	0.0
3:00	-	0.0
4:00	-	0.0
5:00	-	0.0
6:00	-	0.0
7:00	-	0.0
8:00	-	0.0
9:00	-	0.0
10:00	-	0.0
11:00	-	0.0
12:00	-	0.0
13:00	-	0.0
14:00	-	0.0
15:00	-	0.0
16:00	-	0.0
17:00	-	0.0
18:00	-	0.0
19:00	-	0.0
20:00	-	0.0
21:00	Malfunction	106.0
22:00	Malfunction	311.5
23:00	Malfunction	312.8



Facility: Lobo CS
Date: 8/17/2021

16_Flare		
Time	Event Type	Flare Volume (Mcf)
0:00	-	0.0
1:00	-	0.0
2:00	-	0.0
3:00	-	0.0
4:00	-	0.0
5:00	SSM	0.0
6:00	SSM	0.0
7:00	-	0.0
8:00	SSM	5.3
9:00	SSM	0.0
10:00	-	0.0
11:00	-	0.0
12:00	SSM	0.1
13:00	SSM	6.7
14:00	SSM	0.6
15:00	SSM	0.3
16:00	SSM	0.2
17:00	SSM	1.4
18:00	-	0.0
19:00	-	0.0
20:00	Malfunction	11.9
21:00	Malfunction	294.2
22:00	Malfunction	316.6
23:00	Malfunction	303.1



Facility: BKU CS
Date: 8/17/2021

FL-1_Flare		
Time	Event Type	Flare Volume (Mcf)
0:00	-	0.0
1:00	-	0.0
2:00	-	0.0
3:00	-	0.0
4:00	-	0.0
5:00	-	0.0
6:00	-	0.0
7:00	-	0.0
8:00	-	0.0
9:00	SSM	0.6
10:00	-	0.0
11:00	SSM	8.9
12:00	-	0.0
13:00	-	0.0
14:00	SSM	4.6
15:00	-	0.0
16:00	-	0.0
17:00	-	0.0
18:00	-	0.0
19:00	-	0.0
20:00	-	0.0
21:00	Malfunction	263.9
22:00	Malfunction	347.2
23:00	Malfunction	326.8

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 42850

QUESTIONS

Operator: FRONTIER FIELD SERVICES, LLC 10077 Grogans Mill Rd. The Woodlands, TX 77380	OGRID: 221115
	Action Number: 42850
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS**Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

Incident Well	Not answered.
Incident Facility	[fAPP2123032826] Lobo Compressor Station

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was or is this venting and/or flaring caused by an emergency or malfunction	Yes
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a notification of a major venting and/or flaring	Yes, major venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved

Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	69
Nitrogen (N2) percentage, if greater than one percent	3
Hydrogen Sulfide (H2S) PPM, rounded up	1
Carbon Dioxide (CO2) percentage, if greater than one percent	1
Oxygen (O2) percentage, if greater than one percent	0

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Date(s) and Time(s)

Date venting and/or flaring was discovered or commenced	08/17/2021
Time venting and/or flaring was discovered or commenced	07:00 PM
Time venting and/or flaring was terminated	11:59 PM
Cumulative hours during this event	6

Measured or Estimated Volume of Vented or Flared Natural Gas

Natural Gas Vented (Mcf) Details	Not answered.
----------------------------------	---------------

Natural Gas Flared (Mcf) Details	Cause: Equipment Failure Gas Plant Natural Gas Flared Released: 2,623 Mcf Recovered: 0 Mcf Lost: 2,623 Mcf
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Flaring event carried on overnight- volumes and emissions for 8.18 still being collected and will be reported once all data is available.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity

Was or is this venting and/or flaring a result of downstream activity	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste

For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	Gas Plant went sour overnight causing third party takeaway to shut the plant in. High level in the Amine 1 flash tank shut down the amine pumps causing the plant to go sour. Plant operations were able to resolve the treating issue and restart deliveries to TW & GCNM at 12:30 am. Plant backed inlet gas out to field compressor stations- operators unable to avoid flaring.
Steps taken to limit the duration and magnitude of venting and/or flaring	Plant worked to resume normal operations and reduce flare volume
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Plant operations were able to resolve the treating issue and restart deliveries to TW & GCNM at 12:30 am. Flaring event carried on overnight- volumes and emissions for 8.18 still being collected and will be reported once all data is available.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 42850

CONDITIONS

Operator: FRONTIER FIELD SERVICES, LLC 10077 Grogans Mill Rd. The Woodlands, TX 77380	OGRID: 221115
	Action Number: 42850
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
mtaylor	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	8/18/2021