GAS VOLUME STATEMENT

June 2021

Meter #: 727015-00

Name: Carmen Federal CDP

Closed Data

Standard Conditions



Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Ba	ase: 60.00 °F	Contract Hr.:	Midnight	0.131	4.680	68.260	13.859	7.078	0.804	2.167	0.630
Atmos Pressure	e: 12.830 psi	Full Wellstream:	No								
Calc Method:	AGA3-1992	WV Technique:		NC5	neo	C6	C7	C8	C9	C10	
Z Method:	AGA-8 Detail (1992)	WV Method:		0.758		0.795	0.586	0.184	0.036		1
Tube I.D.:	4.0260 in	HV Cond:	Dry								
Tap Location:	Upstream	Meter Type:	EFM	Ar	СО	H2	O2	He	H2O	H2S	H2S ppm
Tap Type:	Flange	Interval:	1 Hour							0.031	311.000

Diff Cal			Flow	Relative	Block	W.1	Heating	-
		•		Density				Energy (MMBtu)
, ,	,		` ,	0.8275	` ′	, ,	• •	397
23.06	41.19		23.48		1.5000			440
33.19	39.85	85.20	23.99	0.8275	1.5000	356	1358.12	484
34.60	38.23	87.18	23.62	0.8275	1.3750	326	1358.12	441
37.35	39.72	87.79	23.48	0.8275	1.3750	340	1358.12	463
35.14	42.39	93.13	23.77	0.8275	1.3750	346	1358.12	470
30.12	44.16	95.61	23.94	0.8275	1.3750	335	1358.12	455
28.84	43.82	93.36	23.97	0.8275	1.3750	327	1358.12	444
21.74	44.62	99.83	23.92	0.8275	1.3750	284	1358.12	386
52.05	44.78	105.61	23.99	0.8275	1.3750	422	1358.12	573
30.44	44.43	102.95	23.89	0.8275	1.3750	337	1358.12	457
33.37	46.54	103.41	23.84	0.8275	1.3750	351	1358.12	476
30.31	46.72	100.15	23.86	0.8275	1.3750	341	1358.12	464
30.65	46.37	97.16	23.92	0.8275	1.3750	347	1358.12	471
31.25	45.87	97.11	23.91	0.8275	1.3750	340	1358.12	462
33.38	44.55	98.09	23.95	0.8275	1.3750	349	1358.12	474
31.85	41.14	95.35	23.91	0.8275	1.3750	337	1358.12	458
40.92	38.88	96.81	23.75	0.8275	1.3750	356	1358.12	483
39.62	38.16	96.54	23.70	0.8275	1.3750	352	1358.12	478
34.49	43.53	96.80	23.85	0.8275	1.3750	354	1358.12	481
34.17	43.26	92.32	23.98	0.8275	1.3750	346	1358.12	469
36.84	42.77	91.76	24.00	0.8275	1.3750	371	1358.12	504
34.40	42.02	98.39	24.00	0.8275	1.3750	355	1358.12	483
32.23	41.85	96.88	24.00	0.8275	1.3750			462
36.24	40.85	99.19	23.99	0.8275	1.3750			491
34.90	40.78	91.68	23.86	0.8275	1.3750	341	1358.12	463
28.96	44.21	81.42	23.87	0.8275	1.3750			435
31.19	40.88	68.30	23.97	0.8275	1.3750	332	1358.12	451
35.47	42.73	75.21	23.98	0.8275	1.3750			489
39.89	40.57	77.79	23.87	0.8275	1.3750	371	1358.12	503
33.50	42.52	92.38	716.18	0.8275		10,314		14,007
	33.19 34.60 37.35 35.14 30.12 28.84 21.74 52.05 30.44 33.37 30.31 30.65 31.25 33.38 31.85 40.92 39.62 34.49 34.17 36.84 34.40 32.23 36.24 34.90 28.96 31.19 35.47 39.89	(In. H2O) (psia) 16.71 40.65 23.06 41.19 33.19 39.85 34.60 38.23 37.35 39.72 35.14 42.39 30.12 44.16 28.84 43.82 21.74 44.62 52.05 44.78 30.44 44.43 33.37 46.54 30.31 46.72 30.65 46.37 31.25 45.87 33.38 44.55 31.85 41.14 40.92 38.88 39.62 38.16 34.49 43.53 34.17 43.26 36.84 42.77 34.40 42.02 32.23 41.85 36.24 40.85 34.90 40.78 28.96 44.21 31.19 40.88 35.47 42.73 39.89 40.57 33.	(In. H2O) (psia) (°F) 16.71 40.65 75.54 23.06 41.19 85.95 33.19 39.85 85.20 34.60 38.23 87.18 37.35 39.72 87.79 35.14 42.39 93.13 30.12 44.16 95.61 28.84 43.82 93.36 21.74 44.62 99.83 52.05 44.78 105.61 30.44 44.43 102.95 33.37 46.54 103.41 30.31 46.72 100.15 30.65 46.37 97.16 31.25 45.87 97.11 33.38 44.55 98.09 31.85 41.14 95.35 40.92 38.88 96.81 39.62 38.16 96.54 34.49 43.53 96.80 34.17 43.26 92.32 36.84 42.77 91.76	Differential (In. H2O) Pressure (psia) Temp. (°F) Time (hrs) 16.71 40.65 75.54 23.91 23.06 41.19 85.95 23.48 33.19 39.85 85.20 23.99 34.60 38.23 87.18 23.62 37.35 39.72 87.79 23.48 35.14 42.39 93.13 23.77 30.12 44.16 95.61 23.94 28.84 43.82 93.36 23.97 21.74 44.62 99.83 23.92 30.44 44.43 102.95 23.89 33.37 46.54 103.41 23.84 30.31 46.72 100.15 23.86 30.65 46.37 97.16 23.92 31.25 45.87 97.11 23.91 40.92 38.88 96.81 23.75 39.62 38.16 96.81 23.75 39.62 38.16 96.54 23.70 <t< td=""><td>Differential (In. H2O) Pressure (psia) Temp. (°F) Time (hrs) Density 16.71 40.65 75.54 23.91 0.8275 23.06 41.19 85.95 23.48 0.8275 33.19 39.85 85.20 23.99 0.8275 34.60 38.23 87.18 23.62 0.8275 37.35 39.72 87.79 23.48 0.8275 35.14 42.39 93.13 23.77 0.8275 30.12 44.16 95.61 23.94 0.8275 28.84 43.82 93.36 23.97 0.8275 21.74 44.62 99.83 23.92 0.8275 30.44 44.43 102.95 23.89 0.8275 33.37 46.54 103.41 23.84 0.8275 30.65 46.37 97.16 23.92 0.8275 31.25 45.87 97.11 23.91 0.8275 31.85 41.14 95.35 23.91 0</td><td>Differential (n. H2O) Pressure (psia) Temp. (°F) Time (hrs) Density (inches) Plate (inches) 16.71 40.65 75.54 23.91 0.8275 1.5000 23.06 41.19 85.95 23.48 0.8275 1.5000 33.19 39.85 85.20 23.99 0.8275 1.5000 34.60 38.23 87.18 23.62 0.8275 1.3750 37.35 39.72 87.79 23.48 0.8275 1.3750 35.14 42.39 93.13 23.77 0.8275 1.3750 30.12 44.16 95.61 23.94 0.8275 1.3750 28.84 43.82 93.36 23.97 0.8275 1.3750 21.74 44.62 99.83 23.92 0.8275 1.3750 30.44 44.43 102.95 23.89 0.8275 1.3750 30.31 46.72 100.15 23.86 0.8275 1.3750 31.25 45.87 97.11</td><td>Differential (In. H2O) Pressure (psia) Temp. (°F) Time (hrs) Density (inches) Plate (inches) Volume (Mcf) 16.71 40.65 75.54 23.91 0.8275 1.5000 292 23.06 41.19 85.95 23.48 0.8275 1.5000 324 33.19 39.85 85.20 23.99 0.8275 1.3750 356 34.60 38.23 87.18 23.62 0.8275 1.3750 340 35.14 42.39 93.13 23.77 0.8275 1.3750 346 30.12 44.16 95.61 23.94 0.8275 1.3750 335 28.84 43.82 93.36 23.97 0.8275 1.3750 327 21.74 44.62 99.83 23.99 0.8275 1.3750 327 33.37 46.54 105.61 23.99 0.8275 1.3750 341 30.41 24.22 98.81 23.89 0.8275 1.3750 341</td><td> Pressure</td></t<>	Differential (In. H2O) Pressure (psia) Temp. (°F) Time (hrs) Density 16.71 40.65 75.54 23.91 0.8275 23.06 41.19 85.95 23.48 0.8275 33.19 39.85 85.20 23.99 0.8275 34.60 38.23 87.18 23.62 0.8275 37.35 39.72 87.79 23.48 0.8275 35.14 42.39 93.13 23.77 0.8275 30.12 44.16 95.61 23.94 0.8275 28.84 43.82 93.36 23.97 0.8275 21.74 44.62 99.83 23.92 0.8275 30.44 44.43 102.95 23.89 0.8275 33.37 46.54 103.41 23.84 0.8275 30.65 46.37 97.16 23.92 0.8275 31.25 45.87 97.11 23.91 0.8275 31.85 41.14 95.35 23.91 0	Differential (n. H2O) Pressure (psia) Temp. (°F) Time (hrs) Density (inches) Plate (inches) 16.71 40.65 75.54 23.91 0.8275 1.5000 23.06 41.19 85.95 23.48 0.8275 1.5000 33.19 39.85 85.20 23.99 0.8275 1.5000 34.60 38.23 87.18 23.62 0.8275 1.3750 37.35 39.72 87.79 23.48 0.8275 1.3750 35.14 42.39 93.13 23.77 0.8275 1.3750 30.12 44.16 95.61 23.94 0.8275 1.3750 28.84 43.82 93.36 23.97 0.8275 1.3750 21.74 44.62 99.83 23.92 0.8275 1.3750 30.44 44.43 102.95 23.89 0.8275 1.3750 30.31 46.72 100.15 23.86 0.8275 1.3750 31.25 45.87 97.11	Differential (In. H2O) Pressure (psia) Temp. (°F) Time (hrs) Density (inches) Plate (inches) Volume (Mcf) 16.71 40.65 75.54 23.91 0.8275 1.5000 292 23.06 41.19 85.95 23.48 0.8275 1.5000 324 33.19 39.85 85.20 23.99 0.8275 1.3750 356 34.60 38.23 87.18 23.62 0.8275 1.3750 340 35.14 42.39 93.13 23.77 0.8275 1.3750 346 30.12 44.16 95.61 23.94 0.8275 1.3750 335 28.84 43.82 93.36 23.97 0.8275 1.3750 327 21.74 44.62 99.83 23.99 0.8275 1.3750 327 33.37 46.54 105.61 23.99 0.8275 1.3750 341 30.41 24.22 98.81 23.89 0.8275 1.3750 341	Pressure

Volume at 15.025 = 10,111 Energy = 14,007

Received by OCD: 8/30/2021 9:08:19 AM

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1323 MCF/D	8/21/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	1458 MCF/D	8/21/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	1110 MCF/D	8/21/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2648 MCF/D	8/21/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1623 MCF/D	8/21/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	843 MCF/D	8/21/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	728 MCF/D	8/21/2021	Continuous	ACO Requested
MCINTYRE DK 15 FEDERAL TANK BATTERY	32.8280716	-103.9942474	435 MCF/D	8/21/2021	Continuous	Gas Rerouted
HOBGOBLIN 7 FEDERAL COM 4H TANK BATTERY	32.8500748	-104.00328	391 MCF/D	8/21/2021	Continuous	Gas Rerouted
ELECTRA FEDERAL 5 (SWEET) TANK BATERY	32.8400116	-103.9658051	375 MCF/D	8/21/2021	Continuous	Gas Rerouted
ELECTRA FEDERAL 33 (SOUR) TANK BATTERY	32.8535805	-103.954521	363 MCF/D	8/21/2021	Continuous	Gas Rerouted
BERRY A FEDERAL PADDOCK TANK BATTERY	32.8209991	-103.98452	317 MCF/D	8/21/2021	Continuous	Gas Rerouted
CARMEN 3 FEDERAL TANK BATTERY	32.8698921	-103.952392	177 MCF/D	8/21/2021	Continuous	Gas Rerouted
GISSLER FEDERAL 13 TANK BATTERY	32.8609581	-104.0017395	231MCF/D	8/21/2021	Continuous	Gas Rerouted
JG STATE 16 #1 TANK BATTERY	32.8283081	-1037735443	129 MCF/D	8/21/2021	Continuous	Gas Rerouted
PASSION 1 FED PDK 5H TANK BATTERY	32.8616638	-104.0202484	130 MCF/D	8/21/2021	Continuous	Gas Rerouted
NEWCASTLE 6 FEDERAL COM TANK BATTERY	32.8592453	-104.0196991	99 MCF/D	8/21/2021	Continuous	Gas Rerouted
YALE STATE TANK BATTERY	32.8572006	-103.9502258	102 MCF/D	8/21/2021	Continuous	Gas Rerouted
YALE B OIL TANK BATTERY	32.8643684	-103.9480209	95 MCF/D	8/21/2021	Continuous	Gas Rerouted
JG STATE 16 #7 TANK BATTERY	32.8357887	-103.7768707	93 MCF/D	8/21/2021	Continuous	Gas Rerouted
MERAK 7 FEDERAL 8 MASTER TANK BATTERY	32.8427925	-104.0081635	81 MCF/D	8/21/2021	Continuous	Gas Rerouted

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 45075

QUESTIONS

Operator:		OGRID:
	Spur Energy Partners LLC	328947
	9655 Katy Freeway	Action Number:
	Houston, TX 77024	45075
		Action Type:
		[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.			
Incident Well	Not answered.		
Incident Facility	[fAPP2123842829] CARMER 3 FEDERAL TANK BATTERY		

Determination of Reporting Requirements				
Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide addional guidance.				
Was or is this venting and/or flaring caused by an emergency or malfunction No				
i i i i i i i i i i i i i i i i i i i	NO .			
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes			
Is this considered a submission for a notification of a major venting and/or flaring	Yes, minor venting and/or flaring of natural gas.			
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.				
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes			
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No			
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No			

Equipment Involved				
Primary Equipment Involved	Not answered.			
Additional details for Equipment Involved, Please specify	Not answered.			

Representative Compositional Analysis of Vented or Flared Natural Gas				
Please provide the mole percent for the percentage questions in this group.				
Methane (CH4) percentage	68			
Nitrogen (N2) percentage, if greater than one percent	5			
Hydrogen Sulfide (H2S) PPM, rounded up	311			
Carbon Dioxide (C02) percentage, if greater than one percent	0			
Oxygen (02) percentage, if greater than one percent	0			
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.				
Methane (CH4) percentage quality requirement	Not answered.			
Nitrogen (N2) percentage quality requirement	Not answered.			
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.			
Carbon Dioxide (C02) percentage quality requirement	Not answered.			
Oxygen (02) percentage quality requirement	Not answered.			

Date(s) and Time(s)				
Date venting and/or flaring was discovered or commenced	08/21/2021			
Time venting and/or flaring was discovered or commenced	12:00 AM			
Time venting and/or flaring was terminated	12:00 AM			
Cumulative hours during this event	24			

Measured or Estimated Volume of Vented or Flared Natural Gas		
Natural Gas Vented (Mcf) Details	Not answered.	

Natural Gas Flared (Mcf) Details	Cause: Midstream Scheduled Maintenance Other (Specify) Natural Gas Flared Released: 177 Mcf Recovered: 0 Mcf Lost: 177 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity		
Was or is this venting and/or flaring a result of downstream activity	Yes	
Date notified of downstream activity requiring this venting and/or flaring	08/17/2021	
Time notified of downstream activity requiring this venting and/or flaring	09:30 AM	

Steps and Actions to Prevent Waste		
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True	
Please explain reason for why this event was beyond your operator's control	Rerouted gas to other midstream companies as capacity allowed.	
Steps taken to limit the duration and magnitude of venting and/or flaring	Sold to another 3rd party where possible.	
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Rerouted gas to other midstream companies as capacity allowed.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 45075

CONDITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	45075
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
schapman0	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	8/30/2021