# **GAS VOLUME STATEMENT**

**Spur Energy** 

May, 2021

Meter #: 79410102

Name: Ross Ranch HP Flare

Closed Data

Artesia-East

Pressure Base: 14.730 psia
Status: In Service

Temperature Base: 60.00 °F WV Technique:

HV Cond:

Meter Type: EFM

Contract Hr.: Midnight

WV Method:

CO2 N2 H20 H2S 02 C1 C2 I-C4 N-C4 I-C5 N-C5 C6+ He C3 0.492 3.028 2.516 0.000 2.6586 0.000 0.000 64.576 14.108 8.241 1.046 2.344 0.526 0.467

Tube I.D.IntervalTap LocationTap TypeAtmos. PressureCalc. MethodFpv Method4.026 in.1 HourUpstreamFlange12.980 psiAGA3-1992AGA8-Detail

| Day   | Differential<br>(In. H2O) | Pressure<br>(psia) | Temperature<br>(°F) | Hours<br>Flow | Relative<br>Density | Plate<br>(inches) | Volume<br>(Mcf) | Heating<br>Value<br>(Btu/scf) | Energy<br>(MMBtu) | Edited |
|-------|---------------------------|--------------------|---------------------|---------------|---------------------|-------------------|-----------------|-------------------------------|-------------------|--------|
| 1     | 12.56                     | (psia)<br>38.74    | 75.47               | 24.00         | 0.8116              | , ,               | 906.79          | , ,                           | 1.172.57          | No     |
| 2     | 13.00                     | 38.39              | 79.95               | 24.00         | 0.8116              | 2.625<br>2.625    | 914.26          | 1293.10<br>1293.10            | 1,172.57          | No     |
| 3     | 13.27                     | 38.26              | 79.95<br>75.91      | 24.00         | 0.8116              | 2.625             | 925.30          | 1293.10                       | 1,196.50          | No     |
| 4     | 13.23                     | 38.51              | 72.08               | 24.00         | 0.8116              | 2.625             | 930.62          | 1293.10                       | 1,203.39          | No     |
| 5     | 13.68                     | 38.43              | 79.63               | 24.00         | 0.8116              | 2.625             | 938.13          | 1293.10                       | 1,213.10          | No     |
| 6     | 13.66                     | 38.39              | 79.28               | 24.00         | 0.8116              | 2.625             | 937.32          | 1293.10                       | 1,212.05          | No     |
| 7     | 14.22                     | 38.24              | 84.86               | 24.00         | 0.8116              | 2.625             | 949.18          | 1293.10                       | 1,227.39          | No     |
| 8     | 14.23                     | 38.08              | 83.57               | 24.00         | 0.8116              | 2.625             | 948.94          | 1293.10                       | 1,227.08          | No     |
| 9     | 10.53                     | 37.80              | 82.42               | 24.00         | 0.8116              | 2.625             | 749.92          | 1293.10                       | 969.72            | No     |
| 10    | 10.74                     | 37.87              | 78.63               | 24.00         | 0.8116              | 2.625             | 827.07          | 1293.10                       | 1,069.49          | No     |
| 11    | 10.83                     | 37.97              | 74.14               | 24.00         | 0.8116              | 2.625             | 822.66          | 1293.10                       | 1,063.78          | No     |
| 12    | 14.64                     | 38.30              | 68.19               | 24.00         | 0.8116              | 2.625             | 916.75          | 1293.10                       | 1,185.46          | No     |
| 13    | 21.77                     | 38.43              | 74.94               | 24.00         | 0.8116              | 2.625             | 1,160.78        | 1293.10                       | 1,501.00          | No     |
| 14    | 19.40                     | 38.18              | 79.90               | 24.00         | 0.8116              | 2.625             | 1,109.54        | 1293.10                       | 1,434.75          | No     |
| 15    | 20.17                     | 38.01              | 79.70               | 24.00         | 0.8116              | 2.625             | 1,129.64        | 1293.10                       | 1,460.73          | No     |
| 16    | 21.23                     | 37.96              | 81.87               | 24.00         | 0.8116              | 2.625             | 1,155.34        | 1293.10                       | 1,493.97          | No     |
| 17    | 21.66                     | 37.87              | 81.68               | 24.00         | 0.8116              | 2.625             | 1,165.64        | 1293.10                       | 1,507.29          | No     |
| 18    | 21.95                     | 37.86              | 79.61               | 24.00         | 0.8116              | 2.625             | 1,175.54        | 1293.10                       | 1,520.09          | No     |
| 19    | 22.52                     | 37.84              | 82.86               | 24.00         | 0.8116              | 2.625             | 1,186.45        | 1293.10                       | 1,534.20          | No     |
| 20    | 22.98                     | 37.91              | 84.92               | 24.00         | 0.8116              | 2.625             | 1,197.39        | 1293.10                       | 1,548.34          | No     |
| 21    | 23.28                     | 38.12              | 84.30               | 24.00         | 0.8116              | 2.625             | 1,209.13        | 1293.10                       | 1,563.52          | No     |
| 22    | 23.19                     | 38.15              | 79.04               | 24.00         | 0.8116              | 2.625             | 1,213.21        | 1293.10                       | 1,568.80          | No     |
| 23    | 23.73                     | 38.19              | 83.78               | 24.00         | 0.8116              | 2.625             | 1,222.06        | 1293.10                       | 1,580.24          | No     |
| 24    | 24.45                     | 38.18              | 85.19               | 24.00         | 0.8116              | 2.625             | 1,238.32        | 1293.10                       | 1,601.27          | No     |
| 25    | 25.14                     | 38.19              | 85.76               | 24.00         | 0.8116              | 2.625             | 1,254.95        | 1293.10                       | 1,622.77          | No     |
| 26    | 25.18                     | 38.20              | 84.41               | 24.00         | 0.8116              | 2.625             | 1,257.88        | 1293.10                       | 1,626.56          | No     |
| 27    | 25.73                     | 38.23              | 85.76               | 24.00         | 0.8116              | 2.625             | 1,270.00        | 1293.10                       | 1,642.24          | No     |
| 28    | 25.77                     | 38.28              | 84.14               | 24.00         | 0.8116              | 2.625             | 1,273.65        | 1293.10                       | 1,646.96          | No     |
| 29    | 24.40                     | 38.28              | 80.61               | 24.00         | 0.8116              | 2.625             | 1,228.95        | 1293.10                       | 1,589.16          | No     |
| 30    | 26.00                     | 38.36              | 80.20               | 24.00         | 0.8116              | 2.625             | 1,285.05        | 1293.10                       | 1,661.70          | No     |
| 31    | 26.11                     | 38.46              | 74.99               | 24.00         | 0.8116              | 2.625             | 1,296.07        | 1293.10                       | 1,675.94          | No     |
| TOTAL | 20.14                     | 38.18              | 80.54               | 744.00        | 0.8116              |                   | 33,796.53       |                               | 43,702.29         |        |

Received by OCD: 8/30/2021 11:41:18 AM

| Name of well or facility                    | Lat        | Long         | Daily Volume of Flared<br>Natural Gas (MCF/D) | Commencement | Duration   | Proposed Remedy |
|---|------------|--------------|---|--------------|------------|-----------------|
| SHELBY 23 TANK BATTERY                      | 32.636495  | -104.449015  | 1256 MCF/D                                    | 8/22/2021    | Continuous | ACO Requested   |
| ROSS RANCH 09.13.14 BATTERY                 | 32.636187  | -104.47781   | 1465 MCF/D                                    | 8/22/2021    | Continuous | ACO Requested   |
| OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY  | 32.652839  | -104.478905  | 978 MCF/D                                     | 8/22/2021    | Continuous | ACO Requested   |
| LAKEWOOD FEDERAL COM NORTH BATTERY          | 32.625808  | -104.469155  | 2752 MCF/D                                    | 8/22/2021    | Continuous | ACO Requested   |
| LAKEWOOD FEDERAL COM SOUTH BATTERY          | 32.608649  | -104.479201  | 1575 MCF/D                                    | 8/22/2021    | Continuous | ACO Requested   |
| DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY | 32.614416  | -104.478493  | 819 MCF/D                                     | 8/22/2021    | Continuous | ACO Requested   |
| HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY   | 32.610648  | -104.472851  | 648 MCF/D                                     | 8/22/2021    | Continuous | ACO Requested   |
| NOOSE FEDERAL 10 TANK BATTERY               | 32.6101608 | -104.455184  | 259 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| MCINTYRE DK 15 FEDERAL TANK BATTERY         | 32.8280716 | -103.9942474 | 428 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| HOBGOBLIN 7 FEDERAL COM 4H TANK BATTERY     | 32.8500748 | -104.00328   | 403 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| ELECTRA FEDERAL 5 (SWEET) TANK BATERY       | 32.8400116 | -103.9658051 | 370 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| ELECTRA FEDERAL 33 (SOUR) TANK BATTERY      | 32.8535805 | -103.954521  | 365 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| BERRY A FEDERAL PADDOCK TANK BATTERY        | 32.8209991 | -103.98452   | 320 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| CARMEN 3 FEDERAL TANK BATTERY               | 32.8698921 | -103.952392  | 319 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| GISSLER FEDERAL 13 TANK BATTERY             | 32.8609581 | -104.0017395 | 232 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| JG STATE 16 #1 TANK BATTERY                 | 32.8283081 | -1037735443  | 136 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| PASSION 1 FED PDK 5H TANK BATTERY           | 32.8616638 | -104.0202484 | 110 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| NEWCASTLE 6 FEDERAL COM TANK BATTERY        | 32.8592453 | -104.0196991 | 108 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| YALE STATE TANK BATTERY                     | 32.8572006 | -103.9502258 | 103 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |
| PARLIAMENT 1 FEDERAL 4H TANK BATTERY        | 32.8645973 | -104.0201569 | 63 MCF/D                                      | 8/22/2021    | Continuous | Gas Rerouted    |
| YALE B OIL TANK BATTERY                     | 32.8643684 | -103.9480209 | 95 MCF/D                                      | 8/22/2021    | Continuous | Gas Rerouted    |
| JG STATE 16 #7 TANK BATTERY                 | 32.8357887 | -103.7768707 | 91 MCF/D                                      | 8/22/2021    | Continuous | Gas Rerouted    |
| MERAK 7 FEDERAL 8 MASTER TANK BATTERY       | 32.8427925 | -104.0081635 | 135 MCF/D                                     | 8/22/2021    | Continuous | Gas Rerouted    |

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 45169

## **QUESTIONS**

| 40-0000                  |  |  |  |  |
|--------------------------|--|--|--|--|
| Operator:                | OGRID:                                 |  |  |  |
| Spur Energy Partners LLC | 328947                                 |  |  |  |
| 9655 Katy Freeway        | Action Number:                         |  |  |  |
| Houston, TX 77024        | 45169                                  |  |  |  |
|                          | Action Type:                           |  |  |  |
|                          | [C-129] Venting and/or Flaring (C-129) |  |  |  |

#### QUESTIONS

| Prerequisites  |  |  |  |  |
|--|--|--|--|--|
| Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions. |  |  |  |  |
| Incident Well  | Not answered.  |  |  |  |
| Incident Facility  | [fAPP2123533271] Ross Ranch 09.12.13.14 Tank Battery |  |  |  |

| Determination of Reporting Requirements  |   |  |  |  |
|--|---|--|--|--|
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers ar  | nd may provide addional guidance.                 |  |  |  |
| Was or is this venting and/or flaring caused by an emergency or malfunction  | No  |  |  |  |
| Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event  | Yes   |  |  |  |
| Is this considered a submission for a notification of a major venting and/or flaring   | Yes, major venting and/or flaring of natural gas. |  |  |  |
| An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.  |   |  |  |  |
| Was there or will there be <b>at least 50 MCF</b> of natural gas vented and/or flared during this event  | Yes   |  |  |  |
| Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No  |  |  |  |
| Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence  | No  |  |  |  |

| Equipment Involved  |               |  |  |  |
|---|---------------|--|--|--|
| Primary Equipment Involved                                | Not answered. |  |  |  |
| Additional details for Equipment Involved, Please specify | Not answered. |  |  |  |

| Representative Compositional Analysis of Vented or Flared Natural Gas   |               |  |  |
|---|---------------|--|--|
| Please provide the mole percent for the percentage questions in this group.   |               |  |  |
| Methane (CH4) percentage  | 65            |  |  |
| Nitrogen (N2) percentage, if greater than one percent   | 3             |  |  |
| Hydrogen Sulfide (H2S) PPM, rounded up  | 26,586        |  |  |
| Carbon Dioxide (C02) percentage, if greater than one percent  | 3             |  |  |
| Oxygen (02) percentage, if greater than one percent   | 0             |  |  |
| If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas. |               |  |  |
| Methane (CH4) percentage quality requirement  | Not answered. |  |  |
| Nitrogen (N2) percentage quality requirement  | Not answered. |  |  |
| Hydrogen Sufide (H2S) PPM quality requirement   | Not answered. |  |  |
| Carbon Dioxide (C02) percentage quality requirement   | Not answered. |  |  |
| Oxygen (02) percentage quality requirement  | Not answered. |  |  |

| Date(s) and Time(s)                                     |            |  |  |  |
|---|------------|--|--|--|
| Date venting and/or flaring was discovered or commenced | 08/22/2021 |  |  |  |
| Time venting and/or flaring was discovered or commenced | 12:00 AM   |  |  |  |
| Time venting and/or flaring was terminated              | 12:00 AM   |  |  |  |
| Cumulative hours during this event                      | 24         |  |  |  |

| Measured or Estimated Volume of Vented or Flared Natural Gas |               |  |  |
|--|---------------|--|--|
| Natural Gas Vented (Mcf) Details                             | Not answered. |  |  |

| Natural Gas Flared (Mcf) Details  | Cause: Pipeline Quality Specifications   Other (Specify)   Natural Gas Flared   Released: 1,465 Mcf   Recovered: 0 Mcf   Lost: 1,465 Mcf ] |  |  |
|---|--|--|--|
| Other Released Details  | Not answered.  |  |  |
| Additional details for Measured or Estimated Volume(s). Please specify    | Not answered.  |  |  |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report.   |  |  |

| Venting or Flaring Resulting from Downstream Activity                      |               |  |
|--|---------------|--|
| Was or is this venting and/or flaring a result of downstream activity      | Not answered. |  |
| Date notified of downstream activity requiring this venting and/or flaring | Not answered. |  |
| Time notified of downstream activity requiring this venting and/or flaring | Not answered. |  |

| Steps and Actions to Prevent Waste   |  |  |  |  |
|--|--|--|--|--|
| For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control. | True   |  |  |  |
| Please explain reason for why this event was beyond your operator's control  | 3rd party take away refusal due to capacity restraints.              |  |  |  |
| Steps taken to limit the duration and magnitude of venting and/or flaring  | Executed contract with midstream company to gather gas by 12/1/2021. |  |  |  |
| Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring                                     | Executed contract with midstream company to gather gas by 12/1/2021. |  |  |  |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 45169

# **CONDITIONS**

| Operator:                | OGRID:                                 |
|--------------------------|--|
| Spur Energy Partners LLC | 328947                                 |
| 9655 Katy Freeway        | Action Number:                         |
| Houston, TX 77024        | 45169                                  |
|                          | Action Type:                           |
|                          | [C-129] Venting and/or Flaring (C-129) |

### CONDITIONS

| Created By | Condition  | Condition Date |
|------------|--|----------------|
| schapman0  | 1 If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 8/30/2021      |