



Certificate of Analysis

Number: 6030-21030332-009A

Artesia Laboratory

200 E Main St.

Artesia, NM 88210

Phone 575-746-3481

Jerry Mathews
 Spur Energy
 1012 Marquez Place, Suite 106b
 Santa Fe, NM 87505

May 25, 2021

Station Name: Lakewood 5 Fed 21
 Station Number: N/A
 Station Location: Spur
 Sample Point: Meter Run
 Type of Sample: Spot-Cylinder
 Heat Trace Used: N/A
 Sampling Method: Fill and Purge
 Sampling Company: SPL
 Analyzed: 03/31/2021 07:12:18 by EJR

Sampled By: Donovan Miller
 Sample Of: Gas Spot
 Sample Date: 03/27/2021 12:52
 Sample Conditions: 78.3 psig, @ 72.8 °F Ambient: 63 °F
 Effective Date: 03/27/2021 12:52
 Method: GPA-2261M
 Cylinder No: 5030-00546
 Instrument: 70104251 (Inficon GC-MicroFusion)
 Last Inst. Cal.: 03/29/2021 0:00 AM

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.73 psia		
Hydrogen Sulfide	0.000	3.60000	4.495		GPM TOTAL C2+	11.060
Nitrogen	0.736	0.71351	0.732		GPM TOTAL C3+	5.413
Methane	54.325	52.65130	30.944		GPM TOTAL iC5+	0.848
Carbon Dioxide	4.250	4.11884	6.641			
Ethane	21.662	20.99447	23.127	5.647		
Propane	11.870	11.50393	18.584	3.188		
Iso-butane	1.470	1.42451	3.033	0.469		
n-Butane	2.954	2.86249	6.095	0.908		
Iso-pentane	0.671	0.65071	1.720	0.239		
n-Pentane	0.568	0.55021	1.454	0.201		
Hexanes Plus	0.960	0.93003	3.175	0.408		
	99.466	100.00000	100.000	11.060		

Calculated Physical Properties

	Total	C6+
Relative Density Real Gas	0.9479	3.2176
Calculated Molecular Weight	27.30	93.19
Compressibility Factor	0.9939	

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.73 psia & 60°F

Real Gas Dry BTU	1463	5141
Water Sat. Gas Base BTU	1438	5052
Ideal, Gross HV - Dry at 14.73 psia	1454.6	5141.1
Ideal, Gross HV - Wet	1428.7	5051.6

Comments: H2S Field Content 3.6 %

Report generated by: Krystle Fitzwater

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1256 MCF/D	8/22/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	1465 MCF/D	8/22/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	978 MCF/D	8/22/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2752 MCF/D	8/22/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1575 MCF/D	8/22/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	819 MCF/D	8/22/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	648 MCF/D	8/22/2021	Continuous	ACO Requested
NOOSE FEDERAL 10 TANK BATTERY	32.6101608	-104.455184	259 MCF/D	8/22/2021	Continuous	Gas Rerouted
MCINTYRE DK 15 FEDERAL TANK BATTERY	32.8280716	-103.9942474	428 MCF/D	8/22/2021	Continuous	Gas Rerouted
HOBGOBLIN 7 FEDERAL COM 4H TANK BATTERY	32.8500748	-104.00328	403 MCF/D	8/22/2021	Continuous	Gas Rerouted
ELECTRA FEDERAL 5 (SWEET) TANK BATTERY	32.8400116	-103.9658051	370 MCF/D	8/22/2021	Continuous	Gas Rerouted
ELECTRA FEDERAL 33 (SOUR) TANK BATTERY	32.8535805	-103.954521	365 MCF/D	8/22/2021	Continuous	Gas Rerouted
BERRY A FEDERAL PADDOCK TANK BATTERY	32.8209991	-103.98452	320 MCF/D	8/22/2021	Continuous	Gas Rerouted
CARMEN 3 FEDERAL TANK BATTERY	32.8698921	-103.952392	319 MCF/D	8/22/2021	Continuous	Gas Rerouted
GISSLER FEDERAL 13 TANK BATTERY	32.8609581	-104.0017395	232 MCF/D	8/22/2021	Continuous	Gas Rerouted
JG STATE 16 #1 TANK BATTERY	32.8283081	-103.7735443	136 MCF/D	8/22/2021	Continuous	Gas Rerouted
PASSION 1 FED PDK 5H TANK BATTERY	32.8616638	-104.0202484	110 MCF/D	8/22/2021	Continuous	Gas Rerouted
NEWCASTLE 6 FEDERAL COM TANK BATTERY	32.8592453	-104.0196991	108 MCF/D	8/22/2021	Continuous	Gas Rerouted
YALE STATE TANK BATTERY	32.8572006	-103.9502258	103 MCF/D	8/22/2021	Continuous	Gas Rerouted
PARLIAMENT 1 FEDERAL 4H TANK BATTERY	32.8645973	-104.0201569	63 MCF/D	8/22/2021	Continuous	Gas Rerouted
YALE B OIL TANK BATTERY	32.8643684	-103.9480209	95 MCF/D	8/22/2021	Continuous	Gas Rerouted
JG STATE 16 #7 TANK BATTERY	32.8357887	-103.7768707	91 MCF/D	8/22/2021	Continuous	Gas Rerouted
MERAK 7 FEDERAL 8 MASTER TANK BATTERY	32.8427925	-104.0081635	135 MCF/D	8/22/2021	Continuous	Gas Rerouted

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 45184

QUESTIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 45184
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS**Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

Incident Well	Not answered.
Incident Facility	[fAPP2123533422] Lakewood Federal Com North Tank Battery

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was or is this venting and/or flaring caused by an emergency or malfunction	No
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a notification of a major venting and/or flaring	Yes, major venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved

Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	53
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	36,000
Carbon Dioxide (CO2) percentage, if greater than one percent	4
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Date(s) and Time(s)

Date venting and/or flaring was discovered or commenced	08/22/2021
Time venting and/or flaring was discovered or commenced	12:00 AM
Time venting and/or flaring was terminated	12:00 AM
Cumulative hours during this event	24

Measured or Estimated Volume of Vented or Flared Natural Gas

Natural Gas Vented (Mcf) Details	Not answered.
----------------------------------	---------------

Natural Gas Flared (Mcf) Details	Cause: Pipeline Quality Specifications Other (Specify) Natural Gas Flared Released: 2,752 Mcf Recovered: 0 Mcf Lost: 2,752 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity

Was or is this venting and/or flaring a result of downstream activity	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste

For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	3rd party take away refusal due to capacity restraints.
Steps taken to limit the duration and magnitude of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 45184

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 45184
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
schapman01	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	8/30/2021