

Number: 3040-14070032-003A

Venus Laboratory 2440 Chambers Street, Suite A Venus, TX 76084

Station Name:	Lea Unit
Station Location	h:Lea County
Sample Point:	Meter Run
Cylinder No:	7186
Analyzed:	07/16/2014 09:24:02 by RJ

Sampled By:	M.Bosworth	
Sample Of:	Natural Gas	Spot
Sample Date:	07/01/2014	
Sample Conditions	32 psig, @ 89 °F	
Method:	GPA 2286	

Analytical Data

Components	Mol. %	Wt. %	GPM at		
			14.696 psia		
Hydrogen Sulfide	0.0002	0.0003		GPM TOTAL C2+	8.960
Nitrogen	3.3491	3.7991			
Carbon Dioxide	0.1117	0.1991			
Methane	65.3789	42.4716			
Ethane	15.0387	18.3113	4.032		
Propane	9.0324	16.1283	2.495		
Iso-Butane	1.0784	2.5381	0.354		
n-Butane	3.1353	7.3793	0.991		
Iso-Pentane	0.7522	2.1976	0.276		
n-Pentane	0.8551	2.4983	0.311		
i-Hexanes	0.4910	1.6744	0.196		
n-Hexane	0.2719	0.9492	0.112		
Benzene	0.0497	0.1573	0.014		
Cyclohexane	0.1072	0.3668	0.037		
i-Heptanes	0.2576	0.9527	0.102		
n-Heptane	0.0343	0.1390	0.016		
Toluene	0.0033	0.0142	0.001		
i-Octanes	0.0497	0.2120	0.021		
n-Octane	0.0011	0.0029	0.001		
Ethylbenzene	0.0000	0.0000	0.000		
Xylenes	0.0000	0.0000	0.000		
i-Nonanes	0.0022	0.0085	0.001		
n-Nonane	0.0000	0.0000	0.000		
Decane Plus	0.0000	0.0000	0.000		
	100.0000	100.0000	8.960		
Physical Properties		Tota	al		
Calculated Molecular V	Veight	24.6			
GPA 2172-09 Calcula					
Calculated Gross BT	U per ft ³ @ 14	.696 psia & 6	60°F		
Real Gas Dry BTU	-	. 1422			
Water Sat. Gas Base E	BTU	1397.			
Deletive Development	0	0.050	-		

0.8565

0.9950

Comments: H2S 2 ppm

Relative Density Real Gas

Compressibility Factor



Number: 3040-14070032-003A

Venus Laboratory 2440 Chambers Street, Suite A Venus, TX 76084

Station Name:	Lea Unit
Station Location	:Lea County
Sample Point:	Meter Run
Cylinder No:	7186
Analyzed:	07/16/2014 09:24:02 by RJ

Sampled By:	M.Bosworth	
Sample Of:	Natural Gas	Spot
Sample Date:	07/01/2014	
Sample Conditions	32 psig, @ 89 °F	
Method:	GPA 2286	

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia			
Nitrogen	3.349	3.799		GPM TOTAL C2+	8.960	
Carbon Dioxide	0.112	0.199		GPM TOTAL C3+	4.928	
Methane	65.380	42.473		GPM TOTAL iC5+	1.088	
Ethane	15.039	18.311	4.032			
Propane	9.032	16.128	2.495			
Iso-butane	1.078	2.538	0.354			
n-Butane	3.135	7.379	0.991			
Iso-pentane	0.752	2.198	0.276			
n-Pentane	0.855	2.498	0.311			
Hexanes Plus	1.268	4.477	0.501			
	100.000	100.000	8.960			
Physical Properties	S		Total			
Relative Density Rea	al Gas		0.8565			
Calculated Molecula	r Weight		24.69			
Compressibility Fact			0.9950			
GPA 2172-09 Calcu	lation:					
Calculated Gross E	BTU per ft ³ @	ፆ 14.696 ps	ia & 60°F			
Real Gas Dry BTU			2.4000			
Water Sat. Gas Bas	e BTU	139	7.6000			
Comments: H2S 2	2 ppm					



Number: 3040-14070032-003A

Venus Laboratory 2440 Chambers Street, Suite A Venus, TX 76084

Station Name:	Lea Unit
Station Location	:Lea County
Sample Point:	Meter Run
Cylinder No:	7186
Analyzed:	07/16/2014 09:24:02 by RJ

Sampled By:	M.Bosworth	
Sample Of:	Natural Gas	Spot
Sample Date:	07/01/2014	
Sample Conditions:	32 psig, @ 89 °F	
Method:	GPA 2286	

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia			
Nitrogen	3.349	3.799		GPM TOTAL C2+	8.960	
Carbon Dioxide	0.112	0.199		GPM TOTAL C3+	4.928	
Methane	65.380	42.473		GPM TOTAL iC5+	1.088	
Ethane	15.039	18.311	4.032			
Propane	9.032	16.128	2.495			
Iso-Butane	1.078	2.538	0.354			
n-Butane	3.135	7.379	0.991			
Iso-Pentane	0.752	2.198	0.276			
n-Pentane	0.855	2.498	0.311			
Hexane	0.763	2.624	0.308			
Heptanes Plus	0.505	1.853	0.193			
	100.000	100.000	8.960			
Physical Properties	5		Total			
Relative Density Rea	al Gas		0.8565			
Calculated Molecula	r Weight		24.69			
Compressibility Fact	or		0.9950			
GPA 2172-09 Calcu	lation:					
Calculated Gross E	BTU per ft ³ @	2 14.696 ps	ia & 60°F			
Real Gas Dry BTU		142	2.4000			
Water Sat. Gas Bas	e BTU	139	7.6000			
Comments: H2S 2	ppm					



Number: 3040-14070032-004A

Venus Laboratory 2440 Chambers Street, Suite A Venus, TX 76084

Station Name:Lea UnitStation Location:Lea CountySample Point:Heater TreaterCylinder No:02418Analyzed:07/07/2014 10:46:41 by JCD

Sampled By:M.BosworthSample Of:LiquidSpotSample Date:07/01/2014Sample Conditions:30 psig, @ 79 °FMethod:GPA 2103

Analytical Data

Components	Mol. %	MW	Wt. %	Sp. Gravity	L.V. %	
Nitrogen	0.017	28.013	0.003	0.807	0.003	
Methane	0.656	16.043	0.066	0.300	0.175	
Carbon Dioxide	0.007	44.010	0.002	0.817	0.002	
Ethane	2.026	30.069	0.382	0.356	0.850	
Propane	4.980	44.096	1.377	0.507	2.150	
Iso-Butane	1.432	58.122	0.522	0.563	0.735	
n-Butane	5.973	58.122	2.177	0.584	2.951	
Iso-Pentane	3.114	72.149	1.409	0.625	1.785	
n-Pentane	4.487	72.149	2.030	0.631	2.548	
i-Hexanes	0.574	85.422	0.308	0.666	0.366	
n-Hexane	1.251	86.175	0.676	0.664	0.806	
2,2,4-Trimethylpentane	0.052	114.231	0.037	0.697	0.042	
Benzene	0.278	78.114	0.136	0.885	0.122	
Heptanes	7.343	95.635	4.404	0.718	4.855	
Toluene	1.206	92.141	0.697	0.872	0.633	
Octanes	11.659	110.476	8.075	0.732	8.732	
Ethylbenzene	0.487	106.167	0.324	0.872	0.294	
Xylenes	1.756	106.167	1.169	0.873	1.060	
Nonanes	9.651	126.525	7.659	0.745	8.136	
Decanes Plus	43.051	253.948	68.547	0.851	63.755	
	100.000		100.000		100.000	
Physical Properties		•	Total	C10+		
Specific Gravity at 60°F		0.	7918	0.8513		
API Gravity at 60°F			7.211	34.716		
Molecular Weight		159	9.477	253.948		
Pounds per Gallon (in Vaci	uum)	6	6.601	7.097		
Pounds per Gallon (in Air)	,	e	6.594	7.090		
Cu. Ft. Vapor per Gallon @	2 14.696 psia	15	5.708	10.606		



Station Name:Lea UnitStation Location:Lea CountySample Point:Heater TreaterCylinder No:02418Analyzed:07/21/2014 by AMD

Certificate of Analysis Number: 3040-14070032-004A

Venus Laboratory 2440 Chambers Street, Suite A Venus, TX 76084

Sampled By:M.BosworthSample Of:LiquidSpotSample Date:07/01/2014Sample Conditions: 30 psig, @ 79 °FMethod:EOS Flash

Analytical Data

Analyte	Result	Units	Detection Limit	
Shrinkage Factor	0.9881			
Flash Factor	19.1849	Cu.Ft./STBbl.		
Methane	3.6599	Cu.Ft./STBbl.		
Carbon Dioxide	0.0301	Cu.Ft./STBbl.		

Comments: Staged Flash from 44.7 psi @ 79°F to 0 psi @ 60°F



Station Name: Lea Unit Station Location: Lea County Sample Point: Heater Treater Cylinder No: 02418 Analyzed: 07/21/2014 by AMD

Certificate of Analysis

Number: 3040-14070032-004A

Venus Laboratory 2440 Chambers Street, Suite A Venus, TX 76084

Sampled By: M.Bosworth Sample Of: Liquid Spot Sample Date: 07/01/2014 Sample Conditions: 30 psig, @ 79 °F Method: EOS Flash

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia			
Nitrogen	0.557	0.409		GPM TOTAL C2+	28.357	
Carbon Dioxide	0.157	0.181		GPM TOTAL iC5+	1.494	
Methane	19.077	8.035				
Ethane	31.383	24.776	11.797			
Propane	28.575	33.083	10.427			
Iso-Butane	3.843	5.864	1.180			
n-Butane	10.854	16.563	3.459			
Iso-Pentane	2.226	4.217	0.611			
n-Pentane	2.430	4.603	0.674			
Hexanes	0.270	0.599	0.066			
Benzene	0.042	0.085	0.015			
Heptanes	0.323	0.820	0.070			
Toluene	0.047	0.115	0.014			
Octanes	0.155	0.458	0.031			
Ethylbenzene	0.006	0.017	0.002			
Xylenes	0.016	0.045	0.004			
Nonanes	0.039	0.130	0.007			
Decane Plus	0.000	0.000	0.000			
	100.000	100.000	28.357			

GPA 2172-09 Calculation:	
Calculated Gross BTU per ft ³ @	2 14.696 psia & 60°F
Real Gas Dry BTU	2210.1
Water Sat. Gas Base BTU	2171.6
Relative Density Real Gas	1.3332
Compressibility Factor	0.9866
	.,.

Comments: EOS Flash Gas Composition Staged Flash from 44.7 psi @ 79°F to 0 psi @ 60°F

Received by OCD: 9/3/2021 1:46:48 PM



Station Name:Lea UnitStation Location:Lea CountySample Point:Heater TreaterCylinder No:02418Analyzed:07/21/2014 by AMD

Certificate of Analysis Number: 3040-14070032-004A

Venus Laboratory 2440 Chambers Street, Suite A Venus, TX 76084

Sampled By:M.BosworthSample Of:LiquidSpotSample Date:07/01/2014Sample Conditions: 30 psig, @ 79 °FMethod:EOS Flash

Analytical Data

Components	Mol. %	Wt. %	L.V. %		
Nitrogen	0.001	0.000	0.000		
Carbon Dioxide	0.003	0.001	0.001		
Methane	0.108	0.011	0.028		
Ethane	1.153	0.212	0.473		
Propane	4.279	1.155	1.814		
Iso-Butane	1.360	0.484	0.682		
n-Butane	5.828	2.073	2.817		
Iso-Pentane	3.140	1.387	1.756		
n-Pentane	4.548	2.009	2.524		
Hexanes	1.871	0.969	1.155		
Benzene	0.285	0.136	0.122		
Heptanes	7.552	4.468	5.135		
Toluene	1.240	0.700	0.635		
Octanes	12.055	8.277	9.293		
Ethylbenzene	0.501	0.326	0.296		
Xylenes	1.808	1.175	1.053		
Nonanes	9.937	7.709	8.457		
Decane Plus	44.331	68.910	63.759		
	100.000	100.000	100.000		
Physical Properties	5		Total	C10+	
Molecular Weight			163.370	252.378	
BTU / LB.			14469	11616	
BTU / GAL.			95703	83217	
Cu. Ft. Vapor per Gallon @ 14.696 psia		15.328	10.747		
Pounds per Gallon (in Vacuum)		6.614	7.164		
Pounds per Gallon (i	in Air)		6.606	7.155	
Specific Gravity at 60	0°F		0.7933	0.8593	
			40.0000	00.0000	

46.9000

33.2000

Comments: EOS Liquid Residue Composition

Staged Flash from 44.7 psi @ 79°F to 0 psi @ 60°F

API Gravity at 60°F

New Mexico OCD C-129 Calculations or Specific Justification for Volumes

- **Calculations** No calculations of volume of vent/flare necessary. Volumes are metered.
- Specific Justification for Volumes Metered volumes that were previously sold via pipeline. Must flare gas due to sales pipeline being shut-in.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Page 9 of 10

QUESTIONS

Action 46435

OI	IEST	IONS

Operator:	OGRID:
LEGACY RESERVES OPERATING, LP	240974
15 Smith Road	Action Number:
Midland, TX 79705	46435
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

E

Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.		
Incident Well	Not answered.	
Incident Facility	[fAPP2124631591] Hercules 15 Fed Com	

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide addional guidance.		
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes	
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a notification of a major venting and/or flaring	Yes, minor venting and/or flaring of natural gas.	
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.		
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	Νο	
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	Νο	

Equipment Involved		
Primary Equipment Involved	Not answered.	
Additional details for Equipment Involved. Please specify	Not answered.	

Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.		
Methane (CH4) percentage	65	
Nitrogen (N2) percentage, if greater than one percent	3	
Hydrogen Sulfide (H2S) PPM, rounded up	2	
Carbon Dioxide (C02) percentage, if greater than one percent	0	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.		
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	
Oxygen (02) percentage quality requirement	Not answered.	

Date(s) and Time(s)

Date venting and/or flaring was discovered or commenced	08/21/2021
Time venting and/or flaring was discovered or commenced	12:00 AM
Time venting and/or flaring was terminated	12:00 AM
Cumulative hours during this event	24

Measured or Estimated Volume of Vented or Flared Natural Gas

Natural Gas Vented (Mcf) Details

Received by OCD: 9/3/2021 1:46:48 PM

Natural Gas Flared (Mcf) Details	Cause: Midstream Emergency Maintenance Separator Natural Gas Flared Released: 90 Mcf Recovered: 0 Mcf Lost: 90 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity		
Was or is this venting and/or flaring a result of downstream activity	Yes	
Date notified of downstream activity requiring this venting and/or flaring	08/21/2021	
Time notified of downstream activity requiring this venting and/or flaring	12:00 AM	

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	Sales Pipeline shut in.
Steps taken to limit the duration and magnitude of venting and/or flaring	Communicate with sales pipeline for anticipated date of return service.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Communicate with sales pipeline for anticipated date of return service.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
LEGACY RESERVES OPERATING, LP	240974
15 Smith Road Action Number:	Action Number:
Midland, TX 79705	46435
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
reyesm01	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	9/3/2021

Page 11 of 10