

Certificate of Analysis

Number: 6030-21080303-003A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Jerry Mathews Spur Energy

1012 Marquez Place, Suite 106b Santa Fe, NM 87505

Station Name: Shorty State Com 10H

Station Number: N/A Station Location: Spur Sample Point: Meter run Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Sampling Company: SPL

Sampled By: Donavan Miller Sample Of: Liquid Spot Sample Date: 08/30/2021 11:45

Sample Conditions: 22.8 psig, @ 99.8 °F **GPA 2103M** Method: Cylinder No: 5030-00916

Analyzed: 09/02/2021 08:42:41 by EJR

Sep. 02, 2021

Analytical Data

| Components | Mol. % | MW | Wt. % | Sp. Gravity | L.V. % |
|-----------------------|---------------|---------|---------|-------------|---------|
| Nitrogen | 0.034 | 28.013 | 0.006 | 0.8069 | 0.006 |
| Methane | 2.143 | 16.043 | 0.215 | 0.3000 | 0.580 |
| Carbon Dioxide | 0.025 | 44.010 | 0.007 | 0.8172 | 0.007 |
| Ethane | 3.281 | 30.069 | 0.617 | 0.3563 | 1.400 |
| Propane | 6.259 | 44.096 | 1.726 | 0.5072 | 2.749 |
| Iso-butane | 1.510 | 58.122 | 0.549 | 0.5628 | 0.788 |
| n-Butane | 5.533 | 58.122 | 2.011 | 0.5842 | 2.781 |
| Iso-pentane | 2.564 | 72.149 | 1.157 | 0.6251 | 1.495 |
| n-Pentane | 3.384 | 72.149 | 1.527 | 0.6307 | 1.956 |
| Hexanes | 5.036 | 86.175 | 2.714 | 0.6658 | 3.293 |
| Heptanes Plus | 70.231 | 203.716 | 89.471 | 0.8511 | 84.945 |
| | 100.000 | | 100.000 | | 100.000 |
| Calculated Physica | al Properties | | To | otal | C7+ |
| Specific Gravity at 6 | 60°F | | 0.80 | 080 | 0.8511 |
| API Gravity at 60°F | | | 43.6 | 521 | 34.760 |
| Molecular Weight | | | 159.9 | 905 2 | 03.716 |
| Pounds per Gallon (| (in Vacuum) | | 6.7 | 736 | 7.095 |
| Pounds per Gallon (| | | _ | 729 | 7.088 |
| Cu. Ft. Vapor per G | allon @ 14.73 | psia | 15.9 | 950 | 13.187 |

Data reviewed by: Krystle Fitzwater, Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

Quality Assurance:

Received by OCD: 9/13/2021 1:27:55 PM

| Name of well or facility | Lat | Long | Daily Volume of Flared Natural Gas (MCF/D) | Commencement | Duration | Proposed Remedy |
|---|------------|--------------|---|--------------|------------|-----------------|
| SHELBY 23 TANK BATTERY | 32.636495 | -104.449015 | 1317 MCF/D | 9/4/2021 | Continuous | ACO Requested |
| ROSS RANCH 09.13.14 BATTERY | 32.636187 | -104.47781 | 1364 MCF/D | 9/4/2021 | Continuous | ACO Requested |
| OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY | 32.652839 | -104.478905 | 1081 MCF/D | 9/4/2021 | Continuous | ACO Requested |
| LAKEWOOD FEDERAL COM NORTH BATTERY | 32.625808 | -104.469155 | 2858 MCF/D | 9/4/2021 | Continuous | ACO Requested |
| LAKEWOOD FEDERAL COM SOUTH BATTERY | 32.608649 | -104.479201 | 1543 MCF/D | 9/4/2021 | Continuous | ACO Requested |
| DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY | 32.614416 | -104.478493 | 883 MCF/D | 9/4/2021 | Continuous | ACO Requested |
| HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY | 32.610648 | -104.472851 | 652 MCF/D | 9/4/2021 | Continuous | ACO Requested |
| SHORTY 2 STATE COM TANK BATTERY | 32.8653287 | -103.9504986 | 1346 MCF/D | 9/4/2021 | Continuous | Gas Rerouted |
| PINTO 36 STATE COM 1H TANK BATTERY | 32.6977425 | -104.4458389 | 228 MCF/D | 9/4/2021 | Continuous | Gas Rerouted |

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 48123

| Q | UESTIONS | | |
|---|--|--|--|
| Operator: | OGRID: | | |
| Spur Energy Partners LLC 9655 Katy Freeway | 328947 | | |
| Houston, TX 77024 | Action Number: 48123 | | |
| | Action Type: | | |
| | [C-129] Venting and/or Flaring (C-129) | | |
| QUESTIONS | | | |
| Prerequisites | | | |
| Any messages presented in this section, will prevent submission of this application. Please resolve | these issues before continuing with the rest of the questions. | | |
| Incident Well | Not answered. | | |
| Incident Facility | [fAPP2122856089] Shorty 2 State Com Tank Battery | | |
| Determination of Describer Describer | | | |
| Determination of Reporting Requirements | | | |
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers as | | | |
| Was or is this venting and/or flaring caused by an emergency or malfunction | No | | |
| Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event | Yes | | |
| Is this considered a submission for a venting and/or flaring event | Yes, major venting and/or flaring of natural gas. | | |
| An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v | venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC | | |
| Was there or will there be at least 50 MCF of natural gas vented and/or flared | | | |
| during this event | Yes | | |
| Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a | No | | |
| surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | | | |
| Was the venting and/or flaring within an incorporated municipal boundary or | | | |
| withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence | No | | |
| Equipment Involved | | | |
| | 1 | | |
| | At a second seco | | |
| Primary Equipment Involved | Not answered. | | |
| Additional details for Equipment Involved. Please specify | Not answered. Not answered. | | |
| Additional details for Equipment Involved. Please specify | | | |
| • • • • | | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas | | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. | Not answered. | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage | Not answered. | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent | Not answered. 16 28 | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up | Not answered. 16 28 0 | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent | Not answered. 16 28 0 44 0 | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent | Not answered. 16 28 0 44 0 | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent | Not answered. 16 28 0 44 0 | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement | Not answered. 16 28 0 44 0 cifications for each gas. Not answered. | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement | Not answered. 16 28 0 44 0 cifications for each gas. Not answered. Not answered. | | |
| Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement | Not answered. 16 28 0 44 0 cifications for each gas. Not answered. Not answered. Not answered. | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Carbon Dioxide (C02) percentage quality requirement | Not answered. 16 28 0 44 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Carbon Dioxide (C02) percentage quality requirement | Not answered. 16 28 0 44 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement | Not answered. 16 28 0 44 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement | Not answered. 16 28 0 44 0 cifications for each gas. Not answered. | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced | 16 | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced | Not answered. | | |
| Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipelline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced Time venting and/or flaring was terminated | Not answered. 16 | | |

Not answered.

Natural Gas Vented (Mcf) Details

| Natural Gas Flared (Mcf) Details | Cause: Pipeline Quality Specifications Other (Specify) Natural Gas Flared Released: 1,346 Mcf Recovered: 0 Mcf Lost: 1,346 Mcf] | | |
|---|--|--|--|
| Other Released Details | Not answered. | | |
| Additional details for Measured or Estimated Volume(s). Please specify | Not answered. | | |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report. | | |

| Venting or Flaring Resulting from Downstream Activity | | | |
|--|---------------|--|--|
| Was or is this venting and/or flaring a result of downstream activity | Not answered. | | |
| Was notification of downstream activity received by you or your operator | Not answered. | | |
| Downstream OGRID that should have notified you or your operator | Not answered. | | |
| Date notified of downstream activity requiring this venting and/or flaring | Not answered. | | |
| Time notified of downstream activity requiring this venting and/or flaring | Not answered. | | |

| Steps and Actions to Prevent Waste | | | | |
|--|--|--|--|--|
| For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control. | True | | | |
| Please explain reason for why this event was beyond your operator's control | 3rd party take away refusal due to capacity restraints. | | | |
| Steps taken to limit the duration and magnitude of venting and/or flaring | Executed contract with midstream company to gather gas by 12/1/2021. | | | |
| Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring | Executed contract with midstream company to gather gas by 12/1/2021. | | | |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 48123

CONDITIONS

| Operator: | OGRID: |
|--------------------------|--|
| Spur Energy Partners LLC | 328947 |
| 9655 Katy Freeway | Action Number: |
| Houston, TX 77024 | 48123 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| schapman0 | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 9/13/2021 |