GAS VOLUME STATEMENT

May 2021

Meter #: 95927-00

Name: ROSS RANCH '22' #2

Closed Data

Standard Conditions



Active Pressure Base: 14.730 psia Meter Status: Temperature Base: 60.00 °F Contract Hr.: Midnight No Atmos Pressure: 13.020 psi Full Wellstream: Equivalent Dry Volume Calc Method: AGA3-1992 WV Technique: Z Method: AGA-8 Detail (1992) WV Method: 1955 IGT-Bulletin 8 Tube I.D.: 3.0690 in HV Cond: Upstream Meter Type: **EFM** Tap Location: Flange Interval: 1 Hour Tap Type:

| CO2 | N2 | C1 | C2 | C3 | IC4 | NC4 | IC5 |
|-------|-------|--------|-----------|-------|-------|-------|-----------|
| 3.057 | 1.911 | 72.096 | 11.637 | 5.166 | 0.705 | 1.682 | 0.544 |
| NC5 | neo | C6 | C7 | C8 | С9 | C10 | |
| 0.525 | | 1.560 | | | | | _ |
| Ar | со | H2 | O2 | He | H2O | H2S | H2S ppm |
| | | | 0.000 | 0.000 | | 1 117 | 11166 000 |

| Day | Differential (In. H2O) | Pressure (psia) | Temp. (°F) | Flow Time (hrs) | Relative Density | Plate (inches) | Volume (Mcf) | Heating Value (Btu/scf) | Energy (MMBtu) |
|-------|---------------------------|--------------------|---------------|-----------------------|---------------------|-------------------|-----------------|-------------------------------|-------------------|
| 1 | 55.56 | 50.60 | 70.63 | 24.00 | 0.8008 | 1.5000 | 649 | 1266.97 | 823 |
| 2 | 68.32 | 48.95 | 79.23 | 24.00 | 0.8008 | 1.5000 | 702 | 1266.97 | 889 |
| 3 | 60.87 | 52.52 | 73.99 | 24.00 | 0.8008 | 1.5000 | 691 | 1266.97 | 876 |
| 4 | 64.37 | 51.30 | 67.33 | 24.00 | 0.8008 | 1.5000 | 709 | 1266.97 | 897 |
| 5 | 65.37 | 51.55 | 78.54 | 24.00 | 0.8008 | 1.5000 | 688 | 1266.97 | 872 |
| 6 | 59.95 | 59.34 | 77.95 | 24.00 | 0.8008 | 1.5000 | 729 | 1266.97 | 924 |
| 7 | 64.14 | 55.77 | 85.03 | 24.00 | 0.8008 | 1.5000 | 723 | 1266.97 | 916 |
| 8 | 60.48 | 52.60 | 83.26 | 24.00 | 0.8008 | 1.5000 | 679 | 1266.97 | 860 |
| 9 | 52.23 | 51.42 | 81.28 | 24.00 | 0.8008 | 1.5000 | 629 | 1266.97 | 797 |
| 10 | 52.34 | 52.03 | 76.23 | 24.00 | 0.8008 | 1.5000 | 631 | 1266.97 | 799 |
| 11 | 49.87 | 49.65 | 72.55 | 24.00 | 0.8008 | 1.5000 | 607 | 1266.97 | 770 |
| 12 | 42.67 | 49.92 | 65.02 | 24.00 | 0.8008 | 1.5000 | 547 | 1266.97 | 692 |
| 13 | 36.75 | 51.61 | 73.04 | 24.00 | 0.8008 | 1.5000 | 490 | 1266.97 | 621 |
| 14 | 42.58 | 51.99 | 78.18 | 24.00 | 0.8008 | 1.5000 | 542 | 1266.97 | 687 |
| 15 | 38.03 | 55.88 | 77.67 | 24.00 | 0.8008 | 1.5000 | 521 | 1266.97 | 660 |
| 16 | 44.91 | 52.11 | 79.96 | 24.00 | 0.8008 | 1.5000 | 569 | 1266.97 | 721 |
| 17 | 35.89 | 58.80 | 80.78 | 24.00 | 0.8008 | 1.5000 | 517 | 1266.97 | 655 |
| 18 | 45.56 | 51.28 | 75.81 | 24.00 | 0.8008 | 1.5000 | 575 | 1266.97 | 728 |
| 19 | 41.53 | 50.71 | 79.24 | 24.00 | 0.8008 | 1.5000 | 523 | 1266.97 | 663 |
| 20 | 21.88 | 50.12 | 82.77 | 24.00 | 0.8008 | 1.5000 | 396 | 1266.97 | 502 |
| 21 | 39.43 | 52.08 | 86.49 | 23.98 | 0.8008 | 1.5000 | 501 | 1266.97 | 634 |
| 22 | 36.46 | 52.38 | 78.19 | 24.00 | 0.8008 | 1.5000 | 528 | 1266.97 | 669 |
| 23 | 46.58 | 53.13 | 83.69 | 24.00 | 0.8008 | 1.5000 | 590 | 1266.97 | 748 |
| 24 | 48.10 | 52.97 | 83.94 | 24.00 | 0.8008 | 1.5000 | 602 | 1266.97 | 763 |
| 25 | 42.37 | 55.23 | 87.41 | 24.00 | 0.8008 | 1.5000 | 549 | 1266.97 | 695 |
| 26 | 45.61 | 60.13 | 84.19 | 24.00 | 0.8008 | 1.5000 | 626 | 1266.97 | 793 |
| 27 | 45.59 | 55.72 | 88.19 | 24.00 | 0.8008 | 1.5000 | 547 | 1266.97 | 694 |
| 28 | 49.57 | 52.58 | 84.98 | 23.89 | 0.8008 | 1.5000 | 537 | 1266.97 | 680 |
| 29 | 51.28 | 55.01 | 78.95 | 24.00 | 0.8008 | 1.5000 | 648 | 1266.97 | 821 |
| 30 | 63.14 | 53.92 | 80.80 | 24.00 | 0.8008 | 1.5000 | 695 | 1266.97 | 880 |
| 31 | 55.97 | 50.63 | 70.59 | 24.00 | 0.8008 | 1.5000 | 655 | 1266.97 | 831 |
| Total | 50.63 | 53.01 | 78.75 | 743.88 | 0.8008 | | 18,595 | | 23,560 |
| •••• | 00.00 | 00.0. | | | | | .0,000 | | 20,000 |

Volume at 15.025 = 18,230 Energy = 23,560

| Name of well or facility | Lat | Long | Daily Volume of Flared Natural Gas (MCF/D) | Commencement | Duration | Proposed Remedy |
|---|------------|--------------|---|--------------|------------|-----------------|
| SHELBY 23 TANK BATTERY | 32.636495 | -104.449015 | 863 MCF/D | 9/28/2021 | Continuous | ACO Requested |
| ROSS RANCH 09.13.14 TANK BATTERY | 32.636187 | -104.47781 | 243 MCF/D | 9/28/2021 | Continuous | ACO Requested |
| OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY | 32.652839 | -104.478905 | 1339 MCF/D | 9/28/2021 | Continuous | ACO Requested |
| LAKEWOOD FEDERAL COM NORTH BATTERY | 32.625808 | -104.469155 | 2834 MCF/D | 9/28/2021 | Continuous | ACO Requested |
| LAKEWOOD FEDERAL COM SOUTH BATTERY | 32.608649 | -104.479201 | 1537 MCF/D | 9/28/2021 | Continuous | ACO Requested |
| DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY | 32.614416 | -104.478493 | 800 MCF/D | 9/28/2021 | Continuous | ACO Requested |
| HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY | 32.610648 | -104.472851 | 700 MCF/D | 9/28/2021 | Continuous | ACO Requested |
| SHORTY 2 STATE COM TANK BATTERY | 32.8653287 | -103.9504986 | 1218 MCF/D | 9/28/2021 | Continuous | Gas Rerouted |
| B&B ROSS RANCH OIL TANK BATTERY | 32.648341 | -104.479356 | 448 MCF/D | 9/28/2021 | Continuous | Gas Rerouted |
| GOODMAN 22 TANK BATTERY | 32.64524 | -104.47354 | 1590 MCF/D | 9/28/2021 | Continuous | Gas Rerouted |
| MORRIS BOYD TANK BATTERY | 32.64057 | -104.45889 | 639 MCF/D | 9/28/2021 | Continuous | Gas Rerouted |

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 52334

QUESTIONS

| Operator: | OGRID: | | |
|--------------------------|--|--|--|
| Spur Energy Partners LLC | 328947 | | |
| 9655 Katy Freeway | Action Number: | | |
| Houston, TX 77024 | 52334 | | |
| | Action Type: | | |
| | [C-129] Venting and/or Flaring (C-129) | | |

QUESTIONS

| Prerequisites | | | | |
|--|--|--|--|--|
| Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions. | | | | |
| Incident Well | Not answered. | | | |
| Incident Facility | [fAPP2127035785] B&B ROSS RANCH OIL TANK BATTERY | | | |

| Determination of Reporting Requirements | | | | |
|---|---|--|--|--|
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide addional guidance. | | | | |
| Was or is this venting and/or flaring caused by an emergency or malfunction | Yes | | | |
| Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event | Yes | | | |
| Is this considered a submission for a venting and/or flaring event | Yes, minor venting and/or flaring of natural gas. | | | |
| An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v | enting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC. | | | |
| Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event | Yes | | | |
| Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No | | | |
| Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence | No | | | |

| Equipment Involved | | | | |
|---|---------------|--|--|--|
| Primary Equipment Involved | Not answered. | | | |
| Additional details for Equipment Involved. Please specify | Not answered. | | | |

| Representative Compositional Analysis of Vented or Flared Natural Gas | | | | |
|---|---------------|--|--|--|
| Please provide the mole percent for the percentage questions in this group. | | | | |
| Methane (CH4) percentage | 72 | | | |
| Nitrogen (N2) percentage, if greater than one percent | 2 | | | |
| Hydrogen Sulfide (H2S) PPM, rounded up | 11,166 | | | |
| Carbon Dioxide (C02) percentage, if greater than one percent | 3 | | | |
| Oxygen (02) percentage, if greater than one percent | 0 | | | |
| If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas. | | | | |
| Methane (CH4) percentage quality requirement | Not answered. | | | |
| Nitrogen (N2) percentage quality requirement | Not answered. | | | |
| Hydrogen Sufide (H2S) PPM quality requirement | Not answered. | | | |
| Carbon Dioxide (C02) percentage quality requirement | Not answered. | | | |
| Oxygen (02) percentage quality requirement | Not answered. | | | |

| Date(s) and Time(s) | | | |
|---|------------|--|--|
| Date venting and/or flaring was discovered or commenced | 09/28/2021 | | |
| Time venting and/or flaring was discovered or commenced | 12:00 AM | | |
| Time venting and/or flaring was terminated | 12:00 AM | | |
| Cumulative hours during this event | 24 | | |

| Measured or Estimated Volume of Vented or Flared Natural Gas | | |
|--|--|--|
| Natural Gas Vented (Mcf) Details Not answered. | | |

| Natural Gas Flared (Mcf) Details | Cause: Midstream Emergency Maintenance Other (Specify) Natural Gas Flared Released: 448 Mcf Recovered: 0 Mcf Lost: 448 Mcf] | | | | |
|---|--|--|--|--|--|
| Other Released Details | Not answered. | | | | |
| Additional details for Measured or Estimated Volume(s). Please specify | flare stack | | | | |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report. | | | | |

| Venting or Flaring Resulting from Downstream Activity | | | |
|--|------------------------------|--|--|
| Was or is this venting and/or flaring a result of downstream activity | Yes | | |
| Was notification of downstream activity received by you or your operator | Yes | | |
| Downstream OGRID that should have notified you or your operator | [211372] DCP MIDSTREAM, L.P. | | |
| Date notified of downstream activity requiring this venting and/or flaring | 09/25/2021 | | |
| Time notified of downstream activity requiring this venting and/or flaring | 04:30 PM | | |

| Steps and Actions to Prevent Waste | |
|--|--|
| For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control. | True |
| Please explain reason for why this event was beyond your operator's control | DCP had a leak in line causing us to flare at several CTBs. |
| Steps taken to limit the duration and magnitude of venting and/or flaring | Sold to another 3rd party where possible. |
| Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring | Rerouted gas to other midstream companies as capacity allowed. |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 52334

CONDITIONS

| Operator: | OGRID: |
|--------------------------|--|
| Spur Energy Partners LLC | 328947 |
| 9655 Katy Freeway | Action Number: |
| Houston, TX 77024 | 52334 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| schapman01 | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 9/28/2021 |