

Certificate of Analysis

Number: 6030-21030283-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Mar. 25, 2021

Jeffery Cook Advanced Energy Partners, LLC 11490 Westheimer Road Suite 950 Houston, TX 77077

Station Name: Anderson Fed Com 704H Sampled By: Mike West Station Number: 2340116 Sample Of: Gas Spot Station Location: Advance Sample Date: 03/24/2021

Sample Point: Meter Run Sample Conditions: 100 psig, @ 107 °F Ambient: 58 °F

 Instrument:
 6030_GC2 (Agilent GC-7890B)
 Effective Date:
 03/24/2021

 Last Inst. Cal.:
 12/21/2020 15:30 PM
 Method:
 GPA-2261M

 Analyzed:
 03/25/2021 08:34:58 by KNF
 Cylinder No:
 5030-02435

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.73 psia		
Hydrogen Sulfide	0.000	0.00000	0.000		GPM TOTAL C2+	9.144
Nitrogen	1.915	1.93070	2.195		GPM TOTAL C3+	4.904
Methane	65.742	66.28085	43.150		GPM TOTAL iC5+	1.143
Carbon Dioxide	0.213	0.21475	0.384			
Ethane	15.649	15.77727	19.252	4.240		
Propane	8.917	8.99009	16.087	2.489		
lso-butane	1.031	1.03945	2.452	0.342		
n-Butane	2.913	2.93688	6.927	0.930		
Iso-pentane	0.606	0.61097	1.789	0.225		
n-Pentane	0.730	0.73598	2.155	0.268		
Hexanes Plus	1.471	1.48306	5.609	0.650		
	99.187	100.00000	100.000	9.144		
Calculated Physica	I Properties	Total		C6+		
Relative Density Rea	al Gas	0.8549		3.2176		
Calculated Molecula	r Weight	24.64		93.19		
Compressibility Fact		0.9949				
GPA 2172 Calculati	on:					
Calculated Gross B	STU per ft ³ @ 14.73 ps	sia & 60°F				
Real Gas Dry BTU		1445		5141		
Water Sat. Gas Base	e BTU	1421		5052		
Ideal, Gross HV - Dr		1437.8		5141.1		
Ideal, Gross HV - We		1412.8		5051.6		
Comments: H2S F	ield Content 0 ppm					

Caly Hatin

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Quality Assurance:

Mcf/day 878.91



11490 Westheimer Road, Suite 950, Houston, Texas 77077 • Phone 832-672-4700 • Fax 832-672-4609

To whom it may concern:

For flare volume calculation, we use a high-pressure flare meter to get the best and most accurate flare readings.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 58072

QI	JESTIONS		
Operator:		OGRID:	
ADVANCE ENERGY PARTNERS HAT MESA, LLC 11490 Westheimer Rd., Ste 950		372417 Action Number:	
Houston, TX 77077		58072	
		Action Type: [C-129] Venting and/or Flaring (C-129)	
QUESTIONS		[O 120] Voltaing anator Flaming (O 120)	
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve t	hese issues before continuing wit	h the rest of the questions.	
Incident Well	Not answered.		
Incident Facility	[fAPP2125843422] Anders	on Pad A Facility	
Determination of Reporting Requirements			
Answer all questions that apply. The Reason(s) statements are calculated based on your answers ar	d may provide addional guidance		
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes		
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes		
Is this considered a submission for a venting and/or flaring event	Yes, major venting and/or	flaring of natural gas.	
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may	be a major or minor release under 19.15.29.7 NMAC.	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes		
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or			
completely flared) that reached (or has a chance of reaching) the ground, a	No		
surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water			
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No		
Equipment Involved			
Equipment Involved Primary Equipment Involved	Not answered.		
	Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify			
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas			
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent	Not answered. 66 2		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up	Not answered. 66 2 0		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent	Not answered. 66 2 0		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	Not answered. 66 2 0 0		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	Not answered. 66 2 0 0 0 fications for each gas.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement	Not answered. 66 2 0 0 0 fications for each gas. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required speciment Nitrogen (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required speciment Nitrogen (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s)	Not answered. 66 2 0 0 0 fications for each gas. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. Not answered.		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 08/20/2021 06:30 AM		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced Time venting and/or flaring was terminated	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 08/20/2021 06:30 AM 02:30 PM		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	Not answered. 66 2 0 0 0 fications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 08/20/2021 06:30 AM		

Not answered.

Natural Gas Vented (Mcf) Details

Natural Gas Flared (Mcf) Details	Cause: Midstream Emergency Maintenance Gas Plant Natural Gas Flared Released: 1,129 Mcf Recovered: 0 Mcf Lost: 1,129 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	Yes
Was notification of downstream activity received by you or your operator	Yes
Downstream OGRID that should have notified you or your operator	[372603] 3BEAR FIELD SERVICES, LLC
Date notified of downstream activity requiring this venting and/or flaring	08/20/2021
Time notified of downstream activity requiring this venting and/or flaring	06:30 AM

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	3rd Party Gas Plant Down
Steps taken to limit the duration and magnitude of venting and/or flaring	Keep in contact with Gas company
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	On location, keep in touch with gas company operator

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 58072

CONDITIONS

Operator:	OGRID:
ADVANCE ENERGY PARTNERS HAT MESA, LLC	372417
11490 Westheimer Rd., Ste 950	Action Number:
Houston, TX 77077	58072
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
lanz	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	10/27/2021