## **GAS VOLUME STATEMENT**

**Spur Energy** 

July, 2021

Meter #: 79410095

Name: Huber Fed 10H

Closed Data

Artesia-East

Pressure Base: 14.730 psia
Status: In Service

Temperature Base: 60.00 °F

WV Technique:

HV Cond:

Meter Type: EFM

Contract Hr.: Midnight

WV Method:

CO2 N2 H20 H2S 02 C1 C2 I-C4 N-C4 I-C5 N-C5 C6+ He C3 2.3000 0.791 1.981 1.940 0.000 0.000 0.000 68.856 13.734 6.679 0.898 1.909 0.494 0.418

Tube I.D.IntervalTap LocationTap TypeAtmos. PressureCalc. MethodFpv Method3.065 in.1 HourUpstreamFlange13.050 psiAGA3-1992AGA8-Detail

	Differential	Pressure	Temperature	Hours	Relative	Plate	Volume	Heating Value	Energy	
Day	(In. H2O)	(psia)	(°F)	Flow	Density	(inches)	(Mcf)	(Btu/scf)	(MMBtu)	Edited
1	15.36	66.03	83.05	24.00	0.8093	1.250	259.73	1298.00	337.13	No
2	10.89	65.20	81.73	24.00	0.8093	1.250	221.58	1298.00	287.61	No
3	10.14	65.11	82.49	24.00	0.8093	1.250	211.38	1298.00	274.37	No
4	10.72	65.13	85.58	24.00	0.8093	1.250	218.27	1298.00	283.32	No
5	10.95	65.02	84.06	24.00	0.8093	1.250	219.90	1298.00	285.43	No
6	10.92	65.00	82.94	24.00	0.8093	1.250	220.47	1298.00	286.17	No
7	11.08	65.00	83.95	24.00	0.8093	1.250	222.13	1298.00	288.32	No
8	11.58	65.10	87.03	24.00	0.8093	1.250	226.52	1298.00	294.02	No
9	11.79	65.11	87.58	24.00	0.8093	1.250	229.26	1298.00	297.58	No
10	12.00	65.08	86.25	24.00	0.8093	1.250	232.34	1298.00	301.57	No
11	12.37	65.01	81.45	24.00	0.8093	1.250	237.31	1298.00	308.03	No
12	12.68	65.13	85.22	24.00	0.8093	1.250	239.97	1298.00	311.48	No
13	13.39	65.18	84.22	24.00	0.8093	1.250	247.66	1298.00	321.46	No
14	13.02	65.14	84.81	24.00	0.8093	1.250	243.81	1298.00	316.46	No
15	12.97	65.12	86.07	24.00	0.8093	1.250	243.21	1298.00	315.68	No
16	12.48	65.11	86.94	24.00	0.8093	1.250	238.18	1298.00	309.16	No
17	13.07	65.21	88.53	24.00	0.8093	1.250	244.61	1298.00	317.51	No
18	13.30	65.17	78.16	24.00	0.8093	1.250	248.62	1298.00	322.71	No
19	14.51	65.41	83.37	23.95	0.8093	1.250	258.03	1298.00	334.92	No
20	14.97	65.47	85.85	24.00	0.8093	1.250	262.63	1298.00	340.90	No
21	16.30	65.53	83.32	24.00	0.8093	1.250	275.57	1298.00	357.69	No
22	12.34	65.46	85.15	23.18	0.8093	1.250	227.94	1298.00	295.86	No
23	27.07	65.52	85.01	18.46	0.8093	1.250	255.44	1298.00	331.56	No
24	30.35	65.19	86.39	24.00	0.8093	1.250	373.25	1298.00	484.48	No
25	30.51	65.22	82.64	17.50	0.8093	1.250	270.12	1298.00	350.62	No
26	0.30	62.67	93.39	0.15	0.8093	1.250	0.23	1298.00	0.30	No
27	0.33	62.92	94.57	0.50	0.8093	1.250	0.81	1298.00	1.05	No
28	0.35	63.09	83.07	0.32	0.8093	1.250	0.54	1298.00	0.70	No
29	241.71	76.08	78.58	8.98	0.8093	1.250	284.99	1298.00	369.92	No
30	118.11	70.27	79.05	24.00	0.8093	1.250	709.92	1298.00	921.48	No
31	48.74	66.93	80.71	24.00	0.8093	1.250	477.59	1298.00	619.92	No
TOTAL	35.37	66.22	83.53	645.05	0.8093		7,602.01		9,867.41	

Received by OCD: 11/3/2021 12:17:03 PM

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	2471 MCF/D	10/24/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	94 MCF/D	10/24/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	1625 MCF/D	10/24/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2862 MCF/D	10/24/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1553 MCF/D	10/24/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	917 MCF/D	10/24/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	719 MCF/D	10/24/2021	Continuous	ACO Requested
LIVE OAK TANK BATTERY	32.63657	-104.46929	2471 MCF/D	10/24/2021	Continuous	ACO Requested
RED LAKE 32 STATE TANK BATTERY	32.78446	-104.29206	409 MCF/D	10/24/2021	Continuous	Gas Rerouted
SHELBY 23 #1 WELL	32.6511192	-104.4537735	92 MCF/D	10/24/2021	Continuous	Gas Rerouted

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 59909

#### QUESTIONS

Operator: Spur Energy Partners LLC	0	OGRID: 328947	
9655 Katy Freeway	A	ction Number:	
Houston, TX 77024		59909	
	A	ction Type:	
		[C-129] Venting and/or Flaring (C-129)	
QUESTIONS			
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve t	hese issues before continuing with th	ne rest of the questions.	
Incident Well	Not answered.		
Incident Facility	[fAPP2122834094] Huber 10,	11, 12 Federal Oil Tank Battery	
<b>-</b>			
Determination of Reporting Requirements			
Answer all questions that apply. The Reason(s) statements are calculated based on your answers an			
Was or is this venting and/or flaring caused by an emergency or malfunction	No		
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes		
Is this considered a submission for a venting and/or flaring event	Yes, major venting and/or fla	ring of natural gas.	
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during vi	enting and/or flaring that is or may be	a major or minor release under 19.15 29 7 NMAC	
Was there or will there be at least 50 MCF of natural gas vented and/or flared	inting undror naming that is or may be	a major of militar release under 15.10.25.7 Milita.	
during this event	Yes		
Did this venting and/or flaring result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public	No		
health, the environment or fresh water			
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital,	No		
institution or church in existence			
Equipment Involved			
Primary Equipment Involved	Not answered.		
Additional details for Equipment Involved. Please specify	Not answered.		
Paragontative Compositional Applysic of Vented on Flored Natural Con			
Representative Compositional Analysis of Vented or Flared Natural Gas			
Please provide the mole percent for the percentage questions in this group.  Methods (CHA) percentage	60		
Methane (CH4) percentage	69		
Nitrogen (N2) percentage, if greater than one percent			
Hydrogen Sulfide (H2S) PPM, rounded up	23,000		
Carbon Dioxide (C02) percentage, if greater than one percent	0		
Oxygen (02) percentage, if greater than one percent	U		
If you are venting and/or flaring because of Pipeline Specification, please provide the required specification.	fications for each gas.		
Methane (CH4) percentage quality requirement	Not answered.		
Nitrogen (N2) percentage quality requirement	Not answered.		
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.		
Carbon Dioxide (C02) percentage quality requirement	Not answered.		
Oxygen (02) percentage quality requirement	Not answered.		
Date(s) and Time(s)			

10/24/2021

12:00 AM

12:00 AM 24

Not answered.

Time venting and/or flaring was terminated

Cumulative hours during this event

Natural Gas Vented (Mcf) Details

Date venting and/or flaring was discovered or commenced

Time venting and/or flaring was discovered or commenced

Measured or Estimated Volume of Vented or Flared Natural Gas

Natural Gas Flared (Mcf) Details	Cause: Pipeline Quality Specifications   Other (Specify)   Natural Gas Flared   Released: 719 Mcf   Recovered: 0 Mcf   Lost: 719 Mcf
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	Not answered.
Was notification of downstream activity received by you or your operator	Not answered.
Downstream OGRID that should have notified you or your operator	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	3rd party take away refusal due to capacity restraints.
Steps taken to limit the duration and magnitude of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 59909

### **CONDITIONS**

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	59909
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

#### CONDITIONS

Created By	/ Condition	Condition Date
schapman	11 If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/3/2021