October, 2021



Meter #: 17611-00 Name: NO VAC ABO UN TR10

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide, CO2	0.3418		0.6160
Nitrogen, N2	2.9697		3.4066
Methane, C1	64.4721		42.3538
Ethane, C2	16.3870	4.4026	20.1776
Propane, C3	10.3805	2.8730	18.7441
Isobutane, iC4	1.1049	0.3632	2.6297
n-Butane, nC4	2.5505	0.8078	6.0703
Isopentane, iC5	0.5153	0.1893	1.5223
n-Pentane, nC5	0.4626	0.1685	1.3667
Hexanes Plus, C6+	0.8157	0.3576	3.1129
Water, H2O Hydrogen Sulfide, H2S Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He Argon, Ar			

Sample	e			
Date:	01/13/2021			
Type:	Spot			
Pressu	re:	27.0	H2O:	lbs/mm
Tempe	rature:	62.0	H2S:	ppm

Property	Total Sample
Pressure Base	14.730
Temperature Base	60.00
Relative Density	0.8469
HV, Dry @ Base P,T	1412.51
HV, Sat @ Base P, T	1387.79
HV, Sat @ Sample P, T	
Fws Factor	
Cricondentherm	
HCDP @ Sample Pressure	
Free Water GPM	
Stock Tank Condensate Brls/mm	
26 # RVP Gasoline	1.083
Testcar Permian	0.747
Testcar Panhandle	0.901
Testcar Midcon	0.770

Totals

100.0001

100.0000

9.1620

.

<u>NVAU 120 BTY</u>

MTD Avg Gas – Prod Gas = Vented Gas/ Day

11/15/2021 - 11/15/2021 = 81

Pressure Base Conversion

14.73/15.025 = .98036605

80 * .98036605 = 78 mcf Vented

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Page 3 of 4

Action 65137

OLIECTIONS

Q	JESTIONS	
Operator:		OGRID:
CROSS TIMBERS ENERGY, LLC 400 West 7th Street		298299 Action Number:
Fort Worth, TX 76102		65137
		Action Type:
		[C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	hese issues before continuing wit	th the rest of the questions.
Incident Well	Not answered.	
Incident Facility	[fAPP2123056431] NORTH	VACUUM ABO 120 BATTER
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	nd may provide addional guidance	
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes	
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a venting and/or flaring event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or mov	the a major or minor release under 19 15 20 7 NMAC
Was there or will there be at least 50 MCF of natural gas vented and/or flared	enting and/or naming that is or may	
during this event	Yes	
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a	No	
surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water		
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved	I	
Equipment Involved		
Equipment Involved Primary Equipment Involved	Other (Specify)	
	Other (Specify) FLARE STACK	
Primary Equipment Involved Additional details for Equipment Involved. Please specify		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	FLARE STACK	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	FLARE STACK	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent	FLARE STACK	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up	64 3 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent	64 3 0 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up	64 3 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent	FLARE STACK 64 3 0 0 0 0 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	FLARE STACK 64 3 0 0 0 0 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required spece	FLARE STACK 64 3 0 0 0 ifications for each gas.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required spec Methane (CH4) percentage quality requirement	FLARE STACK 64 3 0 0 0 0 ifications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement	FLARE STACK 64 3 0 <tr< td=""><td></td></tr<>	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required spec Methane (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement	FLARE STACK 64 3 0 <tr< td=""><td></td></tr<>	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Carbon Dioxide (C04) percentage quality requirement	FLARE STACK 64 3 0 0 0 ifications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Carbon Dioxide (C04) percentage quality requirement	FLARE STACK 64 3 0 0 0 ifications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Øxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (N2) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement	FLARE STACK 64 3 0 0 0 ifications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required spec Methane (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Nitrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Nitrogen Sufide (H2S) PPM quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement	FLARE STACK 64 3 0 <tr< td=""><td></td></tr<>	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required spec Methane (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Nitrogen Sufide (H2S) PPM quality requirement Nitrogen Sufide (H2S) PPM quality requirement Oxygen (02) percentage quality requirement Dioxide (C02) percentage quality requirement Dioxide (C02) percentage quality requirement Dioxide (C02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	FLARE STACK 64 3 0 <tr< td=""><td></td></tr<>	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required spece Methane (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Nitrogen Sufide (H2S) PPM quality requirement Nitrogen Sufide (H2S) PPM quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced Time venting and/or flaring was discovered or commenced	FLARE STACK 64 3 0 11/15/2021 12:00 AM	

Measured or Estimated Volume of Vented or Flared Natural Gas Cause: Midstream Emergency Maintenance | Other (Specify) | Natural Gas Vented | Natural Gas Vented (Mcf) Details Released: 78 Mcf | Recovered: 0 Mcf | Lost: 78 Mcf]

Released to Imaging: 12/6/2021 12:44:18 PM

Received by OCD: 12/6/2021 12:28:41 PM Natural Gas Flared (Mcf) Details

l	Natural Gas Flared (Mcf) Details	Not answered.
	Other Released Details	Not answered.
	Additional details for Measured or Estimated Volume(s). Please specify	FLARE STACK
	Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	No
Was notification of downstream activity received by you or your operator	Not answered.
Downstream OGRID that should have notified you or your operator	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	DCP MIDSTREAM EQUIPMENT FAILURE. LINE LEAK AT DOBBS BOOSTER STATION
Steps taken to limit the duration and magnitude of venting and/or flaring	DURATION AND MAGNITUDE OUT OF OUR CONTROL DUE TO MIDSTREAM EQUIPMENT FAILURE. CROSS TIMBERS ENERGY MINIMIZES EMISSIONS WHERE POSSIBLE.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	CAUSE AND REOCCURANCE OUT OF OUR CONTROL DUE TO MIDSTREAM EQUIPMENT FAILURE. CROSS TIMBERS ENERGY WILL SI GAS WELLS IF FEASIBLE TO REDUCE AMOUNTS VENTED/FLARE UNTIL MIDSTREAM COMPANY COMPLETES REPAIRS

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	65137
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
savarello	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/6/2021

CONDITIONS

Page 5 of 4

.

Action 65137