GAS VOLUME STATEMENT

1 Hour

Spur Energy

AGA8-Detail

AGA3-1992

July, 2021

Meter #: 79410116

Name: Lakewood 3 Fed 14H

Closed Data

Artesia-East

3.068 in.

Pressure Base: 14.650 psia Temperature Base: 60.00 °F **HV Cond:** Meter Type: EFM Contract Hr.: 8 AM Status: In Service WV Technique: WV Method: CO2 N2 H20 H2S 02 C1 C2 I-C4 N-C4 I-C5 N-C5 He C3 C6+ 0.564 5.675 1.9229 6.067 0.000 0.000 0.000 51.804 16.643 11.505 1.321 3.126 0.711 0.660 Tube I.D. Atmos. Pressure Calc. Method **Fpv Method** Interval **Tap Location** Tap Type

Flange

12.950 psi

Upstream

Day	Differential (In. H2O)	Pressure (psia)	Temperature (°F)	Hours Flow	Relative Density	Plate (inches)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
1	4.11	77.44	88.37	23.98	0.9279	2.000	393.04	1346.10	529.07	No
2	4.34	73.86	86.22	23.99	0.9279	2.000	396.10	1346.10	533.19	No
3	4.33	73.60	86.85	23.99	0.9279	2.000	395.02	1346.10	531.74	No
4	4.26	73.78	89.25	23.99	0.9279	2.000	391.17	1346.10	526.55	No
5	4.36	72.89	89.15	23.99	0.9279	2.000	393.27	1346.10	529.38	No
6	4.40	72.15	87.11	23.99	0.9279	2.000	394.13	1346.10	530.54	No
7	4.39	71.96	88.06	24.00	0.9279	2.000	393.18	1346.10	529.26	No
8	4.07	75.22	91.53	23.99	0.9279	2.000	385.11	1346.10	518.39	No
9	4.05	74.06	90.90	23.99	0.9279	2.000	381.91	1346.10	514.09	No
10	4.23	72.39	90.29	23.99	0.9279	2.000	386.27	1346.10	519.96	No
11	4.19	71.68	85.26	23.99	0.9279	2.000	384.21	1346.10	517.19	No
12	4.24	71.54	89.20	24.00	0.9279	2.000	385.25	1346.10	518.58	No
13	4.22	71.49	88.56	23.99	0.9279	2.000	384.18	1346.10	517.15	No
14	4.18	71.86	89.25	24.00	0.9279	2.000	383.31	1346.10	515.97	No
15	4.89	64.58	89.86	23.96	0.9279	2.000	384.67	1346.10	517.80	No
16	4.42	68.83	90.21	23.97	0.9279	2.000	379.83	1346.10	511.29	No
17	4.07	71.31	90.94	23.99	0.9279	2.000	375.68	1346.10	505.70	No
18	3.97	70.30	82.74	24.00	0.9279	2.000	371.68	1346.10	500.32	No
19	3.80	73.34	88.01	23.99	0.9279	2.000	368.19	1346.10	495.62	No
20	3.52	75.51	89.61	23.95	0.9279	2.000	358.81	1346.10	482.99	No
21	3.25	79.14	88.38	23.01	0.9279	2.000	334.02	1346.10	449.62	No
22	2.82	83.14	89.22	23.87	0.9279	2.000	334.28	1346.10	449.97	No
23	2.74	82.78	89.02	23.89	0.9279	2.000	329.82	1346.10	443.98	No
24	2.69	82.11	91.21	23.89	0.9279	2.000	324.34	1346.10	436.60	No
25	2.58	81.10	90.22	23.87	0.9279	2.000	316.06	1346.10	425.44	No
26	2.59	80.37	90.09	23.89	0.9279	2.000	315.42	1346.10	424.58	No
27	2.55	80.68	92.65	23.87	0.9279	2.000	312.33	1346.10	420.43	No
28	2.51	80.17	88.06	23.81	0.9279	2.000	309.42	1346.10	416.51	No
29	2.46	80.63	90.98	23.85	0.9279	2.000	306.93	1346.10	413.16	No
30	2.43	80.28	90.73	23.83	0.9279	2.000	304.38	1346.10	409.72	No
31	2.39	79.99	90.42	23.85	0.9279	2.000	302.26	1346.10	406.87	No
TOTAL	3.72	75.07	89.03	741.37	0.9279		11,174.26		15,041.67	

Received by OCD: 12/7/2021 12:21:07 PM

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1680 MCF/D	11/27/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	848 MCF/D	11/27/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	1049 MCF/D	11/27/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2736 MCF/D	11/27/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1354 MCF/D	11/27/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	912 MCF/D	11/27/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	739 MCF/D	11/27/2021	Continuous	ACO Requested
LIVE OAK TANK BATTERY	32.63657	-104.46929	2340 MCF/D	11/27/2021	Continuous	ACO Requested
ROSE SOUTH TANK BATTERY	32.67021	-104.42768	554 MCF/D	11/27/2021	Continuous	Pipeline Specs
MORRIS BOYD TANK BATTERY	32.6250267	-104.4488373	182 MCF/D	11/27/2021	Continuous	Gas Rerouted

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 65392

QUESTIONS

Operator:	OGRID:		
Spur Energy Partners LLC 9655 Katy Freeway	328947		
Houston, TX 77024	Action Number: 65392		
,	Action Type:		
	[C-129] Venting and/or Flaring (C-129)		
QUESTIONS			
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve t	these issues before continuing with the rest of the questions.		
Incident Well	Not answered.		
Incident Facility	[fAPP2122833205] Lakewood Federal Com South Tank Battery		
Determination of Reporting Requirements			
Answer all questions that apply. The Reason(s) statements are calculated based on your answers are	nd may provide addional guidance. I		
Was or is this venting and/or flaring caused by an emergency or malfunction	No		
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes		
Is this considered a submission for a venting and/or flaring event	Yes, major venting and/or flaring of natural gas.		
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.		
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes		
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No		
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No		
Equipment Involved			
Primary Equipment Involved	Not answered.		
Additional details for Equipment Involved. Please specify	Not answered.		
Representative Compositional Analysis of Vented or Flared Natural Gas			
Please provide the mole percent for the percentage questions in this group.			
Methane (CH4) percentage	52		
Nitrogen (N2) percentage, if greater than one percent	6		
Hydrogen Sulfide (H2S) PPM, rounded up	19,229		
Carbon Dioxide (C02) percentage, if greater than one percent	6		
Oxygen (02) percentage, if greater than one percent	0		
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	ifications for each gas.		
Methane (CH4) percentage quality requirement	Not answered.		
Nitrogen (N2) percentage quality requirement	Not answered.		
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.		
Carbon Dioxide (C02) percentage quality requirement	Not answered.		
Oxygen (02) percentage quality requirement	Not answered.		
Date(s) and Time(s)			
Date venting and/or flaring was discovered or commenced	11/27/2021		

12:00 AM

12:00 AM 24

Not answered.

Time venting and/or flaring was terminated

Cumulative hours during this event

Natural Gas Vented (Mcf) Details

Time venting and/or flaring was discovered or commenced

Measured or Estimated Volume of Vented or Flared Natural Gas

Natural Gas Flared (Mcf) Details	Cause: Pipeline Quality Specifications Other (Specify) Natural Gas Flared Released: 1,354 Mcf Recovered: 0 Mcf Lost: 1,354 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	Not answered.
Was notification of downstream activity received by you or your operator	Not answered.
Downstream OGRID that should have notified you or your operator	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	3rd party take away refusal due to capacity restraints.
Steps taken to limit the duration and magnitude of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021. Delays on approved ROWs have pushed the tie-in date to late January.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021. Delays on approved ROWs have pushed the tie-in date to late January.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 65392

CONDITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	65392
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	/ Condition	Condition Date
schapman	11 If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/7/2021