

Certificate of Analysis

Number: 6030-21060083-004A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

June 09, 2021

Spur Energy 1012 Marquez Place, Suite 106b Santa Fe, NM 87505

Station Name: Dorami CTB Sampled By: Donavan Miller
Station Number: N/A Sample Of: Gas Spot
Station Location: Spur Sample Date: 06/07/2021 09:33

Sample Point: Meter run Sample Conditions: 46.8 psig, @ 109 °F Ambient: 81 °F

Type of Sample: Spot-Cylinder Effective Date: 06/07/2021 09:33
Heat Trace Used: N/A Method: GPA-2261M
Sampling Method: Fill and Purge Cylinder No: 1111-002600

Sampling Company: SPL Instrument: 70104124 (Inficon GC-MicroFusion)

Analyzed: 06/08/2021 13:05:55 by KNF Last Inst. Cal.: 05/18/2021 0:00 AM

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.73 psia
Nitrogen	2.296	2.71551	3.188	
Carbon Dioxide	1.833	2.16808	3.998	
Methane	60.705	71.78982	48.261	
Ethane	10.663	12.60992	15.889	3.387
Propane	3.052	3.60920	6.669	0.999
Iso-Butane	0.889	1.05169	2.562	0.346
n-Butane	2.109	2.49353	6.073	0.790
Iso-Pentane	0.686	0.81103	2.452	0.298
n-Pentane	0.632	0.74753	2.260	0.272
Hexanes	0.518	0.61200	2.210	0.253
Heptanes	0.581	0.68745	2.887	0.319
Octanes	0.338	0.39913	1.911	0.205
Nonanes Plus	0.258	0.30511	1.640	0.172
	84.560	100.00000	100.000	7.041
Calculated Physical	Properties	Tota	l	C9+
Calculated Molecular \	Weight	23.86	6	128.26
Compressibility Factor		0.9954	ļ	
Relative Density Real		0.8274	ļ	4.4283
GPA 2172 Calculation	n:			
Calculated Gross BT	'U per ft³ @ 14.73 ps	sia & 60°F		
Real Gas Dry BTU		1339.5	5	7012.5
Water Sat. Gas Base I	BTU	1316.7	7	6890.4
Ideal, Gross HV - Dry	at 14.73 psia	1333.3	3	7012.5
Ideal, Gross HV - Wet		1310.1		6890.4

Report generated by: Krystle Fitzwater

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Quality Assurance:

Received by OCD: 12/7/2021 12:26:02 PM

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1680 MCF/D	11/27/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	848 MCF/D	11/27/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	1049 MCF/D	11/27/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2736 MCF/D	11/27/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1354 MCF/D	11/27/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	912 MCF/D	11/27/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	739 MCF/D	11/27/2021	Continuous	ACO Requested
LIVE OAK TANK BATTERY	32.63657	-104.46929	2340 MCF/D	11/27/2021	Continuous	ACO Requested
ROSE SOUTH TANK BATTERY	32.67021	-104.42768	554 MCF/D	11/27/2021	Continuous	Pipeline Specs
MORRIS BOYD TANK BATTERY	32.6250267	-104.4488373	182 MCF/D	11/27/2021	Continuous	Gas Rerouted

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 65394

Q	UESTIONS	
Operator:		OGRID:
Spur Energy Partners LLC 9655 Katy Freeway		328947 Action Number:
Houston, TX 77024		65394
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		[o :20] toliming allara i ialling (o :20)
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wi	th the rest of the questions.
Incident Well	Not answered.	
Incident Facility	[fAPP2122833451] Doram	i 33 Federal Com 2H.4H.9H Tank Battery
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers at).
Was or is this venting and/or flaring caused by an emergency or malfunction	No	
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a venting and/or flaring event	Yes, major venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or maj	y be a major or minor release under 19.15.29.7 NMAC.
Was there or will there be at least 50 MCF of natural gas vented and/or flared	Yes	
during this event Did this venting and/or flaring result in the release of ANY liquids (not fully and/or		
completely flared) that reached (or has a chance of reaching) the ground, a	No	
surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the venting and/or flaring within an incorporated municipal boundary or		
withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify	Not answered.	
Primary Equipment Involved		
Primary Equipment Involved		
Primary Equipment Involved Additional details for Equipment Involved. Please specify		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent	Not answered. 72 3	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up	Not answered. 72 3 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent	72 3 0 2	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	72 3 0 2	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	Not answered. 72 3 0 2 0 iffications for each gas.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement	Not answered. 72 3 0 2 0 iffications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement	Not answered. 72 3 0 2 0 iffications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement	Not answered. 72 3 0 2 0 ifications for each gas. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Suffide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement	Not answered. 72 3 0 2 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement	Not answered. 72 3 0 2 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement	Not answered. 72 3 0 2 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s)	Not answered. 72 3 0 2 0 iffications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	Not answered. 72 3 0 2 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. Not answered. 11/27/2021	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	Not answered. 72 3 0 2 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 11/27/2021 12:00 AM	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced Time venting and/or flaring was terminated	Not answered. 72 3 0 2 0 ifications for each gas. Not answered. Not answered. Not answered. Not answered. 11/27/2021 12:00 AM 12:00 AM	

Not answered.

Natural Gas Vented (Mcf) Details

Natural Gas Flared (Mcf) Details	Cause: Pipeline Quality Specifications Other (Specify) Natural Gas Flared Released: 912 Mcf Recovered: 0 Mcf Lost: 912 Mcf]		
Other Released Details	Not answered.		
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.		
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.		

Venting or Flaring Resulting from Downstream Activity			
Was or is this venting and/or flaring a result of downstream activity	Not answered.		
Was notification of downstream activity received by you or your operator	Not answered.		
Downstream OGRID that should have notified you or your operator	Not answered.		
Date notified of downstream activity requiring this venting and/or flaring	Not answered.		
Time notified of downstream activity requiring this venting and/or flaring	Not answered.		

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	3rd party take away refusal due to capacity restraints.
Steps taken to limit the duration and magnitude of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021. Delays on approved ROWs have pushed the tie-in date to late January.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Executed contract with midstream company to gather gas by 12/1/2021. Delays on approved ROWs have pushed the tie-in date to late January.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 65394

CONDITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	65394
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
schapman0	1 If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/7/2021