

Meter #: 16988-00 Name: STATE BO & BP Sample

Date: 09/30/2021

Type: Spot

 Pressure:
 46.0
 H2O:
 lbs/mm

 Temperature:
 91.0
 H2S:
 0 ppm

Carbon Dioxide, CO2 Nitrogen, N2 2.9889 3.4100 Methane, C1 64.5259 42.1586 Ethane, C2 15.5698 4.1827 Propane, C3 Isobutane, iC4 0.9841 0.3235 1.3295 n-Butane, nC4 1sopentane, iC5 0.6093 0.2238 1.7904 n-Pentane, nC5 0.6097 Hexanes, C6 0.3815 Heptanes, C7 0.2667 0.1236 Nonanes Plus, C9+ Water, H2O Hydrogen, CO Hydrogen, H2 Helium, He Argon, Ar	Component	Mole %	Liquid Content	Mass %
Methane, C1 64.5259 42.1586 Ethane, C2 15.5698 4.1827 19.0670 Propane, C3 9.4538 2.6162 16.9778 Isobutane, iC4 0.9841 0.3235 2.3295 n-Butane, nC4 2.6484 0.8387 6.2691 Isopentane, iC5 0.6093 0.2238 1.7904 n-Pentane, nC5 0.6097 0.2220 1.7915 Hexanes, C6 0.3815 0.1576 1.3389 Heptanes, C7 0.2667 0.1236 1.0884 Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He Helium, He Helium, He	Carbon Dioxide, CO2	1.8726		3.3564
Ethane, C2 15.5698 4.1827 19.0670 Propane, C3 9.4538 2.6162 16.9778 Isobutane, iC4 0.9841 0.3235 2.3295 n-Butane, nC4 2.6484 0.8387 6.2691 Isopentane, iC5 0.6093 0.2238 1.7904 n-Pentane, nC5 0.6097 0.2220 1.7915 Hexanes, C6 0.3815 0.1576 1.3389 Heptanes, C7 0.2667 0.1236 1.0884 Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Nitrogen, N2	2.9889		3.4100
Propane, C3 9.4538 2.6162 16.9778 Isobutane, iC4 0.9841 0.3235 2.3295 n-Butane, nC4 2.6484 0.8387 6.2691 Isopentane, iC5 0.6093 0.2238 1.7904 n-Pentane, nC5 0.6097 0.2220 1.7915 Hexanes, C6 0.3815 0.1576 1.3389 Heptanes, C7 0.2667 0.1236 1.0884 Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Methane, C1	64.5259		42.1586
Isobutane, iC4 0.9841 0.3235 2.3295 n-Butane, nC4 2.6484 0.8387 6.2691 Isopentane, iC5 0.6093 0.2238 1.7904 n-Pentane, nC5 0.6097 0.2220 1.7915 Hexanes, C6 0.3815 0.1576 1.3389 Heptanes, C7 0.2667 0.1236 1.0884 Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Ethane, C2	15.5698	4.1827	19.0670
n-Butane, nC4 2.6484 0.8387 6.2691 Isopentane, iC5 0.6093 0.2238 1.7904 n-Pentane, nC5 0.6097 0.2220 1.7915 Hexanes, C6 0.3815 0.1576 1.3389 Heptanes, C7 0.2667 0.1236 1.0884 Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Propane, C3	9.4538	2.6162	16.9778
Isopentane, iC5	Isobutane, iC4	0.9841	0.3235	2.3295
n-Pentane, nC5	n-Butane, nC4	2.6484	0.8387	6.2691
Hexanes, 166 0.3815 0.1576 1.3389 Heptanes, C7 0.2667 0.1236 1.0884 Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Isopentane, iC5	0.6093	0.2238	1.7904
Heptanes, C7 0.2667 0.1236 1.0884 Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	n-Pentane, nC5	0.6097	0.2220	1.7915
Octanes, C8 0.0771 0.0397 0.3587 Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Hexanes, C6	0.3815	0.1576	1.3389
Nonanes Plus, C9+ 0.0122 0.0069 0.0637 Water, H2O Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Heptanes, C7	0.2667	0.1236	1.0884
Water, H2O Hydrogen Sulfide, H2S O.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Octanes, C8	0.0771	0.0397	0.3587
Hydrogen Sulfide, H2S 0.0000 0.0000 Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Nonanes Plus, C9+	0.0122	0.0069	0.0637
Oxygen, O2 Carbon Monoxide, CO Hydrogen, H2 Helium, He	Water, H2O			
Carbon Monoxide, CO Hydrogen, H2 Helium, He	Hydrogen Sulfide, H2S	0.0000		0.0000
Hydrogen, H2 Helium, He	Oxygen, O2			
Helium, He	Carbon Monoxide, CO			
·	Hydrogen, H2			
Argon Ar	Helium, He			
7 4 9011, 7 4	Argon, Ar			

Property	Total Sample
Pressure Base	14.730
Temperature Base	60.00
Relative Density	0.8514
HV, Dry @ Base P,T	1380.49
HV, Sat @ Base P, T	1356.33
HV, Sat @ Sample P, T	
Fws Factor	
Cricondentherm	
HCDP @ Sample Pressure	
Free Water GPM	
Stock Tank Condensate Brls/mm	
26 # RVP Gasoline	1.151
Testcar Permian	1.058
Testcar Panhandle	0.896
Testcar Midcon	0.749

Totala	100.0000	8.7347	100.0000
Totals	100.0000	0.7347	100.000

NEW MEXICO BO STATE BTY

MTD Avg Gas – Prod Gas = Vented Gas/ Day

01/04/2022 - 01/04/2022=215

Pressure Base Conversion

14.73/15.025 = .98036605

215* .98036605 = 211 mcf

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 71275

DEFINITIONS

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	71275
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 71275

Phone:(505) 476-3470 Fax:(505) 476-3462		
Q	UESTIONS	
Operator:		OGRID:
CROSS TIMBERS ENERGY, LLC 400 West 7th Street		298299 Action Number:
Fort Worth, TX 76102		71275
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wit	th the rest of the questions.
Incident Well	Not answered.	
Incident Facility	[fAPP2123056912] NEW ME	EXICO BO STATE BATTERY
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	nd mav provide addional quidance	
Was this vent or flare caused by an emergency or malfunction	Yes	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v		
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	FLARE STACK	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.	l	
Methane (CH4) percentage	65	
Nitrogen (N2) percentage, if greater than one percent	3	
Hydrogen Sulfide (H2S) PPM, rounded up	0	
Carbon Dioxide (C02) percentage, if greater than one percent	2	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	ifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	
Oxygen (02) percentage quality requirement	Not answered.	

QUESTIONS, Page 2

Action 71275

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

OLIESTIONS (continued)

QUESTI	ONS (continued)	
Operator: CROSS TIMBERS ENERGY, LLC		OGRID: 298299
400 West 7th Street		Action Number:
Fort Worth, TX 76102		71275 Action Type:
		[C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Date(s) and Time(s)		
Date vent or flare was discovered or commenced	01/04/2022	
Time vent or flare was discovered or commenced	12:00 AM	
Time vent or flare was terminated	11:59 PM	
Cumulative hours during this event	24	
Measured or Estimated Volume of Vented or Flared Natural Gas		
Natural Gas Vented (Mcf) Details	Cause: Midstream Emerger Released: 211 Mcf Recove	ncy Maintenance Other (Specify) Natural Gas Vented red: 0 Mcf Lost: 211 Mcf]
Natural Gas Flared (Mcf) Details	Not answered.	
Other Released Details	Not answered.	
Additional details for Measured or Estimated Volume(s). Please specify	FLARE STACK	
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied	l volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity		
Was this vent or flare a result of downstream activity	No	
Was notification of downstream activity received by this operator Downstream OGRID that should have notified this operator	Not answered.	
Date notified of downstream activity requiring this vent or flare	Not answered. Not answered.	
Time notified of downstream activity requiring this vent or flare	Not answered.	
This rolling is sometimes and rolling the following	Not answered.	
Steps and Actions to Prevent Waste		
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True	
Please explain reason for why this event was beyond this operator's control	DCP MIDSTREAM EQUIPMI	ENT FAILURE. LINE LEAK AT DOBBS BOOSTER STATION
Steps taken to limit the duration and magnitude of vent or flare		DE OUT OF OUR CONTROL DUE TO MIDSTREAM EQUIPMENT S ENERGY MINIMIZES EMISSIONS WHERE POSSIBLE
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	FAILURE. CROSS TIMBERS	CE OUT OF OUR CONTROL DUE TO MIDSTREAM EQUIPMENT S ENERGY WILL SI GAS WELLS IF FEASIBLE TO REDUCE : UNTIL MIDSTREAM COMPANY COMPLETES REPAIRS

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 71275

ACKNOWLEDGMENTS

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	71275
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

▽	I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
~	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 71275

CONDITIONS

Operator:	OGRID:
CROSS TIMBERS ENERGY, LLC	298299
400 West 7th Street	Action Number:
Fort Worth, TX 76102	71275
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
savarell	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	1/10/2022