## **GAS VOLUME STATEMENT**

### November 2021

Meter #: 726924-00 Name: Folk Fed. #10-H

**Closed Data** 

**Standard Conditions** 



Pressure Base:	14.730 psia	Meter Status:	Active	CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Ba	se: 60.00 °F	Contract Hr.:	Midnight	0.936	1.647	70.005	14.039	6.904	0.776	2.083	0.537
Atmos Pressure	: 12.940 psi	Full Wellstream:	No								
Calc Method:	AGA3-1992	WV Technique:		NC5	neo	C6	C7	C8	C9	C10	
Z Method:	AGA-8 Detail (1992)	WV Method:		0.628		0.510	0.450	0.162	0.024		
Tube I.D.:	3.0680 in	HV Cond:	Dry								
Tap Location:	Upstream	Meter Type:	EFM	Ar	co	H2	O2	He	H2O	H2S	H2S ppm
Тар Туре:	Flange	Interval:	1 Hour						1.038	0.262	2643.000

Day	Differential (In. H2O)	Pressure (psia)	Temp. (°F)	Flow Time (hrs)	Relative Density	Plate (inches)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)
1	44.27	46.33	55.67	23.99	0.8060	1.0000	214	1338.66	286
2	41.05	43.80	58.06	24.00	0.8060	1.0000	226	1338.66	303
3	40.15	42.86	52.56	24.00	0.8060	1.0000	221	1338.66	296
4	37.28	43.29	53.67	24.00	0.8060	1.0000	213	1338.66	285
5	30.15	44.15	56.42	24.00	0.8060	1.0000	169	1338.66	226
6	30.94	43.79	58.21	24.00	0.8060	1.0000	194	1338.66	260
7	42.10	43.65	60.33	24.00	0.8060	1.0000	223	1338.66	298
8	22.54	44.04	61.16	23.62	0.8060	1.0000	149	1338.66	200
9	34.88	44.85	63.76	23.94	0.8060	1.0000	198	1338.66	265
10	53.40	43.39	59.19	24.00	0.8060	1.0000	243	1338.66	325
11	42.18	42.05	58.78	23.62	0.8060	1.0000	208	1338.66	279
12	46.43	40.45	48.30	24.00	0.8060	1.0000	220	1338.66	294
13	38.46	38.90	51.17	24.00	0.8060	1.0000	200	1338.66	268
14	43.66	38.90	60.25	24.00	0.8060	1.0000	212	1338.66	284
15	35.67	39.03	60.27	24.00	0.8060	1.0000	195	1338.66	260
16	44.86	39.36	59.21	24.00	0.8060	1.0000	212	1338.66	285
17	35.86	38.97	52.38	24.00	0.8060	1.0000	196	1338.66	262
18	37.35	38.37	45.72	24.00	0.8060	1.0000	201	1338.66	269
19	39.90	37.63	46.66	24.00	0.8060	1.0000	197	1338.66	263
20	22.24	39.19	58.24	24.00	0.8060	1.0000	153	1338.66	206
21	49.01	41.19	52.86	23.98	0.8060	1.0000	201	1338.66	269
22	35.43	39.24	45.71	24.00	0.8060	1.0000	194	1338.66	259
23	33.39	39.21	52.08	23.90	0.8060	1.0000	184	1338.66	247
24	93.84	41.88	61.36	23.99	0.8060	1.0000	298	1338.66	398
25	66.40	40.47	53.05	24.00	0.8060	1.0000	273	1338.66	366
26	19.12	41.07	46.58	23.98	0.8060	1.0000	127	1338.66	170
27	25.48	44.02	48.85	24.00	0.8060	1.0000	168	1338.66	225
28	70.08	41.53	50.22	24.00	0.8060	1.0000	286	1338.66	383
29	30.09	40.29	42.31	22.41	0.8060	1.0000	124	1338.66	165
30	20.41	45.55	59.44	23.23	0.8060	1.0000	131	1338.66	176
Total	43.05	41.57	54.66	716.65	0.8060	70	6,030		8,072

Volume at 15.025 = 5,912 Energy = 8,072

Received by OCD: 1/13/2022 5:53:23 PM

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1433 MCF/D	1/11/2022	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	967 MCF/D	1/11/2022	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	883 MCF/D	1/11/2022	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2459 MCF/D	1/11/2022	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	752 MCF/D	1/11/2022	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	859 MCF/D	1/11/2022	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	470 MCF/D	1/11/2022	Continuous	ACO Requested
ROSE SOUTH TANK BATTERY	32.67021	-104.42768	2866 MCF/D	1/11/2022	Continuous	Pipeline Specs
NIRVANA TANK BATTERY	32.84504	-104.09012	1373 MCF/D	1/11/2022	Continuous	Pipeline Specs
FOLK FEDERAL 10 TANK BATTERY	32.83607	-104.09155	120 MCF/D	1/11/2022	Continuous	Gas Rerouted
FOLK FEDERAL 2 TANK BATTERY	32.83613	-104.09069	150 MCF/D	1/11/2022	Continuous	Gas Rerouted
SOUTH BOYD FEDERAL TANK BATTERY	32.62282	-104.46797	347 MCF/D	1/11/2022	Continuous	Gas Rerouted

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

DEFINITIONS

Action 72353

#### **DEFINITIONS**

Operator:	OGRID:		
Spur Energy Partners LLC	328947		
9655 Katy Freeway	Action Number:		
Houston, TX 77024	72353		
	Action Type:		
	[C-129] Venting and/or Flaring (C-129)		

#### **DEFINITIONS**

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 72353

Prione:(505) 476-3470 Fax:(505) 476-3462	UECTIONS			
Operator:	UESTIONS OGRID:			
Spur Energy Partners LLC	328947			
9655 Katy Freeway Houston, TX 77024	Action Number: 72353			
	Action Type: [C-129] Venting and/or Flaring (C-129)			
QUESTIONS				
Prerequisites				
Any messages presented in this section, will prevent submission of this application. Please resolve t	these issues before continuing with the rest of the questions.			
Incident Well	Not answered.			
Incident Facility	[fAPP2201050834] Folk Federal 10 Tank Battery			
Determination of Reporting Requirements				
Answer all questions that apply. The Reason(s) statements are calculated based on your answers at	nd may provide addional guidance.			
Was this vent or flare caused by an emergency or malfunction	Yes			
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes			
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.			
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.			
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes			
Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No			
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No			
Equipment Involved				
Primary Equipment Involved	Not answered.			
Additional details for Equipment Involved. Please specify	Not answered.			
Paragonatative Compositional Analysis of Vented or Flored Natural Con				
Representative Compositional Analysis of Vented or Flared Natural Gas				
Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage	70			
Nitrogen (N2) percentage, if greater than one percent	2			
Hydrogen Sulfide (H2S) PPM, rounded up				
	2,643			
Carbon Dioxide (C02) percentage, if greater than one percent	1			
Oxygen (02) percentage, if greater than one percent	0			
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	ifications for each gas.			
Methane (CH4) percentage quality requirement	Not answered.			
Nitrogen (N2) percentage quality requirement	Not answered.			
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.			
Carbon Dioxide (C02) percentage quality requirement	Not answered.			
Oxygen (02) percentage quality requirement	Not answered.			

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 72353

QUESTIONS	(continued)
-----------	-------------

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway Houston, TX 77024	Action Number: 72353
	Action Type: [C-129] Venting and/or Flaring (C-129)

#### QUESTIONS

Date(s) and Time(s)				
Date vent or flare was discovered or commenced	01/11/2022			
Time vent or flare was discovered or commenced	05:00 PM			
Time vent or flare was terminated	05:00 PM			
Cumulative hours during this event	24			

Measured or Estimated Volume of Vented or Flared Natural Gas				
Natural Gas Vented (Mcf) Details	Not answered.			
Natural Gas Flared (Mcf) Details	Cause: Midstream Emergency Maintenance   Other (Specify)   Natural Gas Flared   Released: 120 Mcf   Recovered: 0 Mcf   Lost: 120 Mcf ]			
Other Released Details	Not answered.			
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.			
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.			

Venting or Flaring Resulting from Downstream Activity				
Was this vent or flare a result of downstream activity	Yes			
Was notification of downstream activity received by this operator	Yes			
Downstream OGRID that should have notified this operator	[211372] DCP MIDSTREAM, L.P.			
Date notified of downstream activity requiring this vent or flare	01/10/2022			
Time notified of downstream activity requiring this vent or flare	02:11 PM			

Steps and Actions to Prevent Waste			
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True		
Please explain reason for why this event was beyond this operator's control	DCP had a leak in line causing us to flare at several CTBs.		
Steps taken to limit the duration and magnitude of vent or flare	Sold to another 3rd party where possible.		
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Sold to another 3rd party where possible.		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 72353

### **ACKNOWLEDGMENTS**

Operator:	OGRID:		
Spur Energy Partners LLC	328947		
9655 Katy Freeway	Action Number:		
Houston, TX 77024	72353		
	Action Type:		
	[C-129] Venting and/or Flaring (C-129)		

#### **ACKNOWLEDGMENTS**

V	I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.	
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
✓	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 72353

### **CONDITIONS**

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	72353
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

#### CONDITIONS

Created By	Condition	Condition Date
schapman01	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	1/13/2022