

Certificate of Analysis

Number: 6030-21110261-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Dec. 01, 2021

Chandler Montgomery Occidental Petroleum 1502 W Commerce Dr. Carlsbad, NM 88220

Field:

Station Name:

Sand Dunes Sampled By: Scott Beasely Sand Dunes CTB Production 2 Sample Of: Gas Spot

Station Number: 17012P Sample Date: 11/23/2021 10:21 Station Location: СТВ Sample Conditions: 77.7 psig, @ 62.5 °F Ambient: 61 °F

11/23/2021 10:21 Sample Point: Meter Effective Date: Formation: Monthly Method: GPA-2261M County: Eddy, NM Cylinder No: 1111-002678

Type of Sample: : Spot-Cylinder Instrument: 70142339 (Inficon GC-MicroFusion)

Heat Trace Used: Last Inst. Cal.: 11/15/2021 0:00 AM No

Sampling Method: : Fill and Purge Analyzed: 12/01/2021 14:47:44 by ERG

Sampling Company: : SPL

Analytical Data

Components Un	-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia	
Hydrogen Sulfide	NIL	NIL	NIL		
Nitrogen	1.720	1.73503	2.237		
Carbon Dioxide	1.746	1.76105	3.568		
Methane	75.250	75.89815	56.047		
Ethane	11.338	11.43562	15.828	3.052	
Propane	5.503	5.55083	11.267	1.526	
Iso-Butane	0.699	0.70513	1.887	0.230	
n-Butane	1.672	1.68661	4.512	0.531	
Iso-Pentane	0.353	0.35584	1.182	0.130	
n-Pentane	0.377	0.38035	1.263	0.138	
Hexanes	0.214	0.21574	0.856	0.089	
Heptanes	0.170	0.17177	0.792	0.079	
Octanes	0.080	0.08109	0.426	0.041	
Nonanes Plus	0.023	0.02279	0.135	0.013	
	99.145	100.00000	100.000	5.829	
Calculated Physical Prop	erties	Tota	I	C9+	
Calculated Molecular Weig	ıht	21.72	<u> </u>	128.26	
Compressibility Factor		0.9963	3		
Relative Density Real Gas		0.7526	6	4.4283	
GPA 2172 Calculation:					
Calculated Gross BTU pe	er ft³ @ 14.65 ps	sia & 60°F			
Real Gas Dry BTU		1243.1		6974.4	
Water Sat. Gas Base BTU		1221.9		6852.4	
Ideal, Gross HV - Dry at 14	1.65 psia	1238.5		6974.4	
Ideal, Gross HV - Wet		1216.9)	6852.4	

Mcf/day 24561.39

Jesus Escobedo

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Sand Dunes South Corridor CTB Flare Date: 06/06/2022

Duration of event: 2 Hours 10 Minutes **MCF Flared:** 1119

Start Time: 05:40 PM End Time: 07:50 PM

Cause: Downstream Activity Issue > Enterprise > Facility Emergency Shutdown

Method of Flared Gas Measurement: Gas Flare Meter

Comments: This upset event was not caused by any wells associated with the facility.

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Internal Oxy procedures ensure that upon a sudden and unexpected flaring event, production techs are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production techs must assess and determine cause of flaring at its upstream facility. In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes North Corridor station facility, which was, caused by their tanks venting, which then triggered their gas detection alarm devices, prompting an immediate shutdown their facility. This sudden and unexpected Enterprise facility shutdown greatly impacted the gas flow from Oxy's upstream facility when Enterprise's ESD valve immediately closed and shut-in gas pipeline services when vented gas was detected by their detection alarms, and their downstream facility was shut down. This ESD of Enterprise's facility caused a flaring event at Oxy's upstream facility as Oxy was unable to push its gas to Enterprise's sales gas service pipeline. Until Enterprise 's facility was back up and returned to normal working operation and was able to handle the volume of gas sent to them, Oxy was forced to route stranded gas to a flare, as it was not able to push all its gas into Enterprise's gas pipeline. Upon immediate flaring at Oxy's Sand Dunes South Corridor CTB, Oxy personnel immediately contacted Enterprise to determine cause. No advance warning of any kind was provided to Oxy personnel from Enterprise personnel regarding issues with their sales gas service system pipeline, the ESD system or valve, and/or issues with their downstream facility. Oxy personnel had to contact Enterprise directly when flaring started at its upstream facility to determine cause, as all Oxy's facility equipment were operating as designed prior to the flaring event occurring.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes North Corridor station facility, which was triggered by their gas detection

devices and prompted and immediate shutdown their facility. This sudden and unexpected Enterprise facility shutdown greatly impacted the gas flow from Oxy's upstream facility when Enterprise's ESD valve immediately closed and shut-in gas pipeline services when vented gas was detected by their detection alarms, and their downstream facility was shut down. This ESD of Enterprise's facility caused a flaring event at Oxy's upstream facility as Oxy was unable to push its gas to Enterprise's sales gas service pipeline. Until Enterprise 's facility was back up and returned to normal working operation and was able to handle the volume of gas sent to them, Oxy was forced to route stranded gas to a flare, as it was not able to push all its gas into Enterprise's gas pipeline. No advance warning of any kind was provided to Oxy personnel from Enterprise personnel regarding issues with their sales gas service system pipeline, the ESD system or valve, and/or issues with their downstream facility. To significantly minimize emissions during this flaring event, Oxy production techs began to shut-in multiple high GOR wells to minimize gas throughput at the Sand Dunes South Corridor CTB to reduce flaring volumes as well as engage in alternative offloading procedures by routing gas to DCP and Lucid as well. Oxy personnel were informed by Enterprise personnel that an Enterprise tech was in route to open their ESD valve. Once Enterprise's downstream facility resumed normal working operations and began gas sales pipeline service once again, did flaring cease.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an Enterprise gas flow pipeline restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Enterprise 's downstream facility issues will re-occur from time to time, which in turn, directly impacts Oxy's ability to send gas to them. When Enterprise downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise then restricts or cuts off Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Enterprise gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible during these circumstances. The limited actions that Oxy can do in this circumstance is to shut in multiple high GOR wells and engage in secondary third-party operator offload alternative routes, when possible, to minimize flaring volumes during this third-party pipeline operator downstream activity restriction and/or shut in.

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 119142

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	119142
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 119142

Phone:(505) 476-3470 Fax:(505) 476-3462			
o	UESTIONS		
Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294		OGRID:	
		[C-129] Venting and/or Flaring (C-129)	
QUESTIONS			
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wi	ith the rest of the questions.	
Incident Well	Not answered.		
Incident Facility	[fAPP2127048458] Sand D	Dunes South Corridor CTB	
Determination of Department Department			
Determination of Reporting Requirements	nd may prayida addianal ayidana		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers at Was this vent or flare caused by an emergency or malfunction	Yes	3.	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No		
Is this considered a submission for a vent or flare event	Yes, major venting and/or	flaring of natural gas.	
	<u> </u>		
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v Was there at least 50 MCF of natural gas vented and/or flared during this event	venting and/or flaring that is or may Yes	y be a major or minor release under 19.15.29.7 NMAC.	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No		
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No		
Equipment Involved			
Primary Equipment Involved	Other (Specify)		
Additional details for Equipment Involved. Please specify	Emergency Flare > Downs	stream Activity Issue > Enterprise > Facility Emergency Shutdown	
Description Comments and American Street and District Comments and Com			
Representative Compositional Analysis of Vented or Flared Natural Gas			
Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	76		
Nitrogen (N2) percentage, if greater than one percent	2		
Hydrogen Sulfide (H2S) PPM, rounded up	0		
Carbon Dioxide (C02) percentage, if greater than one percent	2		
Oxygen (02) percentage, if greater than one percent	0		
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec			
Methane (CH4) percentage quality requirement	Not answered.		
Nitrogen (N2) percentage quality requirement	Not answered.		
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.		
Carbon Dioxide (C02) percentage quality requirement	Not answered.		

Not answered.

Oxygen (02) percentage quality requirement

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 119142

QUES	HONS	(continued)

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	119142
	Action Type:
	[C-129] Venting and/or Flaring (C-129)
•	

QUESTIONS

Date(s) and Time(s)		
Date vent or flare was discovered or commenced	06/06/2022	
Time vent or flare was discovered or commenced	05:40 PM	
Time vent or flare was terminated	07:50 PM	
Cumulative hours during this event	2	

Measured or Estimated Volume of Vented or Flared Natural Gas			
Natural Gas Vented (Mcf) Details	Not answered.		
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 1,119 Mcf Recovered: 0 Mcf Lost: 1,119 Mcf]		
Other Released Details	Not answered.		
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter		
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.		

Venting or Flaring Resulting from Downstream Activity		
Was this vent or flare a result of downstream activity	Yes	
Was notification of downstream activity received by this operator	No	
Downstream OGRID that should have notified this operator	[713731] Enterprise Crude Pipeline LLC	
Date notified of downstream activity requiring this vent or flare	Not answered.	
Time notified of downstream activity requiring this vent or flare	Not answered.	

Steps and Actions to Prevent Waste			
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True		
Please explain reason for why this event was beyond this operator's control	The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Internal Oxy procedures ensure that upon a sudden and unexpected flaring event, production techs are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production techs must assess and determine cause of flaring at its upstream facility. In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes North Corridor station facility, which was, caused by their tanks venting, which then triggered their gas detection alarm devices, prompting an immediate shutdown their facility. This sudden and unexpected Enterprise facility shutdown greatly impacted the gas flow from Oxy's upstream facility when Enterprise's ESD valve immediately closed and shut-in gas pipeline services when vented gas was detected by their detection alarms, and their downstream facility was shut down. This ESD of Enterprise's facility caused a flaring event at Oxy's upstream facility as Oxy was unable to push its gas to Enterprise's sales gas service pipeline. Until Enterprise 's facility was back up and returned to normal working operation and was able to handle the volume of gas sent to them,		
Steps taken to limit the duration and magnitude of vent or flare	It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, third-party pipeline operator, Enterprise, had an emergency shutdown of their downstream Sand Dunes North Corridor station facility, which was triggered by their gas detection devices and prompted and immediate shutdown their facility. This sudden and unexpected Enterprise facility shutdown greatly impacted the gas flow from Oxy's upstream facility when Enterprise's ESD valve immediately closed and shut-in gas pipeline services when vented gas was detected by their detection alarms, and their downstream facility was shut down. This ESD of Enterprise's facility caused a flaring event at Oxy's upstream facility as Oxy was unable to push its gas to Enterprise's sales gas service pipeline. Until Enterprise's facility was back up and returned to normal working operation and was able to handle the volume of gas sent to them, Oxy was forced to route stranded gas to a flare, as it was not able to push all its gas into Enterprise's gas pipeline. No advance warning of any kind was provided to Oxy personnel from Enterprise personnel regarding issues with their sales gas service system pipeline, the ESD system or valve, and/or issues with their downstream facility. To significantly minimize emissions during this flaring event, Oxy production techs began to shut-in multiple high GOR wells to minimize gas throughput at the Sand Dunes South Corridor CTB to reduce flaring volumes as well as engage in alternative offloading procedures by routing gas to DCP and Lucid as well.		
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an Enterprise gas flow pipeline restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Enterprise 's downstream facility issues will re-occur from time to time, which in turn, directly impacts Oxy's ability to send gas to them. When Enterprise downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise then restricts or cuts off Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Enterprise gas pipeline, to		

flare. OXY makes every effort to control and minimize emissions as much as possible during these circumstances. The limited actions that Oxy can do in this circumstance is to shut in multiple high GOR wells and engage in secondary third-party operator offload alternative routes, when possible, to minimize flaring volumes during this third-party pipeline operator

downstream activity restriction and/or shut in.

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 119142

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	119142
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 119142

CONDITIONS

Op	perator:	OGRID:
	OXY USA INC	16696
	P.O. Box 4294	Action Number:
	Houston, TX 772104294	119142
		Action Type:
		[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	6/21/2022