

talonlpe.com • 866.742.0742



Remediation and Closure Report

State 14 Com 4
Eddy County, New Mexico
Incident # nAPP2121620119

Prepared For:

Cimarex Energy Company
600 N. Marienfeld Street, Ste. 600
Midland, TX 79701

Prepared By:

Talon/LPE
408 W. Texas Avenue
Artesia, New Mexico 88210

July 01, 2022

Chad Hensley
NMOCD
1301 W. Grand Avenue
Artesia, NM 88210

Subject: **Remediation and Work Plan**
State 14 Com 2
Eddy County, New Mexico
Incident #nAPP2121620119

Dear Mr. Bratcher,

Cimarex Energy, Co. contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the above referenced location. The incident description, soil sampling results, remedial actions and work variance request is presented herein.

Site Information

The State 14 Com 2 is located approximately twenty-four (24) miles southeast of Artesia, New Mexico. The legal location for this release is Unit Letter E, Section 14, Township 19 South and Range 29 East in Eddy County, New Mexico. More specifically the latitude and longitude for the release are 32.66245 and -104.05254. A Site Location Map is presented in [Appendix I](#).

According to the soil survey provided by the United States Department of Agriculture National Resources Conservation Services, the soil in this area is made up of Simona-Bippus complex with 0-5 percent slopes. The referenced soil data is presented in [Appendix II](#). Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology consists of mixed alluvium and/or eolian sands from sedimentary rock, Alluvial Piedmont in age. This area has slight natural salinity. Drainage courses in this area are typically well drained.

Ground Water and Site Characterization

The New Mexico Office of the State Engineer Database indicates the nearest reported depth to groundwater is 247-feet below ground surface (bgs). See [Appendix II](#) for the referenced groundwater depth. Further research of the Bureau of Land Management Karst data indicates that this site is situated within a high potential Karst area.

If a release occurs within the following areas, the responsible party must treat the release as if it occurred in an area where the groundwater is less than 50 feet bgs. in Table I, New Mexico Oil Conservation Division (NMOCD) Rule 19.15.29 NMAC.

Approximate Depth to Groundwater	247 Feet/bgs
---	---------------------

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within 300 feet of any continuously flowing watercourse or any other significant watercourse
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within 200 feet of any lakebed, sinkhole or a playa lake
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within 300 feet from an occupied permanent residence, school, hospital, institution or church
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within 1000 feet of any freshwater well or spring
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within incorporated municipal boundaries or within a defined municipal freshwater well field covered under a municipal ordinance adopted pursuant to Section 3-2703 NMSA 1978
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within 300 feet of a wetland
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within the area overlying a subsurface mine
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Within an unstable area
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Within a 100-year floodplain

Because the release occurred in an area where the referenced groundwater exceeds .5-mile radius, is potential high Karst, therefore the cleanup criteria for this site is as follows.

Table I Closure Criteria for Soils Impacted by a Release			
Depth below horizontal extents of release to ground water less than 10,000 mg/l TDS	Constituent	Method	Limit
≤ 50 feet	Total Chlorides	EPA 300.0 or SM4500 Cl B	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

Incident Description

According to the C-141 Release Notification, on August 03, 2021 a release was discovered, whereby due to corrosion a hole developed in the bottom of a/an oil tank releasing 41 barrels of oil. Cimarex Energy was able to recover 28 barrels from the containment. The majority of the fluid remained inside the containment. However, some fluid escaped the containment, traversed the lease road, exited the road and impacted pasture area. The site map is presented in [Appendix I](#).

Site Assessment

Due to the location and characteristics of the pasture impact, Talon LPE was consulted in order to conduct immediate remediation of pasture impact, and assess the lined containment.

On August 23, 2021, Talon mobilized personnel and equipment to the site and conducted an initial site assessment, as well as a site safety walk with Cimarex Energy personnel. The impacted area was mapped, photographed and the interior of the containment at source was sampled utilizing a hand auger. Cimarex personnel took proactive measures for pasture impact and requested that Talon commence remediation of the pasture area upon New Mexico One Call clearance. All soil samples were properly packaged, preserved, and transported to Hall Laboratories via chain of custody for analysis of Total Chlorides (Method SM4500Cl-B), TPH (EPA Method 8015M), and BTEX (EPA Method 8021B). Sample locations for the containment area are shown on the attached site plan and the results of our sampling event are presented on the following data table.

Table I
08-27-21
Soil Sample Laboratory Results

Sample ID	Depth (ft.)	Date	BTEX (mg/kg)	Benzene (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	MRO (mg/kg)	Total TPH (mg/kg)	Cl (mg/kg)
Closure Criteria 19.15.29.12 NMAC			50 mg/kg	10 mg/kg				100 mg/kg	600 mg/kg
S-1	0-1'	8/23/2021	ND	ND	ND	ND	ND	-	150
	2'	8/23/2021	ND	ND	ND	ND	ND	-	330
	3'	8/23/2021	ND	ND	ND	ND	ND	-	380
	4'	8/23/2021	ND	ND	ND	ND	ND	-	620
S-2	0-1'	8/23/2021	ND	ND	ND	ND	ND	-	260
	2'	8/23/2021	ND	ND	ND	ND	ND	-	700
	3'	8/23/2021	ND	ND	ND	ND	ND	-	1100
	4'	8/23/2021	ND	ND	ND	ND	ND	-	1200
S-3	0-1'R	8/23/2021	ND	ND	ND	810	710	1520.0	640

ND=Analyte Not Detected

R=Auger Refusal

See [Appendix VI](#) for the complete report of laboratory results.

On August 30, 2021 upon client authorization and New Mexico line locate clearance respectively, Talon personnel and equipment were mobilized to the site in order to confirmation sample, map and photo document the excavated areas of the lease road and pasture. The lease road and pasture area were excavated to depths of 1 foot to 8 feet in depth. Complete site plans with sample positions are attached in [Appendix I](#) on Figure 2. All soil samples were properly collected, and preserved for transport to Hall Laboratories in order to confirm that NMOCD clean-up criteria had been achieved. The confirmation results from the laboratory are tabulated below.

Table II
Confirmation Soil Sample Laboratory Results

Sample ID	Depth (ft.)	Date	BTEX (mg/kg)	Benzene (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	MRO (mg/kg)	Total TPH (mg/kg)	Cl (mg/kg)
Closure Criteria 19.15.29.12 NMAC			50 mg/kg	10 mg/kg				100 mg/kg	600 mg/kg
S-4	1'	8/30/2021	ND	ND	ND	140	130	270.0	ND
S-4A	2'	9/15/2021	ND	ND	ND	ND	ND	-	62
S-5	1-1.5'	8/30/2021	ND	ND	ND	ND	ND	-	ND
S-6	1-2.5'	8/30/2021	ND	ND	ND	ND	ND	-	ND
S-7	1'	8/30/2021	ND	ND	ND	ND	ND	-	ND
S-8	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
S-9	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
S-10	4-5'	8/30/2021	ND	ND	ND	ND	ND	-	ND
S-11	5'	8/30/2021	ND	ND	ND	17	ND	17.0	ND
S-12	5'	8/30/2021	ND	ND	ND	ND	ND	-	ND
S-13	2-3'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-1	1'	8/30/2021	ND	ND	ND	150	130	280.0	ND
SW-1A	2'	9/15/2021	ND	ND	ND	ND	ND	-	ND
SW-2	1.5'	8/30/2021	ND	ND	ND	150	140	290.0	ND
SW-2A	2'	9/15/2021	ND	ND	ND	ND	ND	-	ND
SW-3	1-1.5'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-4	1-2.5'	8/27/2021	ND	ND	ND	ND	ND	-	ND
SW-5	1-2.5'	8/27/2021	ND	ND	ND	ND	ND	-	ND
SW-6	7-8'	8/30/2021	ND	ND	ND	24	ND	24.0	ND
SW-7	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-8	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-9	7-8'	8/30/2021	ND	ND	ND	19	ND	19.0	ND
SW-10	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-11	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-12	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-13	7-8'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-14	4-5'	8/30/2021	ND	ND	ND	28	ND	28.0	ND
SW-15	4-5'	8/30/2021	ND	ND	ND	14	ND	14.0	ND
SW-16	5'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-17	5'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-18	2-3'	8/30/2021	ND	ND	ND	ND	ND	-	ND
SW-19	2-3'	8/30/2021	ND	ND	ND	ND	ND	-	ND

ND=Analyte Not Detected

SW=Sidewall Sample

See [Appendix VI](#) for the complete report of laboratory results.

On February 17, 2022, Talon personnel returned to the site in order to complete vertical delineation of the containment area. The facility was “shut-in” for safety protocol by Cimarex Energy. Utilizing a Geo-probe unit boreholes were advanced to the extent of rock refusal encountered at 7 feet. Further attempts to advance deeper with a backhoe were achieved to 8 feet. A Hydro-vac was dispatched and utilized to reveal the Gypsum rock shelf (photo documentation). Hydro-vac tailings as well as scraped rock from the excavation floor were grabbed and transported for laboratory analysis in order to confirm vertical delineation. A composite sample was taken from the south sidewall in order to confirm horizontal delineation. Soil samples were properly retrieved, packaged, and preserved for transport via Chain of Custody to Cardinal Laboratories, as well as Eurofins Carlsbad, for analyses of BTEX, TPH, and Chloride. Based on laboratory results, total Chlorides are the analyte of concern. The confirmation results from the laboratory are tabulated below.

Table III
02/23/2022 Soil Sample Laboratory Results

Sample ID	Sample Date	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Cl mg/kg
NMOCDC Table 1 Closure Criteria 19.15.29 NMAC			50 mg/kg	10 mg/kg	DRO + GRO+MRO combined = 100 mg/kg			100 mg/kg	600 mg/kg
BH-1	2/17/2022	0-1'	ND	ND	ND	ND	ND	0	192
	2/17/2022	2'	ND	ND	ND	ND	ND	0	432
	2/17/2022	3'	ND	ND	ND	ND	ND	0	96
	2/17/2022	4'	ND	ND	ND	ND	ND	0	848
	2/17/2022	5'	ND	ND	ND	ND	ND	0	1600
	2/17/2022	6'	ND	ND	ND	ND	ND	0	3920
	2/17/2022	7'	ND	ND	ND	ND	ND	0	4560
BH-2	2/17/2022	1'	ND	ND	ND	ND	ND	0	64
	2/17/2022	2'	ND	ND	ND	ND	ND	0	176
	2/17/2022	3'	ND	ND	ND	ND	ND	0	544
	2/17/2022	4'	ND	ND	ND	ND	ND	0	688
	2/17/2022	5'	ND	ND	ND	ND	ND	0	1230
	2/17/2022	6'	ND	ND	ND	ND	ND	0	3440
	2/17/2022	7'	ND	ND	ND	ND	ND	0	1790
TT-1	2/22/2022	8' R	0.00279	ND	ND	154	ND	154	766
	4/02/2022	9' R	ND	ND	ND	ND	ND	-	80
TT-SW	2/22/2022	4' *	ND	ND	ND	ND	ND	0	22.9
BH-3	2/17/2022	1'	ND	ND	ND	22.3	ND	0	208
	2/17/2022	2'	ND	ND	ND	13.4	ND	13.4	240
	2/17/2022	3'	ND	ND	ND	ND	ND	0	224
	2/17/2022	4'	ND	ND	ND	26.2	ND	26.2	160

BH = Borehole (Geoprobe) TT = Test Trench SW = Sidewall ND = Analyte Not Detected * = horizontal distance

See [Appendix VI](#) for the complete report of laboratory results.

On April 14, 2022 a Remediation plan requesting a variance approval to seat a liner at 4 feet bgs. in the containment area was approved by the NMOCDC ([Appendix III](#)).

On May 09, 2022, Cimarex had completed the removal of tanks, infrastructure including piping, and had shut in the facility for remediation of the containment area. Upon client authorization, Talon personnel and equipment mobilized to the site and excavated 4 feet bgs in the area of the containment. The NMOCD was notified of confirmation sampling. The bottom of the excavation was sampled and the results confirmed that Petroleum Hydrocarbons remained. Therefore, an additional .5 feet bgs was excavated and the soil sampled on a composite basis. The initial work plan did not indicate delineation of the East Sidewall due to infrastructure, however this sidewall has been advanced to the extent that clean up criteria has been met. The results confirmed that NMOCD Table 1 standards for Hydrocarbons had been achieved. All soil samples were properly retrieved, contained, preserved, and transported to Cardinal Laboratories for analysis of Total Chlorides, TPH, and BTEX. The confirmation results are tabled below for analytes left in place.

Table IV

Sample ID	Sample Date	Depth (BGS)	BTEX mg/kg	Benzene mg/kg	GRO mg/kg	DRO mg/kg	MRO mg/kg	Total TPH mg/kg	Chlorides mg/kg
NMOCD Table 1 Closure Criteria 19.15.29 NMAC			50 mg/kg	10 mg/kg	DRO + GRO + MRO combined = 100 mg/kg			100 mg/kg	600 mg/kg
S-1A	5/9/2022	4'	ND	ND	ND	202	48.3	250.3	224
S-1B	5/12/2022	4.5'	ND	ND	ND	ND	ND	-	208
S-2A	5/9/2022	4'	ND	ND	ND	513	94.6	607.6	416
S-2B	5/12/2022	4.5'	ND	ND	ND	ND	ND	-	224
S-3A	5/9/2022	4'	ND	ND	ND	161	36.9	197.9	480
S-3B	5/12/2022	4.5'	ND	ND	ND	ND	ND	-	208
S-4A	5/9/2022	4'	ND	ND	ND	446	90.7	536.7	432
S-4B	5/12/2022	4.5'	ND	ND	ND	ND	ND	-	208
S-5A	5/9/2022	4'	ND	ND	ND	171	34.9	205.9	848
S-5B	5/12/2022	4.5'	ND	ND	ND	ND	ND	-	208
S-6A	5/9/2022	4'	ND	ND	ND	325	72.2	397.2	512
S-6B	5/12/2022	4.5'	ND	ND	ND	ND	ND	-	208
S-7A	5/9/2022	4'	NT	NT	ND	73.8	18.2	92	NT
S-7B	5/11/2022	5'	ND	ND	ND	ND	ND	-	96
S-8A	5/9/2022	4'	ND	ND	ND	73.8	18.2	92	2480
E.SW-1	5/9/2022	4'	ND	ND	ND	ND	ND	-	368
E.SW-2	5/9/2022	4'	ND	ND	ND	212	54	266	480
E.SW-2A	5/12/2022	4.5'	ND	ND	ND	ND	ND	-	208
W.SW-1	5/9/2022	4'	ND	ND	ND	ND	ND	-	48
W.SW-2	5/9/2022	4'	ND	ND	ND	ND	ND	-	48
S.SW	5/9/2022	4'	ND	ND	ND	ND	ND	-	224
N.SW	5/9/2022	4'	ND	ND	ND	ND	ND	-	48

ND=Analyte Not Detected

See [Appendix VI](#) for the complete report of laboratory results.

On May 12, 2022, Talon personnel and equipment, together with personnel from Akome were on site to install and seat the 20 mil. liner. The bottom of the excavation was backfilled with a layer of clean native sand for liner protection. The liner was installed, keyed in at edges, and topped with a clean layer of sand, followed by a caliche cap in order support infrastructure.

Remedial Actions

- The spill footprint areas for lease road and pasture were excavated from depths of 1 to 8 feet bgs., and to the horizontal extent that all sidewalls and bottoms of excavated areas were remediated to Table I Standards. All samples were collected on a composite basis. Laboratory analysis confirms that NMOCD remediation guidelines for soil remediation were achieved in these areas.
- Sidewall and background samples were obtained in order to confirm horizontal delineation.
- The impacted area inside the containment was vertically and horizontally delineated by advancing a test trench in the areas of BH-1 and BH-2. The vertical delineation was met with a hard rock Gypsum shelf refusal at 9 feet bgs, as referenced in photographic documentation ([Appendix IV](#)).
- A Work plan was submitted to the NMOCD requesting a variance to seat a 20 mil. liner at a 4.5-foot excavation bgs., followed by a layer of sand to prevent liner impediment. This was capped with Caliche and hard packed to support infrastructure, with berms restored to grade. This was subsequently approved and containment area remediation completed in accordance with said approval as referenced in photo documentation ([Appendix IV](#)).
- The impacted pasture area was excavated, backfilled with native clean sand, restored to Dunal like features, terraced to prevent erosion, and seeded with BLM LPC seed mixture as can be seen in photographic photo documentation ([Appendix IV](#))
- All contaminated soil was transported to Lea Land, LLC, a NMOCD approved disposal facility.
- The facility has been reconstructed in accordance with code. Cimarex has taken proactive environmental measures by placing a Falcon® containment inclusive of infrastructure containing two (2) oil, one (1) water tank, piping, electrical and placed back on line for production.

Closure

Based on this site characterization, remedial actions completed, analytical results, and reconstruction of containment, we request that no further actions be required and that closure of the regulatory file with regard to this incident be granted.

Should you have any questions or if further information is required, please do not hesitate to contact our office at 575-746-8768.

Respectfully submitted,

Talon/LPE

Rebecca S. Pons
Senior Environmental Project Manager


Attachments:

Appendix I Site Plans
Appendix II Groundwater Data, Soil Survey, Karst Map, FEMA Map
Appendix III C-141 Forms
Appendix IV Photographic Documentation
Appendix V Seed Tag
Appendix VI Laboratory Data



Appendix I

Site Maps



Legend

State 14 Com 2H

State 14 Com 2H

Summit Energy Co. of Colorado
Appl # 30-015-31791
Elbert County, NM
Location Map

Survey
Google Earth

©2021 Google



State 14 Com 2H

Continex Energy Co. of Colorado
API# 30-015-31791
El Paso County, NM
Confirmation Sample Map #2



State 14 Com 2H

Genarex Energy Co. of Colorado
API# 30-015-31791
El Paso County, NM
Confirmation Sample Map #2

Survey
Google Earth

© 2021 Google



State 14 Com 2H

Conaarex Energy Co. of Colorado
Alt. #30-015-31791
El Paso County, NM
C. Rainment Source

State 14 Com 2H

Legend

- Borehole Sample
- Spill Area
- State 14 Com 2H
- Test Trench Sample

Google Earth

40 ft

Legend
Liner
Sample Position
State 14 Com

State 14 Com 2H


N.SW
W.SW-2
S-7B
S-5B
S-4B
W.SW-1
S-1B
S-2B
S.SW
CE.SW-2A
S-8A
S-6B
S-3B
CE.SW-1

State 14 Com 2H

Genarex Energy Co. of Colorado
Alt. #30-015-31791
El Paso County, NM
Liner

Google Earth

60 ft



State 14 Com 2H

Sumarex Energy Co. of Colorado
API # 30-015-31791
Elbert County, NM
First Potential Map

State 14 Com 2H

S Old Lebo Rd

210

235

4000 ft

Survey
Google Earth

© 2021 Google

Marathon Energy Co. of Colorado
API # 30-015-31791
Levy County, NM
Topography Map

Comarex Energy Co
API# 30-015-31791

A yellow pushpin is pinned to the top left corner of the page.

Survival

1000 ft

Digitized by Google

44



Appendix II

Groundwater Data, & Soil Survey



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	Code	POD Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
CP 00626 POD1		CP	ED	2	3	1	03	19S	29E	587360	3617575	3653	286	247	39
CP 00626 POD2		CP	ED	3	2	1	03	19S	29E	587660	3617880	3826	240	195	45
CP 00741		CP	ED	1	3	2	34	19S	29E	588030	3609533*	4799	230	60	170

Average Depth to Water: **167 feet**

Minimum Depth: **60 feet**

Maximum Depth: **247 feet**

Record Count: 3

Basin/County Search:

County: Eddy

UTMNAD83 Radius Search (in meters):

Easting (X): 588886.39

Northing (Y): 3614255.74

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

8/4/21 8:04 AM

WATER COLUMN/ AVERAGE DEPTH TO
WATER

Map Unit Description: Simona-Bippus complex, 0 to 5 percent slopes---Eddy Area, New Mexico

Eddy Area, New Mexico

SM—Simona-Bippus complex, 0 to 5 percent slopes

Map Unit Setting

National map unit symbol: 1w5x

Elevation: 1,800 to 5,000 feet

Mean annual precipitation: 8 to 24 inches

Mean annual air temperature: 57 to 70 degrees F

Frost-free period: 180 to 230 days

Farmland classification: Not prime farmland

Map Unit Composition

Simona and similar soils: 55 percent

Bippus and similar soils: 30 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Simona

Setting

Landform: Alluvial fans, plains

Landform position (three-dimensional): Rise

Down-slope shape: Linear, convex

Across-slope shape: Linear

Parent material: Mixed alluvium and/or eolian sands

Typical profile

H1 - 0 to 19 inches: gravelly fine sandy loam

H2 - 19 to 23 inches: indurated

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: 7 to 20 inches to petrocalcic

Drainage class: Well drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water capacity: Very low (about 2.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: D

Map Unit Description: Simona-Bippus complex, 0 to 5 percent slopes---Eddy Area, New Mexico

Ecological site: R042XC002NM - Shallow Sandy
Hydric soil rating: No

Description of Bippus

Setting

Landform: Alluvial fans, flood plains
Landform position (three-dimensional): Rise, tal
Down-slope shape: Linear, convex
Across-slope shape: Linear
Parent material: Mixed alluvium

Typical profile

H1 - 0 to 37 inches: silty clay loam
H2 - 37 to 60 inches: clay loam

Properties and qualities

Slope: 0 to 5 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: OccasionalNone
Frequency of ponding: None
Calcium carbonate, maximum content: 40 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 1.0
Available water capacity: Moderate (about 8.7 inches)

Interpretive groups

Land capability classification (irrigated): 2e
Land capability classification (nonirrigated): 3e
Hydrologic Soil Group: B
Ecological site: R042XC017NM - Bottomland
Hydric soil rating: No

Minor Components

Simona

Percent of map unit: 8 percent
Ecological site: R042XC002NM - Shallow Sandy
Hydric soil rating: No

Bippus

Percent of map unit: 7 percent
Ecological site: R042XC017NM - Bottomland

Map Unit Description: Simona-Bippus complex, 0 to 5 percent slopes---Eddy Area, New Mexico

Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico

Survey Area Data: Version 16, Jun 8, 2020



Appendix III

C-141 Forms

Rebecca Pons

From: Laci Luig <lluig@cimarex.com>
Sent: Thursday, August 19, 2021 12:36 PM
To: Mike Bratcher, EMNRD; Chad Hensley, EMNRD; Robert Hamlet, EMNRD; Ryan Mann - NM SLO
Cc: Rebecca Pons; Michael Collier
Subject: nAPP2121620119

This message originated from an **External Source**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.

Good afternoon,

This email serves as notification for excavation and sampling on the State 14 Com 1&2H. Excavation and sampling is scheduled to begin August 23rd. Talon will be onsite for field and confirmation sampling.

Thank you,

Laci Luig

ESH Specialist

Cimarex Energy

Mobile (432) 208-3035

Office (432) 571-7810

lluig@cimarex.com

Rebecca Pons

From: Laci Luig <lluig@cimarex.com>
Sent: Thursday, August 26, 2021 10:47 AM
To: Mike Bratcher, EMNRD; Chad Hensley, EMNRD; Robert Hamlet, EMNRD; Ryan Mann - NM SLO
Cc: Rebecca Pons; Michael Collier
Subject: RE: nAPP2121620119 State 14 Com 1 & 2H

This message originated from an **External Source**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.

Talon will be collecting confirmation samples for the below release on Tuesday, August 31st.

Laci Luig
(432) 208-3035

From: Laci Luig
Sent: Thursday, August 19, 2021 1:36 PM
To: Mike Bratcher, EMNRD <mike.bratcher@state.nm.us>; Chad Hensley, EMNRD <chad.hensley@state.nm.us>; Robert Hamlet, EMNRD <robert.hamlet@state.nm.us>; Ryan Mann - NM SLO <rmann@slo.state.nm.us>
Cc: Rebecca Pons <rpons@talonlpe.com>; Michael Collier <mcollier@talonlpe.com>
Subject: nAPP2121620119

Good afternoon,

This email serves as notification for excavation and sampling on the State 14 Com 1&2H. Excavation and sampling is scheduled to begin August 23rd. Talon will be onsite for field and confirmation sampling.

Thank you,

Laci Luig

ESH Specialist

Cimarex Energy

Mobile (432) 208-3035

Office (432) 571-7810

lluig@cimarex.com

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 98581

COMMENTS

Operator: CIMAREX ENERGY CO. OF COLORADO 600 N. Marienfeld Street Midland, TX 79701	OGRID: 162683
	Action Number: 98581
	Action Type: [C-141] Release Corrective Action (C-141)

COMMENTS

Created By	Comment	Comment Date
jharimon	Initial to Closure C-141 Documents submitted. I did not see any specific documents showing justification for the amount spilled reported.	4/14/2022

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2121620119
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Cimarex Energy Co. of Colorado	OGRID: 162683
Contact Name: Laci Luig	Contact Telephone: (432) 571-7800
Contact email: lluig@cimarex.com	Incident # (assigned by OCD) nAPP2121620119
Contact mailing address: 600 N Marienfeld Street, Ste. 600 Midland, TX 79701	

Location of Release Source

Latitude 32.66245 _____ Longitude -104.05254 _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: State 14 Com 2	Site Type: Battery
Date Release Discovered: 8/3/2021	API# (if applicable)

Unit Letter	Section	Township	Range	County
E	14	19S	29E	Eddy

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls) 41	Volume Recovered (bbls) 28
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: Corrosion


A hole developed at the bottom of the oil tank. Released 41 barrels oil, 35 barrels onto gravel lined containment and 6 barrels outside of containment onto the road and into the pasture area. Recovered 28 barrels oil from containment. Impacted gravel will be removed and properly disposed. A liner inspection will be scheduled and the road and pasture area will be remediated.

Incident ID	nAPP2121620119
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release? Total amount of release greater than 25 barrels.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? By: Gloria Garza To: Mike Bratcher, Cristina Eads, Robert Hamlet and Ryan Mann (SLO) By: Email	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Laci Luig	Title: ESH Specialist
Signature: 	Date: 8/4/2021
email: llug@cimarex.com	Telephone: (432) 208-3035
<u>OCD Only</u>	
Received by: _____	Date: _____

Incident ID	nAPP2121620119
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>247</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	nAPP2121620119
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Laci Luig_____ Title: ESH Specialist_____

Signature: Laci Luig_____ Date: 4/11/2021_____

email: laci.luig@coterra.com_____ Telephone: (432) 208-3035_____

OCD Only

Received by: _____ Date: _____

Incident ID	nAPP2121620119
District RP	
Facility ID	
Application ID	

Remediation Plan


Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Laci Luig _____ Title: ESH Specialist _____
Signature:  _____ Date: 4/11/2021 _____
email: laci.luig@coterra.com _____ Telephone: (432) 208-3035 _____

OCD Only

Received by: _____ Date: _____

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: _____ Date: _____

Incident ID	nAPP2121620119
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Laci Luig Title: ESH Specialist
Signature: Laci Luig Date: 7/1/2022
email: laci.luig@coterra.com Telephone: (432) 208-3035

OCD Only

Received by: _____ Date: _____


Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Bradford Billings Date: 07/13/2022
Printed Name: Bradford Billings Title: Enviro.Spec.A




Appendix IV


Photographic Documentation

**Photograph No.1 Description:**

Spill Source-Containment Impact

**Photograph No.2 Description:**

Spill traversing lease road

**Photograph No.3 Description:**

Spill exits lease road-traverses pasture


**Photograph No.4 Description:**

Excavation of Lease Road and Pasture



Photograph No.5 Description:

Excavation at Source



Photograph No.6 Description:

Test Trench Rock Refusal 9' bgs



Photograph No.5 Description:

Seeding adjacent to lease road



Photograph No.6 Description:

Seeded Pasture Area




Photograph No.5 Description:

Lease Road backfilled to grade




Photograph No.6 Description:

Pasture area backfilled to grade




Photograph No.7 Description:

Excavation of Containment area @ 4.5'



Photograph No.8 Description:

Liner seated and keyed in at 4.5'




Photograph No.9 Description:

Liner topped and prepped with layer of sand




Photograph No. 10 Description:

Liner capped with caliche and compacted to grade



Photograph No.11 Description:

Reconstruction of facility



Photograph No.12 Description:

Aerial of containment and tanks



Appendix V

Seed Tag

**BLM #2 Seed Mix****Lot #: 2050**

Net Wt: 7.99 lb

Pure Seed:	63.84%	Origin:	Purity:	Germ:	Dormant:	Ttl Viable:	Test Date:
Inert Matter:	5.92%		0.00%	29.6%	61.06%	90.67%	1/21
Other Crop:	1.00%						
Weed Seed:	0.23%						

Noxious Weeds: None

Texas Permit: 2772

Cimarex State 2 #2. Packaged in 1) 1 acre bag at 7.99 bulk pounds. Plant at 7.99 bulk pounds per acre.

curtisseed.com

4500 North Prince, Clovis, NM 88101

(575) 762-4759



Appendix VI

Laboratory Data



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

August 27, 2021

Rebecca Pons
Talon Artesia
408 West Texas Ave
Artesia, NM 88210
TEL:
FAX

RE: State 14 Com 2H STATE 14

OrderNo.: 2108D28

Dear Rebecca Pons:

Hall Environmental Analysis Laboratory received 9 sample(s) on 8/25/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-1 0-1'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 11:35:00 AM

Lab ID: 2108D28-001

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	150	60		mg/Kg	20	8/25/2021 4:14:12 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	8/25/2021 11:56:00 AM	62174
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	8/25/2021 11:56:00 AM	62174
Surr: DNOP	108	70-130		%Rec	1	8/25/2021 11:56:00 AM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.2		mg/Kg	1	8/25/2021 11:34:50 AM	62158
Surr: BFB	102	70-130		%Rec	1	8/25/2021 11:34:50 AM	62158
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.016		mg/Kg	1	8/25/2021 11:34:50 AM	62158
Toluene	ND	0.032		mg/Kg	1	8/25/2021 11:34:50 AM	62158
Ethylbenzene	ND	0.032		mg/Kg	1	8/25/2021 11:34:50 AM	62158
Xylenes, Total	ND	0.064		mg/Kg	1	8/25/2021 11:34:50 AM	62158
Surr: 4-Bromofluorobenzene	96.4	70-130		%Rec	1	8/25/2021 11:34:50 AM	62158

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-1 2'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 11:40:00 AM

Lab ID: 2108D28-002

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	330	60		mg/Kg	20	8/25/2021 4:26:36 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	8/25/2021 12:09:07 PM	62174
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	8/25/2021 12:09:07 PM	62174
Surr: DNOP	107	70-130		%Rec	1	8/25/2021 12:09:07 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.2		mg/Kg	1	8/25/2021 11:58:28 AM	62158
Surr: BFB	105	70-130		%Rec	1	8/25/2021 11:58:28 AM	62158
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.016		mg/Kg	1	8/25/2021 11:58:28 AM	62158
Toluene	ND	0.032		mg/Kg	1	8/25/2021 11:58:28 AM	62158
Ethylbenzene	ND	0.032		mg/Kg	1	8/25/2021 11:58:28 AM	62158
Xylenes, Total	ND	0.064		mg/Kg	1	8/25/2021 11:58:28 AM	62158
Surr: 4-Bromofluorobenzene	98.4	70-130		%Rec	1	8/25/2021 11:58:28 AM	62158

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-1 3'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 11:45:00 AM

Lab ID: 2108D28-003

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	380	60		mg/Kg	20	8/25/2021 4:39:01 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	8/25/2021 12:21:35 PM	62174
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	8/25/2021 12:21:35 PM	62174
Surr: DNOP	106	70-130		%Rec	1	8/25/2021 12:21:35 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.4		mg/Kg	1	8/25/2021 12:22:09 PM	62158
Surr: BFB	104	70-130		%Rec	1	8/25/2021 12:22:09 PM	62158
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.017		mg/Kg	1	8/25/2021 12:22:09 PM	62158
Toluene	ND	0.034		mg/Kg	1	8/25/2021 12:22:09 PM	62158
Ethylbenzene	ND	0.034		mg/Kg	1	8/25/2021 12:22:09 PM	62158
Xylenes, Total	ND	0.068		mg/Kg	1	8/25/2021 12:22:09 PM	62158
Surr: 4-Bromofluorobenzene	98.3	70-130		%Rec	1	8/25/2021 12:22:09 PM	62158

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-1 4'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 11:50:00 AM

Lab ID: 2108D28-004

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	620	60		mg/Kg	20	8/25/2021 4:51:27 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	8/25/2021 12:34:14 PM	62174
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	8/25/2021 12:34:14 PM	62174
Surr: DNOP	109	70-130		%Rec	1	8/25/2021 12:34:14 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.1		mg/Kg	1	8/25/2021 12:45:55 PM	62158
Surr: BFB	105	70-130		%Rec	1	8/25/2021 12:45:55 PM	62158
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	0.020	0.016		mg/Kg	1	8/25/2021 12:45:55 PM	62158
Toluene	ND	0.031		mg/Kg	1	8/25/2021 12:45:55 PM	62158
Ethylbenzene	ND	0.031		mg/Kg	1	8/25/2021 12:45:55 PM	62158
Xylenes, Total	ND	0.063		mg/Kg	1	8/25/2021 12:45:55 PM	62158
Surr: 4-Bromofluorobenzene	98.4	70-130		%Rec	1	8/25/2021 12:45:55 PM	62158

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 4 of 15

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-2 0-1'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 12:20:00 PM

Lab ID: 2108D28-005

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	260	60		mg/Kg	20	8/25/2021 5:03:51 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	8/25/2021 12:46:57 PM	62174
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	8/25/2021 12:46:57 PM	62174
Surr: DNOP	108	70-130		%Rec	1	8/25/2021 12:46:57 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.0		mg/Kg	1	8/25/2021 1:57:25 PM	62158
Surr: BFB	107	70-130		%Rec	1	8/25/2021 1:57:25 PM	62158
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.015		mg/Kg	1	8/25/2021 1:57:25 PM	62158
Toluene	ND	0.030		mg/Kg	1	8/25/2021 1:57:25 PM	62158
Ethylbenzene	ND	0.030		mg/Kg	1	8/25/2021 1:57:25 PM	62158
Xylenes, Total	ND	0.060		mg/Kg	1	8/25/2021 1:57:25 PM	62158
Surr: 4-Bromofluorobenzene	99.8	70-130		%Rec	1	8/25/2021 1:57:25 PM	62158

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-2 2'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 12:25:00 PM

Lab ID: 2108D28-006

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	700	60		mg/Kg	20	8/25/2021 5:16:16 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	8/25/2021 12:59:35 PM	62174
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	8/25/2021 12:59:35 PM	62174
Surr: DNOP	106	70-130		%Rec	1	8/25/2021 12:59:35 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.5		mg/Kg	1	8/25/2021 2:21:25 PM	62158
Surr: BFB	106	70-130		%Rec	1	8/25/2021 2:21:25 PM	62158
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.018		mg/Kg	1	8/25/2021 2:21:25 PM	62158
Toluene	ND	0.035		mg/Kg	1	8/25/2021 2:21:25 PM	62158
Ethylbenzene	ND	0.035		mg/Kg	1	8/25/2021 2:21:25 PM	62158
Xylenes, Total	ND	0.070		mg/Kg	1	8/25/2021 2:21:25 PM	62158
Surr: 4-Bromofluorobenzene	98.8	70-130		%Rec	1	8/25/2021 2:21:25 PM	62158

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-2 3'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 12:30:00 PM

Lab ID: 2108D28-007

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	1100	59		mg/Kg	20	8/25/2021 5:28:41 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	8/25/2021 1:12:05 PM	62174
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	8/25/2021 1:12:05 PM	62174
Surr: DNOP	108	70-130		%Rec	1	8/25/2021 1:12:05 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.4		mg/Kg	1	8/25/2021 2:45:24 PM	62158
Surr: BFB	106	70-130		%Rec	1	8/25/2021 2:45:24 PM	62158
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.017		mg/Kg	1	8/25/2021 2:45:24 PM	62158
Toluene	ND	0.034		mg/Kg	1	8/25/2021 2:45:24 PM	62158
Ethylbenzene	ND	0.034		mg/Kg	1	8/25/2021 2:45:24 PM	62158
Xylenes, Total	ND	0.067		mg/Kg	1	8/25/2021 2:45:24 PM	62158
Surr: 4-Bromofluorobenzene	99.4	70-130		%Rec	1	8/25/2021 2:45:24 PM	62158

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-2 4'

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 12:35:00 PM

Lab ID: 2108D28-008

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	1200	60		mg/Kg	20	8/25/2021 5:41:06 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	8/25/2021 1:24:29 PM	62174
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	8/25/2021 1:24:29 PM	62174
Surr: DNOP	104	70-130		%Rec	1	8/25/2021 1:24:29 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.6		mg/Kg	1	8/25/2021 3:57:40 PM	G80778
Surr: BFB	111	70-130		%Rec	1	8/25/2021 3:57:40 PM	G80778
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	0.051	0.018		mg/Kg	1	8/25/2021 3:57:40 PM	B80778
Toluene	ND	0.036		mg/Kg	1	8/25/2021 3:57:40 PM	B80778
Ethylbenzene	ND	0.036		mg/Kg	1	8/25/2021 3:57:40 PM	B80778
Xylenes, Total	ND	0.072		mg/Kg	1	8/25/2021 3:57:40 PM	B80778
Surr: 4-Bromofluorobenzene	102	70-130		%Rec	1	8/25/2021 3:57:40 PM	B80778

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2108D28

Date Reported: 8/27/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-3 0-1' R

Project: State 14 Com 2H STATE 14

Collection Date: 8/23/2021 2:00:00 PM

Lab ID: 2108D28-009

Matrix: MEOH (SOIL)

Received Date: 8/25/2021 7:10:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	640	60		mg/Kg	20	8/25/2021 5:53:31 PM	62179
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	810	46		mg/Kg	5	8/25/2021 1:36:59 PM	62174
Motor Oil Range Organics (MRO)	710	230		mg/Kg	5	8/25/2021 1:36:59 PM	62174
Surr: DNOP	109	70-130		%Rec	5	8/25/2021 1:36:59 PM	62174
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.3		mg/Kg	1	8/25/2021 5:10:15 PM	G80778
Surr: BFB	114	70-130		%Rec	1	8/25/2021 5:10:15 PM	G80778
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.017		mg/Kg	1	8/25/2021 5:10:15 PM	B80778
Toluene	ND	0.033		mg/Kg	1	8/25/2021 5:10:15 PM	B80778
Ethylbenzene	ND	0.033		mg/Kg	1	8/25/2021 5:10:15 PM	B80778
Xylenes, Total	ND	0.067		mg/Kg	1	8/25/2021 5:10:15 PM	B80778
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	8/25/2021 5:10:15 PM	B80778

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2108D28
27-Aug-21

Client: Talon Artesia
Project: State 14 Com 2H STATE 14

Sample ID: MB-62179	SampType: MBLK	TestCode: EPA Method 300.0: Anions
Client ID: PBS	Batch ID: 62179	RunNo: 80774
Prep Date: 8/25/2021	Analysis Date: 8/25/2021	SeqNo: 2850756 Units: mg/Kg
Analyte	Result	PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Chloride	ND	1.5

Sample ID: LCS-62179	SampType: LCS	TestCode: EPA Method 300.0: Anions
Client ID: LCSS	Batch ID: 62179	RunNo: 80774
Prep Date: 8/25/2021	Analysis Date: 8/25/2021	SeqNo: 2850757 Units: mg/Kg
Analyte	Result	PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Chloride	14	1.5 15.00 0 95.1 90 110

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 10 of 15

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2108D28

27-Aug-21

Client: Talon Artesia**Project:** State 14 Com 2H STATE 14

Sample ID: MB-62174	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 62174	RunNo: 80790								
Prep Date: 8/25/2021	Analysis Date: 8/25/2021	SeqNo: 2850615	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	10		10.00		100	70	130			

Sample ID: LCS-62174	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 62174	RunNo: 80790								
Prep Date: 8/25/2021	Analysis Date: 8/25/2021	SeqNo: 2850616	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	46	10	50.00	0	92.9	68.9	141			
Surr: DNOP	4.7		5.000		94.9	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2108D28

27-Aug-21

Client: Talon Artesia
Project: State 14 Com 2H STATE 14

Sample ID: mb-62158	SampType: MBLK			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	Batch ID: 62158			RunNo: 80778						
Prep Date: 8/24/2021	Analysis Date: 8/25/2021			SeqNo: 2850793		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		104	70	130			

Sample ID: lcs-62158	SampType: LCS			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS	Batch ID: 62158			RunNo: 80778						
Prep Date: 8/24/2021	Analysis Date: 8/25/2021			SeqNo: 2850794		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	28	5.0	25.00	0	111	78.6	131			
Surr: BFB	1200		1000		116	70	130			

Sample ID: mb	SampType: MBLK			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	Batch ID: G80778			RunNo: 80778						
Prep Date:	Analysis Date: 8/25/2021			SeqNo: 2850816		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1000		1000		103	70	130			

Sample ID: 2.5ug gro lcs	SampType: LCS			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS	Batch ID: G80778			RunNo: 80778						
Prep Date:	Analysis Date: 8/25/2021			SeqNo: 2850817		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	5.0	25.00	0	108	78.6	131			
Surr: BFB	1200		1000		121	70	130			

Sample ID: 2108d28-008ams	SampType: MS			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: S-2 4'	Batch ID: G80778			RunNo: 80778						
Prep Date:	Analysis Date: 8/25/2021			SeqNo: 2850819		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	19	3.6	17.91	0	107	61.3	114			
Surr: BFB	890		716.3		124	70	130			

Sample ID: 2108d28-008amsd	SampType: MSD			TestCode: EPA Method 8015D: Gasoline Range						
Client ID: S-2 4'	Batch ID: G80778			RunNo: 80778						
Prep Date:	Analysis Date: 8/25/2021			SeqNo: 2850820		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 12 of 15

QC SUMMARY REPORT
Hall Environmental Analysis Laboratory, Inc.

WO#: 2108D28
27-Aug-21

Client: Talon Artesia
Project: State 14 Com 2H STATE 14

Sample ID: 2108d28-008amsd		SampType: MSD		TestCode: EPA Method 8015D: Gasoline Range						
Client ID: S-2 4'		Batch ID: G80778		RunNo: 80778						
Prep Date:		Analysis Date: 8/25/2021		SeqNo: 2850820		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	3.6	17.91	0	127	61.3	114	17.4	20	S
Surr: BFB	910		716.3		127	70	130	0	0	

Qualifiers:

- *

Value exceeds Maximum Contaminant Level.
- D

Sample Diluted Due to Matrix
- H

Holding times for preparation or analysis exceeded
- ND

Not Detected at the Reporting Limit
- PQL

Practical Quantitative Limit
- S

% Recovery outside of range due to dilution or matrix
- B

Analyte detected in the associated Method Blank
- E

Value above quantitation range
- J

Analyte detected below quantitation limits
- P

Sample pH Not In Range
- RL

Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2108D28

27-Aug-21

Client: Talon Artesia**Project:** State 14 Com 2H STATE 14

Sample ID: mb-62158	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 62158	RunNo: 80778								
Prep Date: 8/24/2021	Analysis Date: 8/25/2021	SeqNo: 2850826	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.98		1.000		98.0	70	130			

Sample ID: LCS-62158	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 62158	RunNo: 80778								
Prep Date: 8/24/2021	Analysis Date: 8/25/2021	SeqNo: 2850827	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.025	1.000	0	88.0	80	120			
Toluene	0.90	0.050	1.000	0	89.7	80	120			
Ethylbenzene	0.91	0.050	1.000	0	90.6	80	120			
Xylenes, Total	2.7	0.10	3.000	0	90.7	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	70	130			

Sample ID: mb	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: B80778	RunNo: 80778								
Prep Date:	Analysis Date: 8/25/2021	SeqNo: 2850850	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.97		1.000		97.3	70	130			

Sample ID: 100ng btex lcs	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: B80778	RunNo: 80778								
Prep Date:	Analysis Date: 8/25/2021	SeqNo: 2850851	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.025	1.000	0	87.7	80	120			
Toluene	0.89	0.050	1.000	0	89.0	80	120			
Ethylbenzene	0.89	0.050	1.000	0	89.2	80	120			
Xylenes, Total	2.7	0.10	3.000	0	89.3	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		106	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 14 of 15

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**WO#: **2108D28**

27-Aug-21

Client: Talon Artesia**Project:** State 14 Com 2H STATE 14


Sample ID: 2108d28-009ams	SampType: MS		TestCode: EPA Method 8021B: Volatiles							
Client ID: S-3 0-1' R	Batch ID: B80778		RunNo: 80778							
Prep Date:	Analysis Date: 8/25/2021		SeqNo: 2850854		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.55	0.017	0.6653	0	82.8	80	120			
Toluene	0.56	0.033	0.6653	0	84.2	80	120			
Ethylbenzene	0.56	0.033	0.6653	0	84.1	80	120			
Xylenes, Total	1.7	0.067	1.996	0	83.5	80	120			
Surr: 4-Bromofluorobenzene	0.70		0.6653		105	70	130			

Sample ID: 2108d28-009amsd	SampType: MSD		TestCode: EPA Method 8021B: Volatiles							
Client ID: S-3 0-1' R	Batch ID: B80778		RunNo: 80778							
Prep Date:	Analysis Date: 8/25/2021		SeqNo: 2850856		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.71	0.017	0.6653	0	107	80	120	25.3	20	R
Toluene	0.72	0.033	0.6653	0	109	80	120	25.5	20	R
Ethylbenzene	0.72	0.033	0.6653	0	108	80	120	25.3	20	R
Xylenes, Total	2.2	0.067	1.996	0	108	80	120	25.7	20	R
Surr: 4-Bromofluorobenzene	0.71		0.6653		107	70	130	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Sample Log-In Check List

Client Name: Talon Artesia

Work Order Number: 2108D28

RcptNo: 1

Received By: Cheyenne Cason 8/25/2021 7:10:00 AM

Completed By: Sean Livingston 8/25/2021 8:10:30 AM

Reviewed By: Jn 8/25/21

Cason

Sean Livingston

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4$ " for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by: KPA 8/25/21

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.3	Good				



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

September 08, 2021

Rebecca Pons
Talon Artesia
408 West Texas Ave
Artesia, NM 88210
TEL:
FAX:

RE: State 14 Com 2H

OrderNo.: 2109004

Dear Rebecca Pons:

Hall Environmental Analysis Laboratory received 29 sample(s) on 9/1/2021 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-4 1'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:00:00 AM

Lab ID: 2109004-001

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 8:32:52 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	140	9.4		mg/Kg	1	9/2/2021 12:45:53 PM	62342
Motor Oil Range Organics (MRO)	130	47		mg/Kg	1	9/2/2021 12:45:53 PM	62342
Surr: DNOP	102	70-130		%Rec	1	9/2/2021 12:45:53 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	24		mg/Kg	5	9/2/2021 12:47:00 PM	62334
Surr: BFB	93.6	70-130		%Rec	5	9/2/2021 12:47:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.12		mg/Kg	5	9/2/2021 12:47:00 PM	62334
Toluene	ND	0.24		mg/Kg	5	9/2/2021 12:47:00 PM	62334
Ethylbenzene	ND	0.24		mg/Kg	5	9/2/2021 12:47:00 PM	62334
Xylenes, Total	ND	0.49		mg/Kg	5	9/2/2021 12:47:00 PM	62334
Surr: 4-Bromofluorobenzene	82.5	70-130		%Rec	5	9/2/2021 12:47:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-5 1-1.5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:05:00 AM

Lab ID: 2109004-002

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 9:10:05 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	9/2/2021 12:55:38 PM	62342
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	9/2/2021 12:55:38 PM	62342
Surr: DNOP	104	70-130		%Rec	1	9/2/2021 12:55:38 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	9/2/2021 1:07:00 PM	62334
Surr: BFB	88.8	70-130		%Rec	1	9/2/2021 1:07:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 1:07:00 PM	62334
Toluene	ND	0.050		mg/Kg	1	9/2/2021 1:07:00 PM	62334
Ethylbenzene	ND	0.050		mg/Kg	1	9/2/2021 1:07:00 PM	62334
Xylenes, Total	ND	0.099		mg/Kg	1	9/2/2021 1:07:00 PM	62334
Surr: 4-Bromofluorobenzene	80.5	70-130		%Rec	1	9/2/2021 1:07:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 2 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-6 1-2.5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:10:00 AM

Lab ID: 2109004-003

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	61		mg/Kg	20	9/3/2021 9:47:18 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	8.6		mg/Kg	1	9/2/2021 1:05:23 PM	62342
Motor Oil Range Organics (MRO)	ND	43		mg/Kg	1	9/2/2021 1:05:23 PM	62342
Surr: DNOP	111	70-130		%Rec	1	9/2/2021 1:05:23 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	9/2/2021 1:27:00 PM	62334
Surr: BFB	91.1	70-130		%Rec	1	9/2/2021 1:27:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 1:27:00 PM	62334
Toluene	ND	0.050		mg/Kg	1	9/2/2021 1:27:00 PM	62334
Ethylbenzene	ND	0.050		mg/Kg	1	9/2/2021 1:27:00 PM	62334
Xylenes, Total	ND	0.10		mg/Kg	1	9/2/2021 1:27:00 PM	62334
Surr: 4-Bromofluorobenzene	82.0	70-130		%Rec	1	9/2/2021 1:27:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 3 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-7 1'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:15:00 AM

Lab ID: 2109004-004

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 9:59:43 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	9/2/2021 1:15:09 PM	62342
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	9/2/2021 1:15:09 PM	62342
Surr: DNOP	112	70-130		%Rec	1	9/2/2021 1:15:09 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 1:47:00 PM	62334
Surr: BFB	95.0	70-130		%Rec	1	9/2/2021 1:47:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.024		mg/Kg	1	9/2/2021 1:47:00 PM	62334
Toluene	ND	0.049		mg/Kg	1	9/2/2021 1:47:00 PM	62334
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 1:47:00 PM	62334
Xylenes, Total	ND	0.098		mg/Kg	1	9/2/2021 1:47:00 PM	62334
Surr: 4-Bromofluorobenzene	82.8	70-130		%Rec	1	9/2/2021 1:47:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 4 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-8 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:20:00 AM

Lab ID: 2109004-005

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 10:36:55 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	8.8		mg/Kg	1	9/2/2021 1:24:56 PM	62342
Motor Oil Range Organics (MRO)	ND	44		mg/Kg	1	9/2/2021 1:24:56 PM	62342
Surr: DNOP	114	70-130		%Rec	1	9/2/2021 1:24:56 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	9/2/2021 2:07:00 PM	62334
Surr: BFB	93.8	70-130		%Rec	1	9/2/2021 2:07:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.024		mg/Kg	1	9/2/2021 2:07:00 PM	62334
Toluene	ND	0.048		mg/Kg	1	9/2/2021 2:07:00 PM	62334
Ethylbenzene	ND	0.048		mg/Kg	1	9/2/2021 2:07:00 PM	62334
Xylenes, Total	ND	0.095		mg/Kg	1	9/2/2021 2:07:00 PM	62334
Surr: 4-Bromofluorobenzene	82.5	70-130		%Rec	1	9/2/2021 2:07:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-9 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:25:00 AM

Lab ID: 2109004-006

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 10:49:20 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	9/2/2021 1:34:44 PM	62342
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/2/2021 1:34:44 PM	62342
Surr: DNOP	122	70-130		%Rec	1	9/2/2021 1:34:44 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	9/2/2021 2:27:00 PM	62334
Surr: BFB	94.3	70-130		%Rec	1	9/2/2021 2:27:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 2:27:00 PM	62334
Toluene	ND	0.050		mg/Kg	1	9/2/2021 2:27:00 PM	62334
Ethylbenzene	ND	0.050		mg/Kg	1	9/2/2021 2:27:00 PM	62334
Xylenes, Total	ND	0.10		mg/Kg	1	9/2/2021 2:27:00 PM	62334
Surr: 4-Bromofluorobenzene	83.2	70-130		%Rec	1	9/2/2021 2:27:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-10 4-5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:30:00 AM

Lab ID: 2109004-007

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 11:01:44 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	9/2/2021 1:44:41 PM	62342
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	9/2/2021 1:44:41 PM	62342
Surr: DNOP	121	70-130		%Rec	1	9/2/2021 1:44:41 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	9/2/2021 3:27:00 PM	62334
Surr: BFB	93.4	70-130		%Rec	1	9/2/2021 3:27:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 3:27:00 PM	62334
Toluene	ND	0.050		mg/Kg	1	9/2/2021 3:27:00 PM	62334
Ethylbenzene	ND	0.050		mg/Kg	1	9/2/2021 3:27:00 PM	62334
Xylenes, Total	ND	0.10		mg/Kg	1	9/2/2021 3:27:00 PM	62334
Surr: 4-Bromofluorobenzene	80.1	70-130		%Rec	1	9/2/2021 3:27:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 7 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-11 5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:35:00 AM

Lab ID: 2109004-008

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 11:14:09 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	17	10		mg/Kg	1	9/2/2021 1:54:39 PM	62342
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	9/2/2021 1:54:39 PM	62342
Surr: DNOP	106	70-130		%Rec	1	9/2/2021 1:54:39 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	9/2/2021 3:47:00 PM	62334
Surr: BFB	89.4	70-130		%Rec	1	9/2/2021 3:47:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 3:47:00 PM	62334
Toluene	ND	0.050		mg/Kg	1	9/2/2021 3:47:00 PM	62334
Ethylbenzene	ND	0.050		mg/Kg	1	9/2/2021 3:47:00 PM	62334
Xylenes, Total	ND	0.10		mg/Kg	1	9/2/2021 3:47:00 PM	62334
Surr: 4-Bromofluorobenzene	79.3	70-130		%Rec	1	9/2/2021 3:47:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-12 5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:40:00 AM

Lab ID: 2109004-009

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	59		mg/Kg	20	9/3/2021 11:26:33 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	9/2/2021 2:04:35 PM	62342
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	9/2/2021 2:04:35 PM	62342
Surr: DNOP	112	70-130		%Rec	1	9/2/2021 2:04:35 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 4:07:00 PM	62334
Surr: BFB	93.0	70-130		%Rec	1	9/2/2021 4:07:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 4:07:00 PM	62334
Toluene	ND	0.049		mg/Kg	1	9/2/2021 4:07:00 PM	62334
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 4:07:00 PM	62334
Xylenes, Total	ND	0.099		mg/Kg	1	9/2/2021 4:07:00 PM	62334
Surr: 4-Bromofluorobenzene	78.8	70-130		%Rec	1	9/2/2021 4:07:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 9 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: S-13 2-3'

Project: State 14 Com 2H

Collection Date: 8/30/2021 9:45:00 AM

Lab ID: 2109004-010

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 11:38:57 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	9/2/2021 2:14:33 PM	62342
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	9/2/2021 2:14:33 PM	62342
Surr: DNOP	107	70-130		%Rec	1	9/2/2021 2:14:33 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 4:27:00 PM	62334
Surr: BFB	92.2	70-130		%Rec	1	9/2/2021 4:27:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 4:27:00 PM	62334
Toluene	ND	0.049		mg/Kg	1	9/2/2021 4:27:00 PM	62334
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 4:27:00 PM	62334
Xylenes, Total	ND	0.099		mg/Kg	1	9/2/2021 4:27:00 PM	62334
Surr: 4-Bromofluorobenzene	80.5	70-130		%Rec	1	9/2/2021 4:27:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 10 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-1 1'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:00:00 AM

Lab ID: 2109004-011

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 11:51:22 AM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	150	9.4		mg/Kg	1	9/2/2021 2:24:27 PM	62342
Motor Oil Range Organics (MRO)	130	47		mg/Kg	1	9/2/2021 2:24:27 PM	62342
Surr: DNOP	102	70-130		%Rec	1	9/2/2021 2:24:27 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	9/2/2021 4:47:00 PM	62334
Surr: BFB	92.0	70-130		%Rec	1	9/2/2021 4:47:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.024		mg/Kg	1	9/2/2021 4:47:00 PM	62334
Toluene	ND	0.048		mg/Kg	1	9/2/2021 4:47:00 PM	62334
Ethylbenzene	ND	0.048		mg/Kg	1	9/2/2021 4:47:00 PM	62334
Xylenes, Total	ND	0.096		mg/Kg	1	9/2/2021 4:47:00 PM	62334
Surr: 4-Bromofluorobenzene	80.9	70-130		%Rec	1	9/2/2021 4:47:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-2 1-1.5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:05:00 AM

Lab ID: 2109004-012

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 12:03:46 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	150	9.8		mg/Kg	1	9/2/2021 2:34:20 PM	62342
Motor Oil Range Organics (MRO)	140	49		mg/Kg	1	9/2/2021 2:34:20 PM	62342
Surr: DNOP	110	70-130		%Rec	1	9/2/2021 2:34:20 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 5:27:00 PM	62334
Surr: BFB	92.7	70-130		%Rec	1	9/2/2021 5:27:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.025		mg/Kg	1	9/2/2021 5:27:00 PM	62334
Toluene	ND	0.049		mg/Kg	1	9/2/2021 5:27:00 PM	62334
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 5:27:00 PM	62334
Xylenes, Total	ND	0.098		mg/Kg	1	9/2/2021 5:27:00 PM	62334
Surr: 4-Bromofluorobenzene	79.5	70-130		%Rec	1	9/2/2021 5:27:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 12 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-3 1-1.5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:10:00 AM

Lab ID: 2109004-013

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 12:16:10 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	8.4		mg/Kg	1	9/2/2021 2:44:12 PM	62342
Motor Oil Range Organics (MRO)	ND	42		mg/Kg	1	9/2/2021 2:44:12 PM	62342
Surr: DNOP	116	70-130		%Rec	1	9/2/2021 2:44:12 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 5:47:00 PM	62334
Surr: BFB	100	70-130		%Rec	1	9/2/2021 5:47:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.024		mg/Kg	1	9/2/2021 5:47:00 PM	62334
Toluene	ND	0.049		mg/Kg	1	9/2/2021 5:47:00 PM	62334
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 5:47:00 PM	62334
Xylenes, Total	ND	0.097		mg/Kg	1	9/2/2021 5:47:00 PM	62334
Surr: 4-Bromofluorobenzene	80.3	70-130		%Rec	1	9/2/2021 5:47:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 13 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-4 1-2.5'

Project: State 14 Com 2H

Collection Date: 8/27/2021 1:00:00 PM

Lab ID: 2109004-014

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 12:28:34 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	9/2/2021 2:54:04 PM	62342
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	9/2/2021 2:54:04 PM	62342
Surr: DNOP	113	70-130		%Rec	1	9/2/2021 2:54:04 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 6:07:00 PM	62334
Surr: BFB	87.7	70-130		%Rec	1	9/2/2021 6:07:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.024		mg/Kg	1	9/2/2021 6:07:00 PM	62334
Toluene	ND	0.049		mg/Kg	1	9/2/2021 6:07:00 PM	62334
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 6:07:00 PM	62334
Xylenes, Total	ND	0.097		mg/Kg	1	9/2/2021 6:07:00 PM	62334
Surr: 4-Bromofluorobenzene	78.4	70-130		%Rec	1	9/2/2021 6:07:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 14 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-5 1-2.5'

Project: State 14 Com 2H

Collection Date: 8/27/2021 1:05:00 PM

Lab ID: 2109004-015

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	59		mg/Kg	20	9/3/2021 1:05:47 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.0		mg/Kg	1	9/2/2021 3:03:55 PM	62342
Motor Oil Range Organics (MRO)	ND	45		mg/Kg	1	9/2/2021 3:03:55 PM	62342
Surr: DNOP	121	70-130		%Rec	1	9/2/2021 3:03:55 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 6:27:00 PM	62334
Surr: BFB	86.6	70-130		%Rec	1	9/2/2021 6:27:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.024		mg/Kg	1	9/2/2021 6:27:00 PM	62334
Toluene	ND	0.049		mg/Kg	1	9/2/2021 6:27:00 PM	62334
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 6:27:00 PM	62334
Xylenes, Total	ND	0.098		mg/Kg	1	9/2/2021 6:27:00 PM	62334
Surr: 4-Bromofluorobenzene	80.2	70-130		%Rec	1	9/2/2021 6:27:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 15 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-6 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:15:00 AM

Lab ID: 2109004-016

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 1:18:12 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	24	9.7		mg/Kg	1	9/2/2021 3:13:45 PM	62342
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/2/2021 3:13:45 PM	62342
Surr: DNOP	109	70-130		%Rec	1	9/2/2021 3:13:45 PM	62342
EPA METHOD 8015D: GASOLINE RANGE							Analyst: mb
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	9/2/2021 6:47:00 PM	62334
Surr: BFB	90.0	70-130		%Rec	1	9/2/2021 6:47:00 PM	62334
EPA METHOD 8021B: VOLATILES							Analyst: mb
Benzene	ND	0.023		mg/Kg	1	9/2/2021 6:47:00 PM	62334
Toluene	ND	0.047		mg/Kg	1	9/2/2021 6:47:00 PM	62334
Ethylbenzene	ND	0.047		mg/Kg	1	9/2/2021 6:47:00 PM	62334
Xylenes, Total	ND	0.094		mg/Kg	1	9/2/2021 6:47:00 PM	62334
Surr: 4-Bromofluorobenzene	80.1	70-130		%Rec	1	9/2/2021 6:47:00 PM	62334

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 16 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-7 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:20:00 AM

Lab ID: 2109004-017

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 1:30:37 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.4		mg/Kg	1	9/3/2021 6:05:50 PM	62355
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	9/3/2021 6:05:50 PM	62355
Surr: DNOP	89.4	70-130		%Rec	1	9/3/2021 6:05:50 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	9/2/2021 9:03:13 AM	62338
Surr: BFB	108	70-130		%Rec	1	9/2/2021 9:03:13 AM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/2/2021 9:03:13 AM	62338
Toluene	ND	0.047		mg/Kg	1	9/2/2021 9:03:13 AM	62338
Ethylbenzene	ND	0.047		mg/Kg	1	9/2/2021 9:03:13 AM	62338
Xylenes, Total	ND	0.095		mg/Kg	1	9/2/2021 9:03:13 AM	62338
Surr: 4-Bromofluorobenzene	98.0	70-130		%Rec	1	9/2/2021 9:03:13 AM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 17 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-8 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:25:00 AM

Lab ID: 2109004-018

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 1:43:01 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	9/3/2021 6:35:18 PM	62355
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	9/3/2021 6:35:18 PM	62355
Surr: DNOP	91.9	70-130		%Rec	1	9/3/2021 6:35:18 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	9/2/2021 11:48:01 AM	62338
Surr: BFB	111	70-130		%Rec	1	9/2/2021 11:48:01 AM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/2/2021 11:48:01 AM	62338
Toluene	ND	0.048		mg/Kg	1	9/2/2021 11:48:01 AM	62338
Ethylbenzene	ND	0.048		mg/Kg	1	9/2/2021 11:48:01 AM	62338
Xylenes, Total	ND	0.095		mg/Kg	1	9/2/2021 11:48:01 AM	62338
Surr: 4-Bromofluorobenzene	96.6	70-130		%Rec	1	9/2/2021 11:48:01 AM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 18 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-9 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:30:00 AM

Lab ID: 2109004-019

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 1:55:26 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	19	9.9		mg/Kg	1	9/3/2021 6:45:11 PM	62355
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	9/3/2021 6:45:11 PM	62355
Surr: DNOP	89.6	70-130		%Rec	1	9/3/2021 6:45:11 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	9/2/2021 12:58:45 PM	62338
Surr: BFB	109	70-130		%Rec	1	9/2/2021 12:58:45 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/2/2021 12:58:45 PM	62338
Toluene	ND	0.047		mg/Kg	1	9/2/2021 12:58:45 PM	62338
Ethylbenzene	ND	0.047		mg/Kg	1	9/2/2021 12:58:45 PM	62338
Xylenes, Total	ND	0.094		mg/Kg	1	9/2/2021 12:58:45 PM	62338
Surr: 4-Bromofluorobenzene	98.8	70-130		%Rec	1	9/2/2021 12:58:45 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-10 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:35:00 AM

Lab ID: 2109004-020

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 2:07:51 PM	62382
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	9/3/2021 6:55:06 PM	62355
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	9/3/2021 6:55:06 PM	62355
Surr: DNOP	91.1	70-130		%Rec	1	9/3/2021 6:55:06 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	9/2/2021 1:22:26 PM	62338
Surr: BFB	113	70-130		%Rec	1	9/2/2021 1:22:26 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.023		mg/Kg	1	9/2/2021 1:22:26 PM	62338
Toluene	ND	0.046		mg/Kg	1	9/2/2021 1:22:26 PM	62338
Ethylbenzene	ND	0.046		mg/Kg	1	9/2/2021 1:22:26 PM	62338
Xylenes, Total	ND	0.092		mg/Kg	1	9/2/2021 1:22:26 PM	62338
Surr: 4-Bromofluorobenzene	100	70-130		%Rec	1	9/2/2021 1:22:26 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 20 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-11 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:40:00 AM

Lab ID: 2109004-021

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 3:34:42 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.0		mg/Kg	1	9/3/2021 7:05:01 PM	62355
Motor Oil Range Organics (MRO)	ND	45		mg/Kg	1	9/3/2021 7:05:01 PM	62355
Surr: DNOP	89.2	70-130		%Rec	1	9/3/2021 7:05:01 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	9/2/2021 1:46:05 PM	62338
Surr: BFB	112	70-130		%Rec	1	9/2/2021 1:46:05 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/2/2021 1:46:05 PM	62338
Toluene	ND	0.048		mg/Kg	1	9/2/2021 1:46:05 PM	62338
Ethylbenzene	ND	0.048		mg/Kg	1	9/2/2021 1:46:05 PM	62338
Xylenes, Total	ND	0.096		mg/Kg	1	9/2/2021 1:46:05 PM	62338
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	9/2/2021 1:46:05 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 21 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-12 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:45:00 AM

Lab ID: 2109004-022

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	61		mg/Kg	20	9/3/2021 3:47:07 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	9/3/2021 7:14:59 PM	62355
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/3/2021 7:14:59 PM	62355
Surr: DNOP	94.3	70-130		%Rec	1	9/3/2021 7:14:59 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 2:09:45 PM	62338
Surr: BFB	110	70-130		%Rec	1	9/2/2021 2:09:45 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	9/2/2021 2:09:45 PM	62338
Toluene	ND	0.049		mg/Kg	1	9/2/2021 2:09:45 PM	62338
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 2:09:45 PM	62338
Xylenes, Total	ND	0.099		mg/Kg	1	9/2/2021 2:09:45 PM	62338
Surr: 4-Bromofluorobenzene	99.9	70-130		%Rec	1	9/2/2021 2:09:45 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 22 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-13 7-8'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:50:00 AM

Lab ID: 2109004-023

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 3:59:32 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	9/3/2021 7:24:57 PM	62355
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/3/2021 7:24:57 PM	62355
Surr: DNOP	91.7	70-130		%Rec	1	9/3/2021 7:24:57 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 2:33:26 PM	62338
Surr: BFB	109	70-130		%Rec	1	9/2/2021 2:33:26 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	9/2/2021 2:33:26 PM	62338
Toluene	ND	0.049		mg/Kg	1	9/2/2021 2:33:26 PM	62338
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 2:33:26 PM	62338
Xylenes, Total	ND	0.098		mg/Kg	1	9/2/2021 2:33:26 PM	62338
Surr: 4-Bromofluorobenzene	99.4	70-130		%Rec	1	9/2/2021 2:33:26 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 23 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-14 4-5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 10:55:00 AM

Lab ID: 2109004-024

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	59		mg/Kg	20	9/3/2021 4:11:57 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	28	9.4		mg/Kg	1	9/3/2021 7:34:58 PM	62355
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	9/3/2021 7:34:58 PM	62355
Surr: DNOP	104	70-130		%Rec	1	9/3/2021 7:34:58 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	9/2/2021 2:57:10 PM	62338
Surr: BFB	110	70-130		%Rec	1	9/2/2021 2:57:10 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/2/2021 2:57:10 PM	62338
Toluene	ND	0.047		mg/Kg	1	9/2/2021 2:57:10 PM	62338
Ethylbenzene	ND	0.047		mg/Kg	1	9/2/2021 2:57:10 PM	62338
Xylenes, Total	ND	0.095		mg/Kg	1	9/2/2021 2:57:10 PM	62338
Surr: 4-Bromofluorobenzene	99.5	70-130		%Rec	1	9/2/2021 2:57:10 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-15 4-5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 11:00:00 AM

Lab ID: 2109004-025

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 4:24:22 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	14	9.8		mg/Kg	1	9/3/2021 7:44:57 PM	62355
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	9/3/2021 7:44:57 PM	62355
Surr: DNOP	90.4	70-130		%Rec	1	9/3/2021 7:44:57 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	9/2/2021 3:20:49 PM	62338
Surr: BFB	108	70-130		%Rec	1	9/2/2021 3:20:49 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/2/2021 3:20:49 PM	62338
Toluene	ND	0.048		mg/Kg	1	9/2/2021 3:20:49 PM	62338
Ethylbenzene	ND	0.048		mg/Kg	1	9/2/2021 3:20:49 PM	62338
Xylenes, Total	ND	0.097		mg/Kg	1	9/2/2021 3:20:49 PM	62338
Surr: 4-Bromofluorobenzene	97.8	70-130		%Rec	1	9/2/2021 3:20:49 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 25 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-16 5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 11:05:00 AM

Lab ID: 2109004-026

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 4:36:46 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	9/3/2021 7:55:00 PM	62355
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/3/2021 7:55:00 PM	62355
Surr: DNOP	91.8	70-130		%Rec	1	9/3/2021 7:55:00 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	9/2/2021 3:44:25 PM	62338
Surr: BFB	112	70-130		%Rec	1	9/2/2021 3:44:25 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.023		mg/Kg	1	9/2/2021 3:44:25 PM	62338
Toluene	ND	0.046		mg/Kg	1	9/2/2021 3:44:25 PM	62338
Ethylbenzene	ND	0.046		mg/Kg	1	9/2/2021 3:44:25 PM	62338
Xylenes, Total	ND	0.092		mg/Kg	1	9/2/2021 3:44:25 PM	62338
Surr: 4-Bromofluorobenzene	102	70-130		%Rec	1	9/2/2021 3:44:25 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 26 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-17 5'

Project: State 14 Com 2H

Collection Date: 8/30/2021 11:10:00 AM

Lab ID: 2109004-027

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 4:49:11 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	9/3/2021 8:05:13 PM	62355
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/3/2021 8:05:13 PM	62355
Surr: DNOP	95.1	70-130		%Rec	1	9/3/2021 8:05:13 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	9/2/2021 4:55:19 PM	62338
Surr: BFB	112	70-130		%Rec	1	9/2/2021 4:55:19 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	9/2/2021 4:55:19 PM	62338
Toluene	ND	0.048		mg/Kg	1	9/2/2021 4:55:19 PM	62338
Ethylbenzene	ND	0.048		mg/Kg	1	9/2/2021 4:55:19 PM	62338
Xylenes, Total	ND	0.096		mg/Kg	1	9/2/2021 4:55:19 PM	62338
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	9/2/2021 4:55:19 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 27 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-18 2-3'

Project: State 14 Com 2H

Collection Date: 8/30/2021 11:15:00 AM

Lab ID: 2109004-028

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 5:01:36 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	9/3/2021 8:15:26 PM	62355
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	9/3/2021 8:15:26 PM	62355
Surr: DNOP	95.4	70-130		%Rec	1	9/3/2021 8:15:26 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 5:18:58 PM	62338
Surr: BFB	111	70-130		%Rec	1	9/2/2021 5:18:58 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	9/2/2021 5:18:58 PM	62338
Toluene	ND	0.049		mg/Kg	1	9/2/2021 5:18:58 PM	62338
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 5:18:58 PM	62338
Xylenes, Total	ND	0.098		mg/Kg	1	9/2/2021 5:18:58 PM	62338
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	9/2/2021 5:18:58 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 28 of 36

Analytical Report

Lab Order 2109004

Date Reported: 9/8/2021

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Talon Artesia

Client Sample ID: SW-19 2-3'

Project: State 14 Com 2H

Collection Date: 8/30/2021 11:20:00 AM

Lab ID: 2109004-029

Matrix: SOIL

Received Date: 9/1/2021 7:30:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: VP
Chloride	ND	60		mg/Kg	20	9/3/2021 5:14:00 PM	62384
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: SB
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	9/3/2021 8:25:36 PM	62355
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	9/3/2021 8:25:36 PM	62355
Surr: DNOP	97.7	70-130		%Rec	1	9/3/2021 8:25:36 PM	62355
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	9/2/2021 5:42:33 PM	62338
Surr: BFB	112	70-130		%Rec	1	9/2/2021 5:42:33 PM	62338
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	9/2/2021 5:42:33 PM	62338
Toluene	ND	0.049		mg/Kg	1	9/2/2021 5:42:33 PM	62338
Ethylbenzene	ND	0.049		mg/Kg	1	9/2/2021 5:42:33 PM	62338
Xylenes, Total	ND	0.099		mg/Kg	1	9/2/2021 5:42:33 PM	62338
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	9/2/2021 5:42:33 PM	62338

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Page 29 of 36

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2109004

08-Sep-21

Client: Talon Artesia
Project: State 14 Com 2H

Sample ID: MB-62382	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBS	Batch ID: 62382		RunNo: 81060							
Prep Date: 9/3/2021	Analysis Date: 9/3/2021		SeqNo: 2860974		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-62382	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSS	Batch ID: 62382		RunNo: 81060							
Prep Date: 9/3/2021	Analysis Date: 9/3/2021		SeqNo: 2860975		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	92.7	90	110			

Sample ID: MB-62384	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBS	Batch ID: 62384		RunNo: 81060							
Prep Date: 9/3/2021	Analysis Date: 9/3/2021		SeqNo: 2861006		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-62384	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSS	Batch ID: 62384		RunNo: 81060							
Prep Date: 9/3/2021	Analysis Date: 9/3/2021		SeqNo: 2861007		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	94.4	90	110			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 30 of 36

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2109004

08-Sep-21

Client: Talon Artesia
Project: State 14 Com 2H

Sample ID: LCS-62342	SampType: LCS				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: LCSS	Batch ID: 62342				RunNo: 81003					
Prep Date: 9/1/2021	Analysis Date: 9/2/2021				SeqNo: 2858862	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	10	50.00	0	95.7	68.9	135			
Surr: DNOP	4.4		5.000		89.0	70	130			

Sample ID: MB-62342	SampType: MBLK				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 62342				RunNo: 81003					
Prep Date: 9/1/2021	Analysis Date: 9/2/2021				SeqNo: 2858864	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		120	70	130			

Sample ID: MB-62355	SampType: MBLK				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 62355				RunNo: 81036					
Prep Date: 9/2/2021	Analysis Date: 9/3/2021				SeqNo: 2860688	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	10		10.00		103	70	130			

Sample ID: LCS-62355	SampType: LCS				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: LCSS	Batch ID: 62355				RunNo: 81036					
Prep Date: 9/2/2021	Analysis Date: 9/3/2021				SeqNo: 2860691	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	10	50.00	0	95.9	68.9	135			
Surr: DNOP	4.0		5.000		80.2	70	130			

Sample ID: 2109004-017AMS	SampType: MS				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: SW-7 7-8'	Batch ID: 62355				RunNo: 81036					
Prep Date: 9/2/2021	Analysis Date: 9/3/2021				SeqNo: 2860698	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	9.1	45.70	0	102	39.3	155			
Surr: DNOP	4.2		4.570		92.1	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT
Hall Environmental Analysis Laboratory, Inc.

WO#: 2109004
08-Sep-21

Client: Talon Artesia
Project: State 14 Com 2H

Sample ID: 2109004-017AMSD		SampType: MSD		TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: SW-7 7-8'		Batch ID: 62355		RunNo: 81036						
Prep Date: 9/2/2021		Analysis Date: 9/3/2021		SeqNo: 2860701		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	9.4	47.17	0	99.6	39.3	155	0.979	23.4	
Surr: DNOP	4.1		4.717		87.4	70	130	0	0	

Qualifiers:

- *

Value exceeds Maximum Contaminant Level.
- D

Sample Diluted Due to Matrix
- H

Holding times for preparation or analysis exceeded
- ND

Not Detected at the Reporting Limit
- PQL

Practical Quantitative Limit
- S

% Recovery outside of range due to dilution or matrix
- B

Analyte detected in the associated Method Blank
- E

Value above quantitation range
- J

Analyte detected below quantitation limits
- P

Sample pH Not In Range
- RL

Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2109004

08-Sep-21

Client: Talon Artesia
Project: State 14 Com 2H

Sample ID: mb-62338	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859296 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	1100		1000		111	70	130			

Sample ID: lcs-62338	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859297 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	5.0	25.00	0	106	78.6	131			
Surr: BFB	1200		1000		121	70	130			

Sample ID: 2109004-017ams	SampType: MS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: SW-7 7-8'	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859299 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	30	5.0	24.85	0	122	61.3	114			S
Surr: BFB	1200		994.0		122	70	130			

Sample ID: 2109004-017amsd	SampType: MSD	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: SW-7 7-8'	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859300 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	28	4.7	23.63	0	119	61.3	114	7.53	20	S
Surr: BFB	1200		945.2		123	70	130	0	0	

Sample ID: mb-62334	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: PBS	Batch ID: 62334	RunNo: 81018								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859373 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	920		1000		91.5	70	130			

Sample ID: lcs-62334	SampType: LCS	TestCode: EPA Method 8015D: Gasoline Range								
Client ID: LCSS	Batch ID: 62334	RunNo: 81018								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859374 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 33 of 36

QC SUMMARY REPORT
Hall Environmental Analysis Laboratory, Inc.

WO#: 2109004
08-Sep-21

Client: Talon Artesia
Project: State 14 Com 2H

Sample ID: Ics-62334		SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range						
Client ID: LCSS		Batch ID: 62334		RunNo: 81018						
Prep Date: 9/1/2021		Analysis Date: 9/2/2021		SeqNo: 2859374		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	5.0	25.00	0	106	78.6	131			
Surr: BFB	1000		1000		105	70	130			

Qualifiers:

- *

Value exceeds Maximum Contaminant Level.
- D

Sample Diluted Due to Matrix
- H

Holding times for preparation or analysis exceeded
- ND

Not Detected at the Reporting Limit
- PQL

Practical Quantitative Limit
- S

% Recovery outside of range due to dilution or matrix
- B

Analyte detected in the associated Method Blank
- E

Value above quantitation range
- J

Analyte detected below quantitation limits
- P

Sample pH Not In Range
- RL

Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2109004

08-Sep-21

Client: Talon Artesia
Project: State 14 Com 2H

Sample ID: mb-62338	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859341 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		102	70	130			

Sample ID: LCS-62338	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859342 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.025	1.000	0	94.4	80	120			
Toluene	0.95	0.050	1.000	0	95.2	80	120			
Ethylbenzene	0.95	0.050	1.000	0	95.0	80	120			
Xylenes, Total	2.8	0.10	3.000	0	94.2	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	70	130			

Sample ID: 2109004-018ams	SampType: MS	TestCode: EPA Method 8021B: Volatiles								
Client ID: SW-8 7-8'	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859345 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.024	0.9766	0	110	80	120			
Toluene	1.1	0.049	0.9766	0	113	80	120			
Ethylbenzene	1.1	0.049	0.9766	0.009886	113	80	120			
Xylenes, Total	3.3	0.098	2.930	0	113	80	120			
Surr: 4-Bromofluorobenzene	0.99		0.9766		101	70	130			

Sample ID: 2109004-018amsd	SampType: MSD	TestCode: EPA Method 8021B: Volatiles								
Client ID: SW-8 7-8'	Batch ID: 62338	RunNo: 81017								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859346 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.024	0.9551	0	109	80	120	3.39	20	
Toluene	1.1	0.048	0.9551	0	112	80	120	3.40	20	
Ethylbenzene	1.1	0.048	0.9551	0.009886	112	80	120	3.23	20	
Xylenes, Total	3.2	0.096	2.865	0	112	80	120	2.49	20	
Surr: 4-Bromofluorobenzene	0.96		0.9551		100	70	130	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 35 of 36

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2109004

08-Sep-21

Client: Talon Artesia**Project:** State 14 Com 2H


Sample ID: mb-62334	SampType: MBLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID: 62334	RunNo: 81018								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859417	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.82		1.000		81.9	70	130			

Sample ID: lcs-62334	SampType: LCS	TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch ID: 62334	RunNo: 81018								
Prep Date: 9/1/2021	Analysis Date: 9/2/2021	SeqNo: 2859419	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	1.000	0	91.0	80	120			
Toluene	0.92	0.050	1.000	0	91.7	80	120			
Ethylbenzene	0.95	0.050	1.000	0	94.9	80	120			
Xylenes, Total	2.9	0.10	3.000	0	96.0	80	120			
Surr: 4-Bromofluorobenzene	0.83		1.000		83.4	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name: Talon Artesia

Work Order Number: 2109004

RcptNo: 1

Received By: Cheyenne Cason 9/1/2021 7:30:00 AM

Completed By: Sean Livingston 9/1/2021 8:56:19 AM

Reviewed By: *Cime* *8/9/1/21**Chad**Sean Livingston*Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved bottles checked for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by: *JR 9/1/21*Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____


Client Instructions: _____

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	2.4	Good				

Chain-of-Custody Record


**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Turn-Around Time:		<input type="checkbox"/> Standard <input type="checkbox"/> Rush	
Project Name:			
State 14 Com 2H (State 14)			
Project #:		701162.111.01	
Project Manager:		R. Pons	
Sampler:		M. Collier	
On Ice:		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
# of Coolers:		1	
Cooler Temp (including CF):		2.6 - 0.2 = 2.4	
Container Type and #	Preservative Type	HEAL No. 2109004	
Glass/1	Ice/Cool	001	
8/30/2021	S-4 1'		
9:05	S-5 1-1.5'		
9:10	S-6 1-2.5'		
9:15	S-7 1'		
9:20	S-8 7-8'		
9:25	S-9 7-8'		
9:30	S-10 4-5'		
9:35	S-11 5'		
9:40	S-12 5'		
9:45	S-13 2-3'		
10:00	SW-1 1'		
10:05	SW-2 1-1.5'		
Date: 8/30/21	Time: 1055	Relinquished by: M. Collier	Relinquished by: M. Collier
Date: 8/30/21	Time: 1900	Relinquished by: M. Collier	Relinquished by: M. Collier

Remarks:

PG 1 of 3

Chain-of-Custody Record

Client: Talon LPE

Mailing Address: 408 W. Texas Ave

Artesia, NM 88210

Phone #: 575.746.8768

Email or Fax#:

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)Accreditation: ☐ Az Compliance☐ NELAC ☐ Other☐ EDD (Type)

Turn-Around Time: 4 Days

☐ Standard ☐ Rush

Project Name:

State 14 Com 2H (State 14)

Project #:

701162.111.01

Project Manager:

R. Pons

Sampler: M. Collier

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 2.6 - 0.2 = 2.4

Container Type and #

Preservative Type

HEAL No.

Glass/1

Ice/Cool

013

014

015

016

017

018

019

020

021

022

023

024

025

026

027

028

029

030

031

032

033

034

035

036

037

038

039

040

041

042

043

044

045

046

047

048

049

050

051

052

053

054

055

056

057

058

059

060

061

062

063

064

065

066

067

068

069

070

071

072

073

074

075

076

077

078

079

080

081

082

083

084

085

086

087

088

089

090

091

092

093

094

095

096

097

098

099

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

Chain-of-Custody Record

Client: Talon LPE

Mailing Address: 408 W. Texas Ave

Artesia, NM 88210

Phone #: 575.746.8768

Email or Fax#:

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)Accreditation: ☐ Az Compliance☐ NELAC ☐ Other☐ EDD (Type)

Turn-Around Time:

4 days

☐ Standard ☐ Rush

Project Name:

State 14 Com 2H (State 14)

Project #:

701162.111.01

Project Manager:

R. Pons

Sampler: M. Collier

On Ice: ☒ Yes ☐ No

of Coolers: 1

Cooler Temp (including CF): 2.6 - 0.2 = 2.4

Date Time Matrix Sample Name

8/30/2021 11:00 Soil SW-15 4-5'

11:05 SW-16 5'

11:10 SW-17 5'

11:15 SW-18 2-3'

11:20 SW-19 2-3'

Date: 8/31/21 1025

Relinquished by: M. Collier

Date: 8/31/21 1025

Relinquished by: C. Collier

Received by:

Via:

Date

Time


Received by:

Via:

Date

Time

C. Collier 9/1/21 0730

HALL ENVIRONMENTAL
ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Chlorides

BTEX

TPH

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

Remarks:

Pg 3 of 3



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 23, 2022

REBECCA PONS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: CIMAREX ST. 14 COM

Enclosed are the results of analyses for samples received by the laboratory on 02/17/22 16:10.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	02/17/2022	Sampling Date:	02/17/2022
Reported:	02/23/2022	Sampling Type:	Soil
Project Name:	CIMAREX ST. 14 COM	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	EDDY CO NM		

Sample ID: BH 1 0-1' (H220633-01)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980	
Toluene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.05	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	02/19/2022	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 73.4 % 66.9-136

Surrogate: 1-Chlorooctadecane 80.1 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 1 2' (H220633-02)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980	
Toluene*	0.097	0.050	02/22/2022	ND	2.20	110	2.00	1.05	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	02/19/2022	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 68.5 % 66.9-136

Surrogate: 1-Chlorooctadecane 74.2 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 1 3' (H220633-03)

BTEx 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980		
Toluene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.05		
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45		
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66		
Total BTEX	<0.300	0.300	02/22/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	02/19/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 80.5 % 66.9-136

Surrogate: 1-Chlorooctadecane 88.7 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 1 4' (H220633-04)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980	
Toluene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.05	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	848	16.0	02/19/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 76.7 % 66.9-136

Surrogate: 1-Chlorooctadecane 81.2 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 1 5' (H220633-05)

BTEx 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980		
Toluene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.05		
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45		
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66		
Total BTEX	<0.300	0.300	02/22/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1600	16.0	02/19/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 79.7 % 66.9-136

Surrogate: 1-Chlorooctadecane 84.5 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 1 6' (H220633-06)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980	
Toluene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.05	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3920	16.0	02/19/2022	ND	416	104	400	0.00	QM-07

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 79.6 % 66.9-136

Surrogate: 1-Chlorooctadecane 84.2 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 1 7' (H220633-07)

BTEx 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980		
Toluene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.05		
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45		
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66		
Total BTEX	<0.300	0.300	02/22/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4560	16.0	02/19/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 81.2 % 66.9-136

Surrogate: 1-Chlorooctadecane 85.7 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 2 1' (H220633-08)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980	
Toluene*	0.093	0.050	02/22/2022	ND	2.20	110	2.00	1.05	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 78.4 % 66.9-136

Surrogate: 1-Chlorooctadecane 82.8 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 2 2' (H220633-09)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.24	112	2.00	0.980	
Toluene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.05	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.20	110	2.00	1.45	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.79	113	6.00	1.66	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	02/19/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 76.5 % 66.9-136

Surrogate: 1-Chlorooctadecane 77.7 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 2 3' (H220633-10)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411	
Toluene*	0.123	0.050	02/22/2022	ND	2.19	110	2.00	0.479	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	544	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 87.4 % 66.9-136

Surrogate: 1-Chlorooctadecane 91.8 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 2 4' (H220633-11)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411	
Toluene*	0.059	0.050	02/22/2022	ND	2.19	110	2.00	0.479	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	688	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 83.2 % 66.9-136

Surrogate: 1-Chlorooctadecane 86.1 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 2 5' (H220633-12)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411	
Toluene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.479	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1230	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 85.6 % 66.9-136

Surrogate: 1-Chlorooctadecane 89.0 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 2 6' (H220633-13)

BTEx 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411		
Toluene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.479		
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950		
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80		
Total BTEX	<0.300	0.300	02/22/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	3440	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 79.6 % 66.9-136

Surrogate: 1-Chlorooctadecane 80.3 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 2 7' (H220633-14)

BTEx 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411		
Toluene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.479		
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950		
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80		
Total BTEX	<0.300	0.300	02/22/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1790	16.0	02/19/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 80.5 % 66.9-136

Surrogate: 1-Chlorooctadecane 82.6 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 3 1' (H220633-15)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411	
Toluene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.479	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	22.3	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 79.6 % 66.9-136

Surrogate: 1-Chlorooctadecane 83.5 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 3 2' (H220633-16)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411	
Toluene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.479	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	240	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	13.4	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 89.0 % 66.9-136

Surrogate: 1-Chlorooctadecane 95.0 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 3 3' (H220633-17)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411	
Toluene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.479	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	<10.0	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 79.0 % 66.9-136

Surrogate: 1-Chlorooctadecane 82.8 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 02/17/2022
 Reported: 02/23/2022
 Project Name: CIMAREX ST. 14 COM
 Project Number: 701162.114.01
 Project Location: EDDY CO NM

Sampling Date: 02/17/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BH 3 4' (H220633-18)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/22/2022	ND	2.19	110	2.00	0.0411	
Toluene*	0.083	0.050	02/22/2022	ND	2.19	110	2.00	0.479	
Ethylbenzene*	<0.050	0.050	02/22/2022	ND	2.11	106	2.00	0.950	
Total Xylenes*	<0.150	0.150	02/22/2022	ND	6.57	109	6.00	1.80	
Total BTEX	<0.300	0.300	02/22/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	02/19/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/21/2022	ND	195	97.5	200	2.99	
DRO >C10-C28*	26.2	10.0	02/21/2022	ND	193	96.7	200	2.90	
EXT DRO >C28-C36	<10.0	10.0	02/21/2022	ND					

Surrogate: 1-Chlorooctane 85.3 % 66.9-136

Surrogate: 1-Chlorooctadecane 92.3 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tallow Creek		P.O. #:		BILL TO		ANALYSIS REQUEST	
Project Manager: R. Pous		Company:					
Address: 504 Texas		Attn:					
City: Austin	State:	Zip:	Address:				
Phone #: 512-744-8060	Fax #:	City:	State:	Zip:			
Project #: 701162.114.01		Project Owner:					
Project Name: Cinnat + Stiles		Phone #:					
Project Location: EDRY		Fax #:					
Sampler Name: J. Pous		MATRIX		PRESERV.	SAMPLING		
FOR LAB USE ONLY							
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL
				SLUDGE	OTHER :	ACID/BASE:	ICE / COOL
						OTHER :	
H20633	R2J2 1'					DATE	TIME
8	R2J2 2'					2:17	11:10
9	R2J2 3'						11:13
10	R2J2 4'						11:14
11	R2J2 5'						11:15
12	R2J2 6'						11:16
13	R2J2 7'						11:17
14							

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 2-17-22	Received By:	Date: 2-17-22
Time:		Time:	
Relinquished By:		Received By:	
Date:		Date:	
Time:		Time:	

Delivered By: (Circle One) ☒ Sample Condition ☐ Cool ☐ Intact ☐ Yes ☐ No

Observed Temp. °C 5.9 **Corrected Temp. °C** 5.4

CHECKED BY: (Initials) YP

Turnaround Time: Standard ☒ Rush ☐

Bacteria (only) ☐ Bacteria (only) ☐ Sample Condition ☐ Cool ☐ Intact ☐ Yes ☐ No

Thermometer ID #113 **Correction Factor -0.5°C** **Observed Temp. °C** **Corrected Temp. °C**

REMARKS: Results: 2.2 mg/L PCBs, 1.1 mg/L PAHs, 1.1 mg/L TPH, 1.1 mg/L BTX



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]



Environment Testing America

ANALYTICAL REPORT

Eurofins Carlsbad
1089 N Canal St.
Carlsbad, NM 88220
Tel: (575)988-3199

Laboratory Job ID: 890-1997-1

Laboratory Sample Delivery Group: Eddy Co NM
Client Project/Site: State 14 Com 2 - 701162.114.01

For:

Talon/LPE
408 W. Texas St.
Artesia, New Mexico 88210

Attn: Rebecca Pons

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:
2/28/2022 4:53:22 PM

Jessica Kramer, Project Manager
(432)704-5440
jessica.kramer@eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Laboratory Job ID: 890-1997-1
SDG: Eddy Co NM

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Surrogate Summary	7
QC Sample Results	8
QC Association Summary	11
Lab Chronicle	13
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	18

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Definitions/Glossary

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Job ID: 890-1997-1

Laboratory: Eurofins Carlsbad

Narrative

Job Narrative
890-1997-1

Receipt

The samples were received on 2/22/2022 1:40 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 13.2°C

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-20208 and analytical batch 880-20289 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8021B: Surrogate recovery for the following sample was outside control limits: (880-11518-A-21-G). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following samples were outside control limits: (880-11518-A-21-E MS) and (880-11518-A-21-F MSD). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Client Sample ID: TT-1

Lab Sample ID: 890-1997-1

Date Collected: 02/22/22 11:15

Matrix: Solid

Date Received: 02/22/22 13:40

Sample Depth: 8

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg	-	02/24/22 11:00	02/28/22 02:03	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg	-	02/24/22 11:00	02/28/22 02:03	1
Ethylbenzene	0.00149	J	0.00200	0.000564	mg/Kg	-	02/24/22 11:00	02/28/22 02:03	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg	-	02/24/22 11:00	02/28/22 02:03	1
o-Xylene	0.00130	J	0.00200	0.000343	mg/Kg	-	02/24/22 11:00	02/28/22 02:03	1
Xylenes, Total	0.00130	J	0.00399	0.00101	mg/Kg	-	02/24/22 11:00	02/28/22 02:03	1
Methyl tert-butyl ether	<0.00163	U	0.00998	0.00163	mg/Kg	-	02/24/22 11:00	02/28/22 02:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	96		70 - 130				02/24/22 11:00	02/28/22 02:03	1
4-Bromofluorobenzene (Surr)	110		70 - 130				02/24/22 11:00	02/28/22 02:03	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00279	J	0.00399	0.00101	mg/Kg	-		02/28/22 11:39	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	154		50.0	15.0	mg/Kg	-		02/25/22 15:07	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg	-	02/23/22 11:20	02/24/22 18:57	1
Diesel Range Organics (Over C10-C28)	154		50.0	15.0	mg/Kg	-	02/23/22 11:20	02/24/22 18:57	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg	-	02/23/22 11:20	02/24/22 18:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130				02/23/22 11:20	02/24/22 18:57	1
o-Terphenyl	83		70 - 130				02/23/22 11:20	02/24/22 18:57	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	766		5.02	0.862	mg/Kg	-		02/25/22 21:42	1

Client Sample ID: TT-SW

Lab Sample ID: 890-1997-2

Date Collected: 02/22/22 12:00

Matrix: Solid

Date Received: 02/22/22 13:40

Sample Depth: 8

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg	-	02/24/22 11:00	02/28/22 02:23	1
Toluene	<0.000451	U	0.00198	0.000451	mg/Kg	-	02/24/22 11:00	02/28/22 02:23	1
Ethylbenzene	<0.000559	U	0.00198	0.000559	mg/Kg	-	02/24/22 11:00	02/28/22 02:23	1
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg	-	02/24/22 11:00	02/28/22 02:23	1
o-Xylene	<0.000341	U	0.00198	0.000341	mg/Kg	-	02/24/22 11:00	02/28/22 02:23	1
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg	-	02/24/22 11:00	02/28/22 02:23	1
Methyl tert-butyl ether	<0.00161	U	0.00990	0.00161	mg/Kg	-	02/24/22 11:00	02/28/22 02:23	1

Eurofins Carlsbad

Client Sample Results

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Client Sample ID: TT-SW

Lab Sample ID: 890-1997-2

Date Collected: 02/22/22 12:00

Matrix: Solid

Date Received: 02/22/22 13:40

Sample Depth: 8

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	98		70 - 130	02/24/22 11:00	02/28/22 02:23	1
4-Bromofluorobenzene (Surr)	104		70 - 130	02/24/22 11:00	02/28/22 02:23	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00396	0.00100	mg/Kg	-		02/28/22 11:39	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.0	U	49.9	15.0	mg/Kg	-		02/25/22 15:07	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	49.9	15.0	mg/Kg	-	02/23/22 11:20	02/24/22 19:17	1
Diesel Range Organics (Over C10-C28)	<15.0	U	49.9	15.0	mg/Kg	-	02/23/22 11:20	02/24/22 19:17	1
Oil Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg	-	02/23/22 11:20	02/24/22 19:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				02/23/22 11:20	02/24/22 19:17	1
o-Terphenyl	73		70 - 130				02/23/22 11:20	02/24/22 19:17	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.9		4.99	0.857	mg/Kg	-		02/25/22 21:48	1

Eurofins Carlsbad

Surrogate Summary

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	DFBZ1 (70-130)	BFB1 (70-130)
890-1997-1	TT-1	96	110
890-1997-2	TT-SW	98	104
LCS 880-20208/1-A	Lab Control Sample	101	100
LCSD 880-20208/2-A	Lab Control Sample Dup	100	101
MB 880-20208/5-A	Method Blank	94	101
MB 880-20241/5-A	Method Blank	94	99
Surrogate Legend			
DFBZ = 1,4-Difluorobenzene (Surr)			
BFB = 4-Bromofluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-1997-1	TT-1	81	83
890-1997-2	TT-SW	76	73
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO2 (70-130)	OTPH2 (70-130)
LCS 880-20142/2-A	Lab Control Sample	110	123
LCSD 880-20142/3-A	Lab Control Sample Dup	102	101
MB 880-20142/1-A	Method Blank	96	100
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

Eurofins Carlsbad

QC Sample Results

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-20208/5-A

Matrix: Solid

Analysis Batch: 20289

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 20208

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		02/24/22 11:00	02/27/22 18:29	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		02/24/22 11:00	02/27/22 18:29	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		02/24/22 11:00	02/27/22 18:29	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		02/24/22 11:00	02/27/22 18:29	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		02/24/22 11:00	02/27/22 18:29	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		02/24/22 11:00	02/27/22 18:29	1
Methyl tert-butyl ether	<0.00163	U	0.0100	0.00163	mg/Kg		02/24/22 11:00	02/27/22 18:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	94		70 - 130	02/24/22 11:00	02/27/22 18:29	1
4-Bromofluorobenzene (Surr)	101		70 - 130	02/24/22 11:00	02/27/22 18:29	1

Lab Sample ID: LCS 880-20208/1-A

Matrix: Solid

Analysis Batch: 20289

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 20208

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.1079		mg/Kg		108	70 - 130
Toluene	0.100	0.1058		mg/Kg		106	70 - 130
Ethylbenzene	0.100	0.1046		mg/Kg		105	70 - 130
m-Xylene & p-Xylene	0.200	0.2188		mg/Kg		109	70 - 130
o-Xylene	0.100	0.1060		mg/Kg		106	70 - 130
Methyl tert-butyl ether	0.500	0.4591		mg/Kg		92	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,4-Difluorobenzene (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-20208/2-A

Matrix: Solid

Analysis Batch: 20289

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 20208

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.100	0.1021		mg/Kg		102	70 - 130	6	35
Toluene	0.100	0.1001		mg/Kg		100	70 - 130	5	35
Ethylbenzene	0.100	0.09987		mg/Kg		100	70 - 130	5	35
m-Xylene & p-Xylene	0.200	0.2088		mg/Kg		104	70 - 130	5	35
o-Xylene	0.100	0.1015		mg/Kg		102	70 - 130	4	35
Methyl tert-butyl ether	0.500	0.4363		mg/Kg		87	70 - 130	5	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,4-Difluorobenzene (Surr)	100		70 - 130
4-Bromofluorobenzene (Surr)	101		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-20241/5-A

Matrix: Solid

Analysis Batch: 20289

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 20241

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		02/25/22 16:00	02/27/22 07:06	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		02/25/22 16:00	02/27/22 07:06	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		02/25/22 16:00	02/27/22 07:06	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		02/25/22 16:00	02/27/22 07:06	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		02/25/22 16:00	02/27/22 07:06	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		02/25/22 16:00	02/27/22 07:06	1
Methyl tert-butyl ether	<0.00163	U	0.0100	0.00163	mg/Kg		02/25/22 16:00	02/27/22 07:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	94		70 - 130	02/25/22 16:00	02/27/22 07:06	1
4-Bromofluorobenzene (Surr)	99		70 - 130	02/25/22 16:00	02/27/22 07:06	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-20142/1-A

Matrix: Solid

Analysis Batch: 20195

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 20142

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		02/23/22 11:20	02/24/22 11:50	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		02/23/22 11:20	02/24/22 11:50	1
Oil Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		02/23/22 11:20	02/24/22 11:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	96		70 - 130	02/23/22 11:20	02/24/22 11:50	1
o-Terphenyl	100		70 - 130	02/23/22 11:20	02/24/22 11:50	1

Lab Sample ID: LCS 880-20142/2-A

Matrix: Solid

Analysis Batch: 20195

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 20142

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)-C6-C10	1000	974.0		mg/Kg		97	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1032		mg/Kg		103	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1-Chlorooctane	110		70 - 130
o-Terphenyl	123		70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-20142/3-A

Matrix: Solid

Analysis Batch: 20195

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 20142

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	924.9		mg/Kg		92	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	1000	912.6		mg/Kg		91	70 - 130	12	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	102		70 - 130						
o-Terphenyl	101		70 - 130						

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-20129/1-A

Matrix: Solid

Analysis Batch: 20336

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.858	U	5.00	0.858	mg/Kg			02/25/22 19:10	1

Lab Sample ID: LCS 880-20129/2-A

Matrix: Solid

Analysis Batch: 20336

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	250	258.8		mg/Kg		104	90 - 110		

Lab Sample ID: LCSD 880-20129/3-A

Matrix: Solid

Analysis Batch: 20336

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	265.2		mg/Kg		106	90 - 110	2	20

Eurofins Carlsbad

QC Association Summary

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

GC VOA

Prep Batch: 20208

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Total/NA	Solid	5035	
890-1997-2	TT-SW	Total/NA	Solid	5035	
MB 880-20208/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-20208/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-20208/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Prep Batch: 20241

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-20241/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 20289

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Total/NA	Solid	8021B	20208
890-1997-2	TT-SW	Total/NA	Solid	8021B	20208
MB 880-20208/5-A	Method Blank	Total/NA	Solid	8021B	20208
MB 880-20241/5-A	Method Blank	Total/NA	Solid	8021B	20241
LCS 880-20208/1-A	Lab Control Sample	Total/NA	Solid	8021B	20208
LCSD 880-20208/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	20208

Analysis Batch: 20485

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Total/NA	Solid	Total BTEX	
890-1997-2	TT-SW	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 20142

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Total/NA	Solid	8015NM Prep	
890-1997-2	TT-SW	Total/NA	Solid	8015NM Prep	
MB 880-20142/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-20142/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-20142/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 20195

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Total/NA	Solid	8015B NM	20142
890-1997-2	TT-SW	Total/NA	Solid	8015B NM	20142
MB 880-20142/1-A	Method Blank	Total/NA	Solid	8015B NM	20142
LCS 880-20142/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	20142
LCSD 880-20142/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	20142

Analysis Batch: 20338

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Total/NA	Solid	8015 NM	
890-1997-2	TT-SW	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 20129

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Soluble	Solid	DI Leach	

Eurofins Carlsbad

QC Association Summary

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

HPLC/IC (Continued)

Leach Batch: 20129 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-2	TT-SW	Soluble	Solid	DI Leach	
MB 880-20129/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-20129/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-20129/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	

Analysis Batch: 20336

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-1997-1	TT-1	Soluble	Solid	300.0	20129
890-1997-2	TT-SW	Soluble	Solid	300.0	20129
MB 880-20129/1-A	Method Blank	Soluble	Solid	300.0	20129
LCS 880-20129/2-A	Lab Control Sample	Soluble	Solid	300.0	20129
LCSD 880-20129/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	20129

Lab Chronicle

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Client Sample ID: TT-1

Lab Sample ID: 890-1997-1

Date Collected: 02/22/22 11:15

Matrix: Solid

Date Received: 02/22/22 13:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	20208	02/24/22 11:00	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	20289	02/28/22 02:03	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			20485	02/28/22 11:39	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			20338	02/25/22 15:07	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	20142	02/23/22 11:20	DM	XEN MID
Total/NA	Analysis	8015B NM		1			20195	02/24/22 18:57	AJ	XEN MID
Soluble	Leach	DI Leach			4.98 g	50 mL	20129	02/23/22 09:37	CH	XEN MID
Soluble	Analysis	300.0		1			20336	02/25/22 21:42	CH	XEN MID

Client Sample ID: TT-SW

Lab Sample ID: 890-1997-2

Date Collected: 02/22/22 12:00

Matrix: Solid

Date Received: 02/22/22 13:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	20208	02/24/22 11:00	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	20289	02/28/22 02:23	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			20485	02/28/22 11:39	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			20338	02/25/22 15:07	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	20142	02/23/22 11:20	DM	XEN MID
Total/NA	Analysis	8015B NM		1			20195	02/24/22 19:17	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	20129	02/23/22 09:37	CH	XEN MID
Soluble	Analysis	300.0		1			20336	02/25/22 21:48	CH	XEN MID

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

Accreditation/Certification Summary

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-21-22	06-30-22
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XEN MID
Total BTEX	Total BTEX Calculation	TAL SOP	XEN MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
300.0	Anions, Ion Chromatography	MCAWW	XEN MID
5035	Closed System Purge and Trap	SW846	XEN MID
8015NM Prep	Microextraction	SW846	XEN MID
DI Leach	Deionized Water Leaching Procedure	ASTM	XEN MID

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Carlsbad

Sample Summary

Client: Talon/LPE
Project/Site: State 14 Com 2 - 701162.114.01

Job ID: 890-1997-1
SDG: Eddy Co NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-1997-1	TT-1	Solid	02/22/22 11:15	02/22/22 13:40	8
890-1997-2	TT-SW	Solid	02/22/22 12:00	02/22/22 13:40	8

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Chain of Custody

Work Order No:

www.xenco.com Page ____ of ____

Project Manager:	R. Pons	Bill to: (if different)	
Company Name:	Talon LPE	Company Name:	
Address:	408 W. Texas Ave	Address:	
City, State ZIP:	Artesia, NM 88210	City, State ZIP:	
Phone:	575-746-8768	Email:	

Work Order Comments	
Program: UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>	
State of Project:	
Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>	
Deliverables: EDD <input type="checkbox"/> ADaBT <input type="checkbox"/> Other:	

[illegible][illegible]

Total	200.7 / 6010	200.8 / 6020:
8RCRA	13PPM	Texas 11
		Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
		TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U
		Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xeno, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xeno will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xeno. A minimum charge of \$85.00 will be applied to each project and a charge of \$3 for each sample submitted to Eurofins Xeno, but not analyzed. These terms will be enforced unless previously negated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
James Lee	Clue Corp	2-22-22 1340			

Revised Date 08/25/2020 Rev. 2020

Login Sample Receipt Checklist

Client: Talon/LPE

Job Number: 890-1997-1

SDG Number: Eddy Co NM

Login Number: 1997**List Number: 1****Creator: Clifton, Cloe****List Source: Eurofins Carlsbad**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Talon/LPE

Job Number: 890-1997-1

SDG Number: Eddy Co NM

Login Number: 1997**List Number: 2****Creator: Teel, Brianna****List Source: Eurofins Midland****List Creation: 02/23/22 11:30 AM**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 07, 2022

REBECCA PONS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: STATE 14 COM

Enclosed are the results of analyses for samples received by the laboratory on 04/04/22 9:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	04/04/2022	Sampling Date:	04/02/2022
Reported:	04/07/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM	Sampling Condition:	Cool & Intact
Project Number:	701162.11.01	Sample Received By:	Shalyn Rodriguez
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: TT - 1 @ 9' (H221325-01)

BTEX 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/05/2022	ND	2.17	109	2.00	7.52		
Toluene*	<0.050	0.050	04/05/2022	ND	2.16	108	2.00	8.38		
Ethylbenzene*	<0.050	0.050	04/05/2022	ND	2.14	107	2.00	7.55		
Total Xylenes*	<0.150	0.150	04/05/2022	ND	6.63	111	6.00	7.31		
Total BTEX	<0.300	0.300	04/05/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	04/05/2022	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	04/05/2022	ND	178	89.2	200	0.584	
DRO >C10-C28*	<10.0	10.0	04/05/2022	ND	202	101	200	6.22	
EXT DRO >C28-C36	<10.0	10.0	04/05/2022	ND					

Surrogate: 1-Chlorooctane 68.3 % 66.9-136

Surrogate: 1-Chlorooctadecane 66.1 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 12, 2022

REBECCA PONS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: STATE 14 COM 2

Enclosed are the results of analyses for samples received by the laboratory on 05/10/22 8:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 1 A 4' (H221960-01)

BTX 8021B		mg/kg		Analyzed By: MS/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41	
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46	
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76	
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95	
Total BTX	<0.300	0.300	05/11/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	05/11/2022	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	202	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	48.3	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 103 % 66.9-136

Surrogate: 1-Chlorooctadecane 109 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 2 A 4' (H221960-02)

BTEx 8021B		mg/kg		Analyzed By: MS/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41		
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95		
Total BTEX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	416	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	513	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	94.6	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 90.1 % 66.9-136

Surrogate: 1-Chlorooctadecane 101 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 3 A 4' (H221960-03)

BTEx 8021B		mg/kg		Analyzed By: MS/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41		
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95		
Total BTEX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	480	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	161	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	36.9	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 86.6 % 66.9-136

Surrogate: 1-Chlorooctadecane 96.2 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 4 A 4' (H221960-04)

BTEx 8021B		mg/kg		Analyzed By: MS/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41		
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95		
Total BTEX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	432	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52		
DRO >C10-C28*	446	10.0	05/11/2022	ND	179	89.3	200	4.45		
EXT DRO >C28-C36	90.7	10.0	05/11/2022	ND						

Surrogate: 1-Chlorooctane 95.8 % 66.9-136

Surrogate: 1-Chlorooctadecane 103 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 5 A 4' (H221960-05)

BTEx 8021B		mg/kg		Analyzed By: MS/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41		
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95		
Total BTEX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	848	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	171	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	34.9	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 90.9 % 66.9-136

Surrogate: 1-Chlorooctadecane 102 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 6 A 4' (H221960-06)

BTEx 8021B		mg/kg		Analyzed By: MS/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41		
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95		
Total BTEX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	512	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	325	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	72.2	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 90.9 % 66.9-136

Surrogate: 1-Chlorooctadecane 103 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CARDINAL
Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 12, 2022

REBECCA PONS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: STATE 14 COM 2

Enclosed are the results of analyses for samples received by the laboratory on 05/10/22 8:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: E. SW - 1 (H221961-01)

BTEx 8021B		mg/kg		Analyzed By: MS/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41	
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46	
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76	
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95	
Total BTEx	<0.300	0.300	05/11/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	368	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	<10.0	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	<10.0	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 91.0 % 66.9-136

Surrogate: 1-Chlorooctadecane 95.2 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: E. SW - 2 (H221961-02)

BTX 8021B		mg/kg		Analyzed By: MS/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41		
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95		
Total BTX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	480	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	212	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	54.0	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 90.2 % 66.9-136

Surrogate: 1-Chlorooctadecane 99.5 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: W. SW - 1 (H221961-03)

BTEx 8021B		mg/kg		Analyzed By: MS/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	1.41		
Toluene*	<0.050	0.050	05/11/2022	ND	2.01	101	2.00	1.46		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	1.90	95.1	2.00	1.76		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	5.91	98.5	6.00	1.95		
Total BTEX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	<10.0	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	<10.0	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 95.6 % 66.9-136

Surrogate: 1-Chlorooctadecane 99.4 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: W. SW - 2 (H221961-04)

BTX 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.13	106	2.00	6.22		
Toluene*	<0.050	0.050	05/11/2022	ND	2.09	104	2.00	6.68		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	6.30		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	6.32	105	6.00	6.43		
Total BTX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	<10.0	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	<10.0	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 91.8 % 66.9-136

Surrogate: 1-Chlorooctadecane 97.4 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S. SW (H221961-05)

BTX 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.13	106	2.00	6.22		
Toluene*	<0.050	0.050	05/11/2022	ND	2.09	104	2.00	6.68		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	6.30		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	6.32	105	6.00	6.43		
Total BTX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	224	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	<10.0	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	<10.0	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 92.1 % 66.9-136

Surrogate: 1-Chlorooctadecane 96.1 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/10/2022	Sampling Date:	05/09/2022
Reported:	05/12/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Tamara Oldaker
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: N. SW (H221961-06)

BTEx 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/11/2022	ND	2.13	106	2.00	6.22		
Toluene*	<0.050	0.050	05/11/2022	ND	2.09	104	2.00	6.68		
Ethylbenzene*	<0.050	0.050	05/11/2022	ND	2.04	102	2.00	6.30		
Total Xylenes*	<0.150	0.150	05/11/2022	ND	6.32	105	6.00	6.43		
Total BTEX	<0.300	0.300	05/11/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	05/11/2022	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/11/2022	ND	199	99.4	200	2.52	
DRO >C10-C28*	<10.0	10.0	05/11/2022	ND	179	89.3	200	4.45	
EXT DRO >C28-C36	<10.0	10.0	05/11/2022	ND					

Surrogate: 1-Chlorooctane 85.2 % 66.9-136

Surrogate: 1-Chlorooctadecane 88.2 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Talon LPE		BILL TO		ANALYSIS REQUEST																															
Project Manager: R. Pons		P.O. #:																																	
Address: 408 W. Texas Ave		Company:																																	
City: Artesia		Attn:																																	
Phone #: 575.746.8768		Address:																																	
Fax #: 575.746.8768		City:																																	
Project #: 701162.114.01		State: NM		Zip: 88210																															
Project Name: State 14 Com 2		City:		State:		Zip:																													
Project Location: Eddy County, NM		Phone #:		Fax #:																															
Sampler Name: J. Carnes		FOR LAB USE ONLY																																	
Lab I.D.		Sample I.D.																																	
H221961		1 E.SW-1		(G)RAB OR (C)OMP.		# CONTAINERS		GROUNDWATER		WASTEWATER		SOIL		OIL		SLUDGE		OTHER :		ACID/BASE:		ICE / COOL		OTHER :		DATE		TIME		TPH		BTX		Chlorides	
2 E.SW-2		3 W.SW-1		4 W.SW-2		5 S.SW		6 N.SW		X		X		X		X		X		X		X		X		X		X		X		X		X	
5-10-22		3-10-22		5-9-22		11:10		11:15		11:06		11:05		11:25		11:25		11:25		11:25		11:25		11:25		11:25		11:25		11:25		11:25		11:25	
Relinquished By: <i>Amo Lee</i>		Received By: <i>Yvonne Black</i>																																	
Date: 5-10-22		Time: 8:20																																	
Delivered By: (Circle One) <i>2.72</i>		Sample Condition																																	
Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/>																																			
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>																																			
Checked BY: (Initials) <i>2.72</i>																																			
Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/>																																			
Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/>																																			
Add'l Phone #:																																			
Add'l Fax #:																																			
REMARKS:																																			

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 12, 2022

REBECCA PONS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: STATE 14 COM 2

Enclosed are the results of analyses for samples received by the laboratory on 05/10/22 8:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:TALON LPE
408 W. TEXAS AVE.
ARTESIA NM, 88210Project: STATE 14 COM 2
Project Number: 701162.114.01
Project Manager: REBECCA PONS
Fax To: (575) 745-8905Reported:
12-May-22 13:15

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
S - 7 A 4'	H221962-01	Soil	09-May-22 14:00	10-May-22 08:20
S - 8 A 4'	H221962-02	Soil	09-May-22 14:05	10-May-22 08:20

05/12/22 - Client added BTEX and Chloride to sample -02 on 05/10/22. This is the revised report and will replace the one sent on 05/10/22.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
408 W. TEXAS AVE.
ARTESIA NM, 88210

Project: STATE 14 COM 2
Project Number: 701162.114.01
Project Manager: REBECCA PONS
Fax To: (575) 745-8905

Reported:
12-May-22 13:15

S - 7 A 4'
H221962-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Petroleum Hydrocarbons by GC FID**

GRO C6-C10*	<10.0		10.0	mg/kg	1	2051008	MS	10-May-22	8015B	
DRO >C10-C28*	105		10.0	mg/kg	1	2051008	MS	10-May-22	8015B	
EXT DRO >C28-C36	25.1		10.0	mg/kg	1	2051008	MS	10-May-22	8015B	
Surrogate: 1-Chlorooctane			84.0 %		66.9-136	2051008	MS	10-May-22	8015B	
Surrogate: 1-Chlorooctadecane			103 %		59.5-142	2051008	MS	10-May-22	8015B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
408 W. TEXAS AVE.
ARTESIA NM, 88210

Project: STATE 14 COM 2
Project Number: 701162.114.01
Project Manager: REBECCA PONS
Fax To: (575) 745-8905

Reported:
12-May-22 13:15

S - 8 A 4'
H221962-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	2480		16.0	mg/kg	4	2051123	GM	11-May-22	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	2051023	MS/	11-May-22	8021B	
Toluene*	<0.050		0.050	mg/kg	50	2051023	MS/	11-May-22	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	2051023	MS/	11-May-22	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	2051023	MS/	11-May-22	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	2051023	MS/	11-May-22	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			101 %		69.9-140	2051023	MS/	11-May-22	8021B	
--	--	--	-------	--	----------	---------	-----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	2051008	MS	10-May-22	8015B	
DRO >C10-C28*	73.8		10.0	mg/kg	1	2051008	MS	10-May-22	8015B	
EXT DRO >C28-C36	18.2		10.0	mg/kg	1	2051008	MS	10-May-22	8015B	

<i>Surrogate: 1-Chlorooctane</i>			77.5 %		66.9-136	2051008	MS	10-May-22	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			93.7 %		59.5-142	2051008	MS	10-May-22	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
408 W. TEXAS AVE.
ARTESIA NM, 88210

Project: STATE 14 COM 2
Project Number: 701162.114.01
Project Manager: REBECCA PONS
Fax To: (575) 745-8905

Reported:
12-May-22 13:15

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 2051123 - 1:4 DI Water									
Blank (2051123-BLK1)					Prepared & Analyzed: 11-May-22				
Chloride	ND	16.0	mg/kg						
LCS (2051123-BS1)					Prepared & Analyzed: 11-May-22				
Chloride	432	16.0	mg/kg	400	108	80-120			
LCS Dup (2051123-BSD1)					Prepared & Analyzed: 11-May-22				
Chloride	432	16.0	mg/kg	400	108	80-120	0.00	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
408 W. TEXAS AVE.
ARTESIA NM, 88210

Project: STATE 14 COM 2
Project Number: 701162.114.01
Project Manager: REBECCA PONS
Fax To: (575) 745-8905

Reported:
12-May-22 13:15

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2051023 - Volatiles**Blank (2051023-BLK1)**

Prepared: 10-May-22 Analyzed: 11-May-22

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0500		mg/kg	0.0500		100	69.9-140			

LCS (2051023-BS1)

Prepared: 10-May-22 Analyzed: 11-May-22

Benzene	2.06	0.050	mg/kg	2.00		103	83.4-122			
Toluene	2.04	0.050	mg/kg	2.00		102	84.2-126			
Ethylbenzene	1.92	0.050	mg/kg	2.00		96.2	84.2-121			
m,p-Xylene	4.06	0.100	mg/kg	4.00		101	89.9-126			
o-Xylene	1.95	0.050	mg/kg	2.00		97.7	84.3-123			
Total Xylenes	6.01	0.150	mg/kg	6.00		100	89.1-124			
Surrogate: 4-Bromofluorobenzene (PID)	0.0487		mg/kg	0.0500		97.5	69.9-140			

LCS Dup (2051023-BS1)

Prepared: 10-May-22 Analyzed: 11-May-22

Benzene	1.94	0.050	mg/kg	2.00		96.8	83.4-122	6.05	12.6	
Toluene	1.90	0.050	mg/kg	2.00		95.1	84.2-126	6.92	13.3	
Ethylbenzene	1.80	0.050	mg/kg	2.00		90.1	84.2-121	6.50	13.9	
m,p-Xylene	3.83	0.100	mg/kg	4.00		95.7	89.9-126	5.81	13.6	
o-Xylene	1.84	0.050	mg/kg	2.00		92.2	84.3-123	5.78	14.1	
Total Xylenes	5.67	0.150	mg/kg	6.00		94.5	89.1-124	5.80	13.4	
Surrogate: 4-Bromofluorobenzene (PID)	0.0485		mg/kg	0.0500		96.9	69.9-140			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
408 W. TEXAS AVE.
ARTESIA NM, 88210

Project: STATE 14 COM 2
Project Number: 701162.114.01
Project Manager: REBECCA PONS
Fax To: (575) 745-8905

Reported:
12-May-22 13:15

Petroleum Hydrocarbons by GC FID - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 2051008 - General Prep - Organics**Blank (2051008-BLK1)**

Prepared & Analyzed: 10-May-22

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	41.7		mg/kg	50.0		83.4	66.9-136			
Surrogate: 1-Chlorooctadecane	48.2		mg/kg	50.0		96.3	59.5-142			

LCS (2051008-BS1)

Prepared & Analyzed: 10-May-22

GRO C6-C10	191	10.0	mg/kg	200		95.7	78.5-128			
DRO >C10-C28	199	10.0	mg/kg	200		99.6	75.8-135			
Total TPH C6-C28	391	10.0	mg/kg	400		97.7	81.5-127			
Surrogate: 1-Chlorooctane	47.9		mg/kg	50.0		95.8	66.9-136			
Surrogate: 1-Chlorooctadecane	58.8		mg/kg	50.0		118	59.5-142			

LCS Dup (2051008-BSD1)

Prepared & Analyzed: 10-May-22

GRO C6-C10	184	10.0	mg/kg	200		92.2	78.5-128	3.78	21.4	
DRO >C10-C28	187	10.0	mg/kg	200		93.7	75.8-135	6.13	17.9	
Total TPH C6-C28	372	10.0	mg/kg	400		92.9	81.5-127	4.97	17.6	
Surrogate: 1-Chlorooctane	44.1		mg/kg	50.0		88.2	66.9-136			
Surrogate: 1-Chlorooctadecane	53.7		mg/kg	50.0		107	59.5-142			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "C. D. Keene", written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Talon LPE		BILL TO		ANALYSIS REQUEST			
Project Manager: R. Pons		P.O. #:					
Address: 408 W. Texas Ave		Company:					
City: Artesia		Attn:					
State: NIM zip: 88210		Address:					
Phone #: 575.746.8768		City:					
Fax #: 701162.114.01		State:					
Project #: 701162.114.01		Zip:					
Project Name: State 14 Com 2		Phone #:					
Project Location: Eddy County, NM		Fax #:					
Sampler Name: J. Carnes		PRESERV		SAMPLING			

[illegible]

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, service, or its customers. Cardinal disclaims any representation or warranty, express or implied, regarding the accuracy, completeness, or timeliness of the information provided by Cardinal or its service providers.

Relinquished By: <u>James Lee</u>				Date: <u>5-10-22</u>				Received By: <u>Shirley Lee</u>				Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No				Add'l Phone #:			
Relinquished By: _____				Time: <u>0800</u>				Received By: _____				Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No				Add'l Fax #:			
Delivered By: (Circle One) <u>2.7e</u>				Date: _____				Sample Condition				CHECKED BY:				REMARKS: <u>SAME day</u> <u>5/10/22 - James added BTEX & d</u> <u>to #2. Normal TAT.</u> <u>JA</u>			
Sampler - UPS - Bus - Other: <u>2.2e #113</u>				Time: _____				Cool <input type="checkbox"/> Yes <input type="checkbox"/> No				Intact <input type="checkbox"/> Yes <input type="checkbox"/> No							
												<u>2.0.5e</u>							



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 13, 2022

REBECCA PONS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: STATE 14 COM 2

Enclosed are the results of analyses for samples received by the laboratory on 05/11/22 11:10.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/11/2022	Sampling Date:	05/11/2022
Reported:	05/13/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Shalyn Rodriguez
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 7 B 5' (H221988-01)

BTX 8021B		mg/kg		Analyzed By: MS/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/12/2022	ND	2.19	109	2.00	13.0	
Toluene*	<0.050	0.050	05/12/2022	ND	2.15	108	2.00	12.9	
Ethylbenzene*	<0.050	0.050	05/12/2022	ND	2.01	101	2.00	12.3	
Total Xylenes*	<0.150	0.150	05/12/2022	ND	6.27	105	6.00	12.1	
Total BTX	<0.300	0.300	05/12/2022	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	05/12/2022	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/12/2022	ND	182	91.0	200	0.554	
DRO >C10-C28*	<10.0	10.0	05/12/2022	ND	195	97.4	200	1.30	
EXT DRO >C28-C36	<10.0	10.0	05/12/2022	ND					

Surrogate: 1-Chlorooctane 72.4 % 66.9-136

Surrogate: 1-Chlorooctadecane 81.0 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-04	The RPD for the BS/BSD was outside of historical limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



CARDINAL
Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240

(575) 393-2326 FAX (575) 393-2476

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 18, 2022

REBECCA PONS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: STATE 14 COM 2

Enclosed are the results of analyses for samples received by the laboratory on 05/16/22 11:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	05/16/2022	Sampling Date:	05/12/2022
Reported:	05/18/2022	Sampling Type:	Soil
Project Name:	STATE 14 COM 2	Sampling Condition:	Cool & Intact
Project Number:	701162.114.01	Sample Received By:	Shalyn Rodriguez
Project Location:	CIMAREX - EDDY CO NM		

Sample ID: S - 1 B 4.5' (H222068-01)

BTEX 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/17/2022	ND	2.10	105	2.00	3.25		
Toluene*	<0.050	0.050	05/17/2022	ND	2.07	103	2.00	3.75		
Ethylbenzene*	<0.050	0.050	05/17/2022	ND	2.05	102	2.00	3.53		
Total Xylenes*	<0.150	0.150	05/17/2022	ND	6.34	106	6.00	4.18		
Total BTEX	<0.300	0.300	05/17/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	208	16.0	05/17/2022	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/17/2022	ND	184	92.0	200	1.55	
DRO >C10-C28*	<10.0	10.0	05/17/2022	ND	196	98.2	200	0.308	
EXT DRO >C28-C36	<10.0	10.0	05/17/2022	ND					

Surrogate: 1-Chlorooctane 84.3 % 66.9-136

Surrogate: 1-Chlorooctadecane 93.7 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 05/16/2022
 Reported: 05/18/2022
 Project Name: STATE 14 COM 2
 Project Number: 701162.114.01
 Project Location: CIMAREX - EDDY CO NM

Sampling Date: 05/12/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 2 B 4.5' (H222068-02)

BTEx 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/17/2022	ND	2.10	105	2.00	3.25		
Toluene*	<0.050	0.050	05/17/2022	ND	2.07	103	2.00	3.75		
Ethylbenzene*	<0.050	0.050	05/17/2022	ND	2.05	102	2.00	3.53		
Total Xylenes*	<0.150	0.150	05/17/2022	ND	6.34	106	6.00	4.18		
Total BTEX	<0.300	0.300	05/17/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	05/17/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/17/2022	ND	184	92.0	200	1.55	
DRO >C10-C28*	<10.0	10.0	05/17/2022	ND	196	98.2	200	0.308	
EXT DRO >C28-C36	<10.0	10.0	05/17/2022	ND					

Surrogate: 1-Chlorooctane 81.9 % 66.9-136

Surrogate: 1-Chlorooctadecane 88.9 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 05/16/2022
 Reported: 05/18/2022
 Project Name: STATE 14 COM 2
 Project Number: 701162.114.01
 Project Location: CIMAREX - EDDY CO NM

Sampling Date: 05/12/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 3 B 4.5' (H222068-03)

BTEx 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/17/2022	ND	2.10	105	2.00	3.25		
Toluene*	<0.050	0.050	05/17/2022	ND	2.07	103	2.00	3.75		
Ethylbenzene*	<0.050	0.050	05/17/2022	ND	2.05	102	2.00	3.53		
Total Xylenes*	<0.150	0.150	05/17/2022	ND	6.34	106	6.00	4.18		
Total BTEX	<0.300	0.300	05/17/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	05/17/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/17/2022	ND	184	92.0	200	1.55	
DRO >C10-C28*	<10.0	10.0	05/17/2022	ND	196	98.2	200	0.308	
EXT DRO >C28-C36	<10.0	10.0	05/17/2022	ND					

Surrogate: 1-Chlorooctane 79.4 % 66.9-136

Surrogate: 1-Chlorooctadecane 86.6 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 05/16/2022
 Reported: 05/18/2022
 Project Name: STATE 14 COM 2
 Project Number: 701162.114.01
 Project Location: CIMAREX - EDDY CO NM

Sampling Date: 05/12/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 4 B 4.5' (H222068-04)

BTEx 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/17/2022	ND	2.10	105	2.00	3.25		
Toluene*	<0.050	0.050	05/17/2022	ND	2.07	103	2.00	3.75		
Ethylbenzene*	<0.050	0.050	05/17/2022	ND	2.05	102	2.00	3.53		
Total Xylenes*	<0.150	0.150	05/17/2022	ND	6.34	106	6.00	4.18		
Total BTEx	<0.300	0.300	05/17/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	05/17/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/17/2022	ND	184	92.0	200	1.55	
DRO >C10-C28*	<10.0	10.0	05/17/2022	ND	196	98.2	200	0.308	
EXT DRO >C28-C36	<10.0	10.0	05/17/2022	ND					

Surrogate: 1-Chlorooctane 75.0 % 66.9-136

Surrogate: 1-Chlorooctadecane 80.6 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 05/16/2022
 Reported: 05/18/2022
 Project Name: STATE 14 COM 2
 Project Number: 701162.114.01
 Project Location: CIMAREX - EDDY CO NM

Sampling Date: 05/12/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 5 B 4.5' (H222068-05)

BTEx 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/17/2022	ND	2.10	105	2.00	3.25		
Toluene*	<0.050	0.050	05/17/2022	ND	2.07	103	2.00	3.75		
Ethylbenzene*	<0.050	0.050	05/17/2022	ND	2.05	102	2.00	3.53		
Total Xylenes*	<0.150	0.150	05/17/2022	ND	6.34	106	6.00	4.18		
Total BTEx	<0.300	0.300	05/17/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	05/17/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/17/2022	ND	194	96.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	05/17/2022	ND	184	91.9	200	0.423	
EXT DRO >C28-C36	<10.0	10.0	05/17/2022	ND					

Surrogate: 1-Chlorooctane 89.5 % 66.9-136

Surrogate: 1-Chlorooctadecane 88.8 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 05/16/2022
 Reported: 05/18/2022
 Project Name: STATE 14 COM 2
 Project Number: 701162.114.01
 Project Location: CIMAREX - EDDY CO NM

Sampling Date: 05/12/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: S - 6 B 4.5' (H222068-06)

BTEx 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/17/2022	ND	2.10	105	2.00	3.25		
Toluene*	<0.050	0.050	05/17/2022	ND	2.07	103	2.00	3.75		
Ethylbenzene*	<0.050	0.050	05/17/2022	ND	2.05	102	2.00	3.53		
Total Xylenes*	<0.150	0.150	05/17/2022	ND	6.34	106	6.00	4.18		
Total BTEX	<0.300	0.300	05/17/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	05/17/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/17/2022	ND	194	96.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	05/17/2022	ND	184	91.9	200	0.423	
EXT DRO >C28-C36	<10.0	10.0	05/17/2022	ND					

Surrogate: 1-Chlorooctane 81.4 % 66.9-136

Surrogate: 1-Chlorooctadecane 80.8 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TALON LPE
 REBECCA PONS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received: 05/16/2022
 Reported: 05/18/2022
 Project Name: STATE 14 COM 2
 Project Number: 701162.114.01
 Project Location: CIMAREX - EDDY CO NM

Sampling Date: 05/12/2022
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Shalyn Rodriguez

Sample ID: E. SW - 2 A (H222068-07)

BTX 8021B		mg/kg		Analyzed By: MS\						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/17/2022	ND	2.10	105	2.00	3.25		
Toluene*	<0.050	0.050	05/17/2022	ND	2.07	103	2.00	3.75		
Ethylbenzene*	<0.050	0.050	05/17/2022	ND	2.05	102	2.00	3.53		
Total Xylenes*	<0.150	0.150	05/17/2022	ND	6.34	106	6.00	4.18		
Total BTX	<0.300	0.300	05/17/2022	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 69.9-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	05/17/2022	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/17/2022	ND	194	96.8	200	1.97	
DRO >C10-C28*	<10.0	10.0	05/17/2022	ND	184	91.9	200	0.423	
EXT DRO >C28-C36	<10.0	10.0	05/17/2022	ND					

Surrogate: 1-Chlorooctane 83.1 % 66.9-136

Surrogate: 1-Chlorooctadecane 81.8 % 59.5-142

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Talon LPE		P.O. #:		BILL TO		ANALYSIS REQUEST	
Project Manager: R. Pons		Company:					
Address: 408 W. Texas Ave		Attn:					
City: Artesia		Address:					
Phone #: 575.746.8768		City:					
Fax #: 575.746.8768		State:					
Project #: 701162.114.01		Zip:					
Project Name: State 14 Com 2		Phone #:					
Project Location: Eddy County, NM		Fax #:					
Sampler Name: J. Carnes							
FOR LAB USE ONLY							
Lab I.D.		Sample I.D.		MATRIX		PRESERV	
H222068		S-1B 4.5'		(G)RAB OR (C)OMP.		DATE	
1		S-2B 4.5'		# CONTAINERS		TIME	
2		S-3B 4.5'		GROUNDWATER		7:00	
3		S-4B 4.5'		WASTEWATER		7:05	
4		S-5B 4.5'		SOIL		7:10	
5		S-6B 4.5'		OIL		7:15	
6		E-SW-2A		SLUDGE		7:20	
7				OTHER :		7:25	
				ACID/BASE:		7:30	
				ICE / COOL			
				OTHER :			
				DATE			
				TIME			
				Chlorides			
				TPH			
				BTEX			

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: 5/10/22 Received By: *[Signature]* Date: 5/10/22

Relinquished By: *[Signature]* Date: 5/10/22 Received By: *[Signature]* Date: 5/10/22

Delivered By: (Circle One) 4.8e (C.O.S) Sample Condition Cool Intact Yes Yes No No

Sampler - UPS - Bus - Other: 4.3e #113

CHECKED BY: (Initials) *[Signature]*

Phone Result: ☐ Yes ☐ No Add'l Phone #: *[Signature]*

Fax Result: ☐ Yes ☐ No Add'l Fax #: *[Signature]*

REMARKS:

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 122692

CONDITIONS

Operator: CIMAREX ENERGY CO. OF COLORADO 600 N. Marienfeld Street Midland, TX 79701	OGRID: 162683
	Action Number: 122692
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
bbillings	None	7/13/2022