



LT Environmental, Inc.

3300 North "A" Street  
Building 1, Unit 103  
Midland, Texas 79705  
432.704.5178

March 23, 2020

Mr. Bradford Billings  
New Mexico Oil Conservation Division  
1220 South St. Francis Drive, #3  
Santa Fe, New Mexico 87505

**RE: Closure Request  
Poker Lake Unit Big Sinks Federal 25 Battery  
Remediation Permit Numbers 2RP-2526, 2RP-4398, 2RP-4775, 2RP-4779  
Eddy County, New Mexico**

Dear Mr. Billings:

LT Environmental, Inc. (LTE), on behalf of XTO Energy, Inc. (XTO), presents the following Closure Request report detailing site assessment, soil sampling, and excavation activities at the Poker Lake Unit (PLU) Big Sinks Federal 25 Battery (Site), located in Unit O, Section 25, Township 24 South, Range 30 East, in Eddy County, New Mexico (Figure 1). The purpose of the site assessment, soil sampling, and excavation activities was to address impacts to soil following four separate events that caused the release of produced water and crude oil at the Site. Based on the excavation activities and results of the soil sampling events, XTO is submitting this Closure Request, describing remediation that has occurred and requesting no further action for the release events.

The releases are included in the Compliance Agreement for Remediation for Historical Releases (Compliance Agreement) between XTO and the New Mexico Oil Conservation Division (NMOCD) effective November 13, 2018. The purpose of the Compliance Agreement is to ensure reportable releases that occurred prior to August 14, 2018, where XTO is responsible for the corrective action, comply with Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) as amended on August 14, 2018. The releases are categorized as a Tier IV sites in the Compliance Agreement, meaning the releases occurred prior to August 14, 2018, the effective date of 19.15.29 NMAC; however, remediation was ongoing.

#### **RELEASE BACKGROUND**

On October 1, 2014, a buried flow line developed a leak due to external corrosion. Approximately 109 barrels (bbls) of produced water and 10 bbls of crude oil were released onto the surface of the caliche well pad. Approximately 9,656 square feet of well pad was affected by the release. A vacuum truck was used to recover the free-standing fluid; approximately 75 bbls of produced water and 5 bbls of crude oil were recovered. The former operator reported the release to the New Mexico Oil Conservation Division (NMOCD) on a Release Notification and Corrective Action



Form C-141 (Form C-141) on October 7, 2014, and was assigned Remediation Permit (RP) Number 2RP-2526 (Attachment 1).

On September 1, 2017, a corrosion hole developed below ground in the riser of the SWD discharge line. The line was isolated while the riser was exposed and repaired. Approximately 11.12 bbls of produced water were released. Approximately 6,054 square feet of caliche pad and 64 square feet of pasture south of the tank battery was affected by the release. A vacuum truck was used to recover the free-standing fluid; approximately 5 bbls of produced water were recovered from the pasture and southwest corner of the well pad. XTO reported the release to the NMOCD on a Form C-141 on September 18, 2017, and was assigned RP Number 2RP-4398.

On May 13, 2018, the heater-treater and flare scrubber loaded up due to closed valves on the produced water and oil tanks. Fluid was forced out of flare stack which resulted in a small fire. Approximately  $\frac{1}{4}$  bbl of crude oil and 2 bbls of produced water were released. The fire affected a small area of the pad near the flare stack and approximately 60 feet into the pasture north of the flare stack. The fire extinguished itself. XTO reported the release to the NMOCD on a Form C-141 on May 25, 2018, and was assigned RP Number 2RP-4775.

On May 18, 2018, the flare line loaded up and caused fluid out of the flare stack, which resulted in a small fire. Approximately  $\frac{1}{4}$  bbl of crude oil and produced water were released. The fire affected a small section of pad west of the flare. The fire extinguished itself. There was no impact to the pasture. XTO reported the release to the NMOCD on a Form C-141 on May 30, 2018, and was assigned RP Number 2RP-4779.

Although one of the releases occurred while the facility was operated by the previous operator, XTO is the current operator and is committed to addressing any releases that remain unresolved. Since the five releases occurred on the same well pad, excavation and sampling activities were completed to address and close all five releases simultaneously.

## SITE CHARACTERIZATION

LTE characterized the Site according to Table 1, *Closure Criteria for Soils Impacted by a Release*, of 19.15.29.12 of the NMAC. Depth to groundwater at the Site is estimated to be greater than 100 feet below ground surface (bgs) based on the nearest water well data. The nearest permitted water well with depth to water data is United States Geological Survey (USGS) well 320956103503001, located approximately 6,529 feet southwest of the Site. The water well has a depth to groundwater of 446 feet and a total depth of 480 feet. Ground surface elevation at the water well location is 3,408 feet above mean sea level (AMSL), which is approximately 48 feet lower in elevation than the Site. The closest continuously flowing water or significant watercourse to the Site is an unnamed dry wash located approximately 2,162 feet west-northwest of the Site. The Site is greater than 200 feet from a lakebed, sinkhole, or playa lake and greater than 300 feet from an occupied residence, school, hospital, institution, church, or



Billings, B.  
Page 3

wetland. The Site is greater than 1,000 feet to a freshwater well or spring and is not within a 100-year floodplain or overlying a subsurface mine. The Site is located in a low-potential karst area.

## CLOSURE CRITERIA

Based on the results of the Site Characterization, the following NMOCD Table 1 Closure Criteria (Closure Criteria) apply:

- Benzene: 10 milligrams per kilogram (mg/kg);
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg;
- Total petroleum hydrocarbons (TPH)-gasoline range organics (GRO) and TPH-diesel range organics (DRO): 1,000 mg/kg;
- TPH: 2,500 mg/kg; and
- Chloride: 20,000 mg/kg.

## SITE ASSESSMENT, EXCAVATION, AND DELINEATION SOIL SAMPLING ACTIVITIES

The four historical releases occurred on the same well pad; therefore, site assessment and soil sampling activities were completed to address and close all releases simultaneously. Due to separate/distinct release areas and duplicative or sequential sample nomenclature the below site assessment and soil sampling summaries and associated figures and tables are separated by RP Number and/or release location on the pad.

### RP Number 2RP-2526

During June 2018, LTE personnel inspected the Site to evaluate the release extent in the central area of the pad, associated with RP Number 2RP-2526. Preliminary soil samples SS7 through SS14 were collected within and around the release area to assess the lateral extent of impacted soil. The soil sample locations, depicted on Figure 2, were selected based on information provided on the initial Form C-141 and field observations. To eliminate the effects from weathering and natural degradation of contaminants at the ground surface, the soil samples were collected from each sample location from a depth of 0.5 feet bgs.

During February and April 2019, LTE personnel returned to the Site to oversee site assessment activities. Potholes were advanced via backhoe or trackhoe at 20 locations within and around the release area to confirm the lateral and vertical extent of impacted soil. On February 11, 2019, potholes were advanced to a depth of 4 feet bgs at the SS10 and SS12 preliminary soil sample locations and at additional assessment locations SS23, SS24, SS25, and SS27. Delineation soil samples were collected from each pothole from depths of 2 feet and 4 feet bgs. During April 2019, potholes PH01 through PH13, and PH17 were advanced to depths ranging from 4.5 feet to



Billings, B.  
Page 4

16 feet bgs. Delineation soil samples were collected from each pothole from depths ranging from 0.5 feet to 16 feet bgs. Soil from the potholes was field screened for volatile aromatic hydrocarbons and chloride utilizing a calibrated photoionization detector (PID) and Hach® chloride QuanTab® test strips, respectively. Field screening results and observations for each pothole were logged on lithologic/soil sampling logs, which are included in Attachment 2. The pothole delineation soil sample locations are depicted on Figure 2 and Figure 3.

During February and October 2019, LTE personnel was at the Site to oversee excavation of impacted soil as indicated by visual observations, field screening activities, and laboratory analytical results for the preliminary and delineation soil samples. To direct excavation activities, LTE screened soil for volatile aromatic hydrocarbons and chloride utilizing a PID and Hach® chloride QuanTab® test strips, respectively. Impacted soil was excavated to a depth ranging from 1 foot to 7 feet bgs. Following removal of impacted soil, LTE collected 5-point composite soil samples every 200 square feet from the sidewalls and floors of the excavation. The 5-point composite samples were collected by depositing five aliquots of soil into a 1-gallon, resealable plastic bag and homogenizing the samples by thoroughly mixing. Composite soil samples SW01 through SW12 were collected from the sidewalls of the excavation from depths ranging from the ground surface to 6 feet bgs. Composite soil samples FS01 through FS09 and FS09A were collected from the floor of the excavation from depths ranging from 1 foot to 7 feet bgs. The excavation extent and excavation soil sample locations are depicted on Figure 4. Photographic documentation was conducted during the Site visits. Photographs are included in Attachment 3.

The excavation measured approximately 2,000 square feet in area and was completed to a depth of 1 foot to 7 feet bgs. A total of approximately 275 cubic yards of impacted soil were removed from the excavation. The impacted soil was transported and properly disposed of at the R360 Landfill located in Hobbs, New Mexico.

The preliminary, delineation, and excavation soil samples were placed directly into pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil samples were shipped at or below 4 degrees Celsius (°C) under strict chain-of-custody (COC) procedures to Xenco Laboratories (Xenco) in Midland, Texas, for analysis of BTEX following United States Environmental Protection Agency (USEPA) Method 8021B; TPH-GRO, TPH-DRO, and TPH-oil range organics (ORO) following USEPA Method 8015M/D; and chloride following USEPA Method 300.0.

#### RP Number 2RP-4398

During June 2018, LTE personnel inspected the Site to evaluate the release extent in the southern area of the pad, associated with RP Number 2RP-4398. Preliminary soil samples SS15 through SS22 were collected within and around the release area to assess the lateral extent of impacted soil. The soil sample locations, depicted on Figure 5, were selected based on information provided on the initial Form C-141 and field observations. To eliminate the effects from



weathering and natural degradation of contaminants at the ground surface, the soil samples were collected from each sample location from a depth of 0.5 feet bgs.

During October 2019, LTE personnel was at the Site to oversee excavation of impacted soil as indicated by visual observations, field screening activities, and laboratory analytical results for the preliminary soil samples. To direct excavation activities, LTE screened soil for volatile aromatic hydrocarbons and chloride utilizing a PID and Hach® chloride QuanTab® test strips, respectively. Impacted soil was excavated to a depth of 5 feet bgs. Following removal of impacted soil, LTE collected 5-point composite soil samples every 200 square feet from the sidewalls and floors of the excavation. Composite soil samples SW01 through SW04 were collected from the sidewalls of the excavation from depths ranging from 1 foot to 5 feet bgs. Composite soil samples FS01 and FS02 were collected from the floor of the excavation from a depth of 5 feet bgs. The excavation extent remained within the operations area surrounding the SWD riser.

Boreholes and potholes were advanced via hand auger or trackhoe at three locations surrounding the excavation to confirm the extent of soil impacts. Borehole BH01 and potholes PH01 and PH02 were advanced to a depth of 5 feet bgs. Delineation soil samples were collected from each borehole and pothole at 1-foot intervals to a depth of 5 feet bgs. Soil from the borehole and potholes was field screened for volatile aromatic hydrocarbons and chloride utilizing a calibrated PID and Hach® chloride QuanTab® test strips, respectively. Field screening results and observations for each borehole and pothole were logged on lithologic/soil sampling logs, which are included in Attachment 2. The preliminary soil sample locations, excavation extent and excavation soil sample locations, and delineation soil sample locations are depicted on Figure 5.

The soil samples were collected, handled, and analyzed as described above and submitted to Xenco. Photographic documentation was conducted during the Site visits. Photographs are included in Attachment 3.

The excavation measured approximately 340 square feet in area and was completed to a depth of 5 feet bgs. A total of approximately 65 cubic yards of impacted soil were removed from the excavation. The impacted soil was transported and properly disposed of at the R360 Landfill located in Hobbs, New Mexico.

#### RP Number 2RP-4775 and 2RP-4779

During June 2018, LTE personnel inspected the Site to evaluate the release extent in the northern area of the pad, associated with RP Numbers 2RP-4775 and 2RP-4997. Preliminary soil samples SS1 through SS6 were collected within and around the release area to assess the lateral extent of impacted soil. The soil sample locations, depicted on Figure 6, were selected based on information provided on the initial Form C-141 and field observations. To eliminate the effects from weathering and natural degradation of contaminants at the ground surface, the soil samples were collected from each sample location from a depth of 0.5 feet bgs.



Billings, B.  
Page 6

During February and April 2019, LTE personnel returned to the Site to oversee site assessment activities. Potholes were advanced via backhoe at 6 locations within and around the release area to confirm the lateral and vertical extent of impacted soil. Potholes were advanced to a depth of 2 feet bgs at the SS1 and SS6 preliminary soil sample locations and at additional assessment locations PH01, PH02, PH14, and PH15. Delineation soil samples were collected from each pothole from depths ranging from 0.5 feet to 2 feet bgs. Soil from the potholes was field screened for volatile aromatic hydrocarbons and chloride utilizing a PID and Hach<sup>®</sup> chloride QuanTab<sup>®</sup> test strips, respectively. Field screening results and observations for each pothole were logged on lithologic/soil sampling logs, which are included in Attachment 2.

During February 2019, LTE personnel was at the Site to oversee excavation of impacted soil as indicated by visual observations, field screening activities, and laboratory analytical results for the preliminary soil samples. To direct excavation activities, LTE screened soil for volatile aromatic hydrocarbons and chloride utilizing a PID and Hach<sup>®</sup> chloride QuanTab<sup>®</sup> test strips, respectively. Impacted soil was excavated to a depth of 2 feet bgs. Following removal of impacted soil, LTE collected 5-point composite soil samples every 200 square feet from the sidewalls and floor of the excavation. Composite soil sample SW01 was collected from the sidewalls of the excavation from a depth ranging from the ground surface to 2 feet bgs. Composite soil sample FS01 was collected from the floor of the excavation from a depth of 2 feet bgs. The preliminary soil sample locations, excavation extent and excavation soil sample locations, and delineation soil sample locations are depicted on Figure 6.

The soil samples were collected, handled, and analyzed as described above and submitted to Xenco. Photographic documentation was conducted during the Site visits. Photographs are included in Attachment 3.

The excavation measured approximately 150 square feet in area and was completed to a depth of 2 feet bgs. A total of approximately 12 cubic yards of impacted soil were removed from the excavation. The impacted soil was transported and properly disposed of at the R360 Landfill located in Hobbs, New Mexico.

## ANALYTICAL RESULTS

### RP Numbers 2RP-2526

Laboratory analytical results for preliminary soil samples SS7 through SS14, SS10A/SS10B, SS12A/SS12B, SS23/SS23A through SS25/SS25A, and SS27/SS27A and delineation soil samples collected from potholes PH01 through PH13, and PH17 indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Based on visual observations and field screening activities, impacted soil was excavated from the release area. Laboratory analytical results for excavation soil samples SW01 through SW03, SW05 through SW12, FS01 through FS08, and FS09A, collected from the final excavation extent, indicated that BTEX,



Billings, B.  
Page 7

GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Laboratory analytical results for excavation soil samples SW04 and FS09 indicated that TPH and/or GRO/DRO concentrations initially exceeded the Closure Criteria. Additional soil was removed from these areas and subsequent excavation soil samples SW12 and FS09A were compliant with the Closure Criteria. Based on the laboratory analytical results, no further excavation was required. Laboratory analytical results are summarized in Table 1 and the complete laboratory analytical reports are included as Attachment 4.

#### RP Number 2RP-4398

Laboratory analytical results for preliminary soil samples SS15 through SS22, indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Based on visual observations, field screening activities, and elevated chloride concentrations, impacted soil was excavated from the release area. Laboratory analytical results for excavation soil samples SW01 through SW04, FS01, and FS02, collected from the final excavation extent, indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Delineation soil sampling was completed to confirm the lateral and vertical extent impacted soil. Laboratory analytical results for the delineation soil samples collected from borehole BH01 and potholes PH01 and PH02, indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Based on the laboratory analytical results, no further excavation was required. Laboratory analytical results are summarized in Table 2 and the complete laboratory analytical reports are included as Attachment 4.

#### RP Numbers 2RP-4775 and 2RP-4779

Laboratory analytical results for preliminary soil samples SS1/SS1A, SS2, SS4, SS5, SS6A, and delineation soil samples collected from potholes PH01, PH02, PH14, and PH15 indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Laboratory analytical results for preliminary soil samples SS3 and SS6 indicated that TPH and/or GRO/DRO concentrations exceeded the Closure Criteria. Based on visual observations and laboratory analytical results for the preliminary soil samples, impacted soil was excavated from the area around preliminary soil samples SS3 and SS6. Laboratory analytical results for excavation soil samples SW01 and FS01 indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Based on the laboratory analytical results, no further excavation was required. Laboratory analytical results are summarized in Table 3 and the complete laboratory analytical reports are included as Attachment 4.

#### CLOSURE REQUEST

Site assessment and soil sampling activities were completed within and around the release areas to delineate the lateral and vertical extent of impacted soil resulting from historical releases of crude oil and produced water at the Site. Based on the site assessment activities, impacted soil



Billings, B.  
Page 8

was excavated from three separate release areas. Laboratory analytical results for the excavation soil samples collected from the final excavation extents indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Based on the excavation and delineation soil sample analytical results, no further remediation was required.

Initial response efforts, natural attenuation, and excavation of impacted soil have mitigated impacts at this Site. XTO requests no further action for RP Numbers 2RP-2526, 2RP-4398, 2RP-4775, and 2RP-4779. XTO backfilled the excavations with material purchased locally and recontoured the Site to match pre-existing site conditions. An updated NMOCD Form C-141 for each release is included in Attachment 1.

If you have any questions or comments, please do not hesitate to contact Ms. Ashley Ager at (970) 385-1096.

Sincerely,

LT ENVIRONMENTAL, INC.

Aimee Cole  
Project Environmental Scientist

Ashley L. Ager, P.G.  
Senior Geologist

cc:      Kyle Littrell, XTO  
          Mike Bratcher, NMOCD  
          Bureau of Land Management

Attachments:

- Figure 1      Site Location Map
- Figure 2      Preliminary Soil Sample Locations (2RP-2526)
- Figure 3      Delineation Soil Sample Locations (2RP-2526)
- Figure 4      Excavation Soil Sample Locations (2RP-2526)
- Figure 5      Soil Sample Locations (2RP-4398)
- Figure 6      Soil Sample Locations (2RP-4775 and 2RP-4779)
- Table 1      Soil Analytical Results (2RP-2526)
- Table 2      Soil Analytical Results (2RP-4398)
- Table 3      Soil Analytical Results (2RP-4775 and 2RP-4779)
- Attachment 1 Initial/Final NMOCD Form C-141 (2RP-2526, 2RP-4398, 2RP-4775, 2RP-4779)




Billings, B.  
Page 9

Attachment 2 Lithologic/Soil Sample Logs  
Attachment 3 Photographic Log  
Attachment 4 Laboratory Analytical Reports

FIGURES



**LEGEND**

SITE LOCATION

0 2,000 4,000  
Feet





NOTE: REMEDIATION PERMIT  
NUMBERS 2RP-2526, 2RP-4327,  
2RP-4398, & 2RP-4779



**FIGURE 1**  
**SITE LOCATION MAP**  
**PLU BIG SINKS 25 FEDERAL BATTERY**  
**UNIT O SEC 25 T24S R30E**  
**EDDY COUNTY, NEW MEXICO**  
**XTO ENERGY, INC.**





**LEGEND**

- RELEASE LOCATION 2RP-2526
- DELINEATION SOIL SAMPLE






IMAGE COURTESY OF GOOGLE EARTH 2017


**FIGURE 3**  
**DELINeATION SOIL SAMPLE LOCATIONS**  
**PLU BIG SINKS 25 FEDERAL BATTERY**  
**UNIT O SEC 25 T24S R30E**  
**EDDY COUNTY, NEW MEXICO**  
**XTO ENERGY, INC.**



NOTE: REMEDIATION PERMIT NUMBER 2RP-2526







TABLES



TABLE 1  
SOIL ANALYTICAL RESULTS

PLU BIG SINKS 25 FEDERAL BATTERY  
REMEDIATION PERMIT NUMBER 2RP-2526  
EDDY COUNTY, NEW MEXICO  
XTO ENERGY, INC.

Sample Name	Sample Depth (feet bgs)	Report Number	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
SS7	0.5	2RP-2526	6/8/2018	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	<14.9	<14.9	<14.9	<14.9	2,390
SS8	0.5	2RP-2526	6/8/2018	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	321
SS9	0.5	2RP-2526	6/8/2018	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	1,580
SS10	0.5	2RP-2526	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	18.0	<15.0	18.0	18.0	2,390
SS10A	2	2RP-2526	2/11/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	202
SS10B	4	2RP-2526	2/11/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	<14.9	<14.9	<14.9	<14.9	143
SS11	0.5	2RP-2526	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	19.0	<15.0	19.0	19.0	133
SS12	0.5	2RP-2526	6/8/2018	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	93.4
SS12A	2	2RP-2526	2/11/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	157
SS12B	4	2RP-2526	2/11/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	217
SS13	0.5	2RP-2526	6/8/2018	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	4,240
SS14	0.5	2RP-2526	6/8/2018	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	3,570
SS23	2	2RP-2526	2/11/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	265
SS23A	4	2RP-2526	2/11/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	236
SS24	2	2RP-2526	2/11/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	38.2	<14.9	38.2	38.2	564
SS24A	4	2RP-2526	2/11/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	80.1	<15.0	80.1	80.1	1,080
SS25	2	2RP-2526	2/11/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	17.1
SS25A	4	2RP-2526	2/11/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	18.5
SS27	2	2RP-2526	2/11/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	25.7
SS27A	4	2RP-2526	2/11/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	23.9
PH01	13	2RP-2526	4/2/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0
PH02	16	2RP-2526	4/2/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0
PH03	8	2RP-2526	4/2/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0
PH04	12	2RP-2526	4/3/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<14.9	<14.9	<14.9	<14.9	<14.9	<14.9
PH05	3.5	2RP-2526	04/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	188
PH05A	6.5	2RP-2526	04/17/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	191
PH06	0.5	2RP-2526	04/17/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	1140
PH06A	2.5	2RP-2526	04/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	308
PH06B	6.5	2RP-2526	04/17/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<14.9	<14.9	<14.9	<14.9	<14.9	62.6
NMOC Table 1 Closure Criteria				10	NE	NE	NE	50	NE	NE	NE	1,000	2,500	20,000



TABLE 1  
SOIL ANALYTICAL RESULTS

PLU BIG SINKS 25 FEDERAL BATTERY  
REMEDIATION PERMIT NUMBER 2RP-2526  
EDDY COUNTY, NEW MEXICO  
XTO ENERGY, INC.

Sample Name	Sample Depth (feet bgs)	Report Number	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)	
PH07	3	2RP-2526	04/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	226	
PH07A	4.5	2RP-2526	04/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	228	
PH08	6	2RP-2526	04/17/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	300	
PH08A	11	2RP-2526	04/17/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	101	
PH09	4.5	2RP-2526	4/12/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	
PH09A	7.5	2RP-2526	4/12/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	
PH10	8.5	2RP-2526	4/12/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	
PH10A	12.5	2RP-2526	4/12/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	<15.0	
PH11	4.5	2RP-2526	04/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	471	
PH11A	11	2RP-2526	04/15/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<14.9	<14.9	<14.9	<14.9	<14.9	203	
PH12	0.5	2RP-2526	04/15/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<14.9	<14.9	<14.9	<14.9	<14.9	235	
PH12A	4.5	2RP-2526	04/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	868	
PH13	6.5	2RP-2526	04/15/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	42.0	
PH13A	10.5	2RP-2526	04/15/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	118	
PH17	3	2RP-2526	04/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	157	
PH17A	6.5	2RP-2526	04/17/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	111	
SW01	1	2RP-2526	2/12/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	44.1	<15.0	44.1	44.1	1,030	
SW02	1	2RP-2526	2/12/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	30.0	<15.0	30.0	30.0	563	
SW03	1	2RP-2526	2/12/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	88.8	20.4	109.2	109	971	
SW04	1	2RP-2526	2/12/2019	0.0830	0.159	0.0526	0.489	0.784	214	1,850	360	2,210	2,420	3,450	
SW05	1	2RP-2526	2/13/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	120	<15.0	120	120	791	
SW06	1	2RP-2526	2/13/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	15.2	<15.0	15.2	15.2	1,000	
SW07	1	2RP-2526	2/13/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	1,140	
SW08	1	2RP-2526	2/13/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	42.2	<15.0	42.2	42.2	1,540	
SW09	2 - 6	2RP-2526	2/14/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	135	19.8	154.8	155	1,360	
SW10	0 - 6	2RP-2526	2/19/2019	<0.00199	0.00215	<0.00199	<0.00199	<0.00199	0.00215	<15.0	147	23.1	170	170	941
SW11	0 - 6	2RP-2526	2/19/2019	<0.00200	<0.00200	<0.00200	0.0221	0.0221	54.1	715	114	829	883	1,080	
SW12	1 - 3	2RP-2526	10/21/2019	<0.00100	<0.00100	<0.00100	<0.00100	<0.00100	<50.2	<50.2	<50.2	<50.2	<50.2	695	
NMOC Table 1 Closure Criteria				10	NE	NE	NE	50	NE	NE	NE	1,000	2,500	20,000	



TABLE 1  
SOIL ANALYTICAL RESULTS

PLU BIG SINKS 25 FEDERAL BATTERY  
REMEDIATION PERMIT NUMBER 2RP-2526  
EDDY COUNTY, NEW MEXICO  
XTO ENERGY, INC.

Sample Name	Sample Depth (feet bgs)	Report Number	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
FS01	1	2RP-2526	2/12/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	63.2	<15.0	63.2	63.2	551
FS02	1	2RP-2526	2/12/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	24.6	<14.9	24.6	24.6	610
FS03	1	2RP-2526	2/13/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	2,410
FS04	1	2RP-2526	2/13/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	23.0	<15.0	23.0	23.0	3,750
FS05	2	2RP-2526	2/14/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	836
FS06	2	2RP-2526	2/14/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	94.8	<15.0	94.8	94.8	807
FS07	2	2RP-2526	2/14/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	23.3	<15.0	23.3	23.3	558
FS08	6	2RP-2526	2/14/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	47.8	<15.0	47.8	47.8	3,630
FS09	6	2RP-2526	2/19/2019	<0.00200	0.00218	0.00269	0.0265	0.0314	156	2,050	324	<b>2,374</b>	<b>2,530</b>	1,650
FS09A	7	2RP-2526	10/21/2019	<0.000990	<0.000990	<0.000990	<0.000990	<0.000990	<50.3	<50.3	<50.3	<50.3	<50.3	1,210
<b>NMOCD Table 1 Closure Criteria</b>				<b>10</b>	NE	NE	NE	<b>50</b>	NE	NE	NE	<b>1,000</b>	<b>2,500</b>	<b>20,000</b>

## Notes:

bgs - below ground surface

BTEX - benzene, toluene, ethylbenzene, and total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

MRO - motor oil range organics

NMAC - New Mexico Administrative Code

NMOCD - New Mexico Oil Conservation Division

NE - not established

TPH - total petroleum hydrocarbons

**Bold** - indicates result exceeds the applicable regulatory standard

&lt; - indicates result is below laboratory reporting limits

Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 20



**TABLE 2**  
**SOIL ANALYTICAL RESULTS**

**PLU BIG SINKS 25 FEDERAL BATTERY  
REMEDIATION PERMIT NUMBER 2RP-4398  
EDDY COUNTY, NEW MEXICO  
XTO ENERGY, INC.**

Sample Name	Sample Depth (feet bgs)	Report Number	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
SS15	0.5	2RP-4398	6/8/2018	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	7,780
SS16	0.5	2RP-4398	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	7,250
SS17	0.5	2RP-4398	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	6,250
SS18	0.5	2RP-4398	6/8/2018	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	47.6
SS19	0.5	2RP-4398	6/8/2018	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<14.9	110	<14.9	110	110	10,600
SS20	0.5	2RP-4398	6/8/2018	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<14.9	117	<14.9	117	117	46.0
SS21	0.5	2RP-4398	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	<4.99
SS22	0.5	2RP-4398	6/8/2018	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	19.9
BH01	1	2RP-4398	10/22/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	<50.0	<5.05
BH01A	2	2RP-4398	10/22/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	<50.0	<5.00
BH01B	3	2RP-4398	10/22/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	<50.0	62.3
BH01C	4	2RP-4398	10/22/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<49.9	<49.9	<49.9	<49.9	<49.9	40.3
BH01D	5	2RP-4398	10/22/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.0	<50.0	<50.0	<50.0	<50.0	18.1
PH01	1	2RP-4398	10/22/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<49.9	<49.9	<49.9	<49.9	<49.9	<4.97
PH01A	2	2RP-4398	10/22/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	<50.0	<4.97
PH01B	3	2RP-4398	10/22/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	<49.9	<5.01
PH01C	4	2RP-4398	10/22/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	<50.0	8.30
PH01D	5	2RP-4398	10/22/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	<49.9	7.72
PH02	1	2RP-4398	10/22/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	<49.9	<4.99
PH02A	2	2RP-4398	10/22/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.0	<50.0	<50.0	<50.0	<50.0	5.08
PH02B	3	2RP-4398	10/22/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	<50.0	<5.04
PH02C	4	2RP-4398	10/22/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<49.9	<49.9	<49.9	<49.9	<49.9	23.4
PH02D	5	2RP-4398	10/22/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.8	<49.8	<49.8	<49.8	<49.8	29.4
<b>NMOC Table 1 Closure Criteria</b>				<b>10</b>	NE	NE	NE	<b>50</b>	NE	NE	NE	<b>1,000</b>	<b>2,500</b>	<b>20,000</b>



TABLE 2  
SOIL ANALYTICAL RESULTS

PLU BIG SINKS 25 FEDERAL BATTERY  
REMEDIATION PERMIT NUMBER 2RP-4398  
EDDY COUNTY, NEW MEXICO  
XTO ENERGY, INC.

Sample Name	Sample Depth (feet bgs)	Report Number	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
SW01	1 - 5	2RP-4398	10/22/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	<50.0	4,430
SW02	1 - 5	2RP-4398	10/22/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<49.9	<49.9	<49.9	<49.9	<49.9	633
SW03	1 - 5	2RP-4398	10/22/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<49.9	<49.9	<49.9	<49.9	<49.9	1,030
SW04	1 - 5	2RP-4398	10/22/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	<50.0	572
FS01	5	2RP-4398	10/22/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<49.8	<49.8	<49.8	<49.8	<49.8	96.6
FS02	5	2RP-4398	10/22/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	<50.0	1,000
NMOCD Table 1 Closure Criteria				10	NE	NE	NE	50	NE	NE	NE	1,000	2,500	20,000

**Notes:**

bgs - below ground surface

BTEX - benzene, toluene, ethylbenzene, and total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

MRO - motor oil range organics

NMAC - New Mexico Administrative Code

NMOCD - New Mexico Oil Conservation Division

NE - not established

TPH - total petroleum hydrocarbons

**Bold** - indicates result exceeds the applicable regulatory standard

&lt; - indicates result is below laboratory reporting limits

Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 20



TABLE 3  
SOIL ANALYTICAL RESULTS

PLU BIG SINKS 25 FEDERAL BATTERY  
REMEDIATION PERMIT NUMBER 2RP-4775 and 2RP-4779  
EDDY COUNTY, NEW MEXICO  
XTO ENERGY, INC.

Sample Name	Sample Depth (feet bgs)	Report Number	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
SS1	0.5	2RP-4775, 2RP-4779	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	37.0	<15.0	37.0	37.0	18.5
SS1A	2	2RP-4775, 2RP-4779	2/8/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	<4.99
SS2	0.5	2RP-4775, 2RP-4779	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	13.3
SS3	0.5	2RP-4775, 2RP-4779	6/8/2018	<0.00200	0.00306	0.00618	0.0617	0.0709	204	4,980	<15.0	4,980	5,180	75.4
SS4	0.5	2RP-4775, 2RP-4779	6/8/2018	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<14.9	58.1	<14.9	58.1	58.1	182
SS5	0.5	2RP-4775, 2RP-4779	6/8/2018	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	9.63
SS6	0.5	2RP-4775, 2RP-4779	6/8/2018	<0.00201	<0.00201	0.00287	0.0305	0.0334	50.4	1,870	21.2	1,891	1,940	94.4
SS6A	2	2RP-4775, 2RP-4779	2/8/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	12.5
PH01	0.5	2RP-4775, 2RP-4779	2/8/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	564	75.4	564	639	21.8
PH01A	2	2RP-4775, 2RP-4779	2/8/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	<4.98
PH02	0.5	2RP-4775, 2RP-4779	2/8/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	43.3	<15.0	43.3	43.3	17.1
PH02A	2	2RP-4775, 2RP-4779	2/8/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<14.9	<14.9	<14.9	<14.9	<14.9	<5.00
PH14	0.5	2RP-4775, 2RP-4779	04/15/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	83.3
PH14A	1	2RP-4775, 2RP-4779	04/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	12.5
PH15	0.5	2RP-4775, 2RP-4779	04/15/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	48.0
PH15A	1	2RP-4775, 2RP-4779	04/15/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	51.7
SW01	0 - 2	2RP-4775, 2RP-4779	2/19/2019	<0.00202	0.00257	<0.00202	<0.00202	0.00257	<15.0	39.0	<15.0	39.0	39.0	<4.99
FS01	2	2RP-4775, 2RP-4779	2/19/2019	<0.00200	<0.00200	0.00261	0.00736	0.00997	<15.0	<15.0	<15.0	<15.0	<15.0	<5.00
NMOCD Table 1 Closure Criteria				10	NE	NE	NE	50	NE	NE	NE	1,000	2,500	20,000

## Notes:

bgs - below ground surface

BTEX - benzene, toluene, ethylbenzene, and total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

MRO - motor oil range organics

NMAC - New Mexico Administrative Code

NMOCD - New Mexico Oil Conservation Division

NE - not established

TPH - total petroleum hydrocarbons

**Bold** - indicates result exceeds the applicable regulatory standard

&lt; - indicates result is below laboratory reporting limits

Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 21

ATTACHMENT 1: INITIAL/FINAL NMOCD FORM C-141 (2RP-2526, 2RP-4398, 2RP-4775, 2RP-4779)

District I  
1625 N. French Dr., Hobbs, NM 88240  
 District II  
811 S. First St., Artesia, NM 88210  
 District III  
1000 Rio Brazos Road, Aztec, NM 87410  
 District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

## NM OIL CONSERVATION

ARTESIA DISTRICT

Form C-141

Revised August 8, 2011

OCT 08 2014

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

RECEIVED

## Release Notification and Corrective Action

*NAB1428137123**200737*

## OPERATOR

 Initial Report Final Report

Name of Company: BOPCO, L.P.	Contact: Tony Savoie
Address: 522 W. Mermod, Suite 704 Carlsbad, N.M. 88220	Telephone No. 575-887-7329
Facility Name: PLU-CVX-JV #005H (AKA Big Sinks 25 Federal #IH)	Facility Type: Exploration and Production

Surface Owner: Federal

Mineral Owner: Federal

API No. 30-015-39018

## LOCATION OF RELEASE

Unit Letter O	Section 25	Township 24S	Range 30E	Feet from the 100	North/South Line South	Feet from the 2240	East/West Line East	County Eddy
------------------	---------------	-----------------	--------------	----------------------	---------------------------	-----------------------	------------------------	----------------

Latitude N 32.18193 Longitude W 103.83318

## NATURE OF RELEASE

Type of Release: Crude oil and produced water	Volume of Release: 10 bbls of crude oil and 109 bbls produced water.	Volume Recovered: 5 bbls crude oil and 75 bbls produced water.
Source of Release: 2 7/8" flow line	Date and Hour of Occurrence: 10/1/14 time unknown	Date and Hour of Discovery: 10/1/14 at approximately 10:00 a.m.
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? NMOCD emergency #104	
By Whom? Bradley Blevins	Date and Hour: 10/1/14 at approximately 4:30 p.m.	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*

## Describe Cause of Problem and Remedial Action Taken.\*

The buried flow line developed a leak due to external corrosion. A repair clamp was placed on the leak area. Crews replaced the flow line across the well pad with externally coated pipe on 10/2/14.

## Describe Area Affected and Cleanup Action Taken.\*

The release impacted approximately 9,656 sq.ft. of caliche well pad area. All of the free standing fluid was removed with a vacuum truck. The stained area on the pad was left as is pending remediation activities.

The spill area will be cleaned up in accordance to the NMOCD and BLM remediation guidelines.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Tony Savoie</i>	OIL CONSERVATION DIVISION	
Printed Name: Tony Savoie	Signed By <i>Alie Blevins</i>	Approved by Environmental Specialist:
Title: Waste Management and Remediation Specialist	Approval Date: 10/8/14	Expiration Date: N/A
E-mail Address: tasavoie@basspet.com	Conditions of Approval: Remediation per O.C.D. Rules & Guidelines SUBMIT REMEDIATION PROPOSAL NO	Attached <input type="checkbox"/>
Date: 10/7/14	LATER THAN: 11/8/14	2RP-2526
Phone: 432-556-8730		

\* Attach Additional Sheets If Necessary

District I  
1625 N. French Dr., Hobbs, NM 88240  
 District II  
811 S. First St., Artesia, NM 88210  
 District III  
1000 Rio Brazos Road, Aztec, NM 87410  
 District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District office

Incident ID	
District RP	2RP-2526
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party: XTO Energy, Inc	OGRID: 5380
Contact Name: Kyle Littrell	Contact Telephone: (432)-221-7331
Contact email: Kyle_Littrell@xtoenergy.com	Incident #: 2RP-2526
Contact mailing address: 522 W. Mermod, Suite 704 Carlsbad, NM 88220	

### Location of Release Source

Latitude N 32.18193Longitude W 103.83318

(NAD 83 in decimal degrees to 5 decimal places)

Site Name: PLU-CVX-JV #005H (AKA Big Sinks 25 Federal #1H)	Site Type: Production Well Facility
Date Release Discovered: 10/1/2014	API# (if applicable): 30-015-39018

Unit Letter	Section	Township	Range	County
O	25	24S	30E	Eddy

Surface Owner:  State  Federal  Tribal  Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls): 10	Volume Recovered (bbls): 5
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls): 109	Volume Recovered (bbls): 75
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

## Cause of Release

The buried flow line developed a leak due to external corrosion.

Incident ID	
District RP	2RP-2526
Facility ID	
Application ID	

<p>Was this a major release as defined by 19.15.29.7(A) NMAC?</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>	If YES, for what reason(s) does the responsible party consider this a major release? Volume released was greater than 25 bbls.
<p>If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? By Bradley Blevins to NMOCD on 10/1/2014 at 4:30 pm.</p>	

## Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

- The source of the release has been stopped.
- The impacted area has been secured to protect human health and the environment.
- Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
- All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

N/A

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3/20/2020

email: Kyle\_Littrell@xtoenergy.com Telephone: 432-221-7331

### OCD Only

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	
District RP	2RP-2526
Facility ID	
Application ID	

## Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### **Characterization Report Checklist:** *Each of the following items must be included in the report.*


- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	2RP-2526
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3/20/2020

email: Kyle.Littrell@xtoenergy.com Telephone: (432)-221-7331

#### **OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	
District RP	2RP-2526
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3/20/2020

email: Kyle.Littrell@xtoenergy.com Telephone: 432-221-7331

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_

## NM OIL CONSERVATION

ARTESIA DISTRICT

District I  
1625 N. French Dr., Hobbs, NM 88240  
 District II  
811 S. First St., Artesia, NM 88210  
 District III  
1000 Rio Brazos Road, Aztec, NM 87410  
 District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

SEP 18 2017

Form C-141  
Revised August 8, 2011  
Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

RECEIVED

## Release Notification and Corrective Action

NAB1726334570

## OPERATOR

 Initial Report Final Report

Name of Company: XTO Energy / BOPCO 360737	Contact: Amy Ruth
Address: 522 W. Mermod, Suite 704 Carlsbad, N.M. 88220	Telephone No. 575-887-7329
Facility Name: PLU Big Sinks 25 Federal Battery (API for well PLU CVX JV BS #005H)	Facility Type: Exploration and Production

Surface Owner: Federal      Mineral Owner: Federal      API No. 30-015-39018

## LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
B	36	24S	30E	50	North	2340	East	Eddy

State Minerals      Latitude 32.181458°      Longitude -103.833299°  
 State land - release on surface

## NATURE OF RELEASE

Type of Release	Produced Water	SL0 surface mostly	Volume of Release	11.12 BPW	Volume Recovered	5 BPW	25-24S-30E
Source of Release	SWD discharge steel riser		Date and Hour of Occurrence		Date and Hour of Discovery		
Was Immediate Notice Given?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Required	If YES, To Whom? N/A			
By Whom?	N/A		Date and Hour	N/A			
Was a Watercourse Reached?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		If YES, Volume Impacting the Watercourse. N/A			

If a Watercourse was Impacted, Describe Fully.\*  
N/A

Describe Cause of Problem and Remedial Action Taken.\*  
A hole developed below the ground surface in the riser of the SWD discharge line due to internal corrosion. The line was isolated while the riser was exposed for repairs.

Describe Area Affected and Cleanup Action Taken.\*  
The leak affected approximately 6,054 square feet of caliche pad and about 64 square feet of pasture to the south of the tank battery impermeable containment. Free standing fluids were recovered from the pasture and southwest corner of the facility pad.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOC rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOC marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOC acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

## OIL CONSERVATION DIVISION

Signature:	Approved by Environmental Specialist:		
Printed Name:	Amy C. Ruth		
Title:	Environmental Coordinator		
E-mail Address:	Approval Date: 9/19/17		
Date:	Expiration Date: N/A		
Phone: 432-661-0571	Conditions of Approval: See attached		
	Attached <input checked="" type="checkbox"/> JRP-4398		

\* Attach Additional Sheets If Necessary

Please refer to the New Mexico Oil Conservation Division Website for updated form(s) at:  
[http://www.emnrd.state.nm.us/  
OCD/forms.html](http://www.emnrd.state.nm.us/OCD/forms.html) Thank you

District I  
1625 N. French Dr., Hobbs, NM 88240  
 District II  
811 S. First St., Artesia, NM 88210  
 District III  
1000 Rio Brazos Road, Aztec, NM 87410  
 District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy Minerals and Natural  
 Resources Department  
 Oil Conservation Division  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-141  
 Revised August 24, 2018  
 Submit to appropriate OCD District office

Incident ID	
District RP	2RP-4398
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party: XTO Energy, Inc	OGRID: 5380
Contact Name: Kyle Littrell	Contact Telephone: (432)-221-7331
Contact email: Kyle_Littrell@xtoenergy.com	Incident #: 2RP-4398
Contact mailing address 522 W. Mermod, Suite 704 Carlsbad, NM 88220	

### Location of Release Source

Latitude N 32.181458Longitude W 103.833299

(NAD 83 in decimal degrees to 5 decimal places)

Site Name: PLU Big Sinks 25 Federal Battery	Site Type: Production Well Facility
Date Release Discovered: 9/1/2017	API# (if applicable): 30-015-39018

Unit Letter	Section	Township	Range	County
O	25	24S	30E	Eddy

Surface Owner:  State  Federal  Tribal  Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls):	Volume Recovered (bbls):
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls): 11.12	Volume Recovered (bbls): 5
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

## Cause of Release

A hole developed in the riser of the SWD discharge line due to internal corrosion.

Incident ID	
District RP	2RP-4398
Facility ID	
Application ID	

<p>Was this a major release as defined by 19.15.29.7(A) NMAC?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	If YES, for what reason(s) does the responsible party consider this a major release? Release volume was less than 25 bbls.
<p>If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?</p> <p>N/A</p>	

## Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

- The source of the release has been stopped.
- The impacted area has been secured to protect human health and the environment.
- Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
- All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

N/A

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3-20-2020

email: Kyle.Littrell@xtoenergy.com Telephone: 432-221-7331

### OCD Only

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	
District RP	2RP-4398
Facility ID	
Application ID	

## Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### **Characterization Report Checklist:** *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	2RP-4398
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell

Title: SH&E Supervisor

Signature: 

Date: 3-20-2020

email: Kyle.Littrell@xtoenergy.com

Telephone: (432)-221-7331

#### **OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Incident ID	
District RP	2RP-4398
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kyle Littrell

Title: SH&E Supervisor

Signature: [Signature]

Date: 3-20-2020

email: Kyle\_Littrell@xtoenergy.com

Telephone: 432-221-7331

### **OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_

District I  
1625 N. French Dr., Hobbs, NM 88240  
 District II  
811 S. First St., Artesia, NM 88210  
 District III  
1000 Rio Brazos Road, Aztec, NM 87410  
 District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

MAY 25 2018

Form C-141  
Revised April 3, 2017

Oil Conservation Division DISTRICT II ARTESIA O.C.D.  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

appropriate District Office in  
accordance with 19.15.29 NMAC.

### Release Notification and Corrective Action

DAB18157490100

XTO Energy NMOCD 200737

Address: 522 W. Mermad, Suite 704 Carlsbad, N.M. 88220

Facility Name: PLU Big Sinks 25 Federal Battery (API -  
Poker Lake Unit CVX JV BS #005H)**OPERATOR** Initial Report Final Report

Contact: Kyle Littrell

Telephone No: 432-221-7331

Facility Type: Exploration and Production

Surface Owner: Federal

Mineral Owner: Federal

API No: 30-015-39018

**LOCATION OF RELEASE**

Unit Letter O	Section 25	Township 24S	Range 30E	Feet from the 32	North/South Line South	Feet from the 2400	East/West Line East	County Eddy
------------------	---------------	-----------------	--------------	---------------------	---------------------------	-----------------------	------------------------	----------------

Latitude 32.181688 Longitude -103.832976 NAD83

**NATURE OF RELEASE**

Type of Release Oil and produced water	Volume of Release <1/4 BBL oil, 2 BBL produced water	Volume Recovered 0 bbl
Source of Release Flare	Date and Hour of Occurrence 5/13/2018, AM	Date and Hour of Discovery 5/13/18, 12:00 PM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mike Bratcher and Crystal Weaver (NMOCD), Jim Amos and Shelly Tucker (BLM), Mark Naranjo and Ryan Mann, (SLO)	
By Whom? Kyle Littrell	Date and Hour: 5/14/2018, 7:09 AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.\*

N/A


## Describe Cause of Problem and Remedial Action Taken.\*

Heater treater and flare scrubber loaded up and caused fluid to exit the flare stack, resulting in a small fire. The fire extinguished itself. Lease operator discovered that valves had been closed on water and oil tanks. Valves were corrected and facility was shut until repairs could be made.

## Describe Area Affected and Cleanup Action Taken.\*

The fire affected a small area of the pad near the flare stack and sixty feet north into the pasture. An environmental contractor has been retained to assist with remediation efforts.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

**OIL CONSERVATION DIVISION**Signature: 

Printed Name: Kyle Littrell

Approved by Environmental Specialist:



Title: Environmental Coordinator

Approval Date: 6/5/18

Expiration Date: N/A

E-mail Address: Kyle.Littrell@xtoenergy.com

Conditions of Approval:

Date: 5/25/2018 Phone: 432-221-7331



Attached



\* Attach Additional Sheets If Necessary

District I  
1625 N. French Dr., Hobbs, NM 88240  
 District II  
811 S. First St., Artesia, NM 88210  
 District III  
1000 Rio Brazos Road, Aztec, NM 87410  
 District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy Minerals and Natural  
 Resources Department  
 Oil Conservation Division  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-141  
 Revised August 24, 2018  
 Submit to appropriate OCD District office

Incident ID	
District RP	2RP-4775
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party: XTO Energy, Inc	OGRID: 5380
Contact Name: Kyle Littrell	Contact Telephone: (432)-221-7331
Contact email: Kyle_Littrell@xtoenergy.com	Incident #: 2RP-4775
Contact mailing address 522 W. Mermod, Suite 704 Carlsbad, NM 88220	

### Location of Release Source

Latitude N 32.181688Longitude W 103.832976

(NAD 83 in decimal degrees to 5 decimal places)

Site Name: PLU Big Sinks 25 Federal Battery	Site Type: Production Well Facility
Date Release Discovered: 5/13/2018	API# (if applicable): 30-015-39018

Unit Letter	Section	Township	Range	County
O	25	24S	30E	Eddy

Surface Owner:  State  Federal  Tribal  Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls): 1/4	Volume Recovered (bbls): 0
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls): 2	Volume Recovered (bbls): 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

## Cause of Release

The heater-treater and flare scrubber loaded up and caused fluid to exit the flare stack, resulting in a small fire.

Incident ID	
District RP	2RP-4775
Facility ID	
Application ID	

<p>Was this a major release as defined by 19.15.29.7(A) NMAC?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	If YES, for what reason(s) does the responsible party consider this a major release? Release volume less than 25 bbls.
<p>If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?</p> <p>N/A</p>	

## Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

- The source of the release has been stopped.
- The impacted area has been secured to protect human health and the environment.
- Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
- All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

N/A

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3-20-2020

email: Kyle\_Littrell@xtoenergy.com Telephone: 432-221-7331

### OCD Only

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	
District RP	2RP-4775
Facility ID	
Application ID	

## Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### **Characterization Report Checklist:** *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	2RP-4775
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle LittrellTitle: SH&E SupervisorSignature: Date: 3-20-2020email: Kyle.Littrell@xtoenergy.comTelephone: (432)-221-7331**OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Incident ID	
District RP	2RP-4775
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kyle Littrell

Title: SH&E Supervisor

Signature: 

Date: 3-20-2020

email: Kyle.Littrell@xtoenergy.com

Telephone: 432-221-7331

**OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Title: \_\_\_\_\_

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

MAY 31 2018

Form C-141  
Revised April 3, 2017

DISTRICT OF ARTESIA O&G  
appropriate District Office in  
accordance with 19.15.29 NMAC.

### Release Notification and Corrective Action

NAB1815757186

XTO Energy

POCD 210137

**OPERATOR** Initial Report Final Report

Contact: Kyle Littrell

Address: 3104 E. Greene St., Carlsbad, N.M. 88220

Telephone No: 432-221-7331

Facility Name: PLU Big Sinks 25 Federal Battery (API –  
Poker Lake Unit CVX JV BS #005H)

Facility Type: Exploration and Production

Surface Owner: Federal

Mineral Owner: Federal

API No: 30-015-39018

**LOCATION OF RELEASE**

Unit Letter O	Section 25	Township 24S	Range 30E	Feet from the 32	North/South Line South	Feet from the 2400	East/West Line East	County Eddy
------------------	---------------	-----------------	--------------	---------------------	---------------------------	-----------------------	------------------------	----------------

Latitude 32.181688 Longitude -103.832976 NAD83


**NATURE OF RELEASE**

Type of Release Oil and produced water	Volume of Release < 1/4 bbl	Volume Recovered 0 bbl
Source of Release Flare	Date and Hour of Occurrence 5/18/2018, AM	Date and Hour of Discovery 5/18/18, 7:00 AM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mike Bratcher and Crystal Weaver (NMOCD), Jim Amos and Shelly Tucker (BLM), Mark Narango and Ryan Mann (SLO)	
By Whom? Kyle Littrell	Date and Hour: 5/18/2018, 8:55 AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		

Describe Cause of Problem and Remedial Action Taken.* Flare line loaded up and caused fluid to exit the flare stack, resulting in a small fire. The fire extinguished itself. The location was shut in until repairs could be made.
--

Describe Area Affected and Cleanup Action Taken.* The fire affected a small section of pad due west of the flare. There was no impact to the pasture. An environmental contractor has been retained to assist with remediation efforts.
--

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
--

Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Kyle Littrell	Approved by Environmental Specialist: Signed By 	
Title: Environmental Coordinator	Approval Date: 01/5/18	Expiration Date: N/A
E-mail Address: Kyle_Littrell@xtoenergy.com	Conditions of Approval: <i>See Attached</i>	Attached: 
Date: 5/30/2018	Phone: 432-221-7331	

\* Attach Additional Sheets If Necessary

District I  
1625 N. French Dr., Hobbs, NM 88240  
 District II  
811 S. First St., Artesia, NM 88210  
 District III  
1000 Rio Brazos Road, Aztec, NM 87410  
 District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy Minerals and Natural  
 Resources Department  
 Oil Conservation Division  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-141  
 Revised August 24, 2018  
 Submit to appropriate OCD District office

Incident ID	
District RP	2RP-4779
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party: XTO Energy, Inc	OGRID: 5380
Contact Name: Kyle Littrell	Contact Telephone: (432)-221-7331
Contact email: Kyle_Littrell@xtoenergy.com	Incident #: 2RP-4779
Contact mailing address 522 W. Mermod, Suite 704 Carlsbad, NM 88220	

### Location of Release Source

Latitude N 32.181688Longitude W 103.832976

(NAD 83 in decimal degrees to 5 decimal places)

Site Name: PLU Big Sinks 25 Federal Battery	Site Type: Production Well Facility
Date Release Discovered: 5/18/2018	API# (if applicable): 30-015-39018

Unit Letter	Section	Township	Range	County
O	25	24S	30E	Eddy

Surface Owner:  State  Federal  Tribal  Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls): < ¼ bbl oil and produced water combined	Volume Recovered (bbls): 0
<input type="checkbox"/> Produced Water	Volume Released (bbls):	Volume Recovered (bbls): 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

## Cause of Release

The flare line loaded up and caused fluid to exit the flare stack, resulting in a small fire.

Incident ID	
District RP	2RP-4779
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?  <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?  Release volume was less than 25 bbls.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

## Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why: N/A

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3-20-2020

email: Kyle\_Littrell@xtoenergy.com Telephone: 432-221-7331

## OCD Only

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	
District RP	2RP-4779
Facility ID	
Application ID	

## Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### **Characterization Report Checklist:** *Each of the following items must be included in the report.*


- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	2RP-4779
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3-20-2020

email: Kyle.Littrell@xtoenergy.com Telephone: (432)-221-7331

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	
District RP	2RP-4779
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3-20-2020

email: Kyle.Littrell@xtoenergy.com Telephone: 432-221-7331

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Bradford Billings Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_

ATTACHMENT 2: LITHOLOGIC / SOIL SAMPLE LOGS

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 <i>Compliance · Engineering · Remediation</i></p>							Identifier: <b>SS10</b>	Date: <b>2/1/19</b>
							Project Name: PLU CVX JV SH	RP Number: 2RP-2526
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: MAW	Method: Backhoe
Lat/Long: 32.18193, -103.83318			Field Screening: PID			Hole Diameter: NA	Total Depth: <i>4' bgs</i>	
Comments:								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
					0			<i>CALCIUM, BUFF, DRY, LOOSE, HARD</i>
					1			
					2			<i>SANDY SILT, RED BROWN, DRY, LOOSE, 30%+ SAND, NO ODOUR, NO STAIN</i>
					3			
					4			<i>TO ② 4' bgs</i>
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 <i>Compliance • Engineering • Remediation</i></p>								Identifier: <u>SS12</u>	Date: <u>2/16/19</u>	
								Project Name: PLU CVX JV SH	RP Number: 2RP-2526	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: MAW	Method: Backhoe	
Lat/Long: 32.18193, -103.83318				Field Screening: PID				Hole Diameter: NA	Total Depth: <u>4' bgs</u>	
Comments:										
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks		
				SS12A	0			CALCITE, DRY, LOOSE, HARD, BUFF		
38	1.0				1					
428	1.0				2			SANDY SILT, RUDBROW, DRY, LOOSE 30% F SAND, NO ODOR, NO STAIN		
428	1.1			SS12B	3					
					4			CALCITE, SAND TD @ 4' bgs		
					5					
					6					
					7					
					8					
					9					
					10					
					11					
					12					


	<b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 <i>Compliance · Engineering · Remediation</i>							Identifier: <i>SS23</i>	Date: <i>2/11/19</i>
							Project Name: PLU CVX JV SH	RP Number: 2RP-2526	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: MAW	Method: Backhoe	
Lat/Long: 32.18193, -103.83318			Field Screening: PID			Hole Diameter: NA		Total Depth: <i>4' bgs</i>	
Comments:									
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks	
					0			<i>CALCIATE, HARD, DRY, BUFF</i>	
					1				
					2			<i>SANDY SILT, RED-BRN, LOOSE, DRY, 30% F SAND, NO OODR NO STAIN</i>	
					3				
					4			<i>- TO 4' bgs</i>	
					5				
					6				
					7				
					8				
					9				
					10				
					11				
					12				

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 <i>Compliance · Engineering · Remediation</i></p>							Identifier: <b>SS24</b>	Date: <b>2/1/19</b>
							Project Name: <b>PLU CVX JV SH</b>	RP Number: <b>2RP-2526</b>
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: MAW	Method: Backhoe
Lat/Long: <b>32.18193, -103.83318</b>			Field Screening: <b>PID</b>		Hole Diameter: <b>NA</b>		Total Depth: <b>4' bgs</b>	
Comments:								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
					0			CALCAREOUS, BOTTLE, OLEY, LOOSE, HARD
					1			- SANDY SILT, RUD BRN, DRY, LOOSE, 70% F SAND, NO ODOR
					2			- NO STAIN
					3			CALCAREOUS, SAND
					4			- TD @ 4' bgs
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 <i>Compliance · Engineering · Remediation</i></p>							Identifier: <i>SS25'</i>	Date: <i>2/4/19</i>
							Project Name: PLU CVX JV SH	RP Number: 2RP-2526
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: MAW	Method: Backhoe
Lat/Long: 32.18193, -103.83318			Field Screening: PID			Hole Diameter: NA	Total Depth: <i>4' logs</i>	
Comments:								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
L28	0.9			SS25'	0			CALCITE, BUFF, DRY, LOOSE, HARD
L28	0.8			SS25A	1			SILT SAND, RED BRN, DRY, LOOSE, 30% F SAND, NO ODO, NO STAIN, SOME CLAY, ROOTS
					2			
					3			
					4			CALCITE, SAND
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 <i>Compliance · Engineering · Remediation</i></p>							Identifier: <b>SS27</b>	Date: <b>2/11/19</b>
							Project Name: PLU CVX JV SH	RP Number: 2RP-2526
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: MAW	Method: Backhoe
Lat/Long: 32.18193, -103.83318			Field Screening: PID			Hole Diameter: NA	Total Depth: <b>4' bgs</b>	
Comments:								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
<28	0.1				0			CALCRE, BORK, DRY, HARD, LOOSE
<28	0.4				1			- SANDY SUT, RED BROWN, DRY, LOOSE, 30% F SAND, SOME CLAY, NO ODOR, NO STAIN
					2			
					3			
					4			- TD @ 4' bgs
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			





**LT Environmental, Inc.**  
508 West Stevens Street  
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PH02

Date:

04/02/2019

Project Name:

PLU BS 25 Battery

RP Number:

2RP 2526

### LITHOLOGIC / SOIL SAMPLING LOG

Logged By: L. Lambach

Method: fracture

Lat/Long:

32° 10' 54.4795", -103° 49' 58.869"

Field Screening:

PID chinders

Hole Diameter:


2.5'

Total Depth:

Comments:

Vertical delineation

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
					0			
					1			
					2			
					3			
					4			
					5			
					6'			
dry	1.6 (C1116)	17.5			6'		calcareous flakey, tan w/ brown	
dry	2.0 (C1116)	11.5			8'		calcareous tan soft, no odor, 50% fines, 1/16" nicks	
Dry	3.0 (1744)	13.0			10'			
dry	(1116)	2.2			11			
dry	(1116)	11.7			12			
dry	1.2 (C1116)	9.2			14'		gray/green, non plastic	



excavation extent  
clayey sand, N odor, brown, dry, low plasticity

calcareous flakey, tan w/ brown


calcareous tan soft, no odor, 50% fines, 1/16" nicks

cool to touch

15' PVD  
24.2' mkt  
PH02

gray/green, non plastic

 <b>LT Environmental, Inc.</b> LT Environmental, Inc. Attesting Accuracy							Identifier: <b>PHT-3</b>	Date: <b>04/02/2019</b>
							Project Name: <b>PLU RS 25 battery</b>	RP Number: <b>2RP 2526</b>
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: <b>L. Lambach</b>	Method: <b>Transect</b>
Lat/Long: <b>32°10' 54.5471", -103°49' 59.333"</b>			Field Screening: <b>Chloride, PID</b>		Hole Diameter: <b>2.5'</b>	Total Depth: <b>8'</b>		
Comments:								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
					0			
					1			
					2			
					3			
					4			
M	dry	2.8 (1572)	23.2	PHT-3	5			excavation extent clayey sand, brown, No odor
					6			tan, 1/2" rats, fine, 50/50, grainy, non plastic low density no odor
					7			
					8			tan, lighter than 6-7' previous, no odor
					9			deepest depth
					10			
					11			
					12			

 <b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220  Compliance · Engineering · Remediation							Identifier: <b>PHS 4</b>	Date: <b>04/03/2019</b>
							Project Name: <b>PLUBS 25 Rd</b>	RP Number: <b>ZRP 2526</b>
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: <i>L. Lambeck</i>	Method: <i>Truckhoe</i>
Lat/Long:			Field Screening: <i>chloride, PPD</i>		Hole Diameter: <i>2.5'</i>	Total Depth: <i>12'</i>		
Comments: <i>Vertical delineation</i>								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
Dry	3.8 (2544)	267.4			0			
Dry	2.6 (1412)	6.6		(6)	5		SC	<i>clayey sand</i> <i>S.S. caliche</i>
Dry	1.2 (3.82) (536)	4.1		(10)	7			<i>caliche hard dg - soft, odor tan, coarse, 1/8" rocks 10% s.s.</i>
Dry	(260) (2.61)	2.8		(12)	8			<i>so/so fine N odor</i>
					9			
					10			
					11			
					12			

*dry (442) ff**Relevant*

 <b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation							BH or PH Name: PHOS	Date: 4/17/19
							Site Name: PLU CVX JV BS #005	
							RP or Incident Number: ZRP-2526	
							LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: Anna Byers	Method: Track Hoe
Lat/Long: Collector			Field Screening: Chloride, PID				Hole Diameter: N/A	Total Depth: 6.5'
Comments: BDL - Below Detection Limit; * Cl <sup>-</sup> values reported include 40% correction factor								
Moisture Content	* Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks
Dry	172.8	Ø	No	—	0.5'	0		pad surface caliche, well compact, no staining
D	BDL	Ø	N	—	1'	1	caliche	grey to light grey to white colored, well-cemented caliche
D	BDL	Ø	N	—	2'	2		
D	BDL	Ø	N	PHOS	3.5'	3		
P	262.4	Ø	N	—	4.5'	4		
D	172.8	Ø	N	PHOSA	6.5'	5		
						6		
						7		
						8		
						9		
						10		
						11		
						12		
Total Depth								

 <b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation								BH or PH Name: <b>Pt06</b>	Date: <b>4/17/19</b>	
								Site Name: <b>PLU CVX JV BS #005</b>		
								RP or Incident Number: <b>2RP-2526 &amp; 2RP-4327</b>		
								LTE Job Number:		
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>	
Lat/Long: <b>Collector</b>				Field Screening: <b>Chloride, PID</b>				Hole Diameter: <b>N/A</b>	Total Depth:	
Comments: <b>BDL - Below Detection Limit ; Cl<sup>-</sup> values reported include 40-60% correction factor</b>										
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks		
Dry	1952	Ø	N	Pt06	0.5'	0		pad surface caliche		
D	556.8	Ø	N	—	1'	1	caliche	white to grey colored, moderately well cemented caliche		
D	371.2	Ø	N	Pt06A	2.5'	2				
D	428.8	Ø	N	—	3'	3				
D	172.8	Ø	N	—	4.5'	4				
D	BDL	Ø	N	Pt06B	6.5'	5		" well-cemented		
						7				
						8				
						9				
						10				
						11				
						12				
								Tot Depth		

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p> <p>A proud member of WSP      Compliance · Engineering · Remediation</p>							BH or PH Name: <b>PH07</b>	Date: <b>4/17/19</b>
							Site Name: <b>PLU CVX JV BS #005H</b>	
							RP or Incident Number: <b>ZRP-2526</b>	
							LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>
Lat/Long: <b>Collector</b>			Field Screening: <b>Chloride, PID</b>			Hole Diameter: <b>N/A</b>	Total Depth: <b>4.5'</b>	
Comments: <b>BDL - Below Detection Limit ; * α-values reported include 40%-60% correction factor</b>								
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks
D <sub>g</sub>	BDL	Ø	N <sub>o</sub>	—	0.5'	0		pad surface caliche, well-compact
D	BDL	Ø	N	—	1	1		caliche white to grey colored, well-cemented caliche
D	172.8	Ø	N	—	2	2		
D	262.4	Ø	N	PH07	3	3		
D	262.4	Ø	N	PH07A	4.5'	4		
						5		TOT DEPTH
						6		
						7		
						8		
						9		
						10		
						11		
						12		

 <b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation								BH or PH Name: <b>PH08</b>	Date: <b>4/17/19</b>
								Site Name: <b>PLU CVX JV BS #005H</b>	
								RP or Incident Number: <b>ZRP-2526</b>	
								LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>
Lat/Long: <b>Collector</b>				Field Screening: <b>Chloride, PID</b>				Hole Diameter: <b>N/A</b>	Total Depth: <b>11'</b>
Comments: BDL - Below Detection limit; *Cl <sup>-</sup> values include 40-60% correction factor; **TPH Ø indicates/ represents									
Moisture Content	* Chloride (ppm)	** Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
Dry	556.8	Ø	N	—	0.5'	0		pad surface caliche, well-compacted	
D	492.8	Ø	N	—	1'	1	caliche	white to grey colored, moderate to well-cemented caliche	
D	492.8	Ø	N	—	2'	2			
D	1382.4	Ø	N	—	3'	3			
D	2086.4	Ø	N	—	4'	4			
D	2227.2	Ø	N	PH08	6'	5			
D	1286.4	Ø	N	—	7'	6			
D	371.2	Ø	N	—	8'	7			
D	BDL	Ø	N	PH08A	10'	8			
					11'	9			
					12'	10			
						11'		TOT DEPTH	
							ØØ		

 <b>LTE Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation							BH or PH Name: PH09	Date: 4/12/19
							Site Name: PLU CVX JV BS #005H	
							RP or Incident Number: ZRP-2526	
							LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: Anna Byers	Method: Track Hoe
Lat/Long: Collector			Field Screening: Chloride, PID				Hole Diameter: N/A	Total Depth: 7.5'
Comments: within excavation; BDL - Below detection limit; D-Dry; N-No								
Moisture Content	* Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks
						0		
						1		
						2		
						3		
						4		
D	499.2	<15	N	PH09	4.5	5		caliche & grey, well compacted/cemented caliche
D	BDL	<15	N	-	5.5	6		
D	BDL	<15	N	-	6.5	7		
D	198.4	<15	N	PH09A	7.5	8		
						9		
						10		
						11		
						12		
EXCAVATED								
TOT DEPTH								
<i>Ab</i>								


\* Cl- ppm reported includes 40% correction factor  
 -60%

LITHOLOGIC / SOIL SAMPLING LOG								BH or PH Name:	Date:
Lat/Long: Collector				Field Screening: Chloride, PID				Site Name:	PLU CVX JV BS #005H
								RP or Incident Number:	2RP-2526
								LTE Job Number:	
								Logged By:	Anna Byers
								Method:	Track Hoe
								Hole Diameter:	N/A
								Total Depth:	12.5'
Comments: within excavation; *Cl <sup>-</sup> ppm value reported includes 40% correction factor									
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
Dry	1363.2	<15	N <sub>o</sub>	-	0.5				
D	1004.8	<15	N	-	1.5				
D	928	<15	N	-	3.5				
D	723.2	<15	N	-	4.5				
D	1824	<15	N	PH10	5.5'	5.5	calcareous	well cemented, light grey to white colored caliche	
D	1260.8	<15	N	PH10	6.5'	6.5			
D	-	-	N	PH10	7.5'	7.5			
D	556.8	<15	N	PH10A	8.5'	8.5			
D	236.8	<15	N	PH10A	9.5'	9.5			
D	-	-	N	PH10A	10.5'	10.5			
D	556.8	<15	N	PH10A	11.5'	11.5			
D	236.8	<15	N	PH10A	12.5'	12.5			

EXCAVATED

LITHOLOGIC / SOIL SAMPLING LOG							BH or PH Name: PH 11	Date: 4/15/19
Lat/Long: Collector			Field Screening: Chloride, PID				Site Name: PKU CVX JV BS FROSH	
							RP or Incident Number: JRP-2526	
							LTE Job Number:	
							Logged By: Anna Byers	Method: Track Hoe
							Hole Diameter: N/A	Total Depth: 11'
Comments: Within excavation; *Cl <sup>-</sup> ppm values reported include 40% - 60% correction factor								
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks
Dry	6483.2	4.6	N	PH 11	4.5'	0		
D	4633.2	4.1	N	-	5.5'	1		
D	5056	5.0	N	-	7'	2		
D	3633.6	3.7	N	-	8'	3		
D	665.6	3.6	N	-	9'	4		
D	403.2	3.8	N	-	10'	5	Caliche	light grey to white colored, well cemented caliche
D	454.4	3.6	N	PH 11A	11'	6		
						12		TOT DEPTH

 <b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation								BH or PH Name: PH12	Date: 4/15/19
								Site Name: PLU CV X JV BS #005H	
								RP or Incident Number: ZRP-2526	
								LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: Anna Byers	Method: Track Hoe
Lat/Long: Collector				Field Screening: Chloride, PID				Hole Diameter: N/A	Total Depth: 4.5'
Comments: D - Dry ; M - Moist ; BDL - Below Detection Limit									
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
D	275.2	5.2	N	PH12	0.5'	0	SP	dry, brown poorly-sorted sand (m), no plasticity, no odor	
M	198.4	5.0	N		1.5'	1	SP-SM	moist, brown poorly-sorted sand (m.) with silt, no plasticity & no odor	
M	198.4	6.1	N		2.5'	2			
M	198.4	4.8	N		3.5'	3			
M	(BDL) <198.4	3.9	N	PH12A	4.5'	4			
						5		↓ TOT DEPTH	
						6			
						7			
						8			
						9			
						10			
						11			
						12			




\* Cl- ppm values reported include 40% correction factor  
-60%

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p> <p>A proud member of WSP      Compliance · Engineering · Remediation</p>								BH or PH Name: <b>PH13</b>	Date: <b>4/15/19</b>
								Site Name: <b>PLU CVX JV BS#0054</b>	
								RP or Incident Number: <b>JRP-2524</b>	
								LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>
Lat/Long: <b>Collector</b>				Field Screening:				Hole Diameter: <b>N/A</b>	Total Depth: <b>10.5'</b>
Comments: Within excavation; *Cl ppm reported values include 40% - 60% correction factor									
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
					0				
					1				
					2				
					3				
					4				
					5				
					6				
					7				
					8				
					9				
					10				
					11				
					12				
								<b>EXCAVATED</b>	
D	1171.2	5.3	No	—	4.5'			white to light grey colored, well cemented caliche	
D	1593.6	6.7	z	—	5.5'				
D	1952	5.5	z	PH13	6.5'				
D	BDL	4.3	z	—	7.5'				
D	620.8	5.8	z	—	8.5'				
D	556.8	6.1	z	—	9.5'				
D	33.6	5.9	z	PH13A	10.5'				
								<b>TOT DEPTH</b>	
								<b>AB</b>	


 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p> <p>A proud member of WSP      Compliance · Engineering · Remediation</p>								BH or PH Name: <b>PH13</b>	Date: <b>4/15/19</b>
								Site Name: <b>PLU CVX JV BSFOOS 4</b>	
								RP or Incident Number: <b>2RP-2524</b>	
								LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>
Lat/Long: <b>Collector</b>				Field Screening: <b>Chloride, PID</b>				Hole Diameter: <b>N/A</b>	Total Depth: <b>10.5'</b>
Comments: Within excavation; *Cl ppm reported values include 40% - 60% correction factor									
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
D	1171.2	5.3	No	—	4.5'	0	-		
D	1593.6	6.7	✓	—	5.5'	1	-		
D	1952	5.5	✓	PH13	6.5'	2	-		
D	BOL	4.3	✓	—	7.5'	3	-		
D	620.8	5.8	✓	—	8.5'	4	-		
D	556.8	6.1	✓	—	9.5'	5	caliche	white to light grey colored, well cemented caliche	
D	33.6	5.9	✓	PH13A	10.5'	6	-		
						7	-		
						8	-		
						9	-		
						10	-		
						11	-		
						12	-		
EXCAVATED									
TOT DEPTH									
<i>AB</i>									


 <b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation							BH or PH Name: <b>PH14</b>	Date: <b>4/15/19</b>
							Site Name: <b>PLU CVX JV BS #0054</b>	
							RP or Incident Number: <b>ZRP-4775 + ZRP-4779</b>	
							LTE Job Number: <b>+ZRP-2526</b>	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>							Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>
Lat/Long: <b>Collector</b>			Field Screening: <b>Chloride, PID</b>			Hole Diameter: <b>N/A</b>	Total Depth: <b>1.0'</b>	
Comments: <b>BDL - Below Detection Limit; *Cl<sup>-</sup> values reported include 40% correction factor</b>								
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks
Dry	172.6	6.8	No	PH14	0.5'	0	caliche	pad surface caliche, well compact
Dry	BDL	7.8	No	PH14A	1.0'	1	↓	
						2		TOT DEPTH
						3		
						4		
						5		
						6		
						7		
						8		
						9		
						10		
						11		
						12		




The hand-drawn lithology log shows the following features:

- A vertical scale on the right side labeled from 0 to 12 feet.
- A diagonal line starting at approximately 0.5' depth and sloping upwards to about 1.0' depth.
- A horizontal line at approximately 1.0' depth extending across the page.
- A vertical tick mark at 1.0' depth labeled "caliche" with a downward arrow pointing to it.
- A handwritten note "pad surface caliche, well compact" next to the 1.0' mark.
- A handwritten note "TOT DEPTH" at the 1.0' mark.
- A small circle with a cross through it at approximately 6.5' depth.

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p> <p>A proud member of WSP      Compliance · Engineering · Remediation</p>								BH or PH Name: <b>PH15</b>	Date: <b>4/15/19</b>
								Site Name: <b>PLU CVX JV BS #005H</b>	
								RP or Incident Number: <b>JRP-4775 &amp; JRP-4779</b>	
								LTE Job Number: <b>+ JRP-2526</b>	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <i>Anna Byers</i>	Method: <i>Track Hoe</i>
Lat/Long: <b>Collector</b>				Field Screening: <b>Chloride, PID</b>				Hole Diameter: <b>N/A</b>	Total Depth: <b>1.0'</b>
Comments: <b>BDL - Below Detection Limit ; * Cl<sup>-</sup> values reported include 40% correction factor</b>									
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
Dry	BDL	32	No	PH15	0.5'	0	caliche	pad surface caliche, well-compacted 	
Dry	172.6	5.6	No	PH15A	1.0'	1			
						2			
						3			
						4			
						5			
						6			
						7			
						8			
						9			
						10			
						11			
						12			

 <b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation								BH or PH Name: <b>PH16</b>	Date: <b>4/17/19</b>
								Site Name: <b>PLU CVX JV BS #005 H</b>	
								RP or Incident Number: <b>ZRP-2526/ZRP-4327/ZRP-4398</b>	
								LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>
Lat/Long: <b>Collector</b>				Field Screening: <b>Chloride, PID</b>				Hole Diameter: <b>N/A</b>	Total Depth: <b>2'</b>
Comments: *Cl <sup>-</sup> ppm reported value includes 40% correction factor									
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
D	428.8	Ø	N	PH16	0.5'	0	caliche	Pad surface caliche (0-0.5') light grey to white well cemented caliche	
D	428.8	Ø	N	—	1'	1			
D	556.8	Ø	N	PH16A	2'	2			
								TOT DEPTH	
									

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p> <p>A proud member of WSP</p> <p>Compliance · Engineering · Remediation</p>								BH or PH Name: <b>PH17</b>	Date: <b>4 / 17 / 19</b>
								Site Name: <b>PLU CVX JV BS #005 H</b>	
								RP or Incident Number: <b>JRP-4327 + JRP-2526</b>	
								LTE Job Number:	
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>Anna Byers</b>	Method: <b>Track Hoe</b>
Lat/Long: <b>Collector</b>				Field Screening: <b>Chloride, PID</b>				Hole Diameter: <b>N/A</b>	Total Depth: <b>6.5'</b>
Comments: BDL - Below Detection Limit; * $\text{Cl}^-$ values reported include 40% correction factor									
Moisture Content	Chloride * (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
Dry	BDL	Ø	N	-	0.5'	0		pad surface caliche, well-compacted	
D	BDL	Ø	N	-	1'	1	caliche	light gray to white, well-cemented caliche	
D	BDL	Ø	N	-	2'	2			
D	211.2	Ø	N	PH17	3'	3			
D	428.8	Ø	N	-	4.5'	4			
D	BDL	Ø	N	-	6.5'	5			
						6			
						7			
						8			
						9			
						10			
						11			
						12			
 To DEPTH									

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p>								Identifier: <b>B101</b>	Date: <b>10-22-19</b>
								Project Name: <b>PV Big Tanks 25 Federal Facility</b>	RP Number: <b>RP-4398</b>
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>SL</b>	Method: <b>Hand Auger</b>
Lat/Long:				Field Screening: <b>PID</b> <b>Chloride</b>				Hole Diameter: <b>1"</b>	Total Depth: <b>5'</b>
Comments: <b>TD @ 5'</b>									
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks	
1620	M	~1	0.6	N	0	1	SP-Sm	1-3 sand, Brown, no odor, no staining m-f, poorly graded, true soft	
1625	M	~1	1.0	N	1	2			
1630	D	~1	0.9	N	2	3			
1635	D	~1	0.7	N	3	4	CL	3-5	
1640	D	~1	0.3	N	4	5		Clayey sand, red, Brown, no odor, no stain, low cohesiveness, low plasticity, m-f, poorly graded	
					5			-5- caliche gravel some	
					6			<b>TD @ 5'</b>	
					7				
					8				
					9				
					10				
					11				
					12				

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p>								Identifier: <b>pH01</b>	Date: <b>10.22.19</b>
								Project Name: <b>PW B-1 Units 25 federal Battery</b>	RP Number: <b>ZRD-4398</b>
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>SL</b>	Method: <b>Trunk hole</b>
Lat/Long:				Field Screening				Hole Diameter:	Total Depth: <b>5'</b>
				PID	Chloride				
Comments: <b>TD @ 5'</b>									
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks	
1335	M	2.1 2.79	2.7	N	PH01	0		1- Sand, Brown, no odor, no stems, poorly graded, m-f, trace silt	
1340	D	2.1	3.2	N	PH01A	1	SP-SM		
1345	D	2.1	2.7	N	PH01B	2			
1350	D	2.1	2.4	N	PH01C	3			
1355	D	2.1	1.2	N	PH01D	4		- 4' increase carbon, friable	
						5		<b>TD @ 5'</b>	
						6			
						7			
						8			
						9			
						10			
						11			
						12			

 <p><b>LT Environmental, Inc.</b> 508 West Stevens Street Carlsbad, New Mexico 88220</p>								Identifier: <b>PHO2</b>	Date: <b>10-22-19</b>
								Project Name: <b>PLU Big Sinks 25' Fwd</b> <i>Buddy</i>	RP Number: <b>ZFP-4398</b>
<b>LITHOLOGIC / SOIL SAMPLING LOG</b>								Logged By: <b>SL</b>	Method: <b>Truette</b>
Lat/Long:				Field Screening: <b>PPD</b> <b>Chloride</b>				Hole Diameter:	Total Depth: <b>5'</b>
Comments: <b>TD @ 5'</b>									
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks	
1410	M	≤1 2.79	1.7	N	PHO2	0		1- <b>3</b>	
1415	M	≤1	2.8	N	PHO2A	1		Sand, Brown, no odor, no stain, m-f, poorly graded stone silt	
1420	D	≤1	2.1	N	PHO2B	2	SP - Sm	2- red Brown sand	
1425	D	≤1	2.9	N	PHO2C	3	SL	3- (layer sand), Red, Brown, no odor, no stain m-f, poorly graded (low plasticity, (low cohesiveness))	
1430	D	≤1	1.2	N	PHO2D	4		-5- true caliche gravel	
						5			
						6			
						7			
						8			
						9			
						10			
						11			
						12			

**ATTACHMENT 3: PHOTOGRAPHIC LOG**



PHOTOGRAPHIC LOG



**Photograph 1:** View of release area (2RP-2526), facing southeast.



**Photograph 2:** View of excavation (2RP-2526), facing west.



**Photograph 3:** View of excavation (2RP-2526), facing west.



**Photograph 4:** View of excavation (2RP-2526), facing northeast.

PLU Big Sinks 25 Federal Battery  
Eddy County, New Mexico  
Photographs Taken: February 2019 – October 2019

Page 1 of 3



### PHOTOGRAPHIC LOG



**Photograph 5:** View of release area (2RP-4775 and 2RP-4779), facing north.



**Photograph 6:** View of release area and excavation (2RP-4775 and 2RP-4779), facing north.



**Photograph 7:** View of release area and excavation (2RP-4775 and 2RP-4779), facing west.



**Photograph 8:** View of release area and excavation (2RP-4775 and 2RP-4779), facing west.

### PHOTOGRAPHIC LOG



**Photograph 9:** View of open excavation (2RP-4398), facing east.



**Photograph 10:** View of open excavation (2RP-4398), facing north.



**Photograph 11:** View of open excavation (2RP-4398), facing west.



**Photograph 12:** View of open excavation (2RP-4398), facing northwest.

**ATTACHMENT 4: LABORATORY ANALYTICAL REPORTS**



# Analytical Report 588895

for  
LT Environmental, Inc.

**Project Manager: Adrian Baker**

**PLU Big Sinks 25 Federal Battery**

**012918093**

**20-JUN-18**

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-26), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16)  
Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-15)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429)  
Xenco-Lakeland: Florida (E84098)



20-JUN-18

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **588895**

**PLU Big Sinks 25 Federal Battery**

Project Address: NM

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 588895. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 588895 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 588895

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS1	S	06-08-18 12:30	6 In	588895-001
SS2	S	06-08-18 12:35	6 In	588895-002
SS3	S	06-08-18 12:40	6 In	588895-003
SS4	S	06-08-18 12:45	6 In	588895-004
SS5	S	06-08-18 12:50	6 In	588895-005
SS6	S	06-08-18 12:55	6 In	588895-006

**Client Name: LT Environmental, Inc.**

**Project Name: PLU Big Sinks 25 Federal Battery**

Project ID: 012918093  
Work Order Number(s): 588895

Report Date: 20-JUN-18  
Date Received: 06/12/2018

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3053754 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 588895



LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 012918093  
 Contact: Adrian Baker  
 Project Location: NM

Date Received in Lab: Tue Jun-12-18 10:45 am  
 Report Date: 20-JUN-18  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b>	588895-001	588895-002	588895-003	588895-004	588895-005	588895-006					
<b>BTEX by EPA 8021B</b>	<b>Extracted:</b>	Jun-18-18 08:00										
	<b>Analyzed:</b>	Jun-18-18 10:02	Jun-18-18 11:51	Jun-18-18 12:09	Jun-18-18 12:28	Jun-18-18 12:46	Jun-18-18 14:00					
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Benzene	<0.00199	0.00199	<0.00199	0.00199	<0.00200	0.00200	<0.00199	0.00199	<0.00201	0.00201		
Toluene	<0.00199	0.00199	<0.00199	0.00199	0.00306	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201
Ethylbenzene	<0.00199	0.00199	<0.00199	0.00199	0.00618	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.00287	0.00201
m,p-Xylenes	<0.00398	0.00398	<0.00398	0.00398	0.0387	0.00401	<0.00402	0.00402	<0.00398	0.00398	0.0191	0.00402
o-Xylene	<0.00199	0.00199	<0.00199	0.00199	0.0230	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.0114	0.00201
Total Xylenes	<0.00199	0.00199	<0.00199	0.00199	0.0617	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.0305	0.00201
Total BTEX	<0.00199	0.00199	<0.00199	0.00199	0.0709	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.0334	0.00201
<b>Inorganic Anions by EPA 300</b>	<b>Extracted:</b>	Jun-13-18 15:00										
	<b>Analyzed:</b>	Jun-14-18 15:22	Jun-14-18 15:43	Jun-14-18 15:49	Jun-14-18 16:05	Jun-14-18 16:10	Jun-14-18 16:16					
	<b>Units/RL:</b>	mg/kg	RL									
Chloride	18.5	5.00	13.3	4.98	75.4	5.00	182	4.99	9.63	4.96	94.4	5.00
<b>TPH by SW8015 Mod</b>	<b>Extracted:</b>	Jun-12-18 11:00	Jun-12-18 11:00	Jun-12-18 11:00	Jun-15-18 18:00	Jun-12-18 11:00	Jun-12-18 11:00					
	<b>Analyzed:</b>	Jun-12-18 13:51	Jun-12-18 14:54	Jun-12-18 15:14	Jun-18-18 12:03	Jun-12-18 15:56	Jun-12-18 16:16					
	<b>Units/RL:</b>	mg/kg	RL									
Gasoline Range Hydrocarbons (GRO)	<15.0	15.0	<15.0	15.0	204	15.0	<14.9	14.9	<15.0	15.0	50.4	15.0
Diesel Range Organics (DRO)	37.0	15.0	<15.0	15.0	4980	15.0	58.1	14.9	<15.0	15.0	1870	15.0
Oil Range Hydrocarbons (ORO)	<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	21.2	15.0
Total TPH	37.0	15.0	<15.0	15.0	5180	15.0	58.1	14.9	<15.0	15.0	1940	15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Jessica Kramer  
 Project Assistant



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS1 Matrix: Soil Date Received: 06.12.18 10.45  
Lab Sample Id: 588895-001 Date Collected: 06.08.18 12.30 Sample Depth: 6 In  
Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P  
Tech: SCM % Moisture:  
Analyst: SCM Date Prep: 06.13.18 15.00 Basis: Wet Weight  
Seq Number: 3053525

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	18.5	5.00	mg/kg	06.14.18 15.22		1

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P  
Tech: ARM % Moisture:  
Analyst: ARM Date Prep: 06.12.18 11.00 Basis: Wet Weight  
Seq Number: 3053764

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.12.18 13.51	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>37.0</b>	15.0	mg/kg	06.12.18 13.51		1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 13.51	U	1
<b>Total TPH</b>	PHC635	<b>37.0</b>	15.0	mg/kg	06.12.18 13.51		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	80	%	70-135	06.12.18 13.51		
o-Terphenyl	84-15-1	86	%	70-135	06.12.18 13.51		



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS1  
Lab Sample Id: 588895-001

Matrix: Soil  
Date Collected: 06.08.18 12.30

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.18.18 10.02	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.18.18 10.02	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.18.18 10.02	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.18.18 10.02	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.18.18 10.02	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.18.18 10.02	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.18.18 10.02	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	110	%	70-130	06.18.18 10.02	
1,4-Difluorobenzene		540-36-3	109	%	70-130	06.18.18 10.02	



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

### PLU Big Sinks 25 Federal Battery

Sample Id: SS2  
Lab Sample Id: 588895-002

Matrix: Soil  
Date Collected: 06.08.18 12.35

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

Date Prep: 06.13.18 15.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13.3	4.98	mg/kg	06.14.18 15.43		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053764

Date Prep: 06.12.18 11.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.12.18 14.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.12.18 14.54	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 14.54	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.12.18 14.54	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	81	%	70-135	06.12.18 14.54		
o-Terphenyl	84-15-1	84	%	70-135	06.12.18 14.54		



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS2  
Lab Sample Id: 588895-002

Matrix: Soil  
Date Collected: 06.08.18 12.35

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.18.18 11.51	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.18.18 11.51	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.18.18 11.51	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.18.18 11.51	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.18.18 11.51	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.18.18 11.51	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.18.18 11.51	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	101	%	70-130	06.18.18 11.51	
4-Bromofluorobenzene		460-00-4	101	%	70-130	06.18.18 11.51	



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS3  
Lab Sample Id: 588895-003

Matrix: Soil  
Date Collected: 06.08.18 12.40

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

Date Prep: 06.13.18 15.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	75.4	5.00	mg/kg	06.14.18 15.49		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053764

Date Prep: 06.12.18 11.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	204	15.0	mg/kg	06.12.18 15.14		1
Diesel Range Organics (DRO)	C10C28DRO	4980	15.0	mg/kg	06.12.18 15.14		1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 15.14	U	1
Total TPH	PHC635	5180	15.0	mg/kg	06.12.18 15.14		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	113	%	70-135	06.12.18 15.14		
o-Terphenyl	84-15-1	95	%	70-135	06.12.18 15.14		



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS3  
Lab Sample Id: 588895-003

Matrix: Soil  
Date Collected: 06.08.18 12.40

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	06.18.18 12.09	U	1
Toluene	108-88-3	<b>0.00306</b>	0.00200	mg/kg	06.18.18 12.09		1
Ethylbenzene	100-41-4	<b>0.00618</b>	0.00200	mg/kg	06.18.18 12.09		1
m,p-Xylenes	179601-23-1	<b>0.0387</b>	0.00401	mg/kg	06.18.18 12.09		1
o-Xylene	95-47-6	<b>0.0230</b>	0.00200	mg/kg	06.18.18 12.09		1
Total Xylenes	1330-20-7	<b>0.0617</b>	0.00200	mg/kg	06.18.18 12.09		1
<b>Total BTEX</b>		<b>0.0709</b>	0.00200	mg/kg	06.18.18 12.09		1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	92	%	70-130	06.18.18 12.09	
4-Bromofluorobenzene		460-00-4	128	%	70-130	06.18.18 12.09	



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS4  
Lab Sample Id: 588895-004

Matrix: Soil  
Date Collected: 06.08.18 12.45

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

Date Prep: 06.13.18 15.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	182	4.99	mg/kg	06.14.18 16.05		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053883

Date Prep: 06.15.18 18.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	06.18.18 12.03	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>58.1</b>	14.9	mg/kg	06.18.18 12.03		1
Oil Range Hydrocarbons (ORO)	PHCG2835	<14.9	14.9	mg/kg	06.18.18 12.03	U	1
<b>Total TPH</b>	PHC635	<b>58.1</b>	14.9	mg/kg	06.18.18 12.03		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	87	%	70-135	06.18.18 12.03		
o-Terphenyl	84-15-1	88	%	70-135	06.18.18 12.03		



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS4  
Lab Sample Id: 588895-004

Matrix: Soil  
Date Collected: 06.08.18 12.45

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	06.18.18 12.28	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	06.18.18 12.28	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	06.18.18 12.28	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	06.18.18 12.28	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	06.18.18 12.28	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	06.18.18 12.28	U	1
Total BTEX		<0.00201	0.00201	mg/kg	06.18.18 12.28	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	116	%	70-130	06.18.18 12.28	
1,4-Difluorobenzene		540-36-3	94	%	70-130	06.18.18 12.28	



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS5  
Lab Sample Id: 588895-005

Matrix: Soil  
Date Collected: 06.08.18 12.50

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

Date Prep: 06.13.18 15.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.63	4.96	mg/kg	06.14.18 16.10		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053764

Date Prep: 06.12.18 11.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.12.18 15.56	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.12.18 15.56	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 15.56	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.12.18 15.56	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	84	%	70-135	06.12.18 15.56		
o-Terphenyl	84-15-1	87	%	70-135	06.12.18 15.56		



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS5  
Lab Sample Id: 588895-005

Matrix: Soil  
Date Collected: 06.08.18 12.50

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.18.18 12.46	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.18.18 12.46	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.18.18 12.46	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.18.18 12.46	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.18.18 12.46	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.18.18 12.46	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.18.18 12.46	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	87	%	70-130	06.18.18 12.46	
4-Bromofluorobenzene		460-00-4	93	%	70-130	06.18.18 12.46	



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS6  
Lab Sample Id: 588895-006

Matrix: Soil  
Date Collected: 06.08.18 12.55

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

Date Prep: 06.13.18 15.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	94.4	5.00	mg/kg	06.14.18 16.16		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053764

Date Prep: 06.12.18 11.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	50.4	15.0	mg/kg	06.12.18 16.16		1
Diesel Range Organics (DRO)	C10C28DRO	1870	15.0	mg/kg	06.12.18 16.16		1
Oil Range Hydrocarbons (ORO)	PHCG2835	21.2	15.0	mg/kg	06.12.18 16.16		1
Total TPH	PHC635	1940	15.0	mg/kg	06.12.18 16.16		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	06.12.18 16.16		
o-Terphenyl	84-15-1	129	%	70-135	06.12.18 16.16		



# Certificate of Analytical Results 588895



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS6  
Lab Sample Id: 588895-006

Matrix: Soil  
Date Collected: 06.08.18 12.55

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	06.18.18 14.00	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	06.18.18 14.00	U	1
Ethylbenzene	100-41-4	<b>0.00287</b>	0.00201	mg/kg	06.18.18 14.00		1
m,p-Xylenes	179601-23-1	<b>0.0191</b>	0.00402	mg/kg	06.18.18 14.00		1
o-Xylene	95-47-6	<b>0.0114</b>	0.00201	mg/kg	06.18.18 14.00		1
Total Xylenes	1330-20-7	<b>0.0305</b>	0.00201	mg/kg	06.18.18 14.00		1
<b>Total BTEX</b>		<b>0.0334</b>	0.00201	mg/kg	06.18.18 14.00		1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	129	%	70-130	06.18.18 14.00	
1,4-Difluorobenzene		540-36-3	95	%	70-130	06.18.18 14.00	



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 588895

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3053525	Matrix:	Solid		Prep Method:	E300P
MB Sample Id:	7656631-1-BLK	LCS Sample Id:	7656631-1-BKS		Date Prep:	06.13.18
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>
Chloride	<5.00	250	257	103	257	103
					Limits	90-110
					%RPD	0
					RPD Limit	20
					Units	mg/kg
					Analysis Date	06.14.18 13:56
					Flag	

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3053525	Matrix:	Soil		Prep Method:	E300P
Parent Sample Id:	588924-003	MS Sample Id:	588924-003 S		Date Prep:	06.13.18
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>
Chloride	<5.00	250	259	104	262	106
					Limits	90-110
					%RPD	1
					RPD Limit	20
					Units	mg/kg
					Analysis Date	06.14.18 14:12
					Flag	

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3053525	Matrix:	Soil		Prep Method:	E300P
Parent Sample Id:	588924-004	MS Sample Id:	588924-004 S		Date Prep:	06.13.18
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>
Chloride	<5.00	250	264	106	260	104
					Limits	90-110
					%RPD	2
					RPD Limit	20
					Units	mg/kg
					Analysis Date	06.14.18 15:32
					Flag	

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053764	Matrix:	Solid		Prep Method:	TX1005P
MB Sample Id:	7656742-1-BLK	LCS Sample Id:	7656742-1-BKS		Date Prep:	06.12.18
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	903	90	880	88
Diesel Range Organics (DRO)	<15.0	1000	949	95	922	92
					Limits	70-135
					%RPD	3
					RPD Limit	20
					Units	mg/kg
					Analysis Date	06.12.18 13:10
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>
1-Chlorooctane	90		113		110	
o-Terphenyl	97		106		104	
					Limits	70-135
					%	06.12.18 13:10
					%	06.12.18 13:10

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 588895

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053883	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7656922-1-BLK	LCS Sample Id: 7656922-1-BKS				Date Prep: 06.15.18			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	829	83	869	87	70-135	5	20
Diesel Range Organics (DRO)	<15.0	1000	874	87	916	92	70-135	5	20
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	84		118		124		70-135	%	06.17.18 11:06
o-Terphenyl	89		100		105		70-135	%	06.17.18 11:06

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053764	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	588895-001	MS Sample Id: 588895-001 S				Date Prep: 06.12.18			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<15.0	999	845	85	829	83	70-135	2	20
Diesel Range Organics (DRO)	37.0	999	844	81	842	81	70-135	0	20
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane			101		103		70-135	%	06.12.18 14:12
o-Terphenyl			90		90		70-135	%	06.12.18 14:12

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053883	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	589288-001	MS Sample Id: 589288-001 S				Date Prep: 06.15.18			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<15.0	998	810	81	811	81	70-135	0	20
Diesel Range Organics (DRO)	<15.0	998	820	82	820	82	70-135	0	20
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane			113		113		70-135	%	06.17.18 12:07
o-Terphenyl			94		90		70-135	%	06.17.18 12:07

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 588895

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method: BTEX by EPA 8021B**

Seq Number:	3053754	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7656840-1-BLK	LCS Sample Id: 7656840-1-BKS				Date Prep: 06.18.18			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00200	0.100	0.106	106	0.0956	96	70-130	10	35
Toluene	<0.00200	0.100	0.112	112	0.0994	100	70-130	12	35
Ethylbenzene	<0.00200	0.100	0.112	112	0.0982	99	70-130	13	35
m,p-Xylenes	<0.00401	0.200	0.233	117	0.206	104	70-130	12	35
o-Xylene	<0.00200	0.100	0.110	110	0.0957	96	70-130	14	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	96		102		103		70-130	%	06.18.18 07:53
4-Bromofluorobenzene	86		102		96		70-130	%	06.18.18 07:53

**Analytical Method: BTEX by EPA 8021B**

Seq Number:	3053754	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	588895-001	MS Sample Id: 588895-001 S				Date Prep: 06.18.18			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00200	0.100	0.0732	73	0.0744	75	70-130	2	35
Toluene	<0.00200	0.100	0.0767	77	0.0762	76	70-130	1	35
Ethylbenzene	<0.00200	0.100	0.0763	76	0.0731	73	70-130	4	35
m,p-Xylenes	<0.00401	0.200	0.159	80	0.152	76	70-130	5	35
o-Xylene	<0.00200	0.100	0.0760	76	0.0712	71	70-130	7	35
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene			90		109		70-130	%	06.18.18 08:51
4-Bromofluorobenzene			91		120		70-130	%	06.18.18 08:51

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



Setting the Standard since 1990  
Stafford, Texas (281-240-4200)  
Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)  
Midland, Texas (432-704-5251)

[www.xenco.com](http://www.xenco.com)

Phoenix, Arizona (480-355-0900)

Xenco Quote #

588895

Matrix Codes

Client / Reporting Information		Project Information		Analytical Information		Xenco Job #	
Company Name / Branch: <i>LJ Environmental Inc - Permian Okla</i>	Project Name/Number: <i>PLU R19 S1925 Federal Facility 01/09/18093</i>	Project Location: <i>74205 NM</i>					
Company Address: <i>3300 N. 41st St., Suite 100, Midland, TX</i>	Phone No:	Invoice To:					
E-mail: <i>Abigail.C.Henry@xenco.com</i>							
Project Contact: <i>Adrienne Baker</i>	PO Number: <i>X70 Energy - Kyle Littrell</i>						
Sampler's Name <i>Derrick Thomas</i>	Turnaround Time (Business days) <input checked="" type="checkbox"/> Same Day TAT <input type="checkbox"/> Next Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 3 Day EMERGENCY	Field ID / Point of Collection <i>SS1</i> <i>SS2</i> <i>SS3</i> <i>SS4</i> <i>SS5</i> <i>SS6</i>	Collection Sample Depth Date Time Matrix # of bottles	Number of preserved bottles 1 1 1 1 1 1 1 1 1 1	Data Deliverable Information <input type="checkbox"/> Level II Std QC <input type="checkbox"/> Level III Std QC+ Forms <input type="checkbox"/> Level 3 (CLP Forms) <input type="checkbox"/> TRRP Checklist	Notes: <i>BTEX</i> <i>TPH</i> <i>Chloride</i>	Field Comments
No.							

SAMPLE CUSTODY MUST BE DOCUMENTED BEFORE EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY		Received By:		Received By:		Received By:	
1 Relinquished by: <i>J. B.</i>	Date Time: <i>6-18 16:29</i>	1 Received By: <i>Amie Henry</i>	Date Time: <i>6-18 16:29</i>	2 Received By: <i>Connie Wells</i>	Date Time: <i>6-18 15:30</i>	3 Received By: <i>Jeffrey H.</i>	Date Time: <i>6-18 10:45</i>
3 Relinquished by:	Date Time: <i>3</i>	Received By: <i>4</i>	Custody Seal # <i>4</i>	Preserved where applicable <input type="checkbox"/>	On Ice <input checked="" type="checkbox"/>	Cooler Temp. <i>2.1 RG O.O</i>	Thermo. Corr. Factor <i>100</i>
5							

W = Water  
S = Soil/Sed/Solid  
GW = Ground Water  
DW = Drinking Water  
P = Product  
SW = Surface water  
SL = Sludge  
OW = Ocean/Sea Water  
WI = Wipe  
O = Oil  
WW = Waste Water  
A = Air



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 06/12/2018 10:45:00 AM

**Work Order #:** 588895

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	2.1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:** Katie Lowe Date: 06/12/2018  
 Katie Lowe

**Checklist reviewed by:** Jessica Kramer Date: 06/13/2018  
 Jessica Kramer

# Analytical Report 588898

for  
LT Environmental, Inc.

**Project Manager: Adrian Baker**

**PLU Big Sinks 25 Federal Battery**

**012918093**

**20-JUN-18**

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-26), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16)  
Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-15)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429)  
Xenco-Lakeland: Florida (E84098)



20-JUN-18

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **588898**

**PLU Big Sinks 25 Federal Battery**

Project Address: NM

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 588898. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 588898 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 588898

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS7	S	06-08-18 10:00	6 In	588898-001
SS8	S	06-08-18 10:05	6 In	588898-002
SS9	S	06-08-18 10:10	6 In	588898-003
SS10	S	06-08-18 10:20	6 In	588898-004
SS11	S	06-08-18 10:25	6 In	588898-005
SS12	S	06-08-18 10:30	6 In	588898-006
SS13	S	06-08-18 10:35	6 In	588898-007



## CASE NARRATIVE

**Client Name: LT Environmental, Inc.**

**Project Name: PLU Big Sinks 25 Federal Battery**

Project ID: 012918093  
Work Order Number(s): 588898

Report Date: 20-JUN-18  
Date Received: 06/12/2018

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3053859 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Lab Sample ID 588898-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Benzene, Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 588898-001, -002, -003, -004, -005, -006, -007.

The Laboratory Control Sample for Toluene, Benzene, m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.



## Certificate of Analysis Summary 588898



LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 012918093  
 Contact: Adrian Baker  
 Project Location: NM

Date Received in Lab: Tue Jun-12-18 10:45 am  
 Report Date: 20-JUN-18  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>		<b>Lab Id:</b>	588898-001	588898-002	588898-003	588898-004	588898-005	588898-006	
		<b>Field Id:</b>	SS7	SS8	SS9	SS10	SS11	SS12	
		<b>Depth:</b>	6- In						
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	
		<b>Sampled:</b>	Jun-08-18 10:00	Jun-08-18 10:05	Jun-08-18 10:10	Jun-08-18 10:20	Jun-08-18 10:25	Jun-08-18 10:30	
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Jun-18-18 15:30						
		<b>Analyzed:</b>	Jun-18-18 21:12	Jun-18-18 21:30	Jun-18-18 21:49	Jun-18-18 23:55	Jun-19-18 00:14	Jun-19-18 00:30	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Benzene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201
Toluene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201
Ethylbenzene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201
m,p-Xylenes		<0.00399	0.00399	<0.00402	0.00402	<0.00398	0.00398	<0.00398	0.00398
o-Xylene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201
Total Xylenes		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201
Total BTEX		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Jun-14-18 08:30	Jun-14-18 08:30	Jun-14-18 08:30	Jun-14-18 08:30	Jun-15-18 08:00	Jun-15-18 08:00	
		<b>Analyzed:</b>	Jun-14-18 17:24	Jun-14-18 17:46	Jun-14-18 17:29	Jun-14-18 17:41	Jun-15-18 11:04	Jun-15-18 10:47	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		2390	24.8	321	5.00	1580	25.0	2390	24.6
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Jun-15-18 12:00						
		<b>Analyzed:</b>	Jun-15-18 15:47	Jun-15-18 16:07	Jun-15-18 16:27	Jun-15-18 16:47	Jun-15-18 17:08	Jun-15-18 17:28	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Gasoline Range Hydrocarbons (GRO)		<14.9	14.9	<15.0	15.0	<15.0	15.0	<15.0	15.0
Diesel Range Organics (DRO)		<14.9	14.9	<15.0	15.0	<15.0	15.0	<15.0	15.0
Oil Range Hydrocarbons (ORO)		<14.9	14.9	<15.0	15.0	<15.0	15.0	<15.0	15.0
Total TPH		<14.9	14.9	<15.0	15.0	<15.0	15.0	18.0	15.0
								19.0	15.0
								<15.0	15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Jessica Kramer  
 Project Assistant



## Certificate of Analysis Summary 588898



LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 012918093  
 Contact: Adrian Baker  
 Project Location: NM

Date Received in Lab: Tue Jun-12-18 10:45 am  
 Report Date: 20-JUN-18  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b>  <b>Field Id:</b>  <b>Depth:</b>  <b>Matrix:</b>  <b>Sampled:</b>	588898-007 SS13 6- In SOIL Jun-08-18 10:35					
<b>BTEX by EPA 8021B</b>	<b>Extracted:</b>  <b>Analyzed:</b>  <b>Units/RL:</b>	Jun-18-18 15:30 Jun-19-18 00:48 mg/kg RL					
Benzene	<0.00202 0.00202						
Toluene	<0.00202 0.00202						
Ethylbenzene	<0.00202 0.00202						
m,p-Xylenes	<0.00403 0.00403						
o-Xylene	<0.00202 0.00202						
Total Xylenes	<0.00202 0.00202						
Total BTEX	<0.00202 0.00202						
<b>Inorganic Anions by EPA 300</b>	<b>Extracted:</b>  <b>Analyzed:</b>  <b>Units/RL:</b>	Jun-15-18 08:00 Jun-15-18 11:09 mg/kg RL					
Chloride	4240 49.9						
<b>TPH by SW8015 Mod</b>	<b>Extracted:</b>  <b>Analyzed:</b>  <b>Units/RL:</b>	Jun-15-18 12:00 Jun-15-18 17:48 mg/kg RL					
Gasoline Range Hydrocarbons (GRO)	<15.0 15.0						
Diesel Range Organics (DRO)	<15.0 15.0						
Oil Range Hydrocarbons (ORO)	<15.0 15.0						
Total TPH	<15.0 15.0						

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Jessica Kramer  
 Project Assistant



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS7  
Lab Sample Id: 588898-001

Matrix: Soil  
Date Collected: 06.08.18 10.00

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053433

Date Prep: 06.14.18 08.30

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2390	24.8	mg/kg	06.14.18 17.24		5

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053586

Date Prep: 06.15.18 12.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	06.15.18 15.47	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	06.15.18 15.47	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<14.9	14.9	mg/kg	06.15.18 15.47	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	06.15.18 15.47	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	72	%	70-135	06.15.18 15.47		
o-Terphenyl	84-15-1	76	%	70-135	06.15.18 15.47		



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS7  
Lab Sample Id: 588898-001

Matrix: Soil  
Date Collected: 06.08.18 10.00

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 15.30

Basis: Wet Weight

Seq Number: 3053859

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	06.18.18 21.12	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	06.18.18 21.12	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	06.18.18 21.12	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	06.18.18 21.12	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	06.18.18 21.12	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	06.18.18 21.12	U	1
Total BTEX		<0.00200	0.00200	mg/kg	06.18.18 21.12	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	115	%	70-130	06.18.18 21.12	
4-Bromofluorobenzene		460-00-4	95	%	70-130	06.18.18 21.12	



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS8  
Lab Sample Id: 588898-002

Matrix: Soil  
Date Collected: 06.08.18 10.05

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053433

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	321	5.00	mg/kg	06.14.18 17.46		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053586

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.15.18 16.07	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.15.18 16.07	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.15.18 16.07	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.15.18 16.07	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	77	%	70-135	06.15.18 16.07		
o-Terphenyl	84-15-1	79	%	70-135	06.15.18 16.07		



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS8  
Lab Sample Id: 588898-002

Matrix: Soil  
Date Collected: 06.08.18 10.05

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 15.30

Basis: Wet Weight

Seq Number: 3053859

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	06.18.18 21.30	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	06.18.18 21.30	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	06.18.18 21.30	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	06.18.18 21.30	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	06.18.18 21.30	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	06.18.18 21.30	U	1
Total BTEX		<0.00201	0.00201	mg/kg	06.18.18 21.30	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	98	%	70-130	06.18.18 21.30	
4-Bromofluorobenzene		460-00-4	104	%	70-130	06.18.18 21.30	



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS9  
Lab Sample Id: 588898-003

Matrix: Soil  
Date Collected: 06.08.18 10.10

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053433

Date Prep: 06.14.18 08.30

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1580	25.0	mg/kg	06.14.18 17.29		5

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053586

Date Prep: 06.15.18 12.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.15.18 16.27	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.15.18 16.27	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.15.18 16.27	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.15.18 16.27	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	75	%	70-135	06.15.18 16.27		
o-Terphenyl	84-15-1	77	%	70-135	06.15.18 16.27		



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS9  
Lab Sample Id: 588898-003

Matrix: Soil  
Date Collected: 06.08.18 10.10

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 15.30

Basis: Wet Weight

Seq Number: 3053859

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	06.18.18 21.49	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	06.18.18 21.49	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	06.18.18 21.49	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	06.18.18 21.49	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	06.18.18 21.49	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	06.18.18 21.49	U	1
Total BTEX		<0.00201	0.00201	mg/kg	06.18.18 21.49	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	91	%	70-130	06.18.18 21.49	
4-Bromofluorobenzene		460-00-4	89	%	70-130	06.18.18 21.49	



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **SS10**  
Lab Sample Id: 588898-004

Matrix: Soil  
Date Collected: 06.08.18 10.20

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053433

Date Prep: 06.14.18 08.30

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>2390</b>	24.6	mg/kg	06.14.18 17.41		5

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053586

Date Prep: 06.15.18 12.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.15.18 16.47	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>18.0</b>	15.0	mg/kg	06.15.18 16.47		1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.15.18 16.47	U	1
<b>Total TPH</b>	PHC635	<b>18.0</b>	15.0	mg/kg	06.15.18 16.47		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	90	%	70-135	06.15.18 16.47		
o-Terphenyl	84-15-1	94	%	70-135	06.15.18 16.47		



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS10

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588898-004

Date Collected: 06.08.18 10.20

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 15.30

Basis: Wet Weight

Seq Number: 3053859

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.18.18 23.55	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.18.18 23.55	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.18.18 23.55	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.18.18 23.55	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.18.18 23.55	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.18.18 23.55	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.18.18 23.55	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	98	%	70-130	06.18.18 23.55	
1,4-Difluorobenzene		540-36-3	92	%	70-130	06.18.18 23.55	



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS11  
Lab Sample Id: 588898-005

Matrix: Soil  
Date Collected: 06.08.18 10.25

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053704

Date Prep: 06.15.18 08.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	133	4.93	mg/kg	06.15.18 11.04		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053586

Date Prep: 06.15.18 12.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.15.18 17.08	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>19.0</b>	15.0	mg/kg	06.15.18 17.08		1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.15.18 17.08	U	1
<b>Total TPH</b>	PHC635	<b>19.0</b>	15.0	mg/kg	06.15.18 17.08		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	78	%	70-135	06.15.18 17.08		
o-Terphenyl	84-15-1	80	%	70-135	06.15.18 17.08		



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS11  
Lab Sample Id: 588898-005

Matrix: Soil  
Date Collected: 06.08.18 10.25

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 15.30

Basis: Wet Weight

Seq Number: 3053859

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.19.18 00.14	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.19.18 00.14	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.19.18 00.14	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.19.18 00.14	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.19.18 00.14	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.19.18 00.14	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.19.18 00.14	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	92	%	70-130	06.19.18 00.14	
4-Bromofluorobenzene		460-00-4	94	%	70-130	06.19.18 00.14	



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS12  
Lab Sample Id: 588898-006

Matrix: Soil  
Date Collected: 06.08.18 10.30

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053704

Date Prep: 06.15.18 08.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	93.4	5.00	mg/kg	06.15.18 10.47		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053586

Date Prep: 06.15.18 12.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.15.18 17.28	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.15.18 17.28	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.15.18 17.28	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.15.18 17.28	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	77	%	70-135	06.15.18 17.28		
o-Terphenyl	84-15-1	81	%	70-135	06.15.18 17.28		



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS12

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588898-006

Date Collected: 06.08.18 10.30

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 15.30

Basis: Wet Weight

Seq Number: 3053859

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	06.19.18 00.30	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	06.19.18 00.30	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	06.19.18 00.30	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	06.19.18 00.30	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	06.19.18 00.30	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	06.19.18 00.30	U	1
Total BTEX		<0.00201	0.00201	mg/kg	06.19.18 00.30	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	86	%	70-130	06.19.18 00.30	
1,4-Difluorobenzene		540-36-3	101	%	70-130	06.19.18 00.30	



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS13

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588898-007

Date Collected: 06.08.18 10.35

Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 06.15.18 08.00

Basis: Wet Weight

Seq Number: 3053704

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	4240	49.9	mg/kg	06.15.18 11.09		10

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 06.15.18 12.00

Basis: Wet Weight

Seq Number: 3053586

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.15.18 17.48	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.15.18 17.48	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.15.18 17.48	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.15.18 17.48	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	78	%	70-135	06.15.18 17.48		
o-Terphenyl	84-15-1	80	%	70-135	06.15.18 17.48		



# Certificate of Analytical Results 588898



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS13

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588898-007

Date Collected: 06.08.18 10.35

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 15.30

Basis: Wet Weight

Seq Number: 3053859

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	06.19.18 00.48	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	06.19.18 00.48	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	06.19.18 00.48	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	06.19.18 00.48	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	06.19.18 00.48	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	06.19.18 00.48	U	1
Total BTEX		<0.00202	0.00202	mg/kg	06.19.18 00.48	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	100	%	70-130	06.19.18 00.48	
4-Bromofluorobenzene		460-00-4	104	%	70-130	06.19.18 00.48	



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 588898

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** Inorganic Anions by EPA 300

Parameter	MB Result	Spike Amount	Matrix: Solid				Limits	%RPD RPD Limit Units			Analysis Date	Flag
			LCS Result	LCS %Rec	LCSD Result	LCSD %Rec		%	RPD	Limit		
Chloride	<5.00	250	257	103	257	103	90-110	0	20	mg/kg	06.14.18 12:29	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	MB Result	Spike Amount	Matrix: Solid				Limits	%RPD RPD Limit Units			Analysis Date	Flag
			LCS Result	LCS %Rec	LCSD Result	LCSD %Rec		%	RPD	Limit		
Chloride	<5.00	250	252	101	251	100	90-110	0	20	mg/kg	06.15.18 09:21	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	Matrix: Soil				Limits	%RPD RPD Limit Units			Analysis Date	Flag
			MS Result	MS %Rec	MSD Result	MSD %Rec		%	RPD	Limit		
Chloride	321	250	558	95	559	95	90-110	0	20	mg/kg	06.14.18 17:57	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	Matrix: Soil				Limits	%RPD RPD Limit Units			Analysis Date	Flag
			MS Result	MS %Rec	MSD Result	MSD %Rec		%	RPD	Limit		
Chloride	7.35	247	270	106	264	104	90-110	2	20	mg/kg	06.14.18 12:46	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	Matrix: Soil				Limits	%RPD RPD Limit Units			Analysis Date	Flag
			MS Result	MS %Rec	MSD Result	MSD %Rec		%	RPD	Limit		
Chloride	93.4	250	336	97	336	97	90-110	0	20	mg/kg	06.15.18 10:53	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 588898

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3053704	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	589317-001	MS Sample Id: 589317-001 S				Date Prep: 06.15.18			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit Units
Chloride	6.86	250	254	99	254	99	90-110	0	20 mg/kg
									Analysis Date
									Flag

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053586	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7656745-1-BLK	LCS Sample Id: 7656745-1-BKS				Date Prep: 06.15.18			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	837	84	847	85	70-135	1	20 mg/kg
Diesel Range Organics (DRO)	<15.0	1000	827	83	854	85	70-135	3	20 mg/kg
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	80		107		109		70-135	%	06.15.18 13:26
o-Terphenyl	84		86		83		70-135	%	06.15.18 13:26

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053586	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	589277-001	MS Sample Id: 589277-001 S				Date Prep: 06.15.18			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit Units
Gasoline Range Hydrocarbons (GRO)	<15.0	999	820	82	871	87	70-135	6	20 mg/kg
Diesel Range Organics (DRO)	331	999	1120	79	1160	83	70-135	4	20 mg/kg
<b>Surrogate</b>			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			109		102		70-135	%	06.15.18 14:26
o-Terphenyl			89		90		70-135	%	06.15.18 14:26

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 588898

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method: BTEX by EPA 8021B**

Seq Number:	3053859	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7656905-1-BLK	LCS Sample Id: 7656905-1-BKS				Date Prep: 06.18.18			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00202	0.101	0.101	100	0.0966	97	70-130	4	35
Toluene	<0.00202	0.101	0.105	104	0.103	103	70-130	2	35
Ethylbenzene	<0.00202	0.101	0.105	104	0.103	103	70-130	2	35
m,p-Xylenes	<0.00403	0.202	0.219	108	0.216	108	70-130	1	35
o-Xylene	<0.00202	0.101	0.106	105	0.100	100	70-130	6	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	85		95		107		70-130	%	06.18.18 17:54
4-Bromofluorobenzene	88		106		97		70-130	%	06.18.18 17:54

**Analytical Method: BTEX by EPA 8021B**

Seq Number:	3053859	Matrix: Soil				Date Prep: 06.18.18			
Parent Sample Id:	588898-001	MS Sample Id: 588898-001 S				MSD Sample Id: 588898-001 SD			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00199	0.0996	0.0648	65	0.0715	72	70-130	10	35
Toluene	<0.00199	0.0996	0.0647	65	0.0731	73	70-130	12	35
Ethylbenzene	<0.00199	0.0996	0.0626	63	0.0710	71	70-130	13	35
m,p-Xylenes	<0.00398	0.199	0.132	66	0.146	73	70-130	10	35
o-Xylene	<0.00199	0.0996	0.0611	61	0.0702	70	70-130	14	35
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene			97		107		70-130	%	06.18.18 18:31
4-Bromofluorobenzene			105		110		70-130	%	06.18.18 18:31

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



Setting the Standard since 1990

Stafford, Texas (281-240-4200)

Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)

Phoenix, Arizona (480-355-0900)

Midland, Texas (432-704-5251)

# CHAIN OF CUSTODY

Page 1 of 1

www.xenco.com

Xenco Quote #

Xenco Job #

588898

Matrix Codes

Client / Reporting Information		Project Information									
Company Name / Branch:	UJ Environmental Inc - Permian Office	Project Name/Number:	PDU Big Springs 25 Federal Hwy / 012918093								
Company Address:	3300 North 1A <sup>4</sup> St., Bldg. 1, Unit#103, Midland, TX	Project Location:	NM								
Email:	Aballer@xenu.com	Phone No.:	432-704-5178								
Project Contact:	Adrian Baller	PO Number:	TRP - 2526								
Sampler's Name	Deniel Thorner										

No.	Field ID / Point of Collection	Collection	Sample Depth	Date	Time	Matrix	# of bottles	NaOH/Zn Acetate	HNO3	NaOH	NaHSO4	MEOH	NONE
1	SS7		6"	6-8-18	1000	501	1						
2	SS8												
3	SS9												
4	SS10												
5	SS11												
6	SS12												
7	SS13												
8													
9													
10	Turnaround Time (Business days)												

Data Deliverable Information													
Notes:													
<input type="checkbox"/> Same Day TAT	<input type="checkbox"/> 5 Day TAT	<input type="checkbox"/> Level II Std QC	<input type="checkbox"/> Level IV (Full Data Pkg /raw data)										
<input type="checkbox"/> Next Day EMERGENCY	<input type="checkbox"/> 7 Day TAT	<input type="checkbox"/> Level III Std QC+ Forms	<input type="checkbox"/> TRRP Level IV										
<input type="checkbox"/> 2 Day EMERGENCY	<input type="checkbox"/> Contract TAT	<input type="checkbox"/> Level 3 (CLP Forms)	<input type="checkbox"/> UST / RG-411										
<input type="checkbox"/> 3 Day EMERGENCY	<input type="checkbox"/> TRRP Checklist												

## TAT Starts Day received by Lab, if received by 5:00 pm

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW FOR EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY

FED-EX / UPS: Tracking #

Relinquished by:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1 <i>John Willis</i>	6-8-18 16:29	1 <i>John Willis</i>	2 <i>Cynthia Wells</i>	6-11-18 15:32	2 <i>Cynthia Wells</i>
3	3	Received By:	4	Custody Seal #	Preserved where applicable
5 Relinquished by:	Date Time:	Received By:	4	On ice	Cooler Temp.

Notice: Notice. Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 06/12/2018 10:45:00 AM

**Work Order #:** 588898

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	2.1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:** Katie Lowe Date: 06/12/2018  
 Katie Lowe

**Checklist reviewed by:** Jessica Kramer Date: 06/12/2018  
 Jessica Kramer

# Analytical Report 588896

for  
LT Environmental, Inc.

**Project Manager: Adrian Baker**

**PLU Big Sinks 25 Federal Battery**

**012918093**

**20-JUN-18**

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-26), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16)  
Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-15)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429)  
Xenco-Lakeland: Florida (E84098)



20-JUN-18

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **588896**

**PLU Big Sinks 25 Federal Battery**

Project Address: NM

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 588896. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 588896 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 588896****LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS14	S	06-08-18 10:40	6 In	588896-001
SS15	S	06-08-18 10:45	6 In	588896-002
SS16	S	06-08-18 10:50	6 In	588896-003
SS17	S	06-08-18 10:55	6 In	588896-004



## CASE NARRATIVE

**Client Name: LT Environmental, Inc.**

**Project Name: PLU Big Sinks 25 Federal Battery**

Project ID: 012918093  
Work Order Number(s): 588896

Report Date: 20-JUN-18  
Date Received: 06/12/2018

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3053754 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 588896



LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 012918093  
 Contact: Adrian Baker  
 Project Location: NM

Date Received in Lab: Tue Jun-12-18 10:45 am  
 Report Date: 20-JUN-18  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>		<b>Lab Id:</b>	588896-001	588896-002	588896-003	588896-004		
		<b>Field Id:</b>	SS14	SS15	SS16	SS17		
		<b>Depth:</b>	6- In	6- In	6- In	6- In		
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL		
		<b>Sampled:</b>	Jun-08-18 10:40	Jun-08-18 10:45	Jun-08-18 10:50	Jun-08-18 10:55		
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Jun-18-18 08:00	Jun-18-18 08:00	Jun-18-18 08:00	Jun-18-18 08:00		
		<b>Analyzed:</b>	Jun-18-18 14:18	Jun-18-18 14:37	Jun-18-18 14:55	Jun-18-18 15:13		
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		<0.00202	0.00202	<0.00200	0.00200	<0.00199	0.00199	<0.00199
Toluene		<0.00202	0.00202	<0.00200	0.00200	<0.00199	0.00199	<0.00199
Ethylbenzene		<0.00202	0.00202	<0.00200	0.00200	<0.00199	0.00199	<0.00199
m,p-Xylenes		<0.00404	0.00404	<0.00401	0.00401	<0.00398	0.00398	<0.00398
o-Xylene		<0.00202	0.00202	<0.00200	0.00200	<0.00199	0.00199	<0.00199
Total Xylenes		<0.00202	0.00202	<0.00200	0.00200	<0.00199	0.00199	<0.00199
Total BTEX		<0.00202	0.00202	<0.00200	0.00200	<0.00199	0.00199	<0.00199
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Jun-13-18 15:00	Jun-13-18 15:00	Jun-13-18 15:00	Jun-13-18 15:00		
		<b>Analyzed:</b>	Jun-14-18 16:21	Jun-14-18 16:26	Jun-14-18 16:32	Jun-14-18 16:37		
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		3570	25.0	7780	49.3	7250	49.8	6250
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Jun-12-18 11:00	Jun-12-18 11:00	Jun-12-18 11:00	Jun-12-18 11:00		
		<b>Analyzed:</b>	Jun-12-18 16:37	Jun-12-18 16:58	Jun-12-18 17:18	Jun-12-18 17:39		
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0
Oil Range Hydrocarbons (ORO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0
Total TPH		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Jessica Kramer  
 Project Assistant



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS14  
Lab Sample Id: 588896-001

Matrix: Soil  
Date Collected: 06.08.18 10.40

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3570	25.0	mg/kg	06.14.18 16.21		5

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053764

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.12.18 16.37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.12.18 16.37	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 16.37	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.12.18 16.37	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	88	%	70-135	06.12.18 16.37		
o-Terphenyl	84-15-1	91	%	70-135	06.12.18 16.37		



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS14

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588896-001

Date Collected: 06.08.18 10.40

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	06.18.18 14.18	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	06.18.18 14.18	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	06.18.18 14.18	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	06.18.18 14.18	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	06.18.18 14.18	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	06.18.18 14.18	U	1
Total BTEX		<0.00202	0.00202	mg/kg	06.18.18 14.18	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	119	%	70-130	06.18.18 14.18	
1,4-Difluorobenzene		540-36-3	92	%	70-130	06.18.18 14.18	



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS15

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588896-002

Date Collected: 06.08.18 10.45

Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 06.13.18 15.00

Basis: Wet Weight

Seq Number: 3053525

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7780	49.3	mg/kg	06.14.18 16.26		10

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 06.12.18 11.00

Basis: Wet Weight

Seq Number: 3053764

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.12.18 16.58	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.12.18 16.58	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 16.58	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.12.18 16.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	86	%	70-135	06.12.18 16.58		
o-Terphenyl	84-15-1	89	%	70-135	06.12.18 16.58		



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS15

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588896-002

Date Collected: 06.08.18 10.45

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	06.18.18 14.37	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	06.18.18 14.37	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	06.18.18 14.37	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	06.18.18 14.37	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	06.18.18 14.37	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	06.18.18 14.37	U	1
Total BTEX		<0.00200	0.00200	mg/kg	06.18.18 14.37	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	92	%	70-130	06.18.18 14.37	
4-Bromofluorobenzene		460-00-4	122	%	70-130	06.18.18 14.37	



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS16  
Lab Sample Id: 588896-003

Matrix: Soil  
Date Collected: 06.08.18 10.50

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7250	49.8	mg/kg	06.14.18 16.32		10

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053764

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.12.18 17.18	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.12.18 17.18	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 17.18	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.12.18 17.18	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	88	%	70-135	06.12.18 17.18		
o-Terphenyl	84-15-1	92	%	70-135	06.12.18 17.18		



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS16

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588896-003

Date Collected: 06.08.18 10.50

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.18.18 14.55	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.18.18 14.55	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.18.18 14.55	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.18.18 14.55	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.18.18 14.55	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.18.18 14.55	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.18.18 14.55	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	91	%	70-130	06.18.18 14.55	
4-Bromofluorobenzene		460-00-4	106	%	70-130	06.18.18 14.55	



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS17  
Lab Sample Id: 588896-004

Matrix: Soil  
Date Collected: 06.08.18 10.55

Date Received: 06.12.18 10.45  
Sample Depth: 6 In

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: SCM  
Analyst: SCM  
Seq Number: 3053525

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6250	49.6	mg/kg	06.14.18 16.37		10

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3053764

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	06.12.18 17.39	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	06.12.18 17.39	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	06.12.18 17.39	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	06.12.18 17.39	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	87	%	70-135	06.12.18 17.39		
o-Terphenyl	84-15-1	89	%	70-135	06.12.18 17.39		



# Certificate of Analytical Results 588896



## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: SS17

Matrix: Soil

Date Received: 06.12.18 10.45

Lab Sample Id: 588896-004

Date Collected: 06.08.18 10.55

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 06.18.18 08.00

Basis: Wet Weight

Seq Number: 3053754

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	06.18.18 15.13	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	06.18.18 15.13	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	06.18.18 15.13	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	06.18.18 15.13	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	06.18.18 15.13	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	06.18.18 15.13	U	1
Total BTEX		<0.00199	0.00199	mg/kg	06.18.18 15.13	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	104	%	70-130	06.18.18 15.13	
1,4-Difluorobenzene		540-36-3	91	%	70-130	06.18.18 15.13	



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 588896

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3053525	Matrix:	Solid		Prep Method:	E300P
MB Sample Id:	7656631-1-BLK	LCS Sample Id:	7656631-1-BKS		Date Prep:	06.13.18
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>
Chloride	<5.00	250	257	103	257	103
					Limits	%RPD RPD Limit Units Analysis Date Flag
					90-110	0 20 mg/kg 06.14.18 13:56

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3053525	Matrix:	Soil		Prep Method:	E300P
Parent Sample Id:	588924-003	MS Sample Id:	588924-003 S		Date Prep:	06.13.18
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>
Chloride	<5.00	250	259	104	262	106
					Limits	%RPD RPD Limit Units Analysis Date Flag
					90-110	1 20 mg/kg 06.14.18 14:12

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3053525	Matrix:	Soil		Prep Method:	E300P
Parent Sample Id:	588924-004	MS Sample Id:	588924-004 S		Date Prep:	06.13.18
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>
Chloride	<5.00	250	264	106	260	104
					Limits	%RPD RPD Limit Units Analysis Date Flag
					90-110	2 20 mg/kg 06.14.18 15:32

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053764	Matrix:	Solid		Prep Method:	TX1005P
MB Sample Id:	7656742-1-BLK	LCS Sample Id:	7656742-1-BKS		Date Prep:	06.12.18
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	903	90	880	88
Diesel Range Organics (DRO)	<15.0	1000	949	95	922	92
					Limits	%RPD RPD Limit Units Analysis Date Flag
					70-135	3 20 mg/kg 06.12.18 13:10
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>
1-Chlorooctane	90		113		110	
o-Terphenyl	97		106		104	
					Limits	70-135 % 06.12.18 13:10
						70-135 % 06.12.18 13:10

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 588896

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3053764	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	588895-001	MS Sample Id: 588895-001 S				Date Prep: 06.12.18			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units
Gasoline Range Hydrocarbons (GRO)	<15.0	999	845	85	829	83	70-135	2 20	mg/kg
Diesel Range Organics (DRO)	37.0	999	844	81	842	81	70-135	0 20	mg/kg
<b>Surrogate</b>			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			101		103		70-135	%	06.12.18 14:12
o-Terphenyl			90		90		70-135	%	06.12.18 14:12

**Analytical Method:** BTEX by EPA 8021B

Seq Number:	3053754	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7656840-1-BLK	LCS Sample Id: 7656840-1-BKS				Date Prep: 06.18.18			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units
Benzene	<0.00200	0.100	0.106	106	0.0956	96	70-130	10 35	mg/kg
Toluene	<0.00200	0.100	0.112	112	0.0994	100	70-130	12 35	mg/kg
Ethylbenzene	<0.00200	0.100	0.112	112	0.0982	99	70-130	13 35	mg/kg
m,p-Xylenes	<0.00401	0.200	0.233	117	0.206	104	70-130	12 35	mg/kg
o-Xylene	<0.00200	0.100	0.110	110	0.0957	96	70-130	14 35	mg/kg
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	96		102		103		70-130	%	06.18.18 07:53
4-Bromofluorobenzene	86		102		96		70-130	%	06.18.18 07:53

**Analytical Method:** BTEX by EPA 8021B

Seq Number:	3053754	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	588895-001	MS Sample Id: 588895-001 S				Date Prep: 06.18.18			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units
Benzene	<0.00200	0.100	0.0732	73	0.0744	75	70-130	2 35	mg/kg
Toluene	<0.00200	0.100	0.0767	77	0.0762	76	70-130	1 35	mg/kg
Ethylbenzene	<0.00200	0.100	0.0763	76	0.0731	73	70-130	4 35	mg/kg
m,p-Xylenes	<0.00401	0.200	0.159	80	0.152	76	70-130	5 35	mg/kg
o-Xylene	<0.00200	0.100	0.0760	76	0.0712	71	70-130	7 35	mg/kg
<b>Surrogate</b>			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene			90		109		70-130	%	06.18.18 08:51
4-Bromofluorobenzene			91		120		70-130	%	06.18.18 08:51

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec





# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 06/12/2018 10:45:00 AM

**Work Order #:** 588896

Acceptable Temperature Range: 0 - 6 degC  
 Air and Metal samples Acceptable Range: Ambient  
 Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	2.1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:** Katie Lowe Date: 06/12/2018  
 Katie Lowe

**Checklist reviewed by:** Jessica Kramer Date: 06/13/2018  
 Jessica Kramer

# Analytical Report 614582

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV #5H

2RP-4779, 2RP-4775

20-FEB-19

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



20-FEB-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **614582**

**PLU CVX JV #5H**

Project Address: Delaware Basin

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 614582. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 614582 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 614582

LT Environmental, Inc., Arvada, CO

PLU CVX JV #5H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS1A	S	02-08-19 16:05	2 ft	614582-001
PH01	S	02-08-19 16:15	0.5 ft	614582-002
PH01A	S	02-08-19 16:20	2 ft	614582-003
PH02	S	02-08-19 16:35	0.5 ft	614582-004
PH02A	S	02-08-19 16:45	2 ft	614582-005
SS6A	S	02-08-19 16:50	2 ft	614582-006



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV #5H

Project ID: 2RP-4779, 2RP-4775  
Work Order Number(s): 614582

Report Date: 20-FEB-19  
Date Received: 02/14/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3079752 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



**Project Id:** 2RP-4779, 2RP-4775  
**Contact:** Adrian Baker  
**Project Location:** Delaware Basin

# Certificate of Analysis Summary 614582

LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV #5H



**Date Received in Lab:** Thu Feb-14-19 11:52 am  
**Report Date:** 20-FEB-19  
**Project Manager:** Jessica Kramer

<b>Analysis Requested</b>		<b>Lab Id:</b>	614582-001	614582-002	614582-003	614582-004	614582-005	614582-006					
		<b>Field Id:</b>	SS1A	PH01	PH01A	PH02	PH02A	SS6A					
		<b>Depth:</b>	2- ft	0.5- ft	2- ft	0.5- ft	2- ft	2- ft					
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL					
		<b>Sampled:</b>	Feb-08-19 16:05	Feb-08-19 16:15	Feb-08-19 16:20	Feb-08-19 16:35	Feb-08-19 16:45	Feb-08-19 16:50					
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Feb-19-19 12:00										
		<b>Analyzed:</b>	Feb-20-19 09:06	Feb-20-19 09:25	Feb-20-19 09:44	Feb-20-19 10:03	Feb-20-19 10:22	Feb-20-19 10:41					
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Benzene			<0.00199	0.00199	<0.00200	0.00200	<0.00199	0.00199					
Toluene			<0.00199	0.00199	<0.00200	0.00200	<0.00199	0.00199					
Ethylbenzene			<0.00199	0.00199	<0.00200	0.00200	<0.00199	0.00199					
m,p-Xylenes			<0.00398	0.00398	<0.00401	0.00401	<0.00398	0.00398					
o-Xylene			<0.00199	0.00199	<0.00200	0.00200	<0.00199	0.00199					
Total Xylenes			<0.00199	0.00199	<0.00200	0.00200	<0.00199	0.00199					
Total BTEX			<0.00199	0.00199	<0.00200	0.00200	<0.00199	0.00199					
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Feb-15-19 15:45										
		<b>Analyzed:</b>	Feb-15-19 18:05	Feb-15-19 18:24	Feb-15-19 18:30	Feb-15-19 18:50	Feb-15-19 18:56	Feb-15-19 19:02					
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Chloride			<4.99	4.99	21.8	4.97	<4.98	4.98					
						17.1	4.99	<5.00	5.00	12.5	4.95		
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Feb-15-19 15:00										
		<b>Analyzed:</b>	Feb-15-19 20:23	Feb-15-19 21:21	Feb-15-19 21:40	Feb-15-19 21:59	Feb-15-19 22:19	Feb-15-19 22:38					
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Gasoline Range Hydrocarbons (GRO)			<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	
Diesel Range Organics (DRO)			<15.0	15.0	564	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	
Motor Oil Range Hydrocarbons (MRO)			<15.0	15.0	75.4	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	
Total TPH			<15.0	15.0	639	15.0	<15.0	15.0	43.3	15.0	<14.9	14.9	
												<15.0	15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer  
Project Assistant



# Certificate of Analytical Results 614582



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: SS1A	Matrix: Soil	Date Received: 02.14.19 11.52
Lab Sample Id: 614582-001	Date Collected: 02.08.19 16.05	Sample Depth: 2 ft
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.15.19 15.45	Basis: Wet Weight
Seq Number: 3079394		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.99	4.99	mg/kg	02.15.19 18.05	U	1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.15.19 15.00	Basis: Wet Weight
Seq Number: 3079495		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.15.19 20.23	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.15.19 20.23	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.15.19 20.23	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.15.19 20.23	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	02.15.19 20.23	
o-Terphenyl	84-15-1	93	%	70-135	02.15.19 20.23	



# Certificate of Analytical Results 614582



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id:	<b>SS1A</b>	Matrix:	Soil	Date Received:	02.14.19 11.52
Lab Sample Id:	614582-001			Date Collected:	02.08.19 16.05
Analytical Method: BTEX by EPA 8021B			Prep Method: SW5030B		
Tech:	SCM			% Moisture:	
Analyst:	SCM	Date Prep:	02.19.19 12.00	Basis:	Wet Weight
Seq Number:	3079752				

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.20.19 09.06	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.20.19 09.06	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.20.19 09.06	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.20.19 09.06	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.20.19 09.06	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.20.19 09.06	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.20.19 09.06	U	1
<b>Surrogate</b>			<b>% Recovery</b>				
4-Bromofluorobenzene	460-00-4		104	%	70-130	02.20.19 09.06	
1,4-Difluorobenzene	540-36-3		115	%	70-130	02.20.19 09.06	



# Certificate of Analytical Results 614582



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: **PH01**  
Lab Sample Id: 614582-002

Matrix: Soil  
Date Collected: 02.08.19 16.15

Date Received: 02.14.19 11.52  
Sample Depth: 0.5 ft

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.15.19 15.45

Basis: Wet Weight

Seq Number: 3079394

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>21.8</b>	4.97	mg/kg	02.15.19 18.24		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 02.15.19 15.00

Basis: Wet Weight

Seq Number: 3079495

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.15.19 21.21	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>564</b>	15.0	mg/kg	02.15.19 21.21		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<b>75.4</b>	15.0	mg/kg	02.15.19 21.21		1
<b>Total TPH</b>	PHC635	<b>639</b>	15.0	mg/kg	02.15.19 21.21		1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane		111-85-3	95	%	70-135	02.15.19 21.21	
o-Terphenyl		84-15-1	101	%	70-135	02.15.19 21.21	



# Certificate of Analytical Results 614582



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: <b>PH01</b>	Matrix: Soil	Date Received: 02.14.19 11.52
Lab Sample Id: 614582-002	Date Collected: 02.08.19 16.15	Sample Depth: 0.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.19.19 12.00	Basis: Wet Weight
Seq Number: 3079752		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.19 09.25	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.19 09.25	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.19 09.25	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.20.19 09.25	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.19 09.25	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.19 09.25	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.19 09.25	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	117	%	70-130	02.20.19 09.25		
4-Bromofluorobenzene	460-00-4	111	%	70-130	02.20.19 09.25		



# Certificate of Analytical Results 614582



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: **PH01A**  
Lab Sample Id: 614582-003

Matrix: Soil  
Date Collected: 02.08.19 16.20

Date Received: 02.14.19 11.52  
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.15.19 15.45

Basis: Wet Weight

Seq Number: 3079394

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.98	4.98	mg/kg	02.15.19 18.30	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 02.15.19 15.00

Basis: Wet Weight

Seq Number: 3079495

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.15.19 21.40	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.15.19 21.40	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.15.19 21.40	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.15.19 21.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	110	%	70-135	02.15.19 21.40		
o-Terphenyl	84-15-1	106	%	70-135	02.15.19 21.40		



# Certificate of Analytical Results 614582



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: **PH01A**  
Lab Sample Id: 614582-003

Matrix: Soil  
Date Collected: 02.08.19 16.20

Date Received: 02.14.19 11.52  
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 02.19.19 12.00

Basis: Wet Weight

Seq Number: 3079752

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.19 09.44	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.19 09.44	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.19 09.44	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.20.19 09.44	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.19 09.44	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.19 09.44	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.19 09.44	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.20.19 09.44	
4-Bromofluorobenzene		460-00-4	111	%	70-130	02.20.19 09.44	



# Certificate of Analytical Results 614582

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #5H

Sample Id: **PH02**  
Lab Sample Id: 614582-004

Matrix: Soil  
Date Collected: 02.08.19 16.35

Date Received: 02.14.19 11.52  
Sample Depth: 0.5 ft

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3079394

Date Prep: 02.15.19 15.45

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>17.1</b>	4.99	mg/kg	02.15.19 18.50		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3079495

Date Prep: 02.15.19 15.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.15.19 21.59	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>43.3</b>	15.0	mg/kg	02.15.19 21.59		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.15.19 21.59	U	1
<b>Total TPH</b>	PHC635	<b>43.3</b>	15.0	mg/kg	02.15.19 21.59		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	92	%	70-135	02.15.19 21.59		
o-Terphenyl	84-15-1	91	%	70-135	02.15.19 21.59		



# Certificate of Analytical Results 614582

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #5H

Sample Id: <b>PH02</b>	Matrix: Soil	Date Received: 02.14.19 11.52
Lab Sample Id: 614582-004	Date Collected: 02.08.19 16.35	Sample Depth: 0.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.19.19 12.00	Basis: Wet Weight
Seq Number: 3079752		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.20.19 10.03	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.20.19 10.03	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.20.19 10.03	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.20.19 10.03	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.20.19 10.03	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.20.19 10.03	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.20.19 10.03	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	116	%	70-130	02.20.19 10.03		
4-Bromofluorobenzene	460-00-4	110	%	70-130	02.20.19 10.03		



# Certificate of Analytical Results 614582

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: <b>PH02A</b>	Matrix: Soil	Date Received: 02.14.19 11.52
Lab Sample Id: 614582-005	Date Collected: 02.08.19 16.45	Sample Depth: 2 ft
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.15.19 15.45	Basis: Wet Weight
Seq Number: 3079394		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<5.00	5.00	mg/kg	02.15.19 18.56	U	1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.15.19 15.00	Basis: Wet Weight
Seq Number: 3079495		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	02.15.19 22.19	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	02.15.19 22.19	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	02.15.19 22.19	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	02.15.19 22.19	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	109	%	70-135	02.15.19 22.19		
o-Terphenyl	84-15-1	106	%	70-135	02.15.19 22.19		



# Certificate of Analytical Results 614582



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: **PH02A**

Matrix: **Soil**

Date Received: 02.14.19 11.52

Lab Sample Id: 614582-005

Date Collected: 02.08.19 16.45

Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 02.19.19 12.00

Basis: **Wet Weight**

Seq Number: 3079752

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.20.19 10.22	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.20.19 10.22	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.20.19 10.22	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.20.19 10.22	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.20.19 10.22	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.20.19 10.22	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.20.19 10.22	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.20.19 10.22	
4-Bromofluorobenzene		460-00-4	109	%	70-130	02.20.19 10.22	



# Certificate of Analytical Results 614582

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #5H

Sample Id: **SS6A**  
Lab Sample Id: 614582-006

Matrix: **Soil**  
Date Collected: 02.08.19 16.50

Date Received: 02.14.19 11.52  
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 02.15.19 15.45

Basis: **Wet Weight**

Seq Number: 3079394

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>12.5</b>	4.95	mg/kg	02.15.19 19.02		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 02.15.19 15.00

Basis: **Wet Weight**

Seq Number: 3079495

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.15.19 22.38	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.15.19 22.38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.15.19 22.38	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.15.19 22.38	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	109	%	70-135	02.15.19 22.38		
o-Terphenyl	84-15-1	105	%	70-135	02.15.19 22.38		



# Certificate of Analytical Results 614582

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #5H

Sample Id: SS6A  
Lab Sample Id: 614582-006

Matrix: Soil  
Date Collected: 02.08.19 16.50

Date Received: 02.14.19 11.52  
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 02.19.19 12.00

Basis: Wet Weight

Seq Number: 3079752

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.19 10.41	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.19 10.41	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.19 10.41	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.20.19 10.41	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.19 10.41	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.19 10.41	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.19 10.41	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	108	%	70-130	02.20.19 10.41	
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.20.19 10.41	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 614582

## LT Environmental, Inc.

PLU CVX JV #5H

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3079394	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7671867-1-BLK	LCS Sample Id: 7671867-1-BKS				Date Prep: 02.15.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<5.00	250	243	97	234	94	90-110	4	20
							mg/kg	02.15.19	16:19

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3079394	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614571-015	MS Sample Id: 614571-015 S				Date Prep: 02.15.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<0.850	248	247	100	255	103	90-110	3	20
							mg/kg	02.15.19	16:38

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3079394	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614582-001	MS Sample Id: 614582-001 S				Date Prep: 02.15.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<0.857	250	264	106	245	98	90-110	7	20
							mg/kg	02.15.19	18:11

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3079495	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7671969-1-BLK	LCS Sample Id: 7671969-1-BKS				Date Prep: 02.15.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	907	91	1040	104	70-135	14	20
Diesel Range Organics (DRO)	<8.13	1000	979	98	1190	119	70-135	19	20
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	125		129		115		70-135	%	02.15.19 19:44
o-Terphenyl	124		127		130		70-135	%	02.15.19 19:44

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614582

LT Environmental, Inc.  
PLU CVX JV #5H

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3079495	Matrix: Soil						Prep Method: TX1005P				
Parent Sample Id:	614582-001	MS Sample Id: 614582-001 S						Date Prep: 02.15.19				
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.99	999	997	100	972	97	70-135	3	20	mg/kg	02.15.19 20:42	
Diesel Range Organics (DRO)	<8.12	999	1120	112	1090	109	70-135	3	20	mg/kg	02.15.19 20:42	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag		Limits		Units	Analysis Date	
1-Chlorooctane			127		128		70-135			%	02.15.19 20:42	
o-Terphenyl			117		119		70-135			%	02.15.19 20:42	

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3079752	Matrix: Solid						Prep Method: SW5030B				
MB Sample Id:	7672139-1-BLK	LCS Sample Id: 7672139-1-BKS						Date Prep: 02.19.19				
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000388	0.101	0.124	123	0.124	124	70-130	0	35	mg/kg	02.20.19 03:09	
Toluene	<0.000459	0.101	0.106	105	0.105	105	70-130	1	35	mg/kg	02.20.19 03:09	
Ethylbenzene	<0.000569	0.101	0.0993	98	0.0987	99	70-130	1	35	mg/kg	02.20.19 03:09	
m,p-Xylenes	<0.00102	0.202	0.197	98	0.196	98	70-130	1	35	mg/kg	02.20.19 03:09	
o-Xylene	<0.000347	0.101	0.0988	98	0.0984	98	70-130	0	35	mg/kg	02.20.19 03:09	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag		Limits		Units	Analysis Date	
1,4-Difluorobenzene	108		111		111		70-130			%	02.20.19 03:09	
4-Bromofluorobenzene	93		100		98		70-130			%	02.20.19 03:09	

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3079752	Matrix: Soil						Prep Method: SW5030B				
Parent Sample Id:	614584-002	MS Sample Id: 614584-002 S						Date Prep: 02.19.19				
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000385	0.100	0.112	112	0.115	115	70-130	3	35	mg/kg	02.20.19 03:47	
Toluene	<0.000456	0.100	0.0955	96	0.0973	97	70-130	2	35	mg/kg	02.20.19 03:47	
Ethylbenzene	<0.000565	0.100	0.0859	86	0.0887	89	70-130	3	35	mg/kg	02.20.19 03:47	
m,p-Xylenes	<0.00101	0.200	0.171	86	0.176	88	70-130	3	35	mg/kg	02.20.19 03:47	
o-Xylene	<0.000344	0.100	0.0873	87	0.0896	90	70-130	3	35	mg/kg	02.20.19 03:47	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag		Limits		Units	Analysis Date	
1,4-Difluorobenzene			111		112		70-130			%	02.20.19 03:47	
4-Bromofluorobenzene			104		103		70-130			%	02.20.19 03:47	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

Work Order No: WV4586

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
 Midland, TX (432)-704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296  
 Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

www.xenco.com Page 1 of 1

## Work Order Comments

UST/PST  PRP  Brownfields  RC  Superfund

## Program: UST/PST

## State of Project:

Reporting: Level II  Level III  STJ/UST  RRP  Level IV Deliverables: EDD ADAPT Other: 

Project Manager:	Adrian Baker	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental Inc., Permian office	Company Name:	XTO Energy
Address:	3300 North A Street	Address:	3104 E Green Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad, NM 88220
Phone:	432.704.5178	Email:	bbelill@ltenv.com

ANALYSIS REQUEST				Work Order Notes
Project Name:	PLU CVX JV #54	Turn Around		
Project Number:	ZRP-4779, ZRP-4775	Routine	<input checked="" type="checkbox"/>	
P.O. Number:		Rush:		
Sampler's Name:	Benjamin Bellil	Due Date:		

## SAMPLE RECEIPT

## Temp Blank:

Yes

No

## Wet Ice:

Yes

No

## Thermometer:

Re

## Received Intact:

Yes

No

## Cooler Custody Seals:

Yes

No

## N/A

## Correction Factor:

σ1

## Total Containers:

1

## Number of Containers

TPH (EPA 8015)

BTEX (EPA 0=8021)

Chloride (EPA 300.0)

TAT starts the day received by the

lab, if received by 4:30pm

lab

TAT

ORIGIN ID:CAOA (575) 867-6245  
 XENCO ACTWGT:21.00 LB  
 PG/N MAIL CAD: 0101813706/NET4100  
 910 W PIERCE ST DIMS: 18x12x16 IN  
 CARLSBAD NM 88220 BILL RECIPIENT  
 UNITED STATES US

SHIP DATE: 13FEB19  
 ACTWGT:21.00 LB  
 CAD: 0101813706/NET4100  
 DIMS: 18x12x16 IN

TO HOLD FOR XENCO

FEDEX EXPRESS SHIP CENTER

FEDEX SHIP CENTER  
3600 COUNTY RD 1276 S



MIDLAND TX 79711

(806) 794-1296  
PO.

REF:


DEPT:

565J20E3D23AD



TRK# THU - 14 FEB HOLD  
 0201 7744 6580 1236 STANDARD OVERNIGHT

HLD MAFA TX.US LBB  
**41 MAFA**



#### After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 02/14/2019 11:52:00 AM

**Work Order #:** 614582

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**

**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:


PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 02/14/2019

**Checklist reviewed by:**

  
Jessica Kramer

Date: 02/14/2019

# Analytical Report 614846

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV #005H

12918093

26-FEB-19

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



26-FEB-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **614846**

**PLU CVX JV #005H**

Project Address: Delaware Basin

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 614846. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 614846 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 614846

LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SW05	S	02-13-19 10:35	1	614846-001
SW06	S	02-13-19 10:37	1	614846-002
SW08	S	02-13-19 11:40	1	614846-003
SW07	S	02-13-19 11:42	1	614846-004
FS03	S	02-13-19 14:00	1	614846-005
FS04	S	02-13-19 14:40	1	614846-006



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV #005H

Project ID: 12918093  
Work Order Number(s): 614846

Report Date: 26-FEB-19  
Date Received: 02/18/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3079750 Inorganic Anions by EPA 300

Lab Sample ID 614851-005 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 614846-001, -002, -003, -004, -005, -006.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3080174 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

**Project Id:** 12918093  
**Contact:** Adrian Baker  
**Project Location:** Delaware Basin

**Date Received in Lab:** Mon Feb-18-19 07:33 am  
**Report Date:** 26-FEB-19  
**Project Manager:** Jessica Kramer

LT Environmental, Inc., Arvada, CO

**Project Name:** PLU CVX JV #005E

<b><i>Analysis Requested</i></b>	<b><i>Lab Id:</i></b>	614846-001	614846-002		614846-003		614846-004		614846-005		614846-006		
	<b><i>Field Id:</i></b>	SW05	SW06		SW08		SW07		FS03		FS04		
	<b><i>Depth:</i></b>	1-	1-		1-		1-		1-		1-		
	<b><i>Matrix:</i></b>	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	<b><i>Sampled:</i></b>	Feb-13-19 10:35		Feb-13-19 10:37		Feb-13-19 11:40		Feb-13-19 11:42		Feb-13-19 14:00		Feb-13-19 14:40	
<b>BTEX by EPA 8021B</b>		<b><i>Extracted:</i></b>	Feb-22-19 13:30										
		<b><i>Analyzed:</i></b>	Feb-23-19 01:00		Feb-23-19 01:19		Feb-23-19 01:38		Feb-23-19 01:57		Feb-23-19 02:16		
		<b><i>Units/RL:</i></b>	mg/kg	RL									
Benzene			<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201	
Toluene			<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201	
Ethylbenzene			<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201	
m,p-Xylenes			<0.00402	0.00402	<0.00399	0.00399	<0.00400	0.00400	<0.00400	0.00400	<0.00402	0.00402	
o-Xylene			<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201	
Total Xylenes			<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201	
Total BTEX			<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201	
<b>Inorganic Anions by EPA 300</b>		<b><i>Extracted:</i></b>	Feb-19-19 13:50										
		<b><i>Analyzed:</i></b>	Feb-19-19 23:28		Feb-19-19 23:34		Feb-19-19 23:41		Feb-19-19 23:53		Feb-19-19 23:47		
		<b><i>Units/RL:</i></b>	mg/kg	RL									
Chloride			791	4.96	1000	4.95	1540	24.8	1140	4.95	2410	25.0	
<b>TPH by SW8015 Mod</b>		<b><i>Extracted:</i></b>	Feb-18-19 10:00										
		<b><i>Analyzed:</i></b>	Feb-18-19 13:05		Feb-18-19 14:04		Feb-18-19 14:24		Feb-18-19 14:44		Feb-18-19 15:04		
		<b><i>Units/RL:</i></b>	mg/kg	RL									
Gasoline Range Hydrocarbons (GRO)			<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	
Diesel Range Organics (DRO)			120	15.0	15.2	15.0	42.2	15.0	<15.0	15.0	<15.0	15.0	
Motor Oil Range Hydrocarbons (MRO)			<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0	
Total TPH			120	15.0	15.2	15.0	42.2	15.0	<15.0	15.0	<15.0	15.0	
											23.0	15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso

Jessica Kramer

Jessica Kramer  
Project Assistant



# Certificate of Analytical Results 614846



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SW05</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614846-001	Date Collected: 02.13.19 10.35	Sample Depth: 1
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>791</b>	4.96	mg/kg	02.19.19 23.28		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 13.05	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>120</b>	15.0	mg/kg	02.18.19 13.05		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 13.05	U	1
<b>Total TPH</b>	PHC635	<b>120</b>	15.0	mg/kg	02.18.19 13.05		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	93	%	70-135	02.18.19 13.05	
o-Terphenyl		84-15-1	96	%	70-135	02.18.19 13.05	



## Certificate of Analytical Results 614846

LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SW05**  
 Lab Sample Id: 614846-001

Matrix: Soil  
 Date Collected: 02.13.19 10.35

Date Received: 02.18.19 07.33  
 Sample Depth: 1

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 02.22.19 13.30

Basis: Wet Weight

Seq Number: 3080174

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.23.19 01.00	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.23.19 01.00	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.23.19 01.00	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.23.19 01.00	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.23.19 01.00	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.23.19 01.00	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.23.19 01.00	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	113	%	70-130	02.23.19 01.00	
4-Bromofluorobenzene		460-00-4	123	%	70-130	02.23.19 01.00	



# Certificate of Analytical Results 614846



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SW06**  
Lab Sample Id: 614846-002

Matrix: Soil  
Date Collected: 02.13.19 10.37

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.19.19 13.50

Basis: Wet Weight

Seq Number: 3079750

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1000</b>	4.95	mg/kg	02.19.19 23.34		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 02.18.19 10.00

Basis: Wet Weight

Seq Number: 3079620

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 14.04	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>15.2</b>	15.0	mg/kg	02.18.19 14.04		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 14.04	U	1
<b>Total TPH</b>	PHC635	<b>15.2</b>	15.0	mg/kg	02.18.19 14.04		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	108	%	70-135	02.18.19 14.04		
o-Terphenyl	84-15-1	105	%	70-135	02.18.19 14.04		



# Certificate of Analytical Results 614846

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SW06**  
Lab Sample Id: 614846-002

Matrix: Soil  
Date Collected: 02.13.19 10.37

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 02.22.19 13.30

Basis: Wet Weight

Seq Number: 3080174

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.23.19 01.19	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.23.19 01.19	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.23.19 01.19	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.23.19 01.19	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.23.19 01.19	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.23.19 01.19	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.23.19 01.19	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	109	%	70-130	02.23.19 01.19	
4-Bromofluorobenzene		460-00-4	127	%	70-130	02.23.19 01.19	



# Certificate of Analytical Results 614846



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SW08</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614846-003	Date Collected: 02.13.19 11.40	Sample Depth: 1
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1540</b>	24.8	mg/kg	02.19.19 23.41		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 14.24	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>42.2</b>	15.0	mg/kg	02.18.19 14.24		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 14.24	U	1
<b>Total TPH</b>	PHC635	<b>42.2</b>	15.0	mg/kg	02.18.19 14.24		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane	111-85-3		96	%	70-135	02.18.19 14.24	
o-Terphenyl	84-15-1		95	%	70-135	02.18.19 14.24	



# Certificate of Analytical Results 614846

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SW08** Matrix: Soil Date Received:02.18.19 07.33  
 Lab Sample Id: 614846-003 Date Collected: 02.13.19 11.40 Sample Depth: 1

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B

Tech: SCM % Moisture:

Analyst: SCM Basis: Wet Weight

Seq Number: 3080174

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.23.19 01.38	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.23.19 01.38	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.23.19 01.38	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.23.19 01.38	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.23.19 01.38	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.23.19 01.38	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.23.19 01.38	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	127	%	70-130	02.23.19 01.38	
1,4-Difluorobenzene		540-36-3	107	%	70-130	02.23.19 01.38	



# Certificate of Analytical Results 614846



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SW07</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614846-004	Date Collected: 02.13.19 11.42	Sample Depth: 1
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1140</b>	4.95	mg/kg	02.19.19 23.53		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 14.44	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.18.19 14.44	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 14.44	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.18.19 14.44	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	02.18.19 14.44		
o-Terphenyl	84-15-1	96	%	70-135	02.18.19 14.44		



# Certificate of Analytical Results 614846

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SW07</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614846-004	Date Collected: 02.13.19 11.42	Sample Depth: 1
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.22.19 13.30	Basis: Wet Weight
Seq Number: 3080174		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.23.19 01.57	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.23.19 01.57	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.23.19 01.57	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.23.19 01.57	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.23.19 01.57	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.23.19 01.57	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.23.19 01.57	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	113	%	70-130	02.23.19 01.57	
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.23.19 01.57	



# Certificate of Analytical Results 614846



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS03</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614846-005	Date Collected: 02.13.19 14.00	Sample Depth: 1
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>2410</b>	25.0	mg/kg	02.19.19 23.47		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 15.04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.18.19 15.04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 15.04	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.18.19 15.04	U	1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane	111-85-3		94	%	70-135	02.18.19 15.04	
o-Terphenyl	84-15-1		94	%	70-135	02.18.19 15.04	



# Certificate of Analytical Results 614846



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **FS03**

Matrix: Soil

Date Received: 02.18.19 07.33

Lab Sample Id: 614846-005

Date Collected: 02.13.19 14.00

Sample Depth: 1

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 02.22.19 13.30

Basis: Wet Weight

Seq Number: 3080174

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.23.19 02.16	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.23.19 02.16	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.23.19 02.16	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.23.19 02.16	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.23.19 02.16	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.23.19 02.16	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.23.19 02.16	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	114	%	70-130	02.23.19 02.16	
4-Bromofluorobenzene		460-00-4	117	%	70-130	02.23.19 02.16	



# Certificate of Analytical Results 614846



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS04</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614846-006	Date Collected: 02.13.19 14.40	Sample Depth: 1
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>3750</b>	24.8	mg/kg	02.20.19 00.12		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 15.24	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>23.0</b>	15.0	mg/kg	02.18.19 15.24		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 15.24	U	1
<b>Total TPH</b>	PHC635	<b>23.0</b>	15.0	mg/kg	02.18.19 15.24		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	109	%	70-135	02.18.19 15.24	
o-Terphenyl		84-15-1	110	%	70-135	02.18.19 15.24	



## Certificate of Analytical Results 614846

LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: FS04

Matrix: Soil

Date Received: 02.18.19 07.33

Lab Sample Id: 614846-006

Date Collected: 02.13.19 14.40

Sample Depth: 1

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 02.22.19 13.30

Basis: Wet Weight

Seq Number: 3080174

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.23.19 02.35	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.23.19 02.35	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.23.19 02.35	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	02.23.19 02.35	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.23.19 02.35	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.23.19 02.35	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.23.19 02.35	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	123	%	70-130	02.23.19 02.35	
1,4-Difluorobenzene		540-36-3	112	%	70-130	02.23.19 02.35	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 614846

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079750	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7672095-1-BLK	LCS Sample Id: 7672095-1-BKS				Date Prep: 02.19.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<0.858	250	235	94	236	94	90-110	0	20
							mg/kg	02.19.19	22:11

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079750	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614846-004	MS Sample Id: 614846-004 S				Date Prep: 02.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	1140	248	1350	85	1360	89	90-110	1	20

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079750	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614851-005	MS Sample Id: 614851-005 S				Date Prep: 02.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	14.8	250	268	101	271	102	90-110	1	20

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3079620	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7672046-1-BLK	LCS Sample Id: 7672046-1-BKS				Date Prep: 02.18.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	832	83	969	97	70-135	15	20
Diesel Range Organics (DRO)	<8.13	1000	922	92	1080	108	70-135	16	20
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	78		118		127		70-135	%	02.18.19 12:26
o-Terphenyl	79		111		111		70-135	%	02.18.19 12:26

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614846

## LT Environmental, Inc.

PLU CVX JV #005H

## Analytical Method: TPH by SW8015 Mod

Seq Number: 3079620

Parent Sample Id: 614846-001

Matrix: Soil

Prep Method: TX1005P

Date Prep: 02.18.19

MSD Sample Id: 614846-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.99	998	976	98	887	89	70-135	10	20	mg/kg	02.18.19 13:25	
Diesel Range Organics (DRO)	120	998	1150	103	1050	93	70-135	9	20	mg/kg	02.18.19 13:25	
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1-Chlorooctane			127		129		70-135		%	02.18.19 13:25		
o-Terphenyl			111		107		70-135		%	02.18.19 13:25		

## Analytical Method: BTEX by EPA 8021B

Seq Number: 3080174

MB Sample Id: 7672387-1-BLK

Matrix: Solid

LCS Sample Id: 7672387-1-BKS

Prep Method: SW5030B

Date Prep: 02.22.19

LCSD Sample Id: 7672387-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000388	0.101	0.116	115	0.119	119	70-130	3	35	mg/kg	02.22.19 22:49	
Toluene	<0.000459	0.101	0.0999	99	0.101	101	70-130	1	35	mg/kg	02.22.19 22:49	
Ethylbenzene	<0.000569	0.101	0.0941	93	0.0950	95	70-130	1	35	mg/kg	02.22.19 22:49	
m,p-Xylenes	<0.00102	0.202	0.188	93	0.190	95	70-130	1	35	mg/kg	02.22.19 22:49	
o-Xylene	<0.000347	0.101	0.0944	93	0.0952	95	70-130	1	35	mg/kg	02.22.19 22:49	
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1,4-Difluorobenzene	109		110		110		70-130		%	02.22.19 22:49		
4-Bromofluorobenzene	95		102		102		70-130		%	02.22.19 22:49		

## Analytical Method: BTEX by EPA 8021B

Seq Number: 3080174

Parent Sample Id: 614844-001

Matrix: Soil

MS Sample Id: 614844-001 S

Prep Method: SW5030B

Date Prep: 02.22.19

MSD Sample Id: 614844-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000384	0.0998	0.100	100	0.102	102	70-130	2	35	mg/kg	02.22.19 23:27	
Toluene	<0.000455	0.0998	0.0856	86	0.0868	87	70-130	1	35	mg/kg	02.22.19 23:27	
Ethylbenzene	<0.000564	0.0998	0.0808	81	0.0816	82	70-130	1	35	mg/kg	02.22.19 23:27	
m,p-Xylenes	<0.00101	0.200	0.161	81	0.163	82	70-130	1	35	mg/kg	02.22.19 23:27	
o-Xylene	<0.000344	0.0998	0.0798	80	0.0805	81	70-130	1	35	mg/kg	02.22.19 23:27	
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1,4-Difluorobenzene			111		112		70-130		%	02.22.19 23:27		
4-Bromofluorobenzene			103		104		70-130		%	02.22.19 23:27		

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec





ORIGIN ID: CAOA (575) 887-6245  
 XENCO SATURDAY  
 PAC N MAIL  
 910 W PIERCE ST  
 CARLSBAD NM 88220  
 UNITED STATES US

TO HOLD FOR XENCO

SHIP DATE: 15FEB19  
 ACTWTG: 74.00LB  
 CAD: 101813706INET4100  
 DIMS: 28x15x15 IN  
 BILL RECIPIENT

200 W INTERSTATE 20

**MIDLAND TX 79701**  
 (806) 674-0639  
 REF: XENCO  
 PO: \_\_\_\_\_  
 DEPT: \_\_\_\_\_




J101019010701ur

SATURDAY HOLD  
 PRIORITY OVERNIGHT

HLD

79701  
 TX-US  
 LBB

**41 MAFA**



**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 02/18/2019 07:33:00 AM

**Work Order #:** 614846

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:


PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 02/18/2019

**Checklist reviewed by:**

  
Jessica Kramer

Date: 02/18/2019

# Analytical Report 614847

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV #005H

12918093

26-FEB-19

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



26-FEB-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **614847**

**PLU CVX JV #005H**

Project Address: Delaware Basin

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 614847. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 614847 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 614847

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS05	S	02-14-19 09:10	2	614847-001
FS06	S	02-14-19 09:12	2	614847-002
FS07	S	02-14-19 10:39	2	614847-003
FS08	S	02-14-19 10:39	6	614847-004
SW09	S	02-14-19 11:18	2 - 6	614847-005



## CASE NARRATIVE

**Client Name: LT Environmental, Inc.**

**Project Name: PLU CVX JV #005H**

Project ID: 12918093  
Work Order Number(s): 614847

Report Date: 26-FEB-19  
Date Received: 02/18/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3080077 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3080170 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Lab Sample ID 614847-004 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD).

Toluene recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Benzene recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 614847-004, -005.

The Laboratory Control Sample for Toluene, Benzene is within laboratory Control Limits, therefore the data was accepted.



## Certificate of Analysis Summary 614847



LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV #005H

Project Id: 12918093  
 Contact: Adrian Baker  
 Project Location: Delaware Basin

Date Received in Lab: Mon Feb-18-19 07:33 am  
 Report Date: 26-FEB-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>		<b>Lab Id:</b>	614847-001	<b>Field Id:</b>	614847-002	<b>Depth:</b>	FS05	<b>Matrix:</b>	SOIL	<b>Sampled:</b>	Feb-14-19 09:10	<b>Lab Id:</b>	614847-003	<b>Field Id:</b>	FS06	<b>Depth:</b>	2-	<b>Matrix:</b>	SOIL	<b>Sampled:</b>	Feb-14-19 09:12	<b>Lab Id:</b>	614847-004	<b>Field Id:</b>	FS07	<b>Depth:</b>	2-	<b>Matrix:</b>	SOIL	<b>Sampled:</b>	Feb-14-19 10:39	<b>Lab Id:</b>	614847-005	<b>Field Id:</b>	SW08	<b>Depth:</b>	6-	<b>Matrix:</b>	SOIL	<b>Sampled:</b>	Feb-14-19 10:39	<b>Lab Id:</b>	614847-006	<b>Field Id:</b>	SW09	<b>Depth:</b>	2-6	<b>Matrix:</b>	SOIL	<b>Sampled:</b>	Feb-14-19 11:18
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Feb-21-19 12:30	<b>Analyzed:</b>	Feb-21-19 12:30	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-21-19 12:30	<b>Analyzed:</b>	Feb-21-19 12:30	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-21-19 12:30	<b>Analyzed:</b>	Feb-21-19 12:30	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-21-19 15:00	<b>Analyzed:</b>	Feb-21-19 15:00	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-21-19 15:00	<b>Analyzed:</b>	Feb-21-19 15:00	<b>Units/RL:</b>	mg/kg																				
Benzene			<0.00201		0.00201																																														
Toluene			<0.00201		0.00201																																														
Ethylbenzene			<0.00201		0.00201																																														
m,p-Xylenes			<0.00402		0.00402																																														
o-Xylene			<0.00201		0.00201																																														
Total Xylenes			<0.00201		0.00201																																														
Total BTEX			<0.00201		0.00201																																														
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Feb-19-19 13:50	<b>Analyzed:</b>	Feb-19-19 13:50	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-20-19 00:18	<b>Analyzed:</b>	Feb-20-19 00:39	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-19-19 13:50	<b>Analyzed:</b>	Feb-20-19 00:46	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-19-19 13:50	<b>Analyzed:</b>	Feb-20-19 00:52	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-19-19 13:50	<b>Analyzed:</b>	Feb-20-19 00:58	<b>Units/RL:</b>	mg/kg																				
Chloride			836		5.00																																														
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Feb-18-19 10:00	<b>Analyzed:</b>	Feb-18-19 10:00	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-18-19 16:03	<b>Analyzed:</b>	Feb-18-19 16:23	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-18-19 10:00	<b>Analyzed:</b>	Feb-18-19 16:42	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-18-19 10:00	<b>Analyzed:</b>	Feb-18-19 17:40	<b>Units/RL:</b>	mg/kg	<b>Extracted:</b>	Feb-18-19 10:00	<b>Analyzed:</b>	Feb-18-19 17:59	<b>Units/RL:</b>	mg/kg																				
Gasoline Range Hydrocarbons (GRO)			<15.0		15.0																																														
Diesel Range Organics (DRO)			<15.0		15.0																																														
Motor Oil Range Hydrocarbons (MRO)			<15.0		15.0																																														
Total TPH			<15.0		15.0																																														

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer  
 Project Assistant



# Certificate of Analytical Results 614847



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS05</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614847-001	Date Collected: 02.14.19 09.10	Sample Depth: 2
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>836</b>	5.00	mg/kg	02.20.19 00.18		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 16.03	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.18.19 16.03	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 16.03	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.18.19 16.03	U	1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane	111-85-3		91	%	70-135	02.18.19 16.03	
o-Terphenyl	84-15-1		87	%	70-135	02.18.19 16.03	



# Certificate of Analytical Results 614847



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **FS05**  
Lab Sample Id: 614847-001

Matrix: Soil  
Date Collected: 02.14.19 09.10

Date Received: 02.18.19 07.33  
Sample Depth: 2

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 02.21.19 12.30

Basis: Wet Weight

Seq Number: 3080077

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.22.19 10.36	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.22.19 10.36	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.22.19 10.36	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.22.19 10.36	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.22.19 10.36	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.22.19 10.36	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.22.19 10.36	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	109	%	70-130	02.22.19 10.36	
4-Bromofluorobenzene		460-00-4	125	%	70-130	02.22.19 10.36	



## Certificate of Analytical Results 614847

LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **FS06** Matrix: Soil Date Received: 02.18.19 07.33  
 Lab Sample Id: 614847-002 Date Collected: 02.14.19 09.12 Sample Depth: 2  
 Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P  
 Tech: CHE % Moisture:  
 Analyst: CHE Date Prep: 02.19.19 13.50 Basis: Wet Weight  
 Seq Number: 3079750

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>807</b>	4.99	mg/kg	02.20.19 00.39		1

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P  
 Tech: ARM % Moisture:  
 Analyst: ARM Date Prep: 02.18.19 10.00 Basis: Wet Weight  
 Seq Number: 3079620

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 16.23	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>94.8</b>	15.0	mg/kg	02.18.19 16.23		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 16.23	U	1
<b>Total TPH</b>	PHC635	<b>94.8</b>	15.0	mg/kg	02.18.19 16.23		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	02.18.19 16.23		
o-Terphenyl	84-15-1	97	%	70-135	02.18.19 16.23		



# Certificate of Analytical Results 614847

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **FS06**  
Lab Sample Id: 614847-002

Matrix: Soil  
Date Collected: 02.14.19 09.12

Date Received: 02.18.19 07.33  
Sample Depth: 2

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 02.21.19 12.30

Basis: Wet Weight

Seq Number: 3080077

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.22.19 10.55	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.22.19 10.55	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.22.19 10.55	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.22.19 10.55	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.22.19 10.55	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.22.19 10.55	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.22.19 10.55	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	116	%	70-130	02.22.19 10.55	
1,4-Difluorobenzene		540-36-3	114	%	70-130	02.22.19 10.55	



# Certificate of Analytical Results 614847

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: <b>FS07</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614847-003	Date Collected: 02.14.19 10.39	Sample Depth: 2
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>558</b>	4.97	mg/kg	02.20.19 00.46		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 16.42	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>23.3</b>	15.0	mg/kg	02.18.19 16.42		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 16.42	U	1
<b>Total TPH</b>	PHC635	<b>23.3</b>	15.0	mg/kg	02.18.19 16.42		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	98	%	70-135	02.18.19 16.42	
o-Terphenyl		84-15-1	98	%	70-135	02.18.19 16.42	



# Certificate of Analytical Results 614847



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS07</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614847-003	Date Collected: 02.14.19 10.39	Sample Depth: 2
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: ALJ		% Moisture:
Analyst: ALJ	Date Prep: 02.21.19 12.30	Basis: Wet Weight
Seq Number: 3080077		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.22.19 11.14	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.22.19 11.14	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.22.19 11.14	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.22.19 11.14	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.22.19 11.14	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.22.19 11.14	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.22.19 11.14	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	112	%	70-130	02.22.19 11.14	
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.22.19 11.14	



# Certificate of Analytical Results 614847



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS08</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614847-004	Date Collected: 02.14.19 10.39	Sample Depth: 6
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>3630</b>	24.9	mg/kg	02.20.19 00.52		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 17.40	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>47.8</b>	15.0	mg/kg	02.18.19 17.40		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 17.40	U	1
<b>Total TPH</b>	PHC635	<b>47.8</b>	15.0	mg/kg	02.18.19 17.40		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	113	%	70-135	02.18.19 17.40	
o-Terphenyl		84-15-1	113	%	70-135	02.18.19 17.40	



# Certificate of Analytical Results 614847



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: <b>FS08</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614847-004	Date Collected: 02.14.19 10.39	Sample Depth: 6
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.21.19 15.00	Basis: Wet Weight
Seq Number: 3080170		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 14.03	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 14.03	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 14.03	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.22.19 14.03	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 14.03	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 14.03	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 14.03	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	108	%	70-130	02.22.19 14.03		
4-Bromofluorobenzene	460-00-4	114	%	70-130	02.22.19 14.03		



# Certificate of Analytical Results 614847



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: <b>SW09</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614847-005	Date Collected: 02.14.19 11.18	Sample Depth: 2 - 6
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 13.50	Basis: Wet Weight
Seq Number: 3079750		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>1360</b>	25.0	mg/kg	02.20.19 00.58		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 17.59	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>135</b>	15.0	mg/kg	02.18.19 17.59		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<b>19.8</b>	15.0	mg/kg	02.18.19 17.59		1
<b>Total TPH</b>	PHC635	<b>155</b>	15.0	mg/kg	02.18.19 17.59		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	98	%	70-135	02.18.19 17.59	
o-Terphenyl		84-15-1	102	%	70-135	02.18.19 17.59	



# Certificate of Analytical Results 614847



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SW09</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614847-005	Date Collected: 02.14.19 11.18	Sample Depth: 2 - 6
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.21.19 15.00	Basis: Wet Weight
Seq Number: 3080170		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.22.19 14.51	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.22.19 14.51	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.22.19 14.51	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.22.19 14.51	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.22.19 14.51	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.22.19 14.51	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.22.19 14.51	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	120	%	70-130	02.22.19 14.51	
1,4-Difluorobenzene		540-36-3	94	%	70-130	02.22.19 14.51	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 614847

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3079750	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7672095-1-BLK	LCS Sample Id: 7672095-1-BKS				Date Prep: 02.19.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<0.858	250	235	94	236	94	90-110	0	20
							mg/kg	02.19.19	22:11

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3079750	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614846-004	MS Sample Id: 614846-004 S				Date Prep: 02.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	1140	248	1350	85	1360	89	90-110	1	20

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3079750	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614851-005	MS Sample Id: 614851-005 S				Date Prep: 02.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	14.8	250	268	101	271	102	90-110	1	20

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3079620	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7672046-1-BLK	LCS Sample Id: 7672046-1-BKS				Date Prep: 02.18.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	832	83	969	97	70-135	15	20
Diesel Range Organics (DRO)	<8.13	1000	922	92	1080	108	70-135	16	20
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	78		118		127		70-135	%	02.18.19 12:26
o-Terphenyl	79		111		111		70-135	%	02.18.19 12:26

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614847

## LT Environmental, Inc.

PLU CVX JV #005H

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3079620	Matrix:	Soil			Prep Method:	TX1005P		
Parent Sample Id:	614846-001	MS Sample Id:	614846-001 S			Date Prep:	02.18.19		
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<7.99	998	976	98	887	89	70-135	10	20
Diesel Range Organics (DRO)	120	998	1150	103	1050	93	70-135	9	20
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane			127		129		70-135	%	02.18.19 13:25
o-Terphenyl			111		107		70-135	%	02.18.19 13:25

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3080077	Matrix:	Solid			Prep Method:	SW5030B		
MB Sample Id:	7672326-1-BLK	LCS Sample Id:	7672326-1-BKS			Date Prep:	02.21.19		
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.000387	0.101	0.124	123	0.119	119	70-130	4	35
Toluene	<0.000458	0.101	0.108	107	0.102	102	70-130	6	35
Ethylbenzene	<0.000568	0.101	0.102	101	0.0959	96	70-130	6	35
m,p-Xylenes	<0.00102	0.201	0.199	99	0.189	95	70-130	5	35
o-Xylene	<0.000346	0.101	0.101	100	0.0962	97	70-130	5	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	109		109		110		70-130	%	02.22.19 02:26
4-Bromofluorobenzene	93		104		104		70-130	%	02.22.19 02:26

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3080170	Matrix:	Solid			Prep Method:	SW5030B		
MB Sample Id:	7672385-1-BLK	LCS Sample Id:	7672385-1-BKS			Date Prep:	02.21.19		
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.000383	0.0994	0.124	125	0.122	122	70-130	2	35
Toluene	<0.000453	0.0994	0.105	106	0.103	103	70-130	2	35
Ethylbenzene	<0.000561	0.0994	0.0980	99	0.0960	96	70-130	2	35
m,p-Xylenes	<0.00101	0.199	0.194	97	0.190	95	70-130	2	35
o-Xylene	<0.000342	0.0994	0.0977	98	0.0958	96	70-130	2	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	109		111		110		70-130	%	02.22.19 12:10
4-Bromofluorobenzene	95		100		100		70-130	%	02.22.19 12:10

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614847

## LT Environmental, Inc.

PLU CVX JV #005H

## Analytical Method: BTEX by EPA 8021B

Seq Number: 3080077

Parent Sample Id: 614845-023

Matrix: Soil

Prep Method: SW5030B

Date Prep: 02.21.19

MSD Sample Id: 614845-023 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000386	0.100	0.108	108	0.112	112	70-130	4	35	mg/kg	02.22.19 03:04	
Toluene	0.000709	0.100	0.0890	88	0.0897	89	70-130	1	35	mg/kg	02.22.19 03:04	
Ethylbenzene	<0.000567	0.100	0.0754	75	0.0701	70	70-130	7	35	mg/kg	02.22.19 03:04	
m,p-Xylenes	0.00564	0.201	0.147	70	0.136	65	70-130	8	35	mg/kg	02.22.19 03:04	X
o-Xylene	0.000948	0.100	0.0774	76	0.0726	72	70-130	6	35	mg/kg	02.22.19 03:04	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag				Units	Analysis Date	
1,4-Difluorobenzene			110		112		70-130			%	02.22.19 03:04	
4-Bromofluorobenzene			112		112		70-130			%	02.22.19 03:04	

## Analytical Method: BTEX by EPA 8021B

Seq Number: 3080170

Parent Sample Id: 614847-004

Matrix: Soil

Prep Method: SW5030B

Date Prep: 02.21.19

MSD Sample Id: 614847-004 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000387	0.101	0.0715	71	0.0615	62	70-130	15	35	mg/kg	02.22.19 12:48	X
Toluene	<0.000458	0.101	0.0692	69	0.0587	59	70-130	16	35	mg/kg	02.22.19 12:48	X
Ethylbenzene	<0.000568	0.101	0.0871	86	0.0771	77	70-130	12	35	mg/kg	02.22.19 12:48	
m,p-Xylenes	<0.00102	0.201	0.153	76	0.145	73	70-130	5	35	mg/kg	02.22.19 12:48	
o-Xylene	<0.000346	0.101	0.0846	84	0.0770	77	70-130	9	35	mg/kg	02.22.19 12:48	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag				Units	Analysis Date	
1,4-Difluorobenzene			112		111		70-130			%	02.22.19 12:48	
4-Bromofluorobenzene			105		107		70-130			%	02.22.19 12:48	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



ORIGIN ID CADA (575) 887-6245  
 XENCO SATURDAY  
 PAC N MAIL  
 910 W PIERCE ST  
 CARLSBAD, NM 88220  
 UNITED STATES US

SHIP DATE: 15FEB19  
 ACT WT: 14.00 LB  
 CAD: 10.813706 IN  
 DMS: 25x15x15 IN  
 BILL RECIPIENT

To HOLD FOR XENCO

200 W INTERSTATE 20



MIDLAND TX 79701

(806) 674-0639

REF: XENCO

PO:

DEPT:



J191018010701ur

SATURDAY HOLD


PRIORITY OVERNIGHT

HLD

79701  
LBB

41 MAFA

TX-Js



**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 02/18/2019 07:33:00 AM

**Work Order #:** 614847

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:


PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 02/18/2019

**Checklist reviewed by:**

  
Jessica Kramer

Date: 02/18/2019

# Analytical Report 614848

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV #005H

12918093

26-FEB-19

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



26-FEB-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **614848**

**PLU CVX JV #005H**

Project Address: Delaware Basin

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 614848. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 614848 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 614848****LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

<b>Sample Id</b>	<b>Matrix</b>	<b>Date Collected</b>	<b>Sample Depth</b>	<b>Lab Sample Id</b>
SW01	S	02-12-19 14:00	1	614848-001
SW02	S	02-12-19 14:10	1	614848-002
SW03	S	02-12-19 14:15	1	614848-003
SW04	S	02-12-19 14:03	1	614848-004
FS01	S	02-12-19 14:20	1	614848-005
FS02	S	02-12-19 14:25	1	614848-006



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV #005H

Project ID: 12918093  
Work Order Number(s): 614848

Report Date: 26-FEB-19  
Date Received: 02/18/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3080170 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 614848



LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV #005H

**Project Id:** 12918093  
**Contact:** Adrian Baker  
**Project Location:** Delaware Basin

**Date Received in Lab:** Mon Feb-18-19 07:33 am  
**Report Date:** 26-FEB-19  
**Project Manager:** Jessica Kramer

<b>Analysis Requested</b>		<b>Lab Id:</b>	614848-001	614848-002	614848-003	614848-004	614848-005	614848-006					
		<b>Field Id:</b>	SW01	SW02	SW03	SW04	FS01	FS02					
		<b>Depth:</b>	1-	1-	1-	1-	1-	1-					
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL					
		<b>Sampled:</b>	Feb-12-19 14:00	Feb-12-19 14:10	Feb-12-19 14:15	Feb-12-19 14:03	Feb-12-19 14:20	Feb-12-19 14:25					
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Feb-21-19 15:00										
		<b>Analyzed:</b>	Feb-22-19 15:34	Feb-22-19 15:53	Feb-22-19 16:12	Feb-22-19 17:47	Feb-22-19 16:31	Feb-22-19 16:50					
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Benzene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.0830	0.0101	<0.00200	0.00200	<0.00200	0.00200
Toluene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.159	0.0101	<0.00200	0.00200	<0.00200	0.00200
Ethylbenzene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.0526	0.0101	<0.00200	0.00200	<0.00200	0.00200
m,p-Xylenes		<0.00399	0.00399	<0.00402	0.00402	<0.00398	0.00398	0.111	0.0202	<0.00399	0.00399	<0.00401	0.00401
o-Xylene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.378	0.0101	<0.00200	0.00200	<0.00200	0.00200
Total Xylenes		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.489	0.0101	<0.00200	0.00200	<0.00200	0.00200
Total BTEX		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	0.784	0.0101	<0.00200	0.00200	<0.00200	0.00200
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Feb-19-19 13:50	Feb-19-19 13:50	Feb-19-19 09:30								
		<b>Analyzed:</b>	Feb-20-19 01:04	Feb-20-19 01:10	Feb-19-19 12:38	Feb-19-19 12:44	Feb-19-19 12:50	Feb-19-19 12:57	mg/kg	RL	mg/kg	RL	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		1030	4.99	563	4.99	971	24.9	3450	25.1	551	4.99	610	4.95
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Feb-18-19 10:00										
		<b>Analyzed:</b>	Feb-18-19 18:18	Feb-18-19 18:37	Feb-18-19 18:57	Feb-18-19 19:17	Feb-18-19 19:36	Feb-18-19 19:56	mg/kg	RL	mg/kg	RL	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	214	15.0	<15.0	15.0	<14.9	14.9
Diesel Range Organics (DRO)		44.1	15.0	30.0	15.0	88.8	15.0	1850	15.0	63.2	15.0	24.6	14.9
Motor Oil Range Hydrocarbons (MRO)		<15.0	15.0	<15.0	15.0	20.4	15.0	360	15.0	<15.0	15.0	<14.9	14.9
Total TPH		44.1	15.0	30.0	15.0	109	15.0	2420	15.0	63.2	15.0	24.6	14.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer  
Project Assistant



# Certificate of Analytical Results 614848

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SW01**  
Lab Sample Id: 614848-001

Matrix: Soil  
Date Collected: 02.12.19 14.00

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.19.19 13.50

Basis: Wet Weight

Seq Number: 3079750

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1030</b>	4.99	mg/kg	02.20.19 01.04		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 02.18.19 10.00

Basis: Wet Weight

Seq Number: 3079620

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 18.18	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>44.1</b>	15.0	mg/kg	02.18.19 18.18		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 18.18	U	1
<b>Total TPH</b>	PHC635	<b>44.1</b>	15.0	mg/kg	02.18.19 18.18		1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane		111-85-3	112	%	70-135	02.18.19 18.18	
o-Terphenyl		84-15-1	111	%	70-135	02.18.19 18.18	



# Certificate of Analytical Results 614848



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SW01**  
Lab Sample Id: 614848-001

Matrix: **Soil**  
Date Collected: 02.12.19 14.00

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**  
Analyst: **SCM**  
Seq Number: 3080170

% Moisture:  
Basis: **Wet Weight**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 15.34	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 15.34	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 15.34	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.22.19 15.34	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 15.34	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 15.34	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 15.34	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	128	%	70-130	02.22.19 15.34	
1,4-Difluorobenzene		540-36-3	108	%	70-130	02.22.19 15.34	



# Certificate of Analytical Results 614848

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SW02**  
Lab Sample Id: 614848-002

Matrix: Soil  
Date Collected: 02.12.19 14.10

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.19.19 13.50

Basis: Wet Weight

Seq Number: 3079750

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>563</b>	4.99	mg/kg	02.20.19 01.10		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 02.18.19 10.00

Basis: Wet Weight

Seq Number: 3079620

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 18.37	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>30.0</b>	15.0	mg/kg	02.18.19 18.37		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 18.37	U	1
<b>Total TPH</b>	PHC635	<b>30.0</b>	15.0	mg/kg	02.18.19 18.37		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	110	%	70-135	02.18.19 18.37		
o-Terphenyl	84-15-1	108	%	70-135	02.18.19 18.37		



# Certificate of Analytical Results 614848



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SW02**  
Lab Sample Id: 614848-002

Matrix: **Soil**  
Date Collected: 02.12.19 14.10

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 02.21.19 15.00

Basis: **Wet Weight**

Seq Number: 3080170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.22.19 15.53	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.22.19 15.53	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.22.19 15.53	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.22.19 15.53	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.22.19 15.53	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.22.19 15.53	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.22.19 15.53	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	116	%	70-130	02.22.19 15.53		
4-Bromofluorobenzene	460-00-4	112	%	70-130	02.22.19 15.53		



# Certificate of Analytical Results 614848

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SW03</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614848-003	Date Collected: 02.12.19 14.15	Sample Depth: 1
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 09.30	Basis: Wet Weight
Seq Number: 3079654		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>971</b>	24.9	mg/kg	02.19.19 12.38		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 18.57	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>88.8</b>	15.0	mg/kg	02.18.19 18.57		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<b>20.4</b>	15.0	mg/kg	02.18.19 18.57		1
<b>Total TPH</b>	PHC635	<b>109</b>	15.0	mg/kg	02.18.19 18.57		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	111	%	70-135	02.18.19 18.57	
o-Terphenyl		84-15-1	109	%	70-135	02.18.19 18.57	



# Certificate of Analytical Results 614848



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SW03**  
Lab Sample Id: 614848-003

Matrix: **Soil**  
Date Collected: 02.12.19 14.15

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 02.21.19 15.00

Basis: **Wet Weight**

Seq Number: 3080170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.22.19 16.12	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.22.19 16.12	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.22.19 16.12	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.22.19 16.12	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.22.19 16.12	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.22.19 16.12	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.22.19 16.12	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	115	%	70-130	02.22.19 16.12	
1,4-Difluorobenzene		540-36-3	114	%	70-130	02.22.19 16.12	



## Certificate of Analytical Results 614848

LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SW04** Matrix: Soil Date Received: 02.18.19 07.33  
 Lab Sample Id: 614848-004 Date Collected: 02.12.19 14.03 Sample Depth: 1  
 Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P  
 Tech: CHE % Moisture:  
 Analyst: CHE Date Prep: 02.19.19 09.30 Basis: Wet Weight  
 Seq Number: 3079654

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>3450</b>	25.1	mg/kg	02.19.19 12.44		5

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P  
 Tech: ARM % Moisture:  
 Analyst: ARM Date Prep: 02.18.19 10.00 Basis: Wet Weight  
 Seq Number: 3079620

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Gasoline Range Hydrocarbons (GRO)</b>	PHC610	<b>214</b>	15.0	mg/kg	02.18.19 19.17		1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>1850</b>	15.0	mg/kg	02.18.19 19.17		1
<b>Motor Oil Range Hydrocarbons (MRO)</b>	PHCG2835	<b>360</b>	15.0	mg/kg	02.18.19 19.17		1
<b>Total TPH</b>	PHC635	<b>2420</b>	15.0	mg/kg	02.18.19 19.17		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	112	%	70-135	02.18.19 19.17	
o-Terphenyl		84-15-1	127	%	70-135	02.18.19 19.17	



# Certificate of Analytical Results 614848



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: <b>SW04</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614848-004	Date Collected: 02.12.19 14.03	Sample Depth: 1
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.21.19 15.00	Basis: Wet Weight
Seq Number: 3080170		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Benzene</b>	71-43-2	<b>0.0830</b>	0.0101	mg/kg	02.22.19 17.47		5
<b>Toluene</b>	108-88-3	<b>0.159</b>	0.0101	mg/kg	02.22.19 17.47		5
<b>Ethylbenzene</b>	100-41-4	<b>0.0526</b>	0.0101	mg/kg	02.22.19 17.47		5
<b>m,p-Xylenes</b>	179601-23-1	<b>0.111</b>	0.0202	mg/kg	02.22.19 17.47		5
<b>o-Xylene</b>	95-47-6	<b>0.378</b>	0.0101	mg/kg	02.22.19 17.47		5
<b>Total Xylenes</b>	1330-20-7	<b>0.489</b>	0.0101	mg/kg	02.22.19 17.47		5
<b>Total BTEX</b>		<b>0.784</b>	0.0101	mg/kg	02.22.19 17.47		5
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	120	%	70-130	02.22.19 17.47	
4-Bromofluorobenzene		460-00-4	70	%	70-130	02.22.19 17.47	



# Certificate of Analytical Results 614848



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **FS01**  
Lab Sample Id: 614848-005

Matrix: Soil  
Date Collected: 02.12.19 14.20

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.19.19 09.30

Basis: Wet Weight

Seq Number: 3079654

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>551</b>	4.99	mg/kg	02.19.19 12.50		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 02.18.19 10.00

Basis: Wet Weight

Seq Number: 3079620

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 19.36	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>63.2</b>	15.0	mg/kg	02.18.19 19.36		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 19.36	U	1
<b>Total TPH</b>	PHC635	<b>63.2</b>	15.0	mg/kg	02.18.19 19.36		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	111	%	70-135	02.18.19 19.36		
o-Terphenyl	84-15-1	111	%	70-135	02.18.19 19.36		



# Certificate of Analytical Results 614848



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS01</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614848-005	Date Collected: 02.12.19 14.20	Sample Depth: 1
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.21.19 15.00	Basis: Wet Weight
Seq Number: 3080170		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 16.31	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 16.31	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 16.31	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.22.19 16.31	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 16.31	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 16.31	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 16.31	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	114	%	70-130	02.22.19 16.31		
4-Bromofluorobenzene	460-00-4	122	%	70-130	02.22.19 16.31		



# Certificate of Analytical Results 614848

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **FS02**  
Lab Sample Id: 614848-006

Matrix: Soil  
Date Collected: 02.12.19 14.25

Date Received: 02.18.19 07.33  
Sample Depth: 1

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.19.19 09.30

Basis: Wet Weight

Seq Number: 3079654

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>610</b>	4.95	mg/kg	02.19.19 12.57		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 02.18.19 10.00

Basis: Wet Weight

Seq Number: 3079620

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	02.18.19 19.56	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>24.6</b>	14.9	mg/kg	02.18.19 19.56		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	02.18.19 19.56	U	1
<b>Total TPH</b>	PHC635	<b>24.6</b>	14.9	mg/kg	02.18.19 19.56		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	02.18.19 19.56		
o-Terphenyl	84-15-1	93	%	70-135	02.18.19 19.56		



# Certificate of Analytical Results 614848



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS02</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614848-006	Date Collected: 02.12.19 14.25	Sample Depth: 1
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.21.19 15.00	Basis: Wet Weight
Seq Number: 3080170		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 16.50	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 16.50	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 16.50	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.22.19 16.50	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 16.50	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 16.50	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 16.50	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	116	%	70-130	02.22.19 16.50		
4-Bromofluorobenzene	460-00-4	115	%	70-130	02.22.19 16.50		



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 614848

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	MB Result	Spike Amount	Matrix: Solid				Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
			LCS Result	LCS %Rec	LCSD Result	LCSD %Rec						
Chloride	<0.858	250	234	94	253	101	90-110	8	20	mg/kg	02.19.19 10:04	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	MB Result	Spike Amount	Matrix: Solid				Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
			LCS Result	LCS %Rec	LCSD Result	LCSD %Rec						
Chloride	<0.858	250	235	94	236	94	90-110	0	20	mg/kg	02.19.19 22:11	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	Matrix: Soil				Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
			MS Result	MS %Rec	MSD Result	MSD %Rec						
Chloride	164	250	438	110	417	101	90-110	5	20	mg/kg	02.19.19 13:55	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	Matrix: Soil				Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
			MS Result	MS %Rec	MSD Result	MSD %Rec						
Chloride	2160	252	3320	460	3440	508	90-110	4	20	mg/kg	02.19.19 10:22	X

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	Matrix: Soil				Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
			MS Result	MS %Rec	MSD Result	MSD %Rec						
Chloride	1140	248	1350	85	1360	89	90-110	1	20	mg/kg	02.19.19 23:59	X

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614848

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079750	Matrix:	Soil			Prep Method:	E300P			
Parent Sample Id:	614851-005	MS Sample Id:	614851-005 S			Date Prep:	02.19.19			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits			
Chloride	14.8	250	268	101	271	102	90-110			
						%RPD	RPD Limit	Units	Analysis Date	Flag
						1	20	mg/kg	02.19.19 22:30	

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3079620	Matrix:	Solid			Prep Method:	TX1005P			
MB Sample Id:	7672046-1-BLK	LCS Sample Id:	7672046-1-BKS			Date Prep:	02.18.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits			
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	832	83	969	97	70-135			
Diesel Range Organics (DRO)	<8.13	1000	922	92	1080	108	70-135			
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date	Flag
1-Chlorooctane	78		118		127		70-135	%	02.18.19 12:26	
o-Terphenyl	79		111		111		70-135	%	02.18.19 12:26	

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3079620	Matrix:	Soil			Date Prep:	02.18.19			
Parent Sample Id:	614846-001	MS Sample Id:	614846-001 S			MSD Sample Id:	614846-001 SD			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits			
Gasoline Range Hydrocarbons (GRO)	<7.99	998	976	98	887	89	70-135			
Diesel Range Organics (DRO)	120	998	1150	103	1050	93	70-135			
<b>Surrogate</b>			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date	Flag
1-Chlorooctane			127		129		70-135	%	02.18.19 13:25	
o-Terphenyl			111		107		70-135	%	02.18.19 13:25	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614848

## LT Environmental, Inc.

PLU CVX JV #005H

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3080170	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7672385-1-BLK	LCS Sample Id: 7672385-1-BKS				Date Prep: 02.21.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000383	0.0994	0.124	125	0.122	122	70-130	2 35	mg/kg 02.22.19 12:10
Toluene	<0.000453	0.0994	0.105	106	0.103	103	70-130	2 35	mg/kg 02.22.19 12:10
Ethylbenzene	<0.000561	0.0994	0.0980	99	0.0960	96	70-130	2 35	mg/kg 02.22.19 12:10
m,p-Xylenes	<0.00101	0.199	0.194	97	0.190	95	70-130	2 35	mg/kg 02.22.19 12:10
o-Xylene	<0.000342	0.0994	0.0977	98	0.0958	96	70-130	2 35	mg/kg 02.22.19 12:10
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	109		111		110		70-130	%	02.22.19 12:10
4-Bromofluorobenzene	95		100		100		70-130	%	02.22.19 12:10

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3080170	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	614847-004	MS Sample Id: 614847-004 S				Date Prep: 02.21.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000387	0.101	0.0715	71	0.0615	62	70-130	15 35	mg/kg 02.22.19 12:48 X
Toluene	<0.000458	0.101	0.0692	69	0.0587	59	70-130	16 35	mg/kg 02.22.19 12:48 X
Ethylbenzene	<0.000568	0.101	0.0871	86	0.0771	77	70-130	12 35	mg/kg 02.22.19 12:48
m,p-Xylenes	<0.00102	0.201	0.153	76	0.145	73	70-130	5 35	mg/kg 02.22.19 12:48
o-Xylene	<0.000346	0.101	0.0846	84	0.0770	77	70-130	9 35	mg/kg 02.22.19 12:48
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene			112		111		70-130	%	02.22.19 12:48
4-Bromofluorobenzene			105		107		70-130	%	02.22.19 12:48

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

**Work Order No:**

Project Manager:	Adrian Baker	Address:	House (NM 375-392-7550) Phoenix, AZ (480-335-0900)	Atlanta, GA (770-449-8800)	Tampa, FL (813-223-1000)
Company Name:	LT Environmental, Inc., Permian office	Bill to:	(if different)	Kyle Littrell	
Address:	3300 North A Street	Company Name:	XTO		
City, State ZIP:	Midland, TX 79705	Address:			
Phone:	432.704.5178	Email:	abaker@ltenv.com, mwills@ltenv.com		

620-2000)	www.xenco.com	Page _____ of _____
<b>Work Order Comments</b>		
<b>Program:</b> USTPST <input type="checkbox"/> RP <input type="checkbox"/> Brownfields <input checked="" type="checkbox"/> C <input type="checkbox"/> Industrial		
<b>State of Project:</b>		
Reporting: level II <input type="checkbox"/> level III <input type="checkbox"/> STJST <input type="checkbox"/> RP <input type="checkbox"/> level IV <input type="checkbox"/>		
Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: _____		

**Total 200.7 / 6010**    **200.8 / 6020:**  
**Circle Method(s) and Metal(s) to be analyzed**    **8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni Se Ag SiO2 Na Sr Ti Sn U V Zn  
**TCLP / SPLP 6010:** 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U    **1631 / 245.1 / 7470 / 7471 : Hg****

**Notice:** Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xencor, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xencor is liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xencor. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xencor has not been analyzed. These terms and conditions supersede all previous versions.

卷之三

ORIGIN ID:QAOA  
XENCO SATURDAY  
PAC N MAIL  
910 W PIERCE ST  
CARLSBAD, NM 88220  
UNITED STATES US

(575) 887-6245

SHIP DATE: 15FEB19  
ACTWGT: 74.00 LB  
CAD: 101813706/NET4100  
DIM: 25x15x15 IN

BILL RECIPIENT

TO HOLD FOR XENCO

200 W INTERSTATE 20

**MIDLAND TX 79701**


(800) 674-0639

NUV

PO

REF: XENCO

DEPT:



J191018010701ur

565J20E3D/23AD

TRK#  
0201


**7744 8732 2463**

**SATURDAY HOLD  
PRIORITY OVERNIGHT**

HLD

**79701  
TX-US  
LBB**

**41 MAFA**



#### After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In



**Client:** LT Environmental, Inc.

**Date/ Time Received:** 02/18/2019 07:33:00 AM

**Work Order #:** 614848

**Acceptable Temperature Range:** 0 - 6 degC  
**Air and Metal samples Acceptable Range:** Ambient  
**Temperature Measuring device used :** R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:**

Brianna Teel

Date: 02/18/2019

**Checklist reviewed by:**

Jessica Kramer

Date: 02/18/2019

# Analytical Report 614849

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV #005H

12918093

26-FEB-19

Collected By: Client



**1211 W. Florida Ave, Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



26-FEB-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **614849**

**PLU CVX JV #005H**

Project Address: Delaware Basin

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 614849. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 614849 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 614849

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS23	S	02-11-19 09:00	2	614849-001
SS23A	S	02-11-19 09:20	4	614849-002
SS12A	S	02-11-19 10:05	2	614849-003
SS12B	S	02-11-19 10:05	4	614849-004
SS25	S	02-11-19 11:10	2	614849-005
SS25A	S	02-11-19 11:15	4	614849-006
SS27	S	02-11-19 12:25	2	614849-007
SS27A	S	02-11-19 12:27	4	614849-008
SS10A	S	02-11-19 13:31	2	614849-009
SS10B	S	02-11-19 13:35	4	614849-010
SS24	S	02-11-19 15:30	2	614849-011
SS24A	S	02-11-19 15:35	4	614849-012



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV #005H

Project ID: 12918093  
Work Order Number(s): 614849

Report Date: 26-FEB-19  
Date Received: 02/18/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3080170 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 614849



LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV #005H

Project Id: 12918093  
 Contact: Adrian Baker  
 Project Location: Delaware Basin

Date Received in Lab: Mon Feb-18-19 07:33 am  
 Report Date: 26-FEB-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>		<b>Lab Id:</b>	614849-001	614849-002	614849-003	614849-004	614849-005	614849-006	
		<b>Field Id:</b>	SS23	SS23A	SS12A	SS12B	SS25	SS25A	
		<b>Depth:</b>	2-	4-	2-	4-	2-	4-	
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	
		<b>Sampled:</b>	Feb-11-19 09:00	Feb-11-19 09:20	Feb-11-19 10:05	Feb-11-19 10:05	Feb-11-19 11:10	Feb-11-19 11:15	
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Feb-21-19 15:00						
		<b>Analyzed:</b>	Feb-22-19 17:09	Feb-22-19 17:28	Feb-22-19 19:02	Feb-22-19 19:21	Feb-22-19 19:40	Feb-22-19 19:59	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Benzene		<0.00199	0.00199	<0.00200	0.00200	<0.00201	0.00201	<0.00200	0.00200
Toluene		<0.00199	0.00199	<0.00200	0.00200	<0.00201	0.00201	<0.00200	0.00200
Ethylbenzene		<0.00199	0.00199	<0.00200	0.00200	<0.00201	0.00201	<0.00200	0.00200
m,p-Xylenes		<0.00398	0.00398	<0.00400	0.00400	<0.00402	0.00402	<0.00398	0.00398
o-Xylene		<0.00199	0.00199	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
Total Xylenes		<0.00199	0.00199	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
Total BTEX		<0.00199	0.00199	<0.00200	0.00200	<0.00201	0.00201	<0.00200	0.00200
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Feb-19-19 09:30	Feb-19-19 09:50					
		<b>Analyzed:</b>	Feb-19-19 13:03	Feb-19-19 14:48	Feb-19-19 15:17	Feb-19-19 15:57	Feb-19-19 16:03	Feb-19-19 16:10	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		265	4.95	236	5.00	157	5.00	217	4.99
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Feb-20-19 13:00						
		<b>Analyzed:</b>	Feb-20-19 15:39	Feb-20-19 16:38	Feb-20-19 16:58	Feb-20-19 17:18	Feb-20-19 17:37	Feb-20-19 17:57	
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Motor Oil Range Hydrocarbons (MRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Total TPH		<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
 Project Assistant

**Project Id:** 12918093  
**Contact:** Adrian Baker  
**Project Location:** Delaware Basin

**Date Received in Lab:** Mon Feb-18-19 07:33 am  
**Report Date:** 26-FEB-19  
**Project Manager:** Jessica Kramer

LT Environmental, Inc., Arvada, CO

**Project Name:** PLU CVX JV #005E

<b><i>Analysis Requested</i></b>	<b><i>Lab Id:</i></b>	614849-007	614849-008		614849-009		614849-010		614849-011		614849-012		
	<b><i>Field Id:</i></b>	SS27	SS27A		SS10A		SS10B		SS24		SS24A		
	<b><i>Depth:</i></b>	2-	4-		2-		4-		2-		4-		
	<b><i>Matrix:</i></b>	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	<b><i>Sampled:</i></b>	Feb-11-19 12:25		Feb-11-19 12:27		Feb-11-19 13:31		Feb-11-19 13:35		Feb-11-19 15:30		Feb-11-19 15:35	
<b>BTEX by EPA 8021B</b>		<b><i>Extracted:</i></b>	Feb-21-19 15:00										
		<b><i>Analyzed:</i></b>	Feb-22-19 20:18		Feb-22-19 20:37		Feb-22-19 20:56		Feb-22-19 21:15		Feb-22-19 21:34		
		<b><i>Units/RL:</i></b>	mg/kg	RL									
Benzene			<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	
Toluene			<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	
Ethylbenzene			<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	
m,p-Xylenes			<0.00402	0.00402	<0.00398	0.00398	<0.00402	0.00402	<0.00399	0.00399	<0.00401	0.00401	
o-Xylene			<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	
Total Xylenes			<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	
Total BTEX			<0.00201	0.00201	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	
<b>Inorganic Anions by EPA 300</b>		<b><i>Extracted:</i></b>	Feb-19-19 09:50										
		<b><i>Analyzed:</i></b>	Feb-19-19 17:14		Feb-19-19 17:21		Feb-19-19 17:27		Feb-19-19 16:16		Feb-19-19 16:22		
		<b><i>Units/RL:</i></b>	mg/kg	RL									
Chloride			25.7	4.99	23.9	4.95	202	4.98	143	4.98	564	5.00	
<b>TPH by SW8015 Mod</b>		<b><i>Extracted:</i></b>	Feb-20-19 13:00		Feb-20-19 13:00		Feb-18-19 15:00		Feb-18-19 15:00		Feb-18-19 10:00		
		<b><i>Analyzed:</i></b>	Feb-20-19 18:17		Feb-20-19 18:37		Feb-19-19 05:31		Feb-19-19 05:50		Feb-18-19 20:15		
		<b><i>Units/RL:</i></b>	mg/kg	RL									
Gasoline Range Hydrocarbons (GRO)			<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9	<14.9	14.9	
Diesel Range Organics (DRO)			<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9	38.2	14.9	
Motor Oil Range Hydrocarbons (MRO)			<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9	<14.9	14.9	
Total TPH			<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9	38.2	14.9	
											80.1	15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

But it is only a matter of time before investors will start asking questions about what is agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
Project Assistant

Jessica Kramer



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id:	<b>SS23</b>	Matrix:	Soil	Date Received:	02.18.19 07.33		
Lab Sample Id:	614849-001			Date Collected:	02.11.19 09.00	Sample Depth:	2
Analytical Method: Inorganic Anions by EPA 300				Prep Method:	E300P		
Tech:	CHE			% Moisture:			
Analyst:	CHE	Date Prep:	02.19.19 09.30	Basis:	Wet Weight		
Seq Number:	3079654						

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>265</b>	4.95	mg/kg	02.19.19 13.03		1

Analytical Method:	TPH by SW8015 Mod	Prep Method:	TX1005P		
Tech:	ARM	% Moisture:			
Analyst:	ARM	Date Prep:	02.20.19 13.00	Basis:	Wet Weight
Seq Number:	3079924				

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 15.39	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 15.39	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 15.39	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 15.39	U	1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane	111-85-3		96	%	70-135	02.20.19 15.39	
o-Terphenyl	84-15-1		93	%	70-135	02.20.19 15.39	



# Certificate of Analytical Results 614849

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id:	<b>SS23</b>	Matrix:	Soil	Date Received:	02.18.19 07.33
Lab Sample Id:	614849-001			Date Collected:	02.11.19 09.00
Analytical Method: BTEX by EPA 8021B			Prep Method: SW5030B		
Tech:	SCM			% Moisture:	
Analyst:	SCM	Date Prep:	02.21.19 15.00	Basis:	Wet Weight
Seq Number:	3080170				

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.22.19 17.09	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.22.19 17.09	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.22.19 17.09	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.22.19 17.09	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.22.19 17.09	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.22.19 17.09	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.22.19 17.09	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3		115	%	70-130	02.22.19 17.09	
4-Bromofluorobenzene	460-00-4		118	%	70-130	02.22.19 17.09	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: SS23A	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614849-002	Date Collected: 02.11.19 09.20	Sample Depth: 4
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 09.50	Basis: Wet Weight
Seq Number: 3079738		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	236	5.00	mg/kg	02.19.19 14.48		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.20.19 13.00	Basis: Wet Weight
Seq Number: 3079924		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 16.38	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 16.38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 16.38	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 16.38	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	97	%	70-135	02.20.19 16.38		
o-Terphenyl	84-15-1	96	%	70-135	02.20.19 16.38		



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS23A**  
Lab Sample Id: 614849-002

Matrix: **Soil**  
Date Collected: 02.11.19 09.20

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 02.21.19 15.00

Basis: **Wet Weight**

Seq Number: 3080170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 17.28	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 17.28	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 17.28	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.22.19 17.28	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 17.28	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 17.28	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 17.28	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	118	%	70-130	02.22.19 17.28	
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.22.19 17.28	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: SS12A  
Lab Sample Id: 614849-003

Matrix: Soil  
Date Collected: 02.11.19 10.05

Date Received: 02.18.19 07.33  
Sample Depth: 2

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3079738

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	157	5.00	mg/kg	02.19.19 15.17		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3079924

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 16.58	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 16.58	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 16.58	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 16.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	94	%	70-135	02.20.19 16.58		
o-Terphenyl	84-15-1	90	%	70-135	02.20.19 16.58		



# Certificate of Analytical Results 614849

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id:	SS12A	Matrix:	Soil	Date Received:	02.18.19 07.33
Lab Sample Id:	614849-003			Date Collected:	02.11.19 10.05
Analytical Method: BTEX by EPA 8021B			Prep Method: SW5030B		
Tech:	SCM			% Moisture:	
Analyst:	SCM	Date Prep:	02.21.19 15.00	Basis:	Wet Weight
Seq Number:		3080170			

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.22.19 19.02	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.22.19 19.02	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.22.19 19.02	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.22.19 19.02	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.22.19 19.02	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.22.19 19.02	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.22.19 19.02	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	106	%	70-130	02.22.19 19.02	
1,4-Difluorobenzene		540-36-3	115	%	70-130	02.22.19 19.02	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS12B**  
Lab Sample Id: 614849-004

Matrix: **Soil**  
Date Collected: 02.11.19 10.05

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 02.19.19 09.50

Basis: **Wet Weight**

Seq Number: 3079738

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	217	4.99	mg/kg	02.19.19 15.57		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 02.20.19 13.00

Basis: **Wet Weight**

Seq Number: 3079924

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 17.18	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 17.18	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 17.18	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 17.18	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	99	%	70-135	02.20.19 17.18		
o-Terphenyl	84-15-1	98	%	70-135	02.20.19 17.18		



# Certificate of Analytical Results 614849

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: <b>SS12B</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614849-004	Date Collected: 02.11.19 10.05	Sample Depth: 4
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 02.21.19 15.00	Basis: Wet Weight
Seq Number: 3080170		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.22.19 19.21	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.22.19 19.21	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.22.19 19.21	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.22.19 19.21	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.22.19 19.21	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.22.19 19.21	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.22.19 19.21	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	111	%	70-130	02.22.19 19.21	
1,4-Difluorobenzene		540-36-3	117	%	70-130	02.22.19 19.21	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SS25</b>	Matrix: <b>Soil</b>	Date Received: 02.18.19 07.33
Lab Sample Id: 614849-005	Date Collected: 02.11.19 11.10	Sample Depth: 2
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: <b>CHE</b>		% Moisture:
Analyst: <b>CHE</b>	Date Prep: 02.19.19 09.50	Basis: <b>Wet Weight</b>
Seq Number: 3079738		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>17.1</b>	4.99	mg/kg	02.19.19 16.03		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: <b>ARM</b>	% Moisture:	
Analyst: <b>ARM</b>	Date Prep: 02.20.19 13.00	Basis: <b>Wet Weight</b>
Seq Number: 3079924		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 17.37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 17.37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 17.37	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 17.37	U	1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane	111-85-3		92	%	70-135	02.20.19 17.37	
o-Terphenyl	84-15-1		87	%	70-135	02.20.19 17.37	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS25**  
Lab Sample Id: 614849-005

Matrix: **Soil**  
Date Collected: 02.11.19 11.10

Date Received: 02.18.19 07.33  
Sample Depth: 2

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 02.21.19 15.00

Basis: **Wet Weight**

Seq Number: 3080170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 19.40	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 19.40	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 19.40	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.22.19 19.40	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 19.40	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 19.40	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 19.40	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	117	%	70-130	02.22.19 19.40	
4-Bromofluorobenzene		460-00-4	111	%	70-130	02.22.19 19.40	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS25A**  
Lab Sample Id: 614849-006

Matrix: **Soil**  
Date Collected: 02.11.19 11.15

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: **CHE**  
Analyst: **CHE**  
Seq Number: 3079738

% Moisture:  
Basis: **Wet Weight**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>18.5</b>	4.97	mg/kg	02.19.19 16.10		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**  
Analyst: **ARM**  
Seq Number: 3079924

% Moisture:  
Basis: **Wet Weight**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 17.57	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 17.57	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 17.57	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 17.57	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	02.20.19 17.57		
o-Terphenyl	84-15-1	92	%	70-135	02.20.19 17.57		



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS25A**  
Lab Sample Id: 614849-006

Matrix: **Soil**  
Date Collected: 02.11.19 11.15

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**  
Analyst: **SCM**  
Seq Number: 3080170

% Moisture:  
Basis: **Wet Weight**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 19.59	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 19.59	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 19.59	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.22.19 19.59	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 19.59	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 19.59	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 19.59	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	113	%	70-130	02.22.19 19.59	
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.22.19 19.59	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS27**  
Lab Sample Id: 614849-007

Matrix: **Soil**  
Date Collected: 02.11.19 12.25

Date Received: 02.18.19 07.33  
Sample Depth: 2

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 02.19.19 09.50

Basis: **Wet Weight**

Seq Number: 3079738

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>25.7</b>	4.99	mg/kg	02.19.19 17.14		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 02.20.19 13.00

Basis: **Wet Weight**

Seq Number: 3079924

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 18.17	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 18.17	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 18.17	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 18.17	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	93	%	70-135	02.20.19 18.17		
o-Terphenyl	84-15-1	88	%	70-135	02.20.19 18.17		



# Certificate of Analytical Results 614849



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id:	<b>SS27</b>	Matrix:	Soil	Date Received:	02.18.19 07.33
Lab Sample Id:	614849-007			Date Collected:	02.11.19 12.25
Analytical Method: BTEX by EPA 8021B			Prep Method: SW5030B		
Tech:	SCM			% Moisture:	
Analyst:	SCM	Date Prep:	02.21.19 15.00	Basis:	Wet Weight
Seq Number:	3080170				

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.22.19 20.18	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.22.19 20.18	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.22.19 20.18	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.22.19 20.18	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.22.19 20.18	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.22.19 20.18	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.22.19 20.18	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	116	%	70-130	02.22.19 20.18		
4-Bromofluorobenzene	460-00-4	111	%	70-130	02.22.19 20.18		



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: SS27A	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614849-008	Date Collected: 02.11.19 12.27	Sample Depth: 4
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 09.50	Basis: Wet Weight
Seq Number: 3079738		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	23.9	4.95	mg/kg	02.19.19 17.21		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.20.19 13.00	Basis: Wet Weight
Seq Number: 3079924		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.20.19 18.37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.20.19 18.37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.20.19 18.37	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.20.19 18.37	U	1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane	111-85-3		93	%	70-135	02.20.19 18.37	
o-Terphenyl	84-15-1		89	%	70-135	02.20.19 18.37	



# Certificate of Analytical Results 614849

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: SS27A  
Lab Sample Id: 614849-008

Matrix: Soil  
Date Collected: 02.11.19 12.27

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM  
Analyst: SCM  
Seq Number: 3080170

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.22.19 20.37	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.22.19 20.37	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.22.19 20.37	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.22.19 20.37	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.22.19 20.37	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.22.19 20.37	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.22.19 20.37	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	112	%	70-130	02.22.19 20.37	
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.22.19 20.37	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS10A**  
Lab Sample Id: 614849-009

Matrix: **Soil**  
Date Collected: 02.11.19 13.31

Date Received: 02.18.19 07.33  
Sample Depth: 2

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 02.19.19 09.50

Basis: **Wet Weight**

Seq Number: 3079738

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	202	4.98	mg/kg	02.19.19 17.27		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 02.18.19 15.00

Basis: **Wet Weight**

Seq Number: 3079622

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.19.19 05.31	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	02.19.19 05.31	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.19.19 05.31	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	02.19.19 05.31	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	89	%	70-135	02.19.19 05.31		
o-Terphenyl	84-15-1	86	%	70-135	02.19.19 05.31		



# Certificate of Analytical Results 614849

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SS10A</b>	Matrix: <b>Soil</b>	Date Received: 02.18.19 07.33
Lab Sample Id: <b>614849-009</b>	Date Collected: 02.11.19 13.31	Sample Depth: 2
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: <b>SCM</b>		% Moisture:
Analyst: <b>SCM</b>	Date Prep: <b>02.21.19 15.00</b>	Basis: <b>Wet Weight</b>
Seq Number: <b>3080170</b>		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.22.19 20.56	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.22.19 20.56	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.22.19 20.56	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.22.19 20.56	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.22.19 20.56	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.22.19 20.56	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.22.19 20.56	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	110	%	70-130	02.22.19 20.56	
1,4-Difluorobenzene		540-36-3	115	%	70-130	02.22.19 20.56	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS10B**  
Lab Sample Id: 614849-010

Matrix: **Soil**  
Date Collected: 02.11.19 13.35

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 02.19.19 09.50

Basis: **Wet Weight**

Seq Number: 3079738

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	143	4.98	mg/kg	02.19.19 16.16		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 02.18.19 15.00

Basis: **Wet Weight**

Seq Number: 3079622

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	02.19.19 05.50	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	02.19.19 05.50	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	02.19.19 05.50	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	02.19.19 05.50	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	92	%	70-135	02.19.19 05.50		
o-Terphenyl	84-15-1	89	%	70-135	02.19.19 05.50		



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS10B**  
Lab Sample Id: 614849-010

Matrix: **Soil**  
Date Collected: 02.11.19 13.35

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**  
Analyst: **SCM**  
Seq Number: 3080170

% Moisture:  
Basis: **Wet Weight**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 21.15	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 21.15	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 21.15	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.22.19 21.15	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 21.15	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 21.15	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 21.15	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	114	%	70-130	02.22.19 21.15	
1,4-Difluorobenzene		540-36-3	115	%	70-130	02.22.19 21.15	



# Certificate of Analytical Results 614849



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SS24**  
Lab Sample Id: 614849-011

Matrix: Soil  
Date Collected: 02.11.19 15.30

Date Received: 02.18.19 07.33  
Sample Depth: 2

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3079738

Date Prep: 02.19.19 09.50

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>564</b>	5.00	mg/kg	02.19.19 16.22		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3079620

Date Prep: 02.18.19 10.00

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	02.18.19 20.15	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>38.2</b>	14.9	mg/kg	02.18.19 20.15		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	02.18.19 20.15	U	1
<b>Total TPH</b>	PHC635	<b>38.2</b>	14.9	mg/kg	02.18.19 20.15		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	02.18.19 20.15		
o-Terphenyl	84-15-1	95	%	70-135	02.18.19 20.15		



## Certificate of Analytical Results 614849

LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: SS24  
 Lab Sample Id: 614849-011

Matrix: Soil  
 Date Collected: 02.11.19 15.30

Date Received: 02.18.19 07.33  
 Sample Depth: 2

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 02.21.19 15.00

Basis: Wet Weight

Seq Number: 3080170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.22.19 21.34	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.22.19 21.34	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.22.19 21.34	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.22.19 21.34	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.22.19 21.34	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.22.19 21.34	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.22.19 21.34	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.22.19 21.34	
4-Bromofluorobenzene		460-00-4	119	%	70-130	02.22.19 21.34	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SS24A</b>	Matrix: Soil	Date Received: 02.18.19 07.33
Lab Sample Id: 614849-012	Date Collected: 02.11.19 15.35	Sample Depth: 4
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 02.19.19 09.50	Basis: Wet Weight
Seq Number: 3079738		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1080</b>	24.8	mg/kg	02.19.19 16.47		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 02.18.19 10.00	Basis: Wet Weight
Seq Number: 3079620		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	02.18.19 20.35	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>80.1</b>	15.0	mg/kg	02.18.19 20.35		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	02.18.19 20.35	U	1
<b>Total TPH</b>	PHC635	<b>80.1</b>	15.0	mg/kg	02.18.19 20.35		1
<b>Surrogate</b>			% Recovery				
1-Chlorooctane		111-85-3	96	%	70-135	02.18.19 20.35	
o-Terphenyl		84-15-1	96	%	70-135	02.18.19 20.35	



# Certificate of Analytical Results 614849



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SS24A**  
Lab Sample Id: 614849-012

Matrix: **Soil**  
Date Collected: 02.11.19 15.35

Date Received: 02.18.19 07.33  
Sample Depth: 4

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 02.21.19 15.00

Basis: **Wet Weight**

Seq Number: 3080170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.22.19 21.53	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.22.19 21.53	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.22.19 21.53	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.22.19 21.53	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.22.19 21.53	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.22.19 21.53	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.22.19 21.53	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	119	%	70-130	02.22.19 21.53	
1,4-Difluorobenzene		540-36-3	116	%	70-130	02.22.19 21.53	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 614849

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079654	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7672053-1-BLK	LCS Sample Id: 7672053-1-BKS				Date Prep: 02.19.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Chloride	<0.858	250	234	94	253	101	90-110	8 20	mg/kg 02.19.19 10:04

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079738	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7672054-1-BLK	LCS Sample Id: 7672054-1-BKS				Date Prep: 02.19.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Chloride	<0.858	250	234	94	253	101	90-110	8 20	mg/kg 02.19.19 10:04

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079654	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614870-008	MS Sample Id: 614870-008 S				Date Prep: 02.19.19			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Chloride	164	250	438	110	417	101	90-110	5 20	mg/kg 02.19.19 13:55

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079654	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614952-002	MS Sample Id: 614952-002 S				Date Prep: 02.19.19			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Chloride	2160	252	3320	460	3440	508	90-110	4 20	mg/kg 02.19.19 10:22 X

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079738	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614844-001	MS Sample Id: 614844-001 S				Date Prep: 02.19.19			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Chloride	29.4	250	285	102	297	107	90-110	4 20	mg/kg 02.19.19 16:34

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614849

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3079738	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	614849-002	MS Sample Id: 614849-002 S				Date Prep: 02.19.19			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Chloride	236	250	477	96	496	104	90-110	4	20 mg/kg 02.19.19 14:54

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3079620	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7672046-1-BLK	LCS Sample Id: 7672046-1-BKS				Date Prep: 02.18.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	832	83	969	97	70-135	15	20 mg/kg 02.18.19 12:26
Diesel Range Organics (DRO)	<8.13	1000	922	92	1080	108	70-135	16	20 mg/kg 02.18.19 12:26
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	78		118		127		70-135	%	02.18.19 12:26
o-Terphenyl	79		111		111		70-135	%	02.18.19 12:26

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3079622	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7672047-1-BLK	LCS Sample Id: 7672047-1-BKS				Date Prep: 02.18.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1020	102	872	87	70-135	16	20 mg/kg 02.18.19 21:34
Diesel Range Organics (DRO)	<8.13	1000	1170	117	979	98	70-135	18	20 mg/kg 02.18.19 21:34
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	79		125		122		70-135	%	02.18.19 21:34
o-Terphenyl	79		118		105		70-135	%	02.18.19 21:34

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3079924	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7672196-1-BLK	LCS Sample Id: 7672196-1-BKS				Date Prep: 02.20.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	942	94	982	98	70-135	4	20 mg/kg 02.20.19 15:00
Diesel Range Organics (DRO)	<8.13	1000	952	95	983	98	70-135	3	20 mg/kg 02.20.19 15:00
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	101		125		129		70-135	%	02.20.19 15:00
o-Terphenyl	101		121		124		70-135	%	02.20.19 15:00

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614849

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method:** TPH by SW8015 Mod

Seq Number: 3079620

Parent Sample Id: 614846-001

Matrix: Soil

Prep Method: TX1005P

Date Prep: 02.18.19

MSD Sample Id: 614846-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.99	998	976	98	887	89	70-135	10	20	mg/kg	02.18.19 13:25	
Diesel Range Organics (DRO)	120	998	1150	103	1050	93	70-135	9	20	mg/kg	02.18.19 13:25	
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1-Chlorooctane			127		129		70-135		%	02.18.19 13:25		
o-Terphenyl			111		107		70-135		%	02.18.19 13:25		

**Analytical Method:** TPH by SW8015 Mod

Seq Number: 3079622

Parent Sample Id: 614869-001

Matrix: Soil

Prep Method: TX1005P

Date Prep: 02.18.19

MSD Sample Id: 614869-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.98	997	866	87	944	95	70-135	9	20	mg/kg	02.18.19 22:34	
Diesel Range Organics (DRO)	39.3	997	945	91	972	93	70-135	3	20	mg/kg	02.18.19 22:34	
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1-Chlorooctane			118		116		70-135		%	02.18.19 22:34		
o-Terphenyl			101		102		70-135		%	02.18.19 22:34		

**Analytical Method:** TPH by SW8015 Mod

Seq Number: 3079924

Parent Sample Id: 614849-001

Matrix: Soil

Prep Method: TX1005P

Date Prep: 02.20.19

MSD Sample Id: 614849-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	920	92	936	94	70-135	2	20	mg/kg	02.20.19 15:59	
Diesel Range Organics (DRO)	<8.13	1000	946	95	963	96	70-135	2	20	mg/kg	02.20.19 15:59	
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1-Chlorooctane			125		125		70-135		%	02.20.19 15:59		
o-Terphenyl			122		117		70-135		%	02.20.19 15:59		

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 614849

## LT Environmental, Inc.

PLU CVX JV #005H

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3080170	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7672385-1-BLK	LCS Sample Id: 7672385-1-BKS				Date Prep: 02.21.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000383	0.0994	0.124	125	0.122	122	70-130	2 35	mg/kg 02.22.19 12:10
Toluene	<0.000453	0.0994	0.105	106	0.103	103	70-130	2 35	mg/kg 02.22.19 12:10
Ethylbenzene	<0.000561	0.0994	0.0980	99	0.0960	96	70-130	2 35	mg/kg 02.22.19 12:10
m,p-Xylenes	<0.00101	0.199	0.194	97	0.190	95	70-130	2 35	mg/kg 02.22.19 12:10
o-Xylene	<0.000342	0.0994	0.0977	98	0.0958	96	70-130	2 35	mg/kg 02.22.19 12:10
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	109		111		110		70-130	%	02.22.19 12:10
4-Bromofluorobenzene	95		100		100		70-130	%	02.22.19 12:10

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3080170	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	614847-004	MS Sample Id: 614847-004 S				Date Prep: 02.21.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000387	0.101	0.0715	71	0.0615	62	70-130	15 35	mg/kg 02.22.19 12:48 X
Toluene	<0.000458	0.101	0.0692	69	0.0587	59	70-130	16 35	mg/kg 02.22.19 12:48 X
Ethylbenzene	<0.000568	0.101	0.0871	86	0.0771	77	70-130	12 35	mg/kg 02.22.19 12:48
m,p-Xylenes	<0.00102	0.201	0.153	76	0.145	73	70-130	5 35	mg/kg 02.22.19 12:48
o-Xylene	<0.000346	0.101	0.0846	84	0.0770	77	70-130	9 35	mg/kg 02.22.19 12:48
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene			112		111		70-130	%	02.22.19 12:48
4-Bromofluorobenzene			105		107		70-130	%	02.22.19 12:48

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

Work Order No.: 104941

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432)-704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296  
Phoenix, AZ (480)-355-0900 Atlanta, GA (770)-449-8800 Tampa, FL (813) 620-2000

[www.xenco.com](http://www.xenco.com)

Page 1 of 2

Project Manager:	Adrian Baker	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTO
Address:	3300 North A Street	Address:	
City/State ZIP:	Midland, TX 79705	City/State ZIP:	
Phone:	432.704.5178	Email:	<a href="mailto:abaker@ltenv.com">abaker@ltenv.com</a> , <a href="mailto:mwills@ltenv.com">mwills@ltenv.com</a>

ANALYSIS REQUEST				Work Order Notes
Project Name:	PLU CVX JV #005H	Turn Around		
Project Number:	12918093	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wet Ice: <input checked="" type="checkbox"/> Yes <input type="checkbox"/>
P.O. Number:	2RP-2625	Routine		No
Sampler's Name:	Martin Wills	Rust:	<input checked="" type="checkbox"/>	Due Date:

### Work Order Comments

Program: UST/PST  RP  Brownfields  C  perfund

State of Project:  Level II  Level III  ST/UST  RP  Level IV

Reporting Level:  EDD  A.DAPT  Other:

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	
SS23	S	2/1/2019	900	2	1	TPH (EPA 8015)
SS23A	S	2/1/2019	920	4	1	BTEX (EPA 8021)
SS12A	S	2/1/2019	1005	2	1	Chloride (EPA 300.0)
SS12B	S	2/1/2019	1015	4	1	
SS25	S	2/1/2019	1110	2	1	
SS25A	S	2/1/2019	1115	4	1	
SS27	S	2/1/2019	1225	2	1	
SS27A	S	2/1/2019	1227	4	1	
SS10A	S	2/1/2019	1331	2	1	
SS10B	S	2/1/2019	1335	4	1	

### Work Order Notes

TAT starts the day received by the lab, if received by 4:30pm

### Sample Comments

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO <sub>2</sub> Na Sr Ti Sn U V Zn Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010 8RCRA Sp As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	1631 / 245.1 / 7470 / 7471: Hg
Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.				
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)
1		2/1/19 @ 12:32 PM		Date/Time
3		6		Date/Time
5		6		Date/Time



## Chain of Custody

Work Order No:

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296  
Hobbs, NM (575) 392-7550 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 440-8800 Tampa, FL (813)

Project Manager:	Adrian Baker	Bill to. (if different)	Kyle Little
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTO
Address:	3300 North A Street	Address:	
City, State ZIP:	Midland, TX 79705	City, State ZIP:	
Phone:	432-704-5178	Email:	abaker@ltenv.com, mwilson@ltenv.com

Work Order Comments	
Program: USP/PST	<input type="checkbox"/> RP <input type="checkbox"/> Brownfields <input type="checkbox"/> IC <input type="checkbox"/> perfund <input type="checkbox"/>
State of Project:	
Reporting: Level II	<input type="checkbox"/> Level III <input type="checkbox"/> STJ/STU <input type="checkbox"/> RP <input type="checkbox"/> Level IV <input type="checkbox"/>
Deliverables: EDD	<input type="checkbox"/> ADPT <input type="checkbox"/> Other

Total 200.7 / 6010 200.8 / 6020:

### Circle Method(s) and Metal(s) to be analyzed

卷之三

**TERMS AND CONDITIONS**: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xencor, its affiliates and subcontractors. It assigns standard terms and conditions.

ORIGIN ID: CAOA  
XENCO SATURDAY  
PAC N MAIL  
910 W PIERCE ST  
CARSBAD NM 88220  
UNITED STATES US

(575) 887-8245

SHIP DATE: 15FEB19  
ACTWGT: 74.00 LB  
CAD: 101813706 INET14100  
DIMS: 25x15x15 IN  
BILL RECIPIENT

TO HOLD FOR XENCO

200 W INTERSTATE 20

MIDLAND TX 79701


(806) 674-0639

INV:

PO:

REF: XENCO

DEPT:




J101010010701ur

**SATURDAY HOLD**  
**PRIORITY OVERNIGHT**

TRK# 7744 8732 2463  
0201

HLD  
79701  
LBB  
TX-US

**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In



**Client:** LT Environmental, Inc.

**Date/ Time Received:** 02/18/2019 07:33:00 AM

**Work Order #:** 614849

**Acceptable Temperature Range:** 0 - 6 degC  
**Air and Metal samples Acceptable Range:** Ambient  
**Temperature Measuring device used :** R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:**

\_\_\_\_\_  
Brianna Teel

Date: 02/18/2019

**Checklist reviewed by:**

\_\_\_\_\_  
Jessica Kramer

Date: 02/18/2019

# Analytical Report 615917

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV #005H

12918093

05-MAR-19

Collected By: Client



**1211 W. Florida Ave  
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



05-MAR-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **615917**

**PLU CVX JV #005H**

Project Address: Delaware Basin

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 615917. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 615917 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 615917****LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS01	S	02-19-19 11:35	2	615917-001
SW01	S	02-19-19 11:38	0 - 2	615917-002



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV #005H

Project ID: 12918093

Work Order Number(s): 615917

Report Date: 05-MAR-19

Date Received: 02/27/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3081082 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 615917



LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV #005H

Project Id: 12918093  
 Contact: Adrian Baker  
 Project Location: Delaware Basin

Date Received in Lab: Wed Feb-27-19 11:25 am  
 Report Date: 05-MAR-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b>  <b>Field Id:</b>  <b>Depth:</b>  <b>Matrix:</b>  <b>Sampled:</b>	615917-001 FS01 2- SOIL Feb-19-19 11:35	615917-002 SW01 0-2 SOIL Feb-19-19 11:38				
<b>BTEX by EPA 8021B</b>	<b>Extracted:</b>  <b>Analyzed:</b>  <b>Units/RL:</b>	Mar-04-19 15:00 Mar-05-19 03:52 mg/kg	Mar-04-19 15:00 Mar-05-19 02:36 RL				
Benzene	<0.00200	0.00200	<0.00202	0.00202			
Toluene	<0.00200	0.00200	0.00257	0.00202			
Ethylbenzene	0.00261	0.00200	<0.00202	0.00202			
m,p-Xylenes	0.00402	0.00400	<0.00403	0.00403			
o-Xylene	0.00334	0.00200	<0.00202	0.00202			
Total Xylenes	0.00736	0.00200	<0.00202	0.00202			
Total BTEX	0.00997	0.00200	0.00257	0.00202			
<b>Inorganic Anions by EPA 300</b>	<b>Extracted:</b>  <b>Analyzed:</b>  <b>Units/RL:</b>	Mar-02-19 09:40 Mar-02-19 19:32 mg/kg	Mar-02-19 09:40 Mar-02-19 19:52 RL				
Chloride	<5.00	5.00	<4.99	4.99			
<b>TPH by SW8015 Mod</b>	<b>Extracted:</b>  <b>Analyzed:</b>  <b>Units/RL:</b>	Mar-01-19 09:00 Mar-01-19 12:55 mg/kg	Mar-01-19 09:00 Mar-01-19 13:53 RL				
Gasoline Range Hydrocarbons (GRO)	<15.0	15.0	<15.0	15.0			
Diesel Range Organics (DRO)	<15.0	15.0	39.0	15.0			
Motor Oil Range Hydrocarbons (MRO)	<15.0	15.0	<15.0	15.0			
Total TPH	<15.0	15.0	39.0	15.0			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
Project Assistant



# Certificate of Analytical Results 615917



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **FS01**  
Lab Sample Id: 615917-001

Matrix: Soil  
Date Collected: 02.19.19 11.35

Date Received: 02.27.19 11.25  
Sample Depth: 2

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 03.02.19 09.40

Basis: Wet Weight

Seq Number: 3081021

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<5.00	5.00	mg/kg	03.02.19 19.32	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 03.01.19 09.00

Basis: Wet Weight

Seq Number: 3080899

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	03.01.19 12.55	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	03.01.19 12.55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	03.01.19 12.55	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	03.01.19 12.55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	03.01.19 12.55		
o-Terphenyl	84-15-1	94	%	70-135	03.01.19 12.55		



# Certificate of Analytical Results 615917

## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **FS01**  
Lab Sample Id: 615917-001

Matrix: Soil  
Date Collected: 02.19.19 11.35

Date Received: 02.27.19 11.25  
Sample Depth: 2

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 03.04.19 15.00

Basis: Wet Weight

Seq Number: 3081082

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	03.05.19 03.52	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	03.05.19 03.52	U	1
<b>Ethylbenzene</b>	100-41-4	<b>0.00261</b>	0.00200	mg/kg	03.05.19 03.52		1
<b>m,p-Xylenes</b>	179601-23-1	<b>0.00402</b>	0.00400	mg/kg	03.05.19 03.52		1
<b>o-Xylene</b>	95-47-6	<b>0.00334</b>	0.00200	mg/kg	03.05.19 03.52		1
<b>Total Xylenes</b>	1330-20-7	<b>0.00736</b>	0.00200	mg/kg	03.05.19 03.52		1
<b>Total BTEX</b>		<b>0.00997</b>	0.00200	mg/kg	03.05.19 03.52		1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	117	%	70-130	03.05.19 03.52	
1,4-Difluorobenzene		540-36-3	120	%	70-130	03.05.19 03.52	



# Certificate of Analytical Results 615917



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SW01**  
Lab Sample Id: 615917-002

Matrix: Soil  
Date Collected: 02.19.19 11.38

Date Received: 02.27.19 11.25  
Sample Depth: 0 - 2

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 03.02.19 09.40

Basis: Wet Weight

Seq Number: 3081021

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.99	4.99	mg/kg	03.02.19 19.52	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 03.01.19 09.00

Basis: Wet Weight

Seq Number: 3080899

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	03.01.19 13.53	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>39.0</b>	15.0	mg/kg	03.01.19 13.53		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	03.01.19 13.53	U	1
<b>Total TPH</b>	PHC635	<b>39.0</b>	15.0	mg/kg	03.01.19 13.53		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	100	%	70-135	03.01.19 13.53		
o-Terphenyl	84-15-1	99	%	70-135	03.01.19 13.53		



# Certificate of Analytical Results 615917



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SW01**  
Lab Sample Id: 615917-002

Matrix: Soil  
Date Collected: 02.19.19 11.38

Date Received: 02.27.19 11.25  
Sample Depth: 0 - 2

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 03.04.19 15.00

Basis: Wet Weight

Seq Number: 3081082

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	03.05.19 02.36	U	1
<b>Toluene</b>	108-88-3	<b>0.00257</b>	0.00202	mg/kg	03.05.19 02.36		1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	03.05.19 02.36	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	03.05.19 02.36	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	03.05.19 02.36	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	03.05.19 02.36	U	1
<b>Total BTEX</b>		<b>0.00257</b>	0.00202	mg/kg	03.05.19 02.36		1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	111	%	70-130	03.05.19 02.36	
1,4-Difluorobenzene		540-36-3	119	%	70-130	03.05.19 02.36	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 615917

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3081021	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7672865-1-BLK	LCS Sample Id: 7672865-1-BKS				Date Prep: 03.02.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<0.858	250	248	99	250	100	90-110	1	20
							mg/kg	03.02.19	14:17

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3081021	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	615918-006	MS Sample Id: 615918-006 S				Date Prep: 03.02.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	17.9	250	277	104	277	104	90-110	0	20
							mg/kg	03.04.19	11:14

**Analytical Method: Inorganic Anions by EPA 300**

Seq Number:	3081021	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	615920-009	MS Sample Id: 615920-009 S				Date Prep: 03.02.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	115	250	393	111	382	107	90-110	3	20
							mg/kg	03.02.19	17:11
								X	

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3080899	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7672837-1-BLK	LCS Sample Id: 7672837-1-BKS				Date Prep: 03.01.19			
LCSD Sample Id:	7672837-1-BSD								
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	899	90	1020	102	70-135	13	20
Diesel Range Organics (DRO)	<8.13	1000	937	94	1090	109	70-135	15	20
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	117		122		128		70-135	%	03.01.19 12:17
o-Terphenyl	117		101		118		70-135	%	03.01.19 12:17

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 615917

## LT Environmental, Inc.

PLU CVX JV #005H

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3080899	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	615917-001	MS Sample Id: 615917-001 S				Date Prep: 03.01.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	994	99	921	92	70-135	8 20	mg/kg 03.01.19 13:15
Diesel Range Organics (DRO)	<8.13	1000	1070	107	995	100	70-135	7 20	mg/kg 03.01.19 13:15
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			127		117		70-135	%	03.01.19 13:15
o-Terphenyl			109		102		70-135	%	03.01.19 13:15

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3081082	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7672940-1-BLK	LCS Sample Id: 7672940-1-BKS				Date Prep: 03.04.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000383	0.0996	0.129	130	0.129	129	70-130	0 35	mg/kg 03.05.19 00:44
Toluene	<0.000454	0.0996	0.105	105	0.106	106	70-130	1 35	mg/kg 03.05.19 00:44
Ethylbenzene	<0.000563	0.0996	0.0939	94	0.0957	96	70-130	2 35	mg/kg 03.05.19 00:44
m,p-Xylenes	<0.00101	0.199	0.189	95	0.194	97	70-130	3 35	mg/kg 03.05.19 00:44
o-Xylene	<0.000343	0.0996	0.0928	93	0.0959	96	70-130	3 35	mg/kg 03.05.19 00:44
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	118		109		115		70-130	%	03.05.19 00:44
4-Bromofluorobenzene	96		96		103		70-130	%	03.05.19 00:44

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3081082	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	615917-002	MS Sample Id: 615917-002 S				Date Prep: 03.04.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000384	0.0998	0.115	115	0.120	120	70-130	4 35	mg/kg 03.05.19 01:22
Toluene	0.00257	0.0998	0.0936	91	0.0982	96	70-130	5 35	mg/kg 03.05.19 01:22
Ethylbenzene	<0.000564	0.0998	0.0792	79	0.0858	86	70-130	8 35	mg/kg 03.05.19 01:22
m,p-Xylenes	<0.00101	0.200	0.159	80	0.172	86	70-130	8 35	mg/kg 03.05.19 01:22
o-Xylene	0.000413	0.0998	0.0788	79	0.0841	84	70-130	7 35	mg/kg 03.05.19 01:22
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene			116		116		70-130	%	03.05.19 01:22
4-Bromofluorobenzene			103		102		70-130	%	03.05.19 01:22

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



ORIGIN ID:CAOA (575) 887-6245  
XENCO  
PAC N MAIL  
910 W PIERCE ST.

CARLSBAD, NM 88220  
UNITED STATES US

SHIP DATE: 26 FEB 19  
ACT WGT: 62.00 LB  
CAD: 101813706 IN  
DIMS: 30x15x16 IN

BILL RECIPIENT

TO HOLD FOR XENCO  
FEDEX EXPRESS SHIP CENTER

FEDEX SHIP CENTER  
3600 COUNTY RD 1276 S

MIDLAND TX 79711


(806) 794-1296

INV:

PO:

REF:

DEPT:



J181018010701ur

565J2/0E3D/23AD

WED - 27 FEB HOLD


STANDARD OVERNIGHT

TRK# 7745 6785 0115  
0201

HLD

MAFA  
TX-US  
LBB

41 MAFA



#### After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 02/27/2019 11:25:00 AM

**Work Order #:** 615917

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:


PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 02/27/2019

**Checklist reviewed by:**

  
Jessica Kramer

Date: 02/27/2019

# Analytical Report 615919

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV #005H

12918093

05-MAR-19

Collected By: Client



**1211 W. Florida Ave  
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



05-MAR-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **615919**

**PLU CVX JV #005H**

Project Address: Delaware Basin

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 615919. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 615919 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

**Jessica Kramer**

Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 615919****LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS09	S	02-19-19 09:35	6	615919-001
SW10	S	02-19-19 09:50	0 - 6	615919-002
SW11	S	02-19-19 09:53	0 - 6	615919-003



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV #005H

Project ID: 12918093  
Work Order Number(s): 615919

Report Date: 05-MAR-19  
Date Received: 02/27/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3081082 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 615919



LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV #005H

Project Id: 12918093  
 Contact: Adrian Baker  
 Project Location: Delaware Basin

Date Received in Lab: Wed Feb-27-19 12:11 pm  
 Report Date: 05-MAR-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>		<b>Lab Id:</b>	615919-001	615919-002	615919-003			
		<b>Field Id:</b>	FS09	SW10	SW11			
		<b>Depth:</b>	6-	0-6	0-6			
		<b>Matrix:</b>	SOIL	SOIL	SOIL			
		<b>Sampled:</b>	Feb-19-19 09:35	Feb-19-19 09:50	Feb-19-19 09:53			
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Mar-04-19 15:00	Mar-04-19 15:00	Mar-04-19 15:00			
		<b>Analyzed:</b>	Mar-05-19 04:11	Mar-05-19 04:30	Mar-05-19 04:49			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL		
Benzene		<0.00200	0.00200	<0.00199	0.00199	<0.00200	0.00200	
Toluene		0.00218	0.00200	0.00215	0.00199	<0.00200	0.00200	
Ethylbenzene		0.00269	0.00200	<0.00199	0.00199	<0.00200	0.00200	
m,p-Xylenes		0.0184	0.00401	<0.00398	0.00398	0.0130	0.00400	
o-Xylene		0.00814	0.00200	<0.00199	0.00199	0.00908	0.00200	
Total Xylenes		0.0265	0.00200	<0.00199	0.00199	0.0221	0.00200	
Total BTEX		0.0314	0.00200	0.00215	0.00199	0.0221	0.00200	
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Mar-02-19 09:40	Mar-02-19 09:40	Mar-02-19 09:40			
		<b>Analyzed:</b>	Mar-02-19 17:37	Mar-02-19 17:43	Mar-02-19 18:34			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL		
Chloride		1650	24.9	941	4.99	1080	5.03	
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Mar-01-19 09:00	Mar-01-19 09:00	Mar-01-19 09:00			
		<b>Analyzed:</b>	Mar-01-19 16:06	Mar-01-19 16:25	Mar-01-19 17:23			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL		
Gasoline Range Hydrocarbons (GRO)		156	15.0	<15.0	15.0	54.1	15.0	
Diesel Range Organics (DRO)		2050	15.0	147	15.0	715	15.0	
Motor Oil Range Hydrocarbons (MRO)		324	15.0	23.1	15.0	114	15.0	
Total TPH		2530	15.0	170	15.0	883	15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer  
 Project Assistant



# Certificate of Analytical Results 615919



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS09</b>	Matrix: Soil	Date Received: 02.27.19 12.11
Lab Sample Id: 615919-001	Date Collected: 02.19.19 09.35	Sample Depth: 6
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 03.02.19 09.40	Basis: Wet Weight
Seq Number: 3081021		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1650</b>	24.9	mg/kg	03.02.19 17.37		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 03.01.19 09.00	Basis: Wet Weight
Seq Number: 3080899		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<b>156</b>	15.0	mg/kg	03.01.19 16.06		1
Diesel Range Organics (DRO)	C10C28DRO	<b>2050</b>	15.0	mg/kg	03.01.19 16.06		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<b>324</b>	15.0	mg/kg	03.01.19 16.06		1
Total TPH	PHC635	<b>2530</b>	15.0	mg/kg	03.01.19 16.06		1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane		111-85-3	118	%	70-135	03.01.19 16.06	
o-Terphenyl		84-15-1	126	%	70-135	03.01.19 16.06	



# Certificate of Analytical Results 615919



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>FS09</b>	Matrix: Soil	Date Received: 02.27.19 12.11
Lab Sample Id: 615919-001	Date Collected: 02.19.19 09.35	Sample Depth: 6
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 03.04.19 15.00	Basis: Wet Weight
Seq Number: 3081082		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	03.05.19 04.11	U	1
Toluene	108-88-3	<b>0.00218</b>	0.00200	mg/kg	03.05.19 04.11		1
Ethylbenzene	100-41-4	<b>0.00269</b>	0.00200	mg/kg	03.05.19 04.11		1
m,p-Xylenes	179601-23-1	<b>0.0184</b>	0.00401	mg/kg	03.05.19 04.11		1
o-Xylene	95-47-6	<b>0.00814</b>	0.00200	mg/kg	03.05.19 04.11		1
Total Xylenes	1330-20-7	<b>0.0265</b>	0.00200	mg/kg	03.05.19 04.11		1
<b>Total BTEX</b>		<b>0.0314</b>	0.00200	mg/kg	03.05.19 04.11		1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	124	%	70-130	03.05.19 04.11	
1,4-Difluorobenzene		540-36-3	114	%	70-130	03.05.19 04.11	



# Certificate of Analytical Results 615919



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: **SW10**  
Lab Sample Id: 615919-002

Matrix: **Soil**  
Date Collected: 02.19.19 09.50

Date Received: 02.27.19 12.11  
Sample Depth: 0 - 6

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 03.02.19 09.40

Basis: **Wet Weight**

Seq Number: 3081021

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>941</b>	4.99	mg/kg	03.02.19 17.43		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 03.01.19 09.00

Basis: **Wet Weight**

Seq Number: 3080899

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	03.01.19 16.25	U	1
<b>Diesel Range Organics (DRO)</b>	C10C28DRO	<b>147</b>	15.0	mg/kg	03.01.19 16.25		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<b>23.1</b>	15.0	mg/kg	03.01.19 16.25		1
<b>Total TPH</b>	PHC635	<b>170</b>	15.0	mg/kg	03.01.19 16.25		1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane		111-85-3	95	%	70-135	03.01.19 16.25	
o-Terphenyl		84-15-1	95	%	70-135	03.01.19 16.25	



# Certificate of Analytical Results 615919



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id: <b>SW10</b>	Matrix: Soil	Date Received: 02.27.19 12.11
Lab Sample Id: 615919-002	Date Collected: 02.19.19 09.50	Sample Depth: 0 - 6
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 03.04.19 15.00	Basis: Wet Weight
Seq Number: 3081082		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	03.05.19 04.30	U	1
<b>Toluene</b>	108-88-3	<b>0.00215</b>	0.00199	mg/kg	03.05.19 04.30		1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	03.05.19 04.30	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	03.05.19 04.30	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	03.05.19 04.30	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	03.05.19 04.30	U	1
<b>Total BTEX</b>		<b>0.00215</b>	0.00199	mg/kg	03.05.19 04.30		1
<b>Surrogate</b>	<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>	
4-Bromofluorobenzene	460-00-4	127	%	70-130	03.05.19 04.30		
1,4-Difluorobenzene	540-36-3	116	%	70-130	03.05.19 04.30		



# Certificate of Analytical Results 615919



## LT Environmental, Inc., Arvada, CO

PLU CVX JV #005H

Sample Id: **SW11** Matrix: **Soil** Date Received: 02.27.19 12.11  
 Lab Sample Id: 615919-003 Date Collected: 02.19.19 09.53 Sample Depth: 0 - 6  
 Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P  
 Tech: CHE % Moisture:  
 Analyst: CHE Basis: Wet Weight  
 Seq Number: 3081021

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1080	5.03	mg/kg	03.02.19 18.34		1

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P  
 Tech: ARM % Moisture:  
 Analyst: ARM Basis: Wet Weight  
 Seq Number: 3080899

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	54.1	15.0	mg/kg	03.01.19 17.23		1
Diesel Range Organics (DRO)	C10C28DRO	715	15.0	mg/kg	03.01.19 17.23		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	114	15.0	mg/kg	03.01.19 17.23		1
Total TPH	PHC635	883	15.0	mg/kg	03.01.19 17.23		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	101	%	70-135	03.01.19 17.23		
o-Terphenyl	84-15-1	111	%	70-135	03.01.19 17.23		



# Certificate of Analytical Results 615919



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV #005H

Sample Id:	<b>SW11</b>	Matrix:	Soil	Date Received:	02.27.19 12.11
Lab Sample Id:	615919-003			Date Collected:	02.19.19 09.53
Analytical Method: BTEX by EPA 8021B			Prep Method: SW5030B		
Tech:	SCM			% Moisture:	
Analyst:	SCM	Date Prep:	03.04.19 15.00	Basis:	Wet Weight
Seq Number:	3081082				

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	03.05.19 04.49	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	03.05.19 04.49	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	03.05.19 04.49	U	1
<b>m,p-Xylenes</b>	179601-23-1	<b>0.0130</b>	0.00400	mg/kg	03.05.19 04.49		1
<b>o-Xylene</b>	95-47-6	<b>0.00908</b>	0.00200	mg/kg	03.05.19 04.49		1
<b>Total Xylenes</b>	1330-20-7	<b>0.0221</b>	0.00200	mg/kg	03.05.19 04.49		1
<b>Total BTEX</b>		<b>0.0221</b>	0.00200	mg/kg	03.05.19 04.49		1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	115	%	70-130	03.05.19 04.49	
4-Bromofluorobenzene		460-00-4	125	%	70-130	03.05.19 04.49	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 615919

## LT Environmental, Inc.

PLU CVX JV #005H

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3081021	Matrix:	Solid			Prep Method:	E300P
MB Sample Id:	7672865-1-BLK	LCS Sample Id:	7672865-1-BKS			Date Prep:	03.02.19
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>
Chloride	<0.858	250	248	99	250	100	90-110
							%RPD RPD Limit Units Analysis Date Flag
							mg/kg 03.02.19 14:17

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3081021	Matrix:	Soil			Prep Method:	E300P
Parent Sample Id:	615918-006	MS Sample Id:	615918-006 S			Date Prep:	03.02.19
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>
Chloride	17.9	250	277	104	277	104	90-110
							%RPD RPD Limit Units Analysis Date Flag
							mg/kg 03.04.19 11:14

**Analytical Method:** Inorganic Anions by EPA 300

Seq Number:	3081021	Matrix:	Soil			Prep Method:	E300P
Parent Sample Id:	615920-009	MS Sample Id:	615920-009 S			Date Prep:	03.02.19
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>
Chloride	115	250	393	111	382	107	90-110
							%RPD RPD Limit Units Analysis Date Flag
							mg/kg 03.02.19 17:11 X

**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3080899	Matrix:	Solid			Prep Method:	TX1005P
MB Sample Id:	7672837-1-BLK	LCS Sample Id:	7672837-1-BKS			Date Prep:	03.01.19
LCSD Sample Id:	7672837-1-BSD						
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	899	90	1020	102	70-135
Diesel Range Organics (DRO)	<8.13	1000	937	94	1090	109	70-135
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>
1-Chlorooctane	117		122		128		70-135
o-Terphenyl	117		101		118		70-135
							Units Analysis Date
							% 03.01.19 12:17
							% 03.01.19 12:17

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 615919

## LT Environmental, Inc.

PLU CVX JV #005H

## Analytical Method: TPH by SW8015 Mod

Seq Number: 3080899

Matrix: Soil

Prep Method: TX1005P

Parent Sample Id: 615917-001

MS Sample Id: 615917-001 S

Date Prep: 03.01.19

MSD Sample Id: 615917-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	994	99	921	92	70-135	8	20	mg/kg	03.01.19 13:15	
Diesel Range Organics (DRO)	<8.13	1000	1070	107	995	100	70-135	7	20	mg/kg	03.01.19 13:15	
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1-Chlorooctane			127		117		70-135		%	03.01.19 13:15		
o-Terphenyl			109		102		70-135		%	03.01.19 13:15		

## Analytical Method: BTEX by EPA 8021B

Seq Number: 3081082

Matrix: Solid

Prep Method: SW5030B

MB Sample Id: 7672940-1-BLK

LCS Sample Id: 7672940-1-BKS

Date Prep: 03.04.19

LCSD Sample Id: 7672940-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000383	0.0996	0.129	130	0.129	129	70-130	0	35	mg/kg	03.05.19 00:44	
Toluene	<0.000454	0.0996	0.105	105	0.106	106	70-130	1	35	mg/kg	03.05.19 00:44	
Ethylbenzene	<0.000563	0.0996	0.0939	94	0.0957	96	70-130	2	35	mg/kg	03.05.19 00:44	
m,p-Xylenes	<0.00101	0.199	0.189	95	0.194	97	70-130	3	35	mg/kg	03.05.19 00:44	
o-Xylene	<0.000343	0.0996	0.0928	93	0.0959	96	70-130	3	35	mg/kg	03.05.19 00:44	
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1,4-Difluorobenzene	118		109		115		70-130		%	03.05.19 00:44		
4-Bromofluorobenzene	96		96		103		70-130		%	03.05.19 00:44		

## Analytical Method: BTEX by EPA 8021B

Seq Number: 3081082

Matrix: Soil

Prep Method: SW5030B

Parent Sample Id: 615917-002

MS Sample Id: 615917-002 S

Date Prep: 03.04.19

MSD Sample Id: 615917-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000384	0.0998	0.115	115	0.120	120	70-130	4	35	mg/kg	03.05.19 01:22	
Toluene	0.00257	0.0998	0.0936	91	0.0982	96	70-130	5	35	mg/kg	03.05.19 01:22	
Ethylbenzene	<0.000564	0.0998	0.0792	79	0.0858	86	70-130	8	35	mg/kg	03.05.19 01:22	
m,p-Xylenes	<0.00101	0.200	0.159	80	0.172	86	70-130	8	35	mg/kg	03.05.19 01:22	
o-Xylene	0.000413	0.0998	0.0788	79	0.0841	84	70-130	7	35	mg/kg	03.05.19 01:22	
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>			<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>	
1,4-Difluorobenzene			116		116		70-130		%	03.05.19 01:22		
4-Bromofluorobenzene			103		102		70-130		%	03.05.19 01:22		

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

Work Order No:

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Project Manager:		Adrian Baker	Bill to: (if different)	Kyle Littrell
Company Name:		LT Environmental, Inc., Permian office	Company Name:	XTO
Address:		3300 North A Street	Address:	
City, State ZIP:		Midland, TX 79705	City, State ZIP:	
Phone:	432.704.5178	Email:	<a href="mailto:abaker@ltenv.com">abaker@ltenv.com</a> <a href="mailto:mwillis@ltenv.com">mwillis@ltenv.com</a>	


20-20000)	<a href="http://www.xenco.com">www.xenco.com</a>	Page	of			
<b>Work Order Comments</b>						
<b>Program:</b> UST/PST	<input type="checkbox"/> RRP	<input type="checkbox"/> Brownfields	<input checked="" type="checkbox"/> C	<input type="checkbox"/> Superfund	<input type="checkbox"/>	
<b>State of Project:</b>	<input type="checkbox"/> Level II	<input type="checkbox"/> Level III	<input type="checkbox"/> STIUST	<input type="checkbox"/> RRP	<input type="checkbox"/> Level IV	<input type="checkbox"/>
<b>Deliverables:</b>	EDD	<input type="checkbox"/>	ADAPT	<input type="checkbox"/>	Other:	

**Total 200.7 / 6010**    **200.8 / 6020:**  
**Circle Method(s) and Metal(s) to be analyzed**    **TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Tl U**  
**8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Tl Sn U V Zn**  
**1631 / 245.1 / 7470 / 7471: Hg**

**Notice:** Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control

CRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
SLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U      1631 / 2451 / 7470 / 7471 : Hg

**Notice:** Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xencor, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xencor will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control




41 MAFA

HLD  
MAFA  
TX-US  
LBB

TRK#  
0201  
7745 6785 0115

WED - 27 FEB HOLD  
STANDARD OVERNIGHT



(806) 794-1296

INV#

PO:

REF:

DEPT:



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 02/27/2019 12:11:00 PM

**Work Order #:** 615919

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**

**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:


PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 02/27/2019

**Checklist reviewed by:**

  
Jessica Kramer

Date: 02/27/2019

# Analytical Report 620365

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU BS 25

012918093

12-APR-19

Collected By: Client



**1211 W. Florida Ave  
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



12-APR-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **620365**

**PLU BS 25**

Project Address: ---

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 620365. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 620365 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Kalei Stout".

**Kalei Stout**

Midland Laboratory Director

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 620365****LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH01	S	04-02-19 13:00	13 ft	620365-001
PH02	S	04-02-19 14:00	16 ft	620365-002
PH03	S	04-02-19 15:00	8 ft	620365-003
PH04	S	04-03-19 09:40	12 ft	620365-004



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU BS 25

Project ID: 012918093  
Work Order Number(s): 620365

Report Date: 12-APR-19  
Date Received: 04/08/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3085039 Inorganic Anions by EPA 300

Lab Sample ID 620365-002 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 620365-001, -002, -003, -004.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3085235 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 620365



LT Environmental, Inc., Arvada, CO

Project Name: PLU BS 25

Project Id: 012918093  
 Contact: Adrian Baker  
 Project Location: ---

Date Received in Lab: Mon Apr-08-19 01:55 pm  
 Report Date: 12-APR-19  
 Project Manager: Kalei Stout

<b>Analysis Requested</b>		<b>Lab Id:</b>	620365-001	620365-002	620365-003	620365-004			
		<b>Field Id:</b>	PH01	PH02	PH03	PH04			
		<b>Depth:</b>	13- ft	16- ft	8- ft	12- ft			
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL			
		<b>Sampled:</b>	Apr-02-19 13:00	Apr-02-19 14:00	Apr-02-19 15:00	Apr-03-19 09:40			
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Apr-10-19 12:00	Apr-10-19 12:00	Apr-10-19 12:00	Apr-10-19 12:00			
		<b>Analyzed:</b>	Apr-10-19 17:29	Apr-10-19 17:48	Apr-10-19 18:07	Apr-10-19 18:27			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Benzene		<0.00200	0.00200	<0.00201	0.00201	<0.00202	0.00202	<0.00199	0.00199
Toluene		<0.00200	0.00200	<0.00201	0.00201	<0.00202	0.00202	<0.00199	0.00199
Ethylbenzene		<0.00200	0.00200	<0.00201	0.00201	<0.00202	0.00202	<0.00199	0.00199
m,p-Xylenes		<0.00401	0.00401	<0.00402	0.00402	<0.00404	0.00404	<0.00398	0.00398
o-Xylene		<0.00200	0.00200	<0.00201	0.00201	<0.00202	0.00202	<0.00199	0.00199
Total Xylenes		<0.00200	0.00200	<0.00201	0.00201	<0.00202	0.00202	<0.00199	0.00199
Total BTEX		<0.00200	0.00200	<0.00201	0.00201	<0.00202	0.00202	<0.00199	0.00199
<b>Inorganic Anions by EPA 300</b>		<b>Extracted:</b>	Apr-08-19 17:00	Apr-08-19 17:00	Apr-08-19 17:00	Apr-08-19 17:00			
		<b>Analyzed:</b>	Apr-09-19 08:05	Apr-09-19 09:53	Apr-09-19 11:08	Apr-09-19 11:15			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		637	5.03	441	4.99	43.2	4.96	74.3	4.96
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	*** * * ***	*** * * ***	*** * * ***	*** * * ***			
		<b>Analyzed:</b>	Apr-08-19 17:42	Apr-08-19 18:01	Apr-08-19 18:19	Apr-08-19 18:38			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9
Motor Oil Range Hydrocarbons (MRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9
Total TPH		<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9
Total GRO-DRO		<15.0	15.0	<15.0	15.0	<15.0	15.0	<14.9	14.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout  
 Midland Laboratory Director



# Certificate of Analytical Results 620365



**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: **PH01**  
Lab Sample Id: 620365-001

Matrix: Soil  
Date Collected: 04.02.19 13.00

Date Received: 04.08.19 13.55  
Sample Depth: 13 ft

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.08.19 17.00

Basis: Wet Weight

Seq Number: 3085039

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	637	5.03	mg/kg	04.09.19 08.05		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.08.19 09.00

Basis: Wet Weight

Seq Number: 3085086

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.08.19 17.42	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.08.19 17.42	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.08.19 17.42	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.08.19 17.42	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.08.19 17.42	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	97	%	70-135	04.08.19 17.42		
o-Terphenyl	84-15-1	99	%	70-135	04.08.19 17.42		



# Certificate of Analytical Results 620365



**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: **PH01**  
Lab Sample Id: 620365-001

Matrix: Soil  
Date Collected: 04.02.19 13.00

Date Received: 04.08.19 13.55  
Sample Depth: 13 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.10.19 12.00

Basis: Wet Weight

Seq Number: 3085235

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 17.29	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 17.29	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.10.19 17.29	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	04.10.19 17.29	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.10.19 17.29	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.10.19 17.29	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.10.19 17.29	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	95	%	70-130	04.10.19 17.29	
1,4-Difluorobenzene		540-36-3	89	%	70-130	04.10.19 17.29	



# Certificate of Analytical Results 620365



**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: **PH02**  
Lab Sample Id: 620365-002

Matrix: Soil  
Date Collected: 04.02.19 14.00

Date Received: 04.08.19 13.55  
Sample Depth: 16 ft

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.08.19 17.00

Basis: Wet Weight

Seq Number: 3085039

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	441	4.99	mg/kg	04.09.19 09.53		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.08.19 09.00

Basis: Wet Weight

Seq Number: 3085086

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.08.19 18.01	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.08.19 18.01	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.08.19 18.01	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.08.19 18.01	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.08.19 18.01	U	1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95		%	70-135	04.08.19 18.01	
o-Terphenyl	84-15-1	95		%	70-135	04.08.19 18.01	



# Certificate of Analytical Results 620365



**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: **PH02**  
Lab Sample Id: 620365-002

Matrix: Soil  
Date Collected: 04.02.19 14.00

Date Received: 04.08.19 13.55  
Sample Depth: 16 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.10.19 12.00

Basis: Wet Weight

Seq Number: 3085235

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.10.19 17.48	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.10.19 17.48	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.10.19 17.48	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.10.19 17.48	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.10.19 17.48	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.10.19 17.48	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.10.19 17.48	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	97	%	70-130	04.10.19 17.48	
4-Bromofluorobenzene		460-00-4	94	%	70-130	04.10.19 17.48	



# Certificate of Analytical Results 620365



**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: <b>PH03</b>	Matrix: Soil	Date Received: 04.08.19 13.55
Lab Sample Id: 620365-003	Date Collected: 04.02.19 15.00	Sample Depth: 8 ft
Analytical Method: Inorganic Anions by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 04.08.19 17.00	Basis: Wet Weight
Seq Number: 3085039		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	43.2	4.96	mg/kg	04.09.19 11.08		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 04.08.19 09.00	Basis: Wet Weight
Seq Number: 3085086		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.08.19 18.19	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.08.19 18.19	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.08.19 18.19	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.08.19 18.19	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.08.19 18.19	U	1
<b>Surrogate</b>			<b>% Recovery</b>				
1-Chlorooctane	111-85-3		93	%	70-135	04.08.19 18.19	
o-Terphenyl	84-15-1		92	%	70-135	04.08.19 18.19	



# Certificate of Analytical Results 620365



**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: **PH03**

Matrix: **Soil**

Date Received: 04.08.19 13.55

Lab Sample Id: 620365-003

Date Collected: 04.02.19 15.00

Sample Depth: 8 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 04.10.19 12.00

Basis: **Wet Weight**

Seq Number: 3085235

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	04.10.19 18.07	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	04.10.19 18.07	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	04.10.19 18.07	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	04.10.19 18.07	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	04.10.19 18.07	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	04.10.19 18.07	U	1
Total BTEX		<0.00202	0.00202	mg/kg	04.10.19 18.07	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	95	%	70-130	04.10.19 18.07	
1,4-Difluorobenzene		540-36-3	97	%	70-130	04.10.19 18.07	



# Certificate of Analytical Results 620365

**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: **PH04**  
Lab Sample Id: 620365-004

Matrix: Soil  
Date Collected: 04.03.19 09.40

Date Received: 04.08.19 13.55  
Sample Depth: 12 ft

Analytical Method: Inorganic Anions by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.08.19 17.00

Basis: Wet Weight

Seq Number: 3085039

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	74.3	4.96	mg/kg	04.09.19 11.15		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.08.19 09.00

Basis: Wet Weight

Seq Number: 3085086

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	04.08.19 18.38	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	04.08.19 18.38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	04.08.19 18.38	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	04.08.19 18.38	U	1
Total GRO-DRO	PHC628	<14.9	14.9	mg/kg	04.08.19 18.38	U	1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95		%	70-135	04.08.19 18.38	
o-Terphenyl	84-15-1	96		%	70-135	04.08.19 18.38	



# Certificate of Analytical Results 620365

**LT Environmental, Inc., Arvada, CO**

PLU BS 25

Sample Id: **PH04**  
Lab Sample Id: 620365-004

Matrix: Soil  
Date Collected: 04.03.19 09.40

Date Received: 04.08.19 13.55  
Sample Depth: 12 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.10.19 12.00

Basis: Wet Weight

Seq Number: 3085235

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.10.19 18.27	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.10.19 18.27	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.10.19 18.27	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.10.19 18.27	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.10.19 18.27	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.10.19 18.27	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.10.19 18.27	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	103	%	70-130	04.10.19 18.27	
1,4-Difluorobenzene		540-36-3	98	%	70-130	04.10.19 18.27	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 620365

## LT Environmental, Inc.

PLU BS 25

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit Units			Analysis Date	Flag
								%RPD	RPD	Limit		
Chloride	<5.00	250	250	100	252	101	90-110	1	20	mg/kg	04.09.19 07:51	

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit Units			Analysis Date	Flag
								%RPD	RPD	Limit		
Chloride	637	252	802	65	882	97	90-110	10	20	mg/kg	04.09.19 08:11	X

**Analytical Method:** Inorganic Anions by EPA 300

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit Units			Analysis Date	Flag
								%RPD	RPD	Limit		
Chloride	441	250	563	49	563	49	90-110	0	20	mg/kg	04.09.19 10:00	X

**Analytical Method:** TPH by SW8015 Mod

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit Units			Analysis Date	Flag
								%RPD	RPD	Limit		
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	948	95	981	98	70-135	3	20	mg/kg	04.08.19 11:01	
Diesel Range Organics (DRO)	<8.13	1000	1010	101	1050	105	70-135	4	20	mg/kg	04.08.19 11:01	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits		Units		Analysis Date	
1-Chlorooctane	101		123		126		70-135		%		04.08.19 11:01	
o-Terphenyl	103		118		121		70-135		%		04.08.19 11:01	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 620365

## LT Environmental, Inc.

PLU BS 25

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3085086	Matrix:	Soil				Prep Method:	TX1005P		
Parent Sample Id:	620302-001	MS Sample Id:	620302-001 S				Date Prep:	04.08.19		
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>	<b>Units</b>
Gasoline Range Hydrocarbons (GRO)	<7.99	998	972	97	984	98	70-135	1	20	mg/kg
Diesel Range Organics (DRO)	<8.11	998	1090	109	1100	110	70-135	1	20	mg/kg
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>		<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane			117		117		70-135		%	04.08.19 11:59
o-Terphenyl			96		98		70-135		%	04.08.19 11:59

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3085235	Matrix:	Solid				Prep Method:	SW5030B		
MB Sample Id:	7675486-1-BLK	LCS Sample Id:	7675486-1-BKS				Date Prep:	04.10.19		
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>	<b>Units</b>
Benzene	<0.000383	0.0996	0.0984	99	0.106	107	70-130	7	35	mg/kg
Toluene	<0.000454	0.0996	0.100	100	0.107	108	70-130	7	35	mg/kg
Ethylbenzene	<0.000563	0.0996	0.0940	94	0.100	101	70-130	6	35	mg/kg
m,p-Xylenes	<0.00101	0.199	0.187	94	0.200	101	70-130	7	35	mg/kg
o-Xylene	<0.000343	0.0996	0.0935	94	0.101	102	70-130	8	35	mg/kg
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>		<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	91		98		100		70-130		%	04.10.19 13:46
4-Bromofluorobenzene	88		95		99		70-130		%	04.10.19 13:46

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3085235	Matrix:	Soil				Date Prep:	04.10.19		
Parent Sample Id:	620613-001	MS Sample Id:	620613-001 S				MSD Sample Id:	620613-001 SD		
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>	<b>Units</b>
Benzene	<0.000386	0.100	0.0932	93	0.0782	79	70-130	18	35	mg/kg
Toluene	<0.000457	0.100	0.0926	93	0.0787	79	70-130	16	35	mg/kg
Ethylbenzene	<0.000566	0.100	0.0849	85	0.0718	72	70-130	17	35	mg/kg
m,p-Xylenes	<0.00102	0.200	0.169	85	0.144	72	70-130	16	35	mg/kg
o-Xylene	<0.000345	0.100	0.0849	85	0.0728	73	70-130	15	35	mg/kg
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>		<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene			99		97		70-130		%	04.10.19 14:26
4-Bromofluorobenzene			99		98		70-130		%	04.10.19 14:26

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

Work Order No:

U20385

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432) 704-5440 El Paso, TX (915) 545-2140 Lubbock, TX (806) 744-1334

Project Manager:	Adrian Baker		
Company Name:	LT Environmental, Inc., Permian office		
Address:	3300 North A Street		
City, State ZIP:	Midland, TX 79705		
Phone:	432-704-5178	Email:	<i>abaker@ltenv.com</i>
		Bill to: (if different)	<i>Kyle Little</i>
		Company Name:	<i>LT Environmental</i>
		Address:	
		City, State ZIP:	

Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL

6-20-2000)	<u><a href="http://www.xenco.com">www.xenco.com</a></u>	Page <u>1</u> of <u>1</u>
<b>Work Order Comments</b>		
<b>Program:</b> UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RC <input type="checkbox"/> Superfund <input type="checkbox"/>		
<b>State of Project:</b>		
Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> SST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV <input type="checkbox"/>		
Deliverables: EDD <input type="checkbox"/> Adapt <input type="checkbox"/> Other: _____		

*Received by OCD: 4/16/2020 11:29:10 AM*

Project Name:	PLU 33 25		Turn Around	ANALYSIS REQUEST	Work Order Notes
Project Number:	012918093		Routine <input type="checkbox"/>		
P.O. Number:			Rush: <u>3 day</u>		
Sampler's Name:	<u>L. Leuerbach</u>		Due Date:		
<b>SAMPLE RECEIPT</b>	Temp Blank:	Yes <input checked="" type="radio"/> No <input type="radio"/>	Wet Ice:	Yes <input checked="" type="radio"/> No <input type="radio"/>	
Temperature (°C):	<u>0.20.9</u>		Thermometer ID: <u>123456789</u>		
Received Intact:	Yes <input checked="" type="radio"/> No <input type="radio"/>				
Cooler Custody Seals:	Yes <input checked="" type="radio"/> No <input type="radio"/>	N/A	Correction Factor:	<u>1.0</u>	
Sample Custody Seals:	Yes <input checked="" type="radio"/> No <input type="radio"/>	N/A	Total Containers:		
Number of Containers					
(PA 8015)					
(PA 8021)					
(EPA 300.0)					
TAT starts the day received by the lab, if received by 4:30pm					



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 04/08/2019 01:55:00 PM

**Work Order #:** 620365

Acceptable Temperature Range: 0 - 6 degC  
 Air and Metal samples Acceptable Range: Ambient  
 Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 04/08/2019

**Checklist reviewed by:**

  
Kalei Stout

Date: 04/08/2019

# Analytical Report 621702

for  
LT Environmental, Inc.

Project Manager: Adrian Baker  
PLU CVX JV BS 005H

---

**23-APR-19**

Collected By: Client



**1211 W. Florida Ave  
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



23-APR-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **621702**

**PLU CVX JV BS 005H**

Project Address: ---

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 621702. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 621702 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Kalei Stout".

**Kalei Stout**

Midland Laboratory Director

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 621702

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH05	S	04-17-19 16:30	3.5 ft	621702-001
PH05A	S	04-17-19 16:50	6.5 ft	621702-002
PH06	S	04-17-19 13:20	0.5 ft	621702-003
PH06A	S	04-17-19 13:45	2.5 ft	621702-004
PH07	S	04-17-19 11:10	3.0 ft	621702-005
PH07A	S	04-17-19 11:30	4.5 ft	621702-006
PH08	S	04-17-19 12:10	6.0 ft	621702-007
PH08A	S	04-17-19 12:55	11.0 ft	621702-008
PH06B	S	04-17-19 13:55	6.5 ft	621702-009



## CASE NARRATIVE

**Client Name: LT Environmental, Inc.**

**Project Name: PLU CVX JV BS 005H**

Project ID: ---  
Work Order Number(s): 621702

Report Date: 23-APR-19  
Date Received: 04/19/2019

### **Sample receipt non conformances and comments:**

None

### **Sample receipt non conformances and comments per sample:**

None

#### **Analytical non conformances and comments:**

Batch: LBA-3086496 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected.

Samples affected are: 621702-002,621702-008,621702-004.

Batch: LBA-3086499 BTEX by EPA 8021B

Lab Sample ID 621702-009 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Benzene, Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 621702-009.

The Laboratory Control Sample for Toluene, Benzene, m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected.

Samples affected are: 621702-009 SD.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Benzene, Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene Relative Percent Difference (RPD) between matrix spike and duplicate were above quality control limits.

Samples in the analytical batch are: 621702-009

Batch: LBA-3086560 Chloride by EPA 300

Lab Sample ID 621702-002 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 621702-001, -002, -003, -004, -005, -006, -007, -008, -009.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



## Certificate of Analysis Summary 621702



LT Environmental, Inc., Arvada, CO

Project Name: PLU CVX JV BS 005H

Project Id: ---

Contact: Adrian Baker

Project Location: ---

Date Received in Lab: Fri Apr-19-19 12:00 pm

Report Date: 23-APR-19

Project Manager: Kalei Stout

<b>Analysis Requested</b>	<b>Lab Id:</b>	621702-001	621702-002	621702-003	621702-004	621702-005	621702-006	
<b>BTEX by EPA 8021B</b>	<b>Extracted:</b>	Apr-19-19 13:15						
	<b>Analyzed:</b>	Apr-19-19 20:42	Apr-19-19 21:01	Apr-19-19 21:20	Apr-19-19 21:39	Apr-19-19 21:58	Apr-19-19 22:17	
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Benzene	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Toluene	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Ethylbenzene	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
m,p-Xylenes	<0.00400	0.00400	<0.00402	0.00402	<0.00398	0.00398	<0.00400	0.00400
o-Xylene	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Total Xylenes	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Total BTEX	<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
<b>Chloride by EPA 300</b>	<b>Extracted:</b>	Apr-19-19 16:00						
	<b>Analyzed:</b>	Apr-22-19 16:44	Apr-22-19 16:59	Apr-22-19 16:52	Apr-22-19 17:21	Apr-22-19 17:28	Apr-23-19 09:34	
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride	188	5.00	191	5.03	1140	4.98	308	4.99
<b>TPH by SW8015 Mod</b>	<b>Extracted:</b>	Apr-20-19 09:00						
	<b>Analyzed:</b>	Apr-20-19 16:14	Apr-20-19 16:34	Apr-20-19 17:32	Apr-20-19 17:52	Apr-20-19 18:12	Apr-20-19 18:32	
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Gasoline Range Hydrocarbons (GRO)	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Diesel Range Organics (DRO)	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Motor Oil Range Hydrocarbons (MRO)	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Total TPH	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0
Total GRO-DRO	<15.0	15.0	<15.0	15.0	<15.0	15.0	<15.0	15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout  
Midland Laboratory Director



## Certificate of Analysis Summary 621702



Project Id: ---

Contact: Adrian Baker

Project Location: ---

Date Received in Lab: Fri Apr-19-19 12:00 pm

Report Date: 23-APR-19

Project Manager: Kalei Stout

<b>Analysis Requested</b>		<b>Lab Id:</b>	621702-007	621702-008	621702-009			
		<b>Field Id:</b>	PH08	PH08A	PH06B			
		<b>Depth:</b>	6.0- ft	11.0- ft	6.5- ft			
		<b>Matrix:</b>	SOIL	SOIL	SOIL			
		<b>Sampled:</b>	Apr-17-19 12:10	Apr-17-19 12:55	Apr-17-19 13:55			
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Apr-19-19 13:15	Apr-19-19 13:15	Apr-19-19 13:30			
		<b>Analyzed:</b>	Apr-19-19 22:36	Apr-19-19 22:55	Apr-20-19 01:43			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL		
Benzene		<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	
Toluene		<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	
Ethylbenzene		<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	
m,p-Xylenes		<0.00403	0.00403	<0.00398	0.00398	<0.00402	0.00402	
o-Xylene		<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	
Total Xylenes		<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	
Total BTEX		<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	
<b>Chloride by EPA 300</b>		<b>Extracted:</b>	Apr-19-19 16:00	Apr-19-19 16:00	Apr-19-19 16:00			
		<b>Analyzed:</b>	Apr-23-19 09:39	Apr-23-19 09:44	Apr-23-19 09:49			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL		
Chloride		300	4.98	101	4.96	62.6	4.95	
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Apr-20-19 09:00	Apr-20-19 09:00	Apr-20-19 09:00			
		<b>Analyzed:</b>	Apr-20-19 18:52	Apr-20-19 19:11	Apr-20-19 19:30			
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL		
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<14.9	14.9	
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0	<14.9	14.9	
Motor Oil Range Hydrocarbons (MRO)		<15.0	15.0	<15.0	15.0	<14.9	14.9	
Total TPH		<15.0	15.0	<15.0	15.0	<14.9	14.9	
Total GRO-DRO		<15.0	15.0	<15.0	15.0	<14.9	14.9	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout  
Midland Laboratory Director



# Certificate of Analytical Results 621702

## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH05**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-001

Date Collected: 04.17.19 16.30

Sample Depth: 3.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	188	5.00	mg/kg	04.22.19 16.44		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 16.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 16.14	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 16.14	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 16.14	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 16.14	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	92	%	70-135	04.20.19 16.14		
o-Terphenyl	84-15-1	91	%	70-135	04.20.19 16.14		



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH05**  
Lab Sample Id: 621702-001

Matrix: Soil  
Date Collected: 04.17.19 16.30

Date Received: 04.19.19 12.00  
Sample Depth: 3.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.19.19 13.15

Basis: Wet Weight

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 20.42	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 20.42	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 20.42	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.19.19 20.42	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 20.42	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 20.42	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 20.42	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	127	%	70-130	04.19.19 20.42	
1,4-Difluorobenzene		540-36-3	100	%	70-130	04.19.19 20.42	



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH05A**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-002

Date Collected: 04.17.19 16.50

Sample Depth: 6.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	191	5.03	mg/kg	04.22.19 16.59		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 16.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 16.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 16.34	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 16.34	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 16.34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	93	%	70-135	04.20.19 16.34		
o-Terphenyl	84-15-1	94	%	70-135	04.20.19 16.34		



## Certificate of Analytical Results 621702

LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH05A**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-002

Date Collected: 04.17.19 16.50

Sample Depth: 6.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.19.19 13.15

Basis: Wet Weight

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.19.19 21.01	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.19.19 21.01	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.19.19 21.01	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.19.19 21.01	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.19.19 21.01	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.19.19 21.01	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.19.19 21.01	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	96	%	70-130	04.19.19 21.01	
4-Bromofluorobenzene		460-00-4	151	%	70-130	04.19.19 21.01	**



# Certificate of Analytical Results 621702

## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH06**  
Lab Sample Id: 621702-003

Matrix: Soil  
Date Received: 04.19.19 12.00  
Date Collected: 04.17.19 13.20  
Sample Depth: 0.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1140	4.98	mg/kg	04.22.19 16.52		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 17.32	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 17.32	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 17.32	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 17.32	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 17.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	93	%	70-135	04.20.19 17.32		
o-Terphenyl	84-15-1	90	%	70-135	04.20.19 17.32		



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH06**  
Lab Sample Id: 621702-003

Matrix: Soil  
Date Collected: 04.17.19 13.20

Date Received: 04.19.19 12.00  
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.19.19 13.15

Basis: Wet Weight

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.19.19 21.20	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.19.19 21.20	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.19.19 21.20	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.19.19 21.20	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.19.19 21.20	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.19.19 21.20	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.19.19 21.20	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	102	%	70-130	04.19.19 21.20	
4-Bromofluorobenzene		460-00-4	124	%	70-130	04.19.19 21.20	



# Certificate of Analytical Results 621702

## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH06A**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-004

Date Collected: 04.17.19 13.45

Sample Depth: 2.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	308	4.99	mg/kg	04.22.19 17.21		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 17.52	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 17.52	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 17.52	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 17.52	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 17.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	91	%	70-135	04.20.19 17.52		
o-Terphenyl	84-15-1	91	%	70-135	04.20.19 17.52		



# Certificate of Analytical Results 621702

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH06A**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-004

Date Collected: 04.17.19 13.45

Sample Depth: 2.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.19.19 13.15

Basis: Wet Weight

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 21.39	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 21.39	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 21.39	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	04.19.19 21.39	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 21.39	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 21.39	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 21.39	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	94	%	70-130	04.19.19 21.39	
4-Bromofluorobenzene		460-00-4	133	%	70-130	04.19.19 21.39	**



# Certificate of Analytical Results 621702



## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH07**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-005

Date Collected: 04.17.19 11.10

Sample Depth: 3.0 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	226	5.04	mg/kg	04.22.19 17.28		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 18.12	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 18.12	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 18.12	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 18.12	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 18.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	86	%	70-135	04.20.19 18.12		
o-Terphenyl	84-15-1	86	%	70-135	04.20.19 18.12		



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: <b>PH07</b>	Matrix: Soil	Date Received: 04.19.19 12.00
Lab Sample Id: 621702-005	Date Collected: 04.17.19 11.10	Sample Depth: 3.0 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 04.19.19 13.15	Basis: Wet Weight
Seq Number: 3086496		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 21.58	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 21.58	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 21.58	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.19.19 21.58	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 21.58	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 21.58	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 21.58	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	126	%	70-130	04.19.19 21.58	
1,4-Difluorobenzene		540-36-3	102	%	70-130	04.19.19 21.58	



# Certificate of Analytical Results 621702

## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH07A**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-006

Date Collected: 04.17.19 11.30

Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	228	4.95	mg/kg	04.23.19 09.34		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 18.32	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 18.32	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 18.32	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 18.32	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 18.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	91	%	70-135	04.20.19 18.32		
o-Terphenyl	84-15-1	91	%	70-135	04.20.19 18.32		



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH07A**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-006

Date Collected: 04.17.19 11.30

Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 04.19.19 13.15

Basis: **Wet Weight**

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 22.17	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 22.17	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 22.17	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.19.19 22.17	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 22.17	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 22.17	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 22.17	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	104	%	70-130	04.19.19 22.17	
4-Bromofluorobenzene		460-00-4	125	%	70-130	04.19.19 22.17	



# Certificate of Analytical Results 621702

## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH08**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-007

Date Collected: 04.17.19 12.10

Sample Depth: 6.0 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	300	4.98	mg/kg	04.23.19 09.39		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 18.52	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 18.52	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 18.52	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 18.52	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 18.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	91	%	70-135	04.20.19 18.52		
o-Terphenyl	84-15-1	91	%	70-135	04.20.19 18.52		



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH08**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-007

Date Collected: 04.17.19 12.10

Sample Depth: 6.0 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 04.19.19 13.15

Basis: **Wet Weight**

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	04.19.19 22.36	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	04.19.19 22.36	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	04.19.19 22.36	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	04.19.19 22.36	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	04.19.19 22.36	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	04.19.19 22.36	U	1
Total BTEX		<0.00202	0.00202	mg/kg	04.19.19 22.36	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	126	%	70-130	04.19.19 22.36	
1,4-Difluorobenzene		540-36-3	101	%	70-130	04.19.19 22.36	



# Certificate of Analytical Results 621702

## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH08A**

Matrix: Soil

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-008

Date Collected: 04.17.19 12.55

Sample Depth: 11.0 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 16.00

Basis: Wet Weight

Seq Number: 3086560

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	101	4.96	mg/kg	04.23.19 09.44		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 09.00

Basis: Wet Weight

Seq Number: 3086487

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 19.11	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 19.11	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 19.11	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 19.11	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 19.11	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	92	%	70-135	04.20.19 19.11		
o-Terphenyl	84-15-1	92	%	70-135	04.20.19 19.11		



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH08A**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: 621702-008

Date Collected: 04.17.19 12.55

Sample Depth: 11.0 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 04.19.19 13.15

Basis: **Wet Weight**

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.19.19 22.55	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.19.19 22.55	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.19.19 22.55	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.19.19 22.55	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.19.19 22.55	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.19.19 22.55	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.19.19 22.55	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	95	%	70-130	04.19.19 22.55	
4-Bromofluorobenzene		460-00-4	155	%	70-130	04.19.19 22.55	**



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH06B**  
Lab Sample Id: 621702-009

Matrix: Soil  
Date Received: 04.19.19 12.00  
Date Collected: 04.17.19 13.55  
Sample Depth: 6.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3086560

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>62.6</b>	4.95	mg/kg	04.23.19 09.49		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3086487

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	04.20.19 19.30	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	04.20.19 19.30	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	04.20.19 19.30	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	04.20.19 19.30	U	1
Total GRO-DRO	PHC628	<14.9	14.9	mg/kg	04.20.19 19.30	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	94	%	70-135	04.20.19 19.30		
o-Terphenyl	84-15-1	94	%	70-135	04.20.19 19.30		



# Certificate of Analytical Results 621702



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH06B**  
Lab Sample Id: 621702-009

Matrix: Soil  
Date Collected: 04.17.19 13.55

Date Received: 04.19.19 12.00  
Sample Depth: 6.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.19.19 13.30

Basis: Wet Weight

Seq Number: 3086499

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.20.19 01.43	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.20.19 01.43	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.20.19 01.43	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.20.19 01.43	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.20.19 01.43	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.20.19 01.43	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.20.19 01.43	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	115	%	70-130	04.20.19 01.43	
1,4-Difluorobenzene		540-36-3	102	%	70-130	04.20.19 01.43	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 621702

LT Environmental, Inc.  
PLU CVX JV BS 005H

## Analytical Method: Chloride by EPA 300

Seq Number:	3086560	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7676198-1-BLK	LCS Sample Id: 7676198-1-BKS				Date Prep: 04.19.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Chloride	1.75	250	271	108	271	108	90-110	0	20 mg/kg 04.22.19 13:13

## Analytical Method: Chloride by EPA 300

Seq Number:	3086560	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621700-002	MS Sample Id: 621700-002 S				Date Prep: 04.19.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Chloride	997	248	1230	94	1240	98	90-110	1	20 mg/kg 04.22.19 15:20

## Analytical Method: Chloride by EPA 300

Seq Number:	3086560	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621702-002	MS Sample Id: 621702-002 S				Date Prep: 04.19.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Chloride	191	252	480	115	500	123	90-110	4	20 mg/kg 04.22.19 17:06 X

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3086487	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7676240-1-BLK	LCS Sample Id: 7676240-1-BKS				Date Prep: 04.20.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	919	92	933	93	70-135	2	20 mg/kg 04.20.19 12:20
Diesel Range Organics (DRO)	<8.13	1000	935	94	957	96	70-135	2	20 mg/kg 04.20.19 12:20
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	94		117		118		70-135	%	04.20.19 12:20
o-Terphenyl	95		110		113		70-135	%	04.20.19 12:20

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery  
Log Difference

[D] = 100\*(C-A) / B  
RPD = 200\* | (C-E) / (C+E) |  
[D] = 100 \* (C) / [B]  
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



## QC Summary 621702

## LT Environmental, Inc.

PLU CVX JV BS 005H

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3086487	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	621700-001	MS Sample Id: 621700-001 S				Date Prep: 04.20.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	9.25	1000	862	85	868	86	70-135	1 20	mg/kg 04.20.19 13:18
Diesel Range Organics (DRO)	<8.13	1000	894	89	896	90	70-135	0 20	mg/kg 04.20.19 13:18
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			114		115		70-135	%	04.20.19 13:18
o-Terphenyl			107		113		70-135	%	04.20.19 13:18

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3086496	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7676257-1-BLK	LCS Sample Id: 7676257-1-BKS				Date Prep: 04.19.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.00199	0.0996	0.0914	92	0.0932	93	70-130	2 35	mg/kg 04.19.19 14:07
Toluene	<0.00199	0.0996	0.0968	97	0.0983	98	70-130	2 35	mg/kg 04.19.19 14:07
Ethylbenzene	<0.00199	0.0996	0.103	103	0.105	105	70-130	2 35	mg/kg 04.19.19 14:07
m,p-Xylenes	<0.00101	0.199	0.209	105	0.212	106	70-130	1 35	mg/kg 04.19.19 14:07
o-Xylene	<0.00199	0.0996	0.106	106	0.108	108	70-130	2 35	mg/kg 04.19.19 14:07
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		95		95		70-130	%	04.19.19 14:07
4-Bromofluorobenzene	111		108		108		70-130	%	04.19.19 14:07

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3086499	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7676259-1-BLK	LCS Sample Id: 7676259-1-BKS				Date Prep: 04.19.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.00199	0.0996	0.0911	91	0.0925	93	70-130	2 35	mg/kg 04.19.19 23:51
Toluene	<0.00199	0.0996	0.0952	96	0.0961	96	70-130	1 35	mg/kg 04.19.19 23:51
Ethylbenzene	<0.00199	0.0996	0.101	101	0.102	102	70-130	1 35	mg/kg 04.19.19 23:51
m,p-Xylenes	<0.00101	0.199	0.202	102	0.204	102	70-130	1 35	mg/kg 04.19.19 23:51
o-Xylene	<0.00199	0.0996	0.104	104	0.105	105	70-130	1 35	mg/kg 04.19.19 23:51
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	106		96		95		70-130	%	04.19.19 23:51
4-Bromofluorobenzene	106		107		107		70-130	%	04.19.19 23:51

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 621702

LT Environmental, Inc.  
PLU CVX JV BS 005H

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3086496	Matrix:	Soil		Prep Method:	SW5030B	
Parent Sample Id:	621719-001	MS Sample Id:	621719-001 S		Date Prep:	04.19.19	
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>
Benzene	<0.000383	0.0994	0.0813	82	0.0829	83	70-130
Toluene	0.000543	0.0994	0.0865	86	0.0874	87	70-130
Ethylbenzene	<0.000561	0.0994	0.0917	92	0.0925	93	70-130
m,p-Xylenes	<0.00101	0.199	0.187	94	0.187	94	70-130
o-Xylene	0.000413	0.0994	0.0950	95	0.0954	95	70-130
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>
1,4-Difluorobenzene			96		96		70-130
4-Bromofluorobenzene			113		112		70-130

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3086499	Matrix:	Soil		Date Prep:	04.19.19	
Parent Sample Id:	621702-009	MS Sample Id:	621702-009 S		MSD Sample Id:	621702-009 SD	
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>
Benzene	<0.000388	0.101	0.0775	77	0.0351	35	70-130
Toluene	<0.000459	0.101	0.0835	83	0.0499	50	70-130
Ethylbenzene	<0.000569	0.101	0.0890	88	0.0573	58	70-130
m,p-Xylenes	<0.00102	0.202	0.180	89	0.114	58	70-130
o-Xylene	<0.000347	0.101	0.0929	92	0.0610	61	70-130
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>
1,4-Difluorobenzene			96		91		70-130
4-Bromofluorobenzene			115		132	**	70-130

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery  
Log Difference

[D] = 100\*(C-A) / B  
RPD = 200\* | (C-E) / (C+E) |  
[D] = 100 \* (C) / [B]  
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec





# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 04/19/2019 12:00:00 PM

**Work Order #:** 621702

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 04/19/2019

**Checklist reviewed by:**

  
Kalei Stout

Date: 04/19/2019

# Analytical Report 621114

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CNXJUBS #005H

---

17-APR-19

Collected By: Client



**1089 N Canal Street  
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



17-APR-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **621114**

**PLU CNXJUBS #005H**

Project Address: ---

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 621114. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 621114 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Kalei Stout".

**Kalei Stout**

Carlsbad Laboratory Director

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 621114****LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SW12	S	04-12-19 13:35	0 - 4 ft	621114-001
PH09	S	04-12-19 11:40	4.5 ft	621114-002
PH09A	S	04-12-19 11:55	7.5 ft	621114-003
PH10	S	04-12-19 12:40	8.5 ft	621114-004
PH10A	S	04-12-19 12:55	12.5 ft	621114-005



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CNXJUBS #005H

Project ID: ---

Work Order Number(s): 621114

Report Date: 17-APR-19

Date Received: 04/15/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3085873 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3086010 Inorganic Anions by EPA 300

Lab Sample ID 621239-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 621114-001, -002, -003, -004, -005.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



## Certificate of Analysis Summary 621114

LT Environmental, Inc., Arvada, CO

Project Name: PLU CNXJUBS #005H

Project Id: ---

Contact: Adrian Baker

Project Location: ---

Date Received in Lab: Mon Apr-15-19 11:20 am

Report Date: 17-APR-19

Project Manager: Kalei Stout

<b>Analysis Requested</b>		<b>Lab Id:</b>	621114-001	621114-002	621114-003	621114-004	621114-005	
		<b>Field Id:</b>	SW12	PH09	PH09A	PH10	PH10A	
		<b>Depth:</b>	0-4 ft	4.5- ft	7.5- ft	8.5- ft	12.5- ft	
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	
		<b>Sampled:</b>	Apr-12-19 13:35	Apr-12-19 11:40	Apr-12-19 11:55	Apr-12-19 12:40	Apr-12-19 12:55	
<b>BTEX by EPA 8021B</b> <b>SUB: T104704400-18-16</b>		<b>Extracted:</b>	Apr-16-19 12:45	Apr-16-19 12:45	Apr-16-19 12:45	Apr-16-19 12:45	Apr-16-19 12:45	
		<b>Analyzed:</b>	Apr-16-19 16:57	Apr-16-19 17:16	Apr-16-19 17:35	Apr-16-19 17:54	Apr-16-19 18:13	
		<b>Units/RL:</b>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Benzene		<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200		
Toluene		<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200		
Ethylbenzene		<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200		
m,p-Xylenes		<0.00402 0.00402	<0.00400 0.00400	<0.00398 0.00398	<0.00403 0.00403	<0.00399 0.00399		
o-Xylene		<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200		
Total Xylenes		<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200		
Total BTEX		<0.00201 0.00201	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00200 0.00200		
<b>Chloride by EPA 300</b> <b>SUB: T104704400-18-16</b>		<b>Extracted:</b>	Apr-16-19 14:00	Apr-16-19 14:00	Apr-16-19 14:00	Apr-16-19 14:00	Apr-16-19 14:00	
		<b>Analyzed:</b>	Apr-17-19 07:37	Apr-17-19 07:43	Apr-17-19 07:50	Apr-17-19 07:56	Apr-17-19 08:03	
		<b>Units/RL:</b>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		119 5.01	1180 24.9	40.6 5.00	1140 24.8	108 4.96		
<b>TPH by SW8015 Mod</b> <b>SUB: T104704400-18-16</b>		<b>Extracted:</b>	Apr-16-19 17:00	Apr-16-19 17:00	Apr-16-19 17:00	Apr-16-19 17:00	Apr-16-19 17:00	
		<b>Analyzed:</b>	Apr-16-19 21:36	Apr-16-19 22:35	Apr-16-19 22:54	Apr-16-19 23:14	Apr-16-19 23:33	
		<b>Units/RL:</b>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Diesel Range Organics (DRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Total TPH		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Total GRO-DRO		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout  
Carlsbad Laboratory Director



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: <b>SW12</b>	Matrix: <b>Soil</b>	Date Received: <b>04.15.19 11.20</b>
Lab Sample Id: <b>621114-001</b>	Date Collected: <b>04.12.19 13.35</b>	Sample Depth: <b>0 - 4 ft</b>
Analytical Method: Chloride by EPA 300		Prep Method: <b>E300P</b>
Tech: <b>SPC</b>	% Moisture:	
Analyst: <b>SPC</b>	Date Prep: <b>04.16.19 14.00</b>	Basis: <b>Wet Weight</b>
Seq Number: <b>3086010</b>	SUB: <b>T104704400-18-16</b>	

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>119</b>	5.01	mg/kg	04.17.19 07.37		1

Analytical Method: TPH by SW8015 Mod	Prep Method: <b>TX1005P</b>	
Tech: <b>ARM</b>	% Moisture:	
Analyst: <b>ARM</b>	Date Prep: <b>04.16.19 17.00</b>	Basis: <b>Wet Weight</b>
Seq Number: <b>3085983</b>	SUB: <b>T104704400-18-16</b>	

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.16.19 21.36	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.16.19 21.36	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.16.19 21.36	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.16.19 21.36	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.16.19 21.36	U	1
<b>Surrogate</b>	<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>	
1-Chlorooctane	111-85-3	99	%	70-135	04.16.19 21.36		
o-Terphenyl	84-15-1	96	%	70-135	04.16.19 21.36		



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: **SW12**  
Lab Sample Id: 621114-001

Matrix: **Soil**  
Date Collected: 04.12.19 13.35

Date Received: 04.15.19 11.20  
Sample Depth: 0 - 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 04.16.19 12.45

Basis: **Wet Weight**

Seq Number: 3085873

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.16.19 16.57	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.16.19 16.57	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.16.19 16.57	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.16.19 16.57	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.16.19 16.57	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.16.19 16.57	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.16.19 16.57	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	102	%	70-130	04.16.19 16.57	
4-Bromofluorobenzene		460-00-4	109	%	70-130	04.16.19 16.57	



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: <b>PH09</b>	Matrix: Soil	Date Received: 04.15.19 11.20
Lab Sample Id: 621114-002	Date Collected: 04.12.19 11.40	Sample Depth: 4.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: SPC		% Moisture:
Analyst: SPC	Date Prep: 04.16.19 14.00	Basis: Wet Weight
Seq Number: 3086010		SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1180</b>	24.9	mg/kg	04.17.19 07.43		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 04.16.19 17.00	Basis: Wet Weight
Seq Number: 3085983	SUB: T104704400-18-16	

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.16.19 22.35	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.16.19 22.35	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.16.19 22.35	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.16.19 22.35	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.16.19 22.35	U	1
<b>Surrogate</b>	<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>	
1-Chlorooctane	111-85-3	102	%	70-135	04.16.19 22.35		
o-Terphenyl	84-15-1	101	%	70-135	04.16.19 22.35		



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: <b>PH09</b>	Matrix: Soil	Date Received: 04.15.19 11.20
Lab Sample Id: 621114-002	Date Collected: 04.12.19 11.40	Sample Depth: 4.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 04.16.19 12.45	Basis: Wet Weight
Seq Number: 3085873		SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.16.19 17.16	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.16.19 17.16	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.16.19 17.16	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.16.19 17.16	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.16.19 17.16	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.16.19 17.16	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.16.19 17.16	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	114	%	70-130	04.16.19 17.16	
1,4-Difluorobenzene		540-36-3	104	%	70-130	04.16.19 17.16	



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: **PH09A**

Matrix: Soil

Date Received: 04.15.19 11.20

Lab Sample Id: 621114-003

Date Collected: 04.12.19 11.55

Sample Depth: 7.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: SPC

% Moisture:

Analyst: SPC

Date Prep: 04.16.19 14.00

Basis: Wet Weight

Seq Number: 3086010

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>40.6</b>	5.00	mg/kg	04.17.19 07.50		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.16.19 17.00

Basis: Wet Weight

Seq Number: 3085983

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.16.19 22.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.16.19 22.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.16.19 22.54	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.16.19 22.54	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.16.19 22.54	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	104	%	70-135	04.16.19 22.54		
o-Terphenyl	84-15-1	105	%	70-135	04.16.19 22.54		



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: **PH09A**

Matrix: **Soil**

Date Received: 04.15.19 11.20

Lab Sample Id: 621114-003

Date Collected: 04.12.19 11.55

Sample Depth: 7.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 04.16.19 12.45

Basis: **Wet Weight**

Seq Number: 3085873

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.16.19 17.35	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.16.19 17.35	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.16.19 17.35	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.16.19 17.35	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.16.19 17.35	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.16.19 17.35	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.16.19 17.35	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	112	%	70-130	04.16.19 17.35	
1,4-Difluorobenzene		540-36-3	104	%	70-130	04.16.19 17.35	



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: <b>PH10</b>	Matrix: Soil	Date Received: 04.15.19 11.20
Lab Sample Id: 621114-004	Date Collected: 04.12.19 12.40	Sample Depth: 8.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: SPC		% Moisture:
Analyst: SPC	Date Prep: 04.16.19 14.00	Basis: Wet Weight
Seq Number: 3086010		SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>1140</b>	24.8	mg/kg	04.17.19 07.56		5

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 04.16.19 17.00	Basis: Wet Weight
Seq Number: 3085983	SUB: T104704400-18-16	

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.16.19 23.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.16.19 23.14	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.16.19 23.14	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.16.19 23.14	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.16.19 23.14	U	1
<b>Surrogate</b>	<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>	
1-Chlorooctane	111-85-3	99	%	70-135	04.16.19 23.14		
o-Terphenyl	84-15-1	100	%	70-135	04.16.19 23.14		



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: **PH10**  
Lab Sample Id: 621114-004

Matrix: Soil  
Date Collected: 04.12.19 12.40

Date Received: 04.15.19 11.20  
Sample Depth: 8.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.16.19 12.45

Basis: Wet Weight

Seq Number: 3085873

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	04.16.19 17.54	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	04.16.19 17.54	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	04.16.19 17.54	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	04.16.19 17.54	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	04.16.19 17.54	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	04.16.19 17.54	U	1
Total BTEX		<0.00202	0.00202	mg/kg	04.16.19 17.54	U	1
<b>Surrogate</b>			<b>% Recovery</b>				
1,4-Difluorobenzene	540-36-3		106	%	70-130	04.16.19 17.54	
4-Bromofluorobenzene	460-00-4		113	%	70-130	04.16.19 17.54	



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: <b>PH10A</b>	Matrix: Soil	Date Received: 04.15.19 11.20
Lab Sample Id: 621114-005	Date Collected: 04.12.19 12.55	Sample Depth: 12.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: SPC		% Moisture:
Analyst: SPC	Date Prep: 04.16.19 14.00	Basis: Wet Weight
Seq Number: 3086010		SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>108</b>	4.96	mg/kg	04.17.19 08.03		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 04.16.19 17.00	Basis: Wet Weight
Seq Number: 3085983	SUB: T104704400-18-16	

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.16.19 23.33	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.16.19 23.33	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.16.19 23.33	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.16.19 23.33	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.16.19 23.33	U	1
<b>Surrogate</b>	<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>	
1-Chlorooctane	111-85-3	99	%	70-135	04.16.19 23.33		
o-Terphenyl	84-15-1	99	%	70-135	04.16.19 23.33		



# Certificate of Analytical Results 621114

**LT Environmental, Inc., Arvada, CO**

PLU CNXJUBS #005H

Sample Id: **PH10A**

Matrix: **Soil**

Date Received: 04.15.19 11.20

Lab Sample Id: **621114-005**

Date Collected: 04.12.19 12.55

Sample Depth: 12.5 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: **04.16.19 12.45**

Basis: **Wet Weight**

Seq Number: **3085873**

SUB: **T104704400-18-16**

<b>Parameter</b>	<b>Cas Number</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Analysis Date</b>	<b>Flag</b>	<b>Dil</b>
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.16.19 18.13	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.16.19 18.13	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.16.19 18.13	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	04.16.19 18.13	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.16.19 18.13	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.16.19 18.13	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.16.19 18.13	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	100	%	70-130	04.16.19 18.13	
4-Bromofluorobenzene		460-00-4	125	%	70-130	04.16.19 18.13	



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 621114

LT Environmental, Inc.  
PLU CNXJUBS #005H

## Analytical Method: Chloride by EPA 300

Seq Number:	3086010	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7675970-1-BLK	LCS Sample Id: 7675970-1-BKS				Date Prep: 04.16.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Chloride	<0.858	250	254	102	251	100	90-110	1	20 mg/kg 04.16.19 16:12

## Analytical Method: Chloride by EPA 300

Seq Number:	3086010	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621114-005	MS Sample Id: 621114-005 S				Date Prep: 04.16.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Chloride	108	248	348	97	323	87	90-110	7	20 mg/kg 04.17.19 08:09 X

## Analytical Method: Chloride by EPA 300

Seq Number:	3086010	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621239-001	MS Sample Id: 621239-001 S				Date Prep: 04.16.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Chloride	141	250	395	102	390	100	90-110	1	20 mg/kg 04.16.19 16:31

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3085983	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7675909-1-BLK	LCS Sample Id: 7675909-1-BKS				Date Prep: 04.16.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1060	106	993	99	70-135	7	20 mg/kg 04.16.19 20:57
Diesel Range Organics (DRO)	<8.13	1000	1090	109	1010	101	70-135	8	20 mg/kg 04.16.19 20:57
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	114		129		128		70-135	%	04.16.19 20:57
o-Terphenyl	115		118		125		70-135	%	04.16.19 20:57

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery  
Log Difference

[D] = 100\*(C-A) / B  
RPD = 200\* | (C-E) / (C+E) |  
[D] = 100 \* (C) / [B]  
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



## QC Summary 621114

LT Environmental, Inc.  
PLU CNXJUBS #005H

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3085983	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	621114-001	MS Sample Id: 621114-001 S				Date Prep: 04.16.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	12.7	999	1000	99	1000	99	70-135	0 20	mg/kg 04.16.19 21:56
Diesel Range Organics (DRO)	13.9	999	1050	104	1060	105	70-135	1 20	mg/kg 04.16.19 21:56
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			125		122		70-135	%	04.16.19 21:56
o-Terphenyl			123		113		70-135	%	04.16.19 21:56

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3085873	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7675873-1-BLK	LCS Sample Id: 7675873-1-BKS				Date Prep: 04.16.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000381	0.0990	0.0974	98	0.0993	99	70-130	2 35	mg/kg 04.16.19 09:03
Toluene	0.000579	0.0990	0.0995	101	0.102	102	70-130	2 35	mg/kg 04.16.19 09:03
Ethylbenzene	<0.000559	0.0990	0.105	106	0.108	108	70-130	3 35	mg/kg 04.16.19 09:03
m,p-Xylenes	<0.00100	0.198	0.213	108	0.217	109	70-130	2 35	mg/kg 04.16.19 09:03
o-Xylene	0.000439	0.0990	0.107	108	0.109	109	70-130	2 35	mg/kg 04.16.19 09:03
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		95		96		70-130	%	04.16.19 09:03
4-Bromofluorobenzene	109		106		108		70-130	%	04.16.19 09:03

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3085873	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	621041-010	MS Sample Id: 621041-010 S				Date Prep: 04.16.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.00202	0.101	0.0899	89	0.0919	92	70-130	2 35	mg/kg 04.16.19 09:41
Toluene	<0.000460	0.101	0.0892	88	0.0900	91	70-130	1 35	mg/kg 04.16.19 09:41
Ethylbenzene	<0.000570	0.101	0.0923	91	0.0930	94	70-130	1 35	mg/kg 04.16.19 09:41
m,p-Xylenes	<0.00102	0.202	0.185	92	0.186	93	70-130	1 35	mg/kg 04.16.19 09:41
o-Xylene	<0.00202	0.101	0.0932	92	0.0936	94	70-130	0 35	mg/kg 04.16.19 09:41
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene			99		100		70-130	%	04.16.19 09:41
4-Bromofluorobenzene			110		110		70-130	%	04.16.19 09:41

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



# Chain of Custody

Work Order No: 621114

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432-704-5440) El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296  
Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

[www.xenco.com](http://www.xenco.com) Page \_\_\_\_\_ of \_\_\_\_\_

**Work Order Comments**

Program: UST/PST  PRP  Brownfields  RC  Superfund

**State of Project:**

Reporting Level II  Level III  PUST/JUST  RRP  Level IV   
Deliverables: EDD  ADAPT  Other: \_\_\_\_\_

Project Manager:	Adrian Baker	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTO
Address:	3300 North A Street	Address:	3104 E Greene Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad NM 88220
Phone:	432.704.5178	Email:	albyers@newconc.com

ANALYSIS REQUEST						Work Order Notes																																																	
Project Name:	PLU CUX JV BS #005H	Turn Around																																																					
Project Number:	24	Routine																																																					
P.O. Number:	22P2526	Rush: Same day																																																					
Sampler's Name:	Anna Byers	Due Date:																																																					
<b>SAMPLE RECEIPT</b>		Temp Blank: <u>42.0</u>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wet Ice: <u>Yes</u>	No <input type="checkbox"/>																																																		
Temperature (°C):		Thermometer ID: N1000																																																					
Received Intact: <u>Yes</u> No																																																							
Cooler/Custody Seals: Yes No N/A		Correction Factor: <u>N/A</u>																																																					
Sample Custody Seals: Yes No N/A		Total Containers: <u>5</u>																																																					
Number of Containers																																																							
TPH (EPA 8015)																																																							
BTEX (EPA 0=8021)																																																							
Chloride (EPA 300.0)																																																							
TAT starts the day received by the lab, if received by 4:30pm																																																							
Sample Comments																																																							
<p style="margin-left: 10px;">SW12</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Matrix</th> <th>Date Sampled</th> <th>Time Sampled</th> <th>Depth</th> <th> </th> <th> </th> <th> </th> <th> </th> </tr> <tr> <td>S</td> <td>4/12/19</td> <td>1335</td> <td>(3-4'</td> <td>1</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PtOg</td> <td>S</td> <td>1140</td> <td>4.5'</td> <td>1</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PtOgA</td> <td>S</td> <td>1155</td> <td>7.5'</td> <td>1</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PtO</td> <td>S</td> <td>1240</td> <td>8.5'</td> <td>1</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PtOgA</td> <td>S</td> <td>1255</td> <td>12.5'</td> <td>1</td> <td></td> <td></td> <td></td> </tr> </table> <p style="margin-left: 10px;">21/15/19</p>								Matrix	Date Sampled	Time Sampled	Depth					S	4/12/19	1335	(3-4'	1				PtOg	S	1140	4.5'	1				PtOgA	S	1155	7.5'	1				PtO	S	1240	8.5'	1				PtOgA	S	1255	12.5'	1			
Matrix	Date Sampled	Time Sampled	Depth																																																				
S	4/12/19	1335	(3-4'	1																																																			
PtOg	S	1140	4.5'	1																																																			
PtOgA	S	1155	7.5'	1																																																			
PtO	S	1240	8.5'	1																																																			
PtOgA	S	1255	12.5'	1																																																			
Relinquished by: (Signature)																																																							
Received by: (Signature)																																																							
Date/Time																																																							
Relinquished by: (Signature)																																																							
Received by: (Signature)																																																							
Date/Time																																																							

Received by OCD: 4/16/2020 11:29:10 AM

**Total 200.7 / 6010 200.8 / 6020:** 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn  
**Circle Method(s) and Metal(s) to be analyzed** **TCLP / SPLP 6010:** 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U **1631 / 245.1 / 7470 / 7471 : Hg**

**Notice:** Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
June Byers	4/15/19 @ 0700	2		04/15/19 11:20	
		4			
		6			

**Inter-Office Shipment**

Page 1 of 1

**IOS Number 37078**

Date/Time: 04/15/19 13:53

Created by: John Builes

Please send report to: Kalei Stout

Lab# From: **Carlsbad**

Delivery Priority:

Address: 1089 N Canal Street

Lab# To: **Midland**

Air Bill No.:

E-Mail: kalei.stout@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
621114-001	S	SW12	04/12/19 13:35	E300_CL	Chloride by EPA 300	04/12/19	05/10/19	KLS	CL	
621114-001	S	SW12	04/12/19 13:35	SW8021B	BTEX by EPA 8021B	04/12/19	04/26/19	KLS	BR4FBZ BZ BZME EBZ X	
621114-001	S	SW12	04/12/19 13:35	SW8015MOD_NM	TPH by SW8015 Mod	04/12/19	04/26/19	KLS	GRO-DRO PHCC10C28 PI	
621114-002	S	PH09	04/12/19 11:40	SW8015MOD_NM	TPH by SW8015 Mod	04/12/19	04/26/19	KLS	GRO-DRO PHCC10C28 PI	
621114-002	S	PH09	04/12/19 11:40	E300_CL	Chloride by EPA 300	04/12/19	05/10/19	KLS	CL	
621114-002	S	PH09	04/12/19 11:40	SW8021B	BTEX by EPA 8021B	04/12/19	04/26/19	KLS	BR4FBZ BZ BZME EBZ X	
621114-003	S	PH09A	04/12/19 11:55	E300_CL	Chloride by EPA 300	04/12/19	05/10/19	KLS	CL	
621114-003	S	PH09A	04/12/19 11:55	SW8015MOD_NM	TPH by SW8015 Mod	04/12/19	04/26/19	KLS	GRO-DRO PHCC10C28 PI	
621114-003	S	PH09A	04/12/19 11:55	SW8021B	BTEX by EPA 8021B	04/12/19	04/26/19	KLS	BR4FBZ BZ BZME EBZ X	
621114-004	S	PH10	04/12/19 12:40	E300_CL	Chloride by EPA 300	04/12/19	05/10/19	KLS	CL	
621114-004	S	PH10	04/12/19 12:40	SW8021B	BTEX by EPA 8021B	04/12/19	04/26/19	KLS	BR4FBZ BZ BZME EBZ X	
621114-004	S	PH10	04/12/19 12:40	SW8015MOD_NM	TPH by SW8015 Mod	04/12/19	04/26/19	KLS	GRO-DRO PHCC10C28 PI	
621114-005	S	PH10A	04/12/19 12:55	SW8015MOD_NM	TPH by SW8015 Mod	04/12/19	04/26/19	KLS	GRO-DRO PHCC10C28 PI	
621114-005	S	PH10A	04/12/19 12:55	E300_CL	Chloride by EPA 300	04/12/19	05/10/19	KLS	CL	
621114-005	S	PH10A	04/12/19 12:55	SW8021B	BTEX by EPA 8021B	04/12/19	04/26/19	KLS	BR4FBZ BZ BZME EBZ X	

**Inter Office Shipment or Sample Comments:**

Relinquished By:



John Builes

Date Relinquished: 04/15/2019

Received By:



Brianna Teel

Date Received: 04/16/2019 12:29

Cooler Temperature:



# XENCO Laboratories

## Inter Office Report- Sample Receipt Checklist

**Sent To:** Midland

**IOS #:** 37078

**Acceptable Temperature Range:** 0 - 6 degC

**Air and Metal samples Acceptable Range:** Ambient

**Temperature Measuring device used :** R8

**Sent By:** John Builes

**Date Sent:** 04/15/2019 01:53 PM

**Received By:** Brianna Teel

**Date Received:** 04/16/2019 12:29 PM

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	
#2 *Shipping container in good condition?	Yes
#3 *Samples received with appropriate temperature?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 *Custody Seals Signed and dated for Containers/coolers	N/A
#6 *IOS present?	Yes
#7 Any missing/extra samples?	No
#8 IOS agrees with sample label(s)/matrix?	Yes
#9 Sample matrix/ properties agree with IOS?	Yes
#10 Samples in proper container/ bottle?	Yes
#11 Samples properly preserved?	Yes
#12 Sample container(s) intact?	Yes
#13 Sufficient sample amount for indicated test(s)?	Yes
#14 All samples received within hold time?	Yes

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

**NonConformance:**

**Corrective Action Taken:**


### Nonconformance Documentation

**Contact:** \_\_\_\_\_

**Contacted by :** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Checklist reviewed by:**

  
Brianna Teel

Date: 04/16/2019



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 04/15/2019 11:20:00 AM

**Work Order #:** 621114

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : T-NM-007**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	2.8
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6* Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	Yes
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	Yes
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:**

John Builes

Date: 04/15/2019

**Checklist reviewed by:**

Kalei Stout

Date: 04/15/2019

# Analytical Report 621718

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV BS 005H

---

23-APR-19

Collected By: Client



**1211 W. Florida Ave  
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



23-APR-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **621718**

**PLU CVX JV BS 005H**

Project Address: ---

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 621718. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 621718 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Kalei Stout'.

**Kalei Stout**

Midland Laboratory Director

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 621718

LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH13	S	04-15-19 13:30	6.5 ft	621718-001
PH13A	S	04-15-19 14:20	10.5 ft	621718-002
PH12	S	04-15-19 10:50	0.5 ft	621718-003
PH12A	S	04-15-19 11:15	4.5 ft	621718-004
PH11	S	04-15-19 09:15	4.5 ft	621718-005
PH11A	S	04-15-19 10:20	11 ft	621718-006



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV BS 005H

Project ID: ---

Work Order Number(s): 621718

Report Date: 23-APR-19

Date Received: 04/19/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3086479 BTEX by EPA 8021B

Lab Sample ID 621718-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Ethylbenzene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 621718-001, -002, -003, -004, -005, -006.

The Laboratory Control Sample for m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 621718



Project Id: ---

Contact: Adrian Baker

Project Location: ---

Date Received in Lab: Fri Apr-19-19 12:30 pm

Report Date: 23-APR-19

Project Manager: Kalei Stout

<b>Analysis Requested</b>	<b>Lab Id:</b>	621718-001	621718-002	621718-003	621718-004	621718-005	621718-006					
	<b>Field Id:</b>	PH13	PH13A	PH12	PH12A	PH11	PH11A					
	<b>Depth:</b>	6.5- ft	10.5- ft	0.5- ft	4.5- ft	4.5- ft	11- ft					
	<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL					
	<b>Sampled:</b>	Apr-15-19 13:30	Apr-15-19 14:20	Apr-15-19 10:50	Apr-15-19 11:15	Apr-15-19 09:15	Apr-15-19 10:20					
<b>BTEX by EPA 8021B</b>	<b>Extracted:</b>	Apr-19-19 12:45										
	<b>Analyzed:</b>	Apr-19-19 15:44	Apr-19-19 16:03	Apr-19-19 16:22	Apr-19-19 16:41	Apr-19-19 17:00	Apr-19-19 17:19					
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Benzene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00200	<0.00200	0.00200	<0.00201	0.00201		
Toluene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00201	0.00201		
Ethylbenzene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00201	0.00201		
m,p-Xylenes	<0.00403	0.00403	<0.00398	0.00398	<0.00402	0.00402	<0.00400	0.00400	<0.00399	0.00399	<0.00402	0.00402
o-Xylene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201
Total Xylenes	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201
Total BTEX	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00200	<0.00201	0.00201
<b>Chloride by EPA 300</b>	<b>Extracted:</b>	Apr-19-19 17:00										
	<b>Analyzed:</b>	Apr-22-19 09:43	Apr-22-19 09:51	Apr-22-19 10:34	Apr-22-19 10:41	Apr-22-19 10:48	Apr-22-19 10:56	Apr-22-19 10:56	Apr-22-19 10:56			
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL			
Chloride	42.0	5.01	118	4.96	235	4.96	868	4.99	471	4.97	203	5.04
<b>TPH by SW8015 Mod</b>	<b>Extracted:</b>	Apr-20-19 11:00										
	<b>Analyzed:</b>	Apr-21-19 01:02	Apr-21-19 01:21	Apr-21-19 01:41	Apr-21-19 02:39	Apr-21-19 02:58	Apr-21-19 03:18	Apr-21-19 03:18	Apr-21-19 03:18			
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL			
Gasoline Range Hydrocarbons (GRO)	<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	<15.0	15.0	<14.9	14.9
Diesel Range Organics (DRO)	<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	<15.0	15.0	<14.9	14.9
Motor Oil Range Hydrocarbons (MRO)	<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	<15.0	15.0	<14.9	14.9
Total TPH	<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	<15.0	15.0	<14.9	14.9
Total GRO-DRO	<15.0	15.0	<15.0	15.0	<14.9	14.9	<15.0	15.0	<15.0	15.0	<14.9	14.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout  
Midland Laboratory Director



# Certificate of Analytical Results 621718



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH13**  
Lab Sample Id: 621718-001

Matrix: Soil  
Date Received: 04.19.19 12.30  
Date Collected: 04.15.19 13.30  
Sample Depth: 6.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 17.00

Basis: Wet Weight

Seq Number: 3086463

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	42.0	5.01	mg/kg	04.22.19 09.43		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 11.00

Basis: Wet Weight

Seq Number: 3086489

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.21.19 01.02	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.21.19 01.02	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.21.19 01.02	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.21.19 01.02	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.21.19 01.02	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	04.21.19 01.02		
o-Terphenyl	84-15-1	91	%	70-135	04.21.19 01.02		



# Certificate of Analytical Results 621718



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: <b>PH13</b>	Matrix: Soil	Date Received: 04.19.19 12.30
Lab Sample Id: 621718-001	Date Collected: 04.15.19 13.30	Sample Depth: 6.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 04.19.19 12.45	Basis: Wet Weight
Seq Number: 3086479		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	04.19.19 15.44	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	04.19.19 15.44	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	04.19.19 15.44	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	04.19.19 15.44	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	04.19.19 15.44	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	04.19.19 15.44	U	1
Total BTEX		<0.00202	0.00202	mg/kg	04.19.19 15.44	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	95	%	70-130	04.19.19 15.44	
1,4-Difluorobenzene		540-36-3	100	%	70-130	04.19.19 15.44	



# Certificate of Analytical Results 621718



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH13A**

Matrix: **Soil**

Date Received: 04.19.19 12.30

Lab Sample Id: **621718-002**

Date Collected: 04.15.19 14.20

Sample Depth: 10.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 04.19.19 17.00

Basis: **Wet Weight**

Seq Number: **3086463**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>118</b>	4.96	mg/kg	04.22.19 09.51		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 04.20.19 11.00

Basis: **Wet Weight**

Seq Number: **3086489**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.21.19 01.21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.21.19 01.21	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.21.19 01.21	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.21.19 01.21	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.21.19 01.21	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	04.21.19 01.21		
o-Terphenyl	84-15-1	94	%	70-135	04.21.19 01.21		



# Certificate of Analytical Results 621718



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH13A**

Matrix: **Soil**

Date Received: 04.19.19 12.30

Lab Sample Id: **621718-002**

Date Collected: 04.15.19 14.20

Sample Depth: 10.5 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: **04.19.19 12.45**

Basis: **Wet Weight**

Seq Number: **3086479**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.19.19 16.03	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.19.19 16.03	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.19.19 16.03	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.19.19 16.03	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.19.19 16.03	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.19.19 16.03	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.19.19 16.03	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	93	%	70-130	04.19.19 16.03	
1,4-Difluorobenzene		540-36-3	98	%	70-130	04.19.19 16.03	



# Certificate of Analytical Results 621718



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH12**  
Lab Sample Id: 621718-003

Matrix: Soil  
Date Received: 04.19.19 12.30  
Date Collected: 04.15.19 10.50  
Sample Depth: 0.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3086463

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	235	4.96	mg/kg	04.22.19 10.34		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3086489

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	04.21.19 01.41	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	04.21.19 01.41	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	04.21.19 01.41	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	04.21.19 01.41	U	1
Total GRO-DRO	PHC628	<14.9	14.9	mg/kg	04.21.19 01.41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	04.21.19 01.41		
o-Terphenyl	84-15-1	98	%	70-135	04.21.19 01.41		



# Certificate of Analytical Results 621718

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: <b>PH12</b>	Matrix: Soil	Date Received: 04.19.19 12.30
Lab Sample Id: 621718-003	Date Collected: 04.15.19 10.50	Sample Depth: 0.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 04.19.19 12.45	Basis: Wet Weight
Seq Number: 3086479		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.19.19 16.22	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.19.19 16.22	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.19.19 16.22	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.19.19 16.22	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.19.19 16.22	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.19.19 16.22	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.19.19 16.22	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene	540-36-3	100	%	70-130	04.19.19 16.22		
4-Bromofluorobenzene	460-00-4	99	%	70-130	04.19.19 16.22		



# Certificate of Analytical Results 621718



## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH12A**

Matrix: Soil

Date Received: 04.19.19 12.30

Lab Sample Id: 621718-004

Date Collected: 04.15.19 11.15

Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 04.19.19 17.00

Basis: Wet Weight

Seq Number: 3086463

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	868	4.99	mg/kg	04.22.19 10.41		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 04.20.19 11.00

Basis: Wet Weight

Seq Number: 3086489

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.21.19 02.39	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.21.19 02.39	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.21.19 02.39	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.21.19 02.39	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.21.19 02.39	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	97	%	70-135	04.21.19 02.39		
o-Terphenyl	84-15-1	97	%	70-135	04.21.19 02.39		



# Certificate of Analytical Results 621718

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH12A**

Matrix: **Soil**

Date Received: 04.19.19 12.30

Lab Sample Id: **621718-004**

Date Collected: **04.15.19 11.15**

Sample Depth: **4.5 ft**

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: **04.19.19 12.45**

Basis: **Wet Weight**

Seq Number: **3086479**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 16.41	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 16.41	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 16.41	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.19.19 16.41	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 16.41	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 16.41	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 16.41	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	103	%	70-130	04.19.19 16.41	
4-Bromofluorobenzene		460-00-4	105	%	70-130	04.19.19 16.41	



# Certificate of Analytical Results 621718



## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: **PH11**  
Lab Sample Id: 621718-005

Matrix: Soil  
Date Received: 04.19.19 12.30  
Date Collected: 04.15.19 09.15  
Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3086463

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	471	4.97	mg/kg	04.22.19 10.48		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: ARM  
Analyst: ARM  
Seq Number: 3086489

% Moisture:  
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.21.19 02.58	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.21.19 02.58	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.21.19 02.58	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.21.19 02.58	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.21.19 02.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	04.21.19 02.58		
o-Terphenyl	84-15-1	98	%	70-135	04.21.19 02.58		



# Certificate of Analytical Results 621718

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: <b>PH11</b>	Matrix: Soil	Date Received: 04.19.19 12.30
Lab Sample Id: 621718-005	Date Collected: 04.15.19 09.15	Sample Depth: 4.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 04.19.19 12.45	Basis: Wet Weight
Seq Number: 3086479		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 17.00	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 17.00	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 17.00	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	04.19.19 17.00	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 17.00	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 17.00	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 17.00	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	100	%	70-130	04.19.19 17.00	
1,4-Difluorobenzene		540-36-3	101	%	70-130	04.19.19 17.00	



# Certificate of Analytical Results 621718



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH11A**

Matrix: **Soil**

Date Received: 04.19.19 12.30

Lab Sample Id: **621718-006**

Date Collected: 04.15.19 10.20

Sample Depth: 11 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 04.19.19 17.00

Basis: **Wet Weight**

Seq Number: **3086463**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>203</b>	5.04	mg/kg	04.22.19 10.56		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 04.20.19 11.00

Basis: **Wet Weight**

Seq Number: **3086489**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	04.21.19 03.18	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	04.21.19 03.18	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	04.21.19 03.18	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	04.21.19 03.18	U	1
Total GRO-DRO	PHC628	<14.9	14.9	mg/kg	04.21.19 03.18	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	04.21.19 03.18		
o-Terphenyl	84-15-1	95	%	70-135	04.21.19 03.18		



# Certificate of Analytical Results 621718



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH11A**

Matrix: **Soil**

Date Received: 04.19.19 12.30

Lab Sample Id: **621718-006**

Date Collected: 04.15.19 10.20

Sample Depth: 11 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: **04.19.19 12.45**

Basis: **Wet Weight**

Seq Number: **3086479**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.19.19 17.19	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.19.19 17.19	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.19.19 17.19	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.19.19 17.19	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.19.19 17.19	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.19.19 17.19	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.19.19 17.19	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	101	%	70-130	04.19.19 17.19	
4-Bromofluorobenzene		460-00-4	101	%	70-130	04.19.19 17.19	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 621718

LT Environmental, Inc.  
PLU CVX JV BS 005H**Analytical Method: Chloride by EPA 300**

Seq Number:	3086463	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7676199-1-BLK	LCS Sample Id: 7676199-1-BKS				Date Prep: 04.19.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<5.00	250	260	104	269	108	90-110	3	20
							mg/kg	04.22.19 08:54	Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3086463	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621703-004	MS Sample Id: 621703-004 S				Date Prep: 04.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	111	248	394	114	399	116	90-110	1	20
							mg/kg	04.22.19 09:15	Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3086463	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621719-002	MS Sample Id: 621719-002 S				Date Prep: 04.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	12.5	249	297	114	292	112	90-110	2	20
							mg/kg	04.22.19 11:18	Analysis Date
									Flag

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3086489	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7676241-1-BLK	LCS Sample Id: 7676241-1-BKS				Date Prep: 04.20.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	940	94	939	94	70-135	0	20
Diesel Range Organics (DRO)	<8.13	1000	964	96	959	96	70-135	1	20
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	96		118		121		70-135	%	04.20.19 21:27
o-Terphenyl	96		113		118		70-135	%	04.20.19 21:27

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery  
Log Difference

[D] = 100\*(C-A) / B  
RPD = 200\* | (C-E) / (C+E) |  
[D] = 100 \* (C) / [B]  
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



## QC Summary 621718

LT Environmental, Inc.  
PLU CVX JV BS 005H

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3086489	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	621570-021	MS Sample Id: 621570-021 S				Date Prep: 04.20.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	8.50	998	903	90	904	90	70-135	0 20	mg/kg 04.20.19 22:26
Diesel Range Organics (DRO)	<8.11	998	903	90	910	91	70-135	1 20	mg/kg 04.20.19 22:26
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			115		114		70-135	%	04.20.19 22:26
o-Terphenyl			111		107		70-135	%	04.20.19 22:26

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3086479	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7676251-1-BLK	LCS Sample Id: 7676251-1-BKS				Date Prep: 04.19.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000385	0.100	0.0999	100	0.0833	84	70-130	18 35	mg/kg 04.19.19 13:52
Toluene	<0.000456	0.100	0.101	101	0.0845	85	70-130	18 35	mg/kg 04.19.19 13:52
Ethylbenzene	<0.000565	0.100	0.0942	94	0.0782	79	70-130	19 35	mg/kg 04.19.19 13:52
m,p-Xylenes	<0.00101	0.200	0.186	93	0.154	77	70-130	19 35	mg/kg 04.19.19 13:52
o-Xylene	<0.000344	0.100	0.0950	95	0.0792	80	70-130	18 35	mg/kg 04.19.19 13:52
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	92		101		100		70-130	%	04.19.19 13:52
4-Bromofluorobenzene	86		96		94		70-130	%	04.19.19 13:52

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3086479	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	621718-001	MS Sample Id: 621718-001 S				Date Prep: 04.19.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.000384	0.0998	0.0714	72	0.0848	85	70-130	17 35	mg/kg 04.19.19 14:30
Toluene	<0.000455	0.0998	0.0714	72	0.0854	85	70-130	18 35	mg/kg 04.19.19 14:30
Ethylbenzene	<0.000564	0.0998	0.0649	65	0.0785	79	70-130	19 35	mg/kg 04.19.19 14:30 X
m,p-Xylenes	<0.00101	0.200	0.128	64	0.154	77	70-130	18 35	mg/kg 04.19.19 14:30 X
o-Xylene	<0.000344	0.0998	0.0655	66	0.0791	79	70-130	19 35	mg/kg 04.19.19 14:30 X
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene			99		101		70-130	%	04.19.19 14:30
4-Bromofluorobenzene			95		97		70-130	%	04.19.19 14:30

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery  
Log Difference

[D] = 100\*(C-A) / B  
RPD = 200\* | (C-E) / (C+E) |  
[D] = 100 \* (C) / [B]  
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



## Chain of Custody

Work Order No:

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 774-2996

Project Manager:	Adrian Baker	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTO Energy
Address:	3300 North A Street	Address:	3104 E. Greene Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad NM 88220
Phone:	432.704.5178	Email:	<a href="mailto:abakers@ltenv.com">abakers@ltenv.com</a>

6-20-2000)	www.xenco.com	Page	<u>  </u>	<u>  </u>	<u>  </u>
<b>Work Order Comments</b>					
<p><b>Program:</b> UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RC <input type="checkbox"/> Superfund <input type="checkbox"/></p> <p><b>State of Project:</b></p> <p>Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> ST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV <input type="checkbox"/>            Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other: _____</p>					

**Total 200.7 / 6010    200.8 / 6020:**  
*Circle Method(s) and Metal(s) to be analyzed*

**8RCRA** 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo  
**TCLP / SPLP 6010:** 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti I

O<sub>2</sub> Na Sr Ti Sn U V Zn  
**1631 / 245.1 / 7470 / 7471 : Hg**

**Notice:** Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco but not analyzed. These terms will be enforced unless mutually consented.

**Notice:** Signature of this document and relinquishment of samples of service. Xenco will be liable only for the cost of samples and shipping costs of Xenco. A minimum charge of \$75.00 will be applied to each pro-

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.	
Relinquished by: (Signature)	Received by: (Signature)
	Date/Time
<i>James Rogers</i>	<i>4/7/2019 7:00</i>
Relinquished by: (Signature)	Received by: (Signature)
	Date/Time
<i> </i>	<i>4/7/2019 16:30</i>
5	6



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 04/19/2019 12:30:00 PM

**Work Order #:** 621718

Acceptable Temperature Range: 0 - 6 degC  
 Air and Metal samples Acceptable Range: Ambient  
 Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 04/19/2019

**Checklist reviewed by:**

  
Kalei Stout

Date: 04/19/2019

# Analytical Report 621719

for  
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU CVX JV BS 005H

---

23-APR-19

Collected By: Client



**1211 W. Florida Ave  
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429), North Carolina (483)  
Xenco-Lakeland: Florida (E84098)



23-APR-19

Project Manager: **Adrian Baker**

**LT Environmental, Inc.**

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **621719**

**PLU CVX JV BS 005H**

Project Address: ---

**Adrian Baker:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 621719. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 621719 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Kalei Stout".

**Kalei Stout**

Midland Laboratory Director

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

# Sample Cross Reference 621719

**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH14	S	04-15-19 15:10	0.5 ft	621719-001
PH14A	S	04-15-19 15:25	1.0 ft	621719-002
PH15	S	04-15-19 16:00	0.5 ft	621719-003
PH15A	S	04-15-19 16:05	1.0 ft	621719-004



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU CVX JV BS 005H

Project ID: ---

Work Order Number(s): 621719

Report Date: 23-APR-19

Date Received: 04/19/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3086463 Chloride by EPA 300

Lab Sample ID 621719-002 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 621719-001, -002, -003, -004.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3086496 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 621719



Project Id: ---  
 Contact: Adrian Baker  
 Project Location: ---

LT Environmental, Inc., Arvada, CO  
 Project Name: PLU CVX JV BS 005H

Date Received in Lab: Fri Apr-19-19 12:00 pm  
 Report Date: 23-APR-19  
 Project Manager: Kalei Stout

<b>Analysis Requested</b>		<b>Lab Id:</b>	621719-001	621719-002	621719-003	621719-004		
		<b>Field Id:</b>	PH14	PH14A	PH15	PH15A		
		<b>Depth:</b>	0.5- ft	1.0- ft	0.5- ft	1.0- ft		
		<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL		
		<b>Sampled:</b>	Apr-15-19 15:10	Apr-15-19 15:25	Apr-15-19 16:00	Apr-15-19 16:05		
<b>BTEX by EPA 8021B</b>		<b>Extracted:</b>	Apr-19-19 13:15	Apr-19-19 13:15	Apr-19-19 13:15	Apr-19-19 13:15		
		<b>Analyzed:</b>	Apr-19-19 15:59	Apr-19-19 16:18	Apr-19-19 16:37	Apr-19-19 16:56		
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00202	
Toluene		<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00202	
Ethylbenzene		<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00202	
m,p-Xylenes		<0.00402	0.00402	<0.00399	0.00399	<0.00400	0.00400	<0.00403
o-Xylene		<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00202	
Total Xylenes		<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00202	
Total BTEX		<0.00201	0.00201	<0.00200	0.00200	<0.00200	0.00202	
<b>Chloride by EPA 300</b>		<b>Extracted:</b>	Apr-19-19 17:00	Apr-19-19 17:00	Apr-19-19 17:00	Apr-19-19 17:00		
		<b>Analyzed:</b>	Apr-22-19 11:03	Apr-22-19 11:10	Apr-22-19 11:32	Apr-22-19 11:40		
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		83.3	4.98	12.5	4.98	48.0	5.00	51.7
<b>TPH by SW8015 Mod</b>		<b>Extracted:</b>	Apr-20-19 11:00	Apr-19-19 17:00	Apr-19-19 16:00	Apr-19-19 16:00		
		<b>Analyzed:</b>	Apr-21-19 03:37	Apr-20-19 05:22	Apr-19-19 19:47	Apr-19-19 20:06		
		<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	
Motor Oil Range Hydrocarbons (MRO)		<15.0	15.0	<15.0	15.0	<15.0	15.0	
Total TPH		<15.0	15.0	<15.0	15.0	<15.0	15.0	
Total GRO-DRO		<15.0	15.0	<15.0	15.0	<15.0	15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.  
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout  
 Midland Laboratory Director



# Certificate of Analytical Results 621719



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH14**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: **621719-001**

Date Collected: 04.15.19 15.10

Sample Depth: 0.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 04.19.19 17.00

Basis: **Wet Weight**

Seq Number: **3086463**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>83.3</b>	4.98	mg/kg	04.22.19 11.03		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 04.20.19 11.00

Basis: **Wet Weight**

Seq Number: **3086489**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.21.19 03.37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.21.19 03.37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.21.19 03.37	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.21.19 03.37	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.21.19 03.37	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	04.21.19 03.37		
o-Terphenyl	84-15-1	94	%	70-135	04.21.19 03.37		



# Certificate of Analytical Results 621719



## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: <b>PH14</b>	Matrix: Soil	Date Received: 04.19.19 12.00
Lab Sample Id: 621719-001	Date Collected: 04.15.19 15.10	Sample Depth: 0.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 04.19.19 13.15	Basis: Wet Weight
Seq Number: 3086496		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.19.19 15.59	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.19.19 15.59	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.19.19 15.59	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.19.19 15.59	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.19.19 15.59	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.19.19 15.59	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.19.19 15.59	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	125	%	70-130	04.19.19 15.59	
1,4-Difluorobenzene		540-36-3	100	%	70-130	04.19.19 15.59	



# Certificate of Analytical Results 621719



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH14A**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: **621719-002**

Date Collected: 04.15.19 15.25

Sample Depth: 1.0 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 04.19.19 17.00

Basis: **Wet Weight**

Seq Number: **3086463**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>12.5</b>	4.98	mg/kg	04.22.19 11.10		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 04.19.19 17.00

Basis: **Wet Weight**

Seq Number: **3086485**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.20.19 05.22	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.20.19 05.22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.20.19 05.22	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.20.19 05.22	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.20.19 05.22	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	89	%	70-135	04.20.19 05.22		
o-Terphenyl	84-15-1	86	%	70-135	04.20.19 05.22		



# Certificate of Analytical Results 621719



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH14A**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: **621719-002**

Date Collected: **04.15.19 15.25**

Sample Depth: **1.0 ft**

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: **04.19.19 13.15**

Basis: **Wet Weight**

Seq Number: **3086496**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 16.18	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 16.18	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 16.18	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	04.19.19 16.18	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 16.18	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 16.18	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 16.18	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	121	%	70-130	04.19.19 16.18	
1,4-Difluorobenzene		540-36-3	103	%	70-130	04.19.19 16.18	



# Certificate of Analytical Results 621719



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: <b>PH15</b>	Matrix: Soil	Date Received: 04.19.19 12.00
Lab Sample Id: 621719-003	Date Collected: 04.15.19 16.00	Sample Depth: 0.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 04.19.19 17.00	Basis: Wet Weight
Seq Number: 3086463		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>48.0</b>	5.00	mg/kg	04.22.19 11.32		1

Analytical Method: TPH by SW8015 Mod	Prep Method: TX1005P	
Tech: ARM	% Moisture:	
Analyst: ARM	Date Prep: 04.19.19 16.00	Basis: Wet Weight
Seq Number: 3086484		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.19.19 19.47	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.19.19 19.47	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.19.19 19.47	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.19.19 19.47	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.19.19 19.47	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	94	%	70-135	04.19.19 19.47		
o-Terphenyl	84-15-1	93	%	70-135	04.19.19 19.47		



# Certificate of Analytical Results 621719



## LT Environmental, Inc., Arvada, CO

PLU CVX JV BS 005H

Sample Id: <b>PH15</b>	Matrix: Soil	Date Received: 04.19.19 12.00
Lab Sample Id: 621719-003	Date Collected: 04.15.19 16.00	Sample Depth: 0.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: SCM		% Moisture:
Analyst: SCM	Date Prep: 04.19.19 13.15	Basis: Wet Weight
Seq Number: 3086496		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.19.19 16.37	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.19.19 16.37	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.19.19 16.37	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.19.19 16.37	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.19.19 16.37	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.19.19 16.37	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.19.19 16.37	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	129	%	70-130	04.19.19 16.37	
1,4-Difluorobenzene		540-36-3	101	%	70-130	04.19.19 16.37	



# Certificate of Analytical Results 621719



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH15A**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: 621719-004

Date Collected: 04.15.19 16.05

Sample Depth: 1.0 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 04.19.19 17.00

Basis: **Wet Weight**

Seq Number: 3086463

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>51.7</b>	5.01	mg/kg	04.22.19 11.40		1

Analytical Method: TPH by SW8015 Mod

Prep Method: TX1005P

Tech: **ARM**

% Moisture:

Analyst: **ARM**

Date Prep: 04.19.19 16.00

Basis: **Wet Weight**

Seq Number: 3086484

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.19.19 20.06	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.19.19 20.06	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.19.19 20.06	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.19.19 20.06	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.19.19 20.06	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	93	%	70-135	04.19.19 20.06		
o-Terphenyl	84-15-1	90	%	70-135	04.19.19 20.06		



# Certificate of Analytical Results 621719



**LT Environmental, Inc., Arvada, CO**

PLU CVX JV BS 005H

Sample Id: **PH15A**

Matrix: **Soil**

Date Received: 04.19.19 12.00

Lab Sample Id: 621719-004

Date Collected: 04.15.19 16.05

Sample Depth: 1.0 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **SCM**

% Moisture:

Analyst: **SCM**

Date Prep: 04.19.19 13.15

Basis: **Wet Weight**

Seq Number: 3086496

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	04.19.19 16.56	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	04.19.19 16.56	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	04.19.19 16.56	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	04.19.19 16.56	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	04.19.19 16.56	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	04.19.19 16.56	U	1
Total BTEX		<0.00202	0.00202	mg/kg	04.19.19 16.56	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	121	%	70-130	04.19.19 16.56	
1,4-Difluorobenzene		540-36-3	103	%	70-130	04.19.19 16.56	



## Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 621719

## LT Environmental, Inc.

PLU CVX JV BS 005H

**Analytical Method: Chloride by EPA 300**

Seq Number:	3086463	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7676199-1-BLK	LCS Sample Id: 7676199-1-BKS				Date Prep: 04.19.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<5.00	250	260	104	269	108	90-110	3	20
							Units	Analysis Date	Flag
							mg/kg	04.22.19 08:54	

**Analytical Method: Chloride by EPA 300**

Seq Number:	3086463	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621703-004	MS Sample Id: 621703-004 S				Date Prep: 04.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	111	248	394	114	399	116	90-110	1	20
							Units	Analysis Date	Flag
							mg/kg	04.22.19 09:15	X

**Analytical Method: Chloride by EPA 300**

Seq Number:	3086463	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	621719-002	MS Sample Id: 621719-002 S				Date Prep: 04.19.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	12.5	249	297	114	292	112	90-110	2	20
							Units	Analysis Date	Flag
							mg/kg	04.22.19 11:18	X

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3086484	Matrix: Solid				Prep Method: TX1005P			
MB Sample Id:	7676238-1-BLK	LCS Sample Id: 7676238-1-BKS				Date Prep: 04.19.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1010	101	1050	105	70-135	4	20
Diesel Range Organics (DRO)	<8.13	1000	1070	107	1090	109	70-135	2	20
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	99		127		129		70-135	%	04.19.19 11:40
o-Terphenyl	101		122		127		70-135	%	04.19.19 11:40

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 621719

LT Environmental, Inc.  
PLU CVX JV BS 005H

## Analytical Method: TPH by SW8015 Mod

Parameter	MB Result	Spike Amount	Matrix: Solid				Limits	%RPD	RPD Limit	Units	Analysis Date	Prep Method: TX1005P
			LCS Result	LCS %Rec	LCSD Result	LCSD %Rec						
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1050	105	1010	101	70-135	4	20	mg/kg	04.19.19 21:05	Date Prep: 04.19.19
Diesel Range Organics (DRO)	<8.13	1000	1120	112	1070	107	70-135	5	20	mg/kg	04.19.19 21:05	LCSD Sample Id: 7676239-1-BSD
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date	Flag		
1-Chlorooctane	101		123		122		70-135	%	04.19.19 21:05			
o-Terphenyl	103		118		126		70-135	%	04.19.19 21:05			

## Analytical Method: TPH by SW8015 Mod

Parameter	MB Result	Spike Amount	Matrix: Solid				Limits	%RPD	RPD Limit	Units	Analysis Date	Prep Method: TX1005P
			LCS Result	LCS %Rec	LCSD Result	LCSD %Rec						
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	940	94	939	94	70-135	0	20	mg/kg	04.20.19 21:27	Date Prep: 04.20.19
Diesel Range Organics (DRO)	<8.13	1000	964	96	959	96	70-135	1	20	mg/kg	04.20.19 21:27	LCSD Sample Id: 7676241-1-BSD
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date	Flag		
1-Chlorooctane	96		118		121		70-135	%	04.20.19 21:27			
o-Terphenyl	96		113		118		70-135	%	04.20.19 21:27			

## Analytical Method: TPH by SW8015 Mod

Parameter	Parent Result	Spike Amount	Matrix: Soil				Limits	%RPD	RPD Limit	Units	Analysis Date	Prep Method: TX1005P
			MS Result	MS %Rec	MSD Result	MSD %Rec						
Gasoline Range Hydrocarbons (GRO)	<7.99	999	883	88	888	89	70-135	1	20	mg/kg	04.19.19 12:39	Date Prep: 04.19.19
Diesel Range Organics (DRO)	<8.12	999	905	91	917	92	70-135	1	20	mg/kg	04.19.19 12:39	MS Sample Id: 621515-001 S
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date	Flag	MSD Sample Id: 621515-001 SD	
1-Chlorooctane			119		119		70-135	%	04.19.19 12:39			
o-Terphenyl			111		113		70-135	%	04.19.19 12:39			

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery  
Log Difference

[D] = 100\*(C-A) / B  
RPD = 200\* | (C-E) / (C+E) |  
[D] = 100 \* (C) / [B]  
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



## QC Summary 621719

LT Environmental, Inc.  
PLU CVX JV BS 005H

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3086485	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	621574-001	MS Sample Id: 621574-001 S				Date Prep: 04.19.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	8.24	999	864	86	864	86	70-135	0 20	mg/kg 04.19.19 22:04
Diesel Range Organics (DRO)	<8.12	999	905	91	897	90	70-135	1 20	mg/kg 04.19.19 22:04
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			111		111		70-135	%	04.19.19 22:04
o-Terphenyl			102		105		70-135	%	04.19.19 22:04

## Analytical Method: TPH by SW8015 Mod

Seq Number:	3086489	Matrix: Soil				Prep Method: TX1005P			
Parent Sample Id:	621570-021	MS Sample Id: 621570-021 S				Date Prep: 04.20.19			
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	8.50	998	903	90	904	90	70-135	0 20	mg/kg 04.20.19 22:26
Diesel Range Organics (DRO)	<8.11	998	903	90	910	91	70-135	1 20	mg/kg 04.20.19 22:26
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane			115		114		70-135	%	04.20.19 22:26
o-Terphenyl			111		107		70-135	%	04.20.19 22:26

## Analytical Method: BTEX by EPA 8021B

Seq Number:	3086496	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7676257-1-BLK	LCS Sample Id: 7676257-1-BKS				Date Prep: 04.19.19			
Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Benzene	<0.00199	0.0996	0.0914	92	0.0932	93	70-130	2 35	mg/kg 04.19.19 14:07
Toluene	<0.00199	0.0996	0.0968	97	0.0983	98	70-130	2 35	mg/kg 04.19.19 14:07
Ethylbenzene	<0.00199	0.0996	0.103	103	0.105	105	70-130	2 35	mg/kg 04.19.19 14:07
m,p-Xylenes	<0.00101	0.199	0.209	105	0.212	106	70-130	1 35	mg/kg 04.19.19 14:07
o-Xylene	<0.00199	0.0996	0.106	106	0.108	108	70-130	2 35	mg/kg 04.19.19 14:07
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		95		95		70-130	%	04.19.19 14:07
4-Bromofluorobenzene	111		108		108		70-130	%	04.19.19 14:07

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery  
Log Difference

[D] = 100\*(C-A) / B  
RPD = 200\* | (C-E) / (C+E) |  
[D] = 100 \* (C) / [B]  
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



## QC Summary 621719

LT Environmental, Inc.  
PLU CVX JV BS 005H**Analytical Method:** BTEX by EPA 8021B

Seq Number: 3086496

Matrix: Soil

Prep Method: SW5030B

Parent Sample Id: 621719-001

MS Sample Id: 621719-001 S

Date Prep: 04.19.19

MSD Sample Id: 621719-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000383	0.0994	0.0813	82	0.0829	83	70-130	2	35	mg/kg	04.19.19 14:45	
Toluene	0.000543	0.0994	0.0865	86	0.0874	87	70-130	1	35	mg/kg	04.19.19 14:45	
Ethylbenzene	<0.000561	0.0994	0.0917	92	0.0925	93	70-130	1	35	mg/kg	04.19.19 14:45	
m,p-Xylenes	<0.00101	0.199	0.187	94	0.187	94	70-130	0	35	mg/kg	04.19.19 14:45	
o-Xylene	0.000413	0.0994	0.0950	95	0.0954	95	70-130	0	35	mg/kg	04.19.19 14:45	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits			Units	Analysis Date	
1,4-Difluorobenzene			96		96		70-130			%	04.19.19 14:45	
4-Bromofluorobenzene			113		112		70-130			%	04.19.19 14:45	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

Work Order No:

2119


		Hobbs,NM (575-392-7550) Phoenix,AZ (480-355-9900) Atlanta,GA (770-449-8800) Tampa,FL (813-620-2000)		www.xenco.com	Page _____ of _____
Project Manager:	Adrian Baker		Bill to: (if different)	<i>Kyle Linkell</i>	
Company Name:	LT Environmental, Inc., Permian office		Company Name:	XTO	
Address:	3300 North A Street		Address:	3104 E. Greene Street	
City, State ZIP:	Midland, TX 79705		City, State ZIP:	Carlsbad , NM 88220	
Phone:	432.704.5178	Email:	abyers@ltenv.com		

620-2006C)	www.xenco.com	Page _____ of _____
<b>Work Order Comments</b>		
<b>Program:</b> UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RC <input type="checkbox"/> Superfund <input type="checkbox"/>		
<b>State of Project:</b>		
Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> UST/UST <input type="checkbox"/> RRP <input type="checkbox"/> Level IV <input type="checkbox"/>		
Deliverables: EDD <input type="checkbox"/> ADAPT <input type="checkbox"/> Other:		

10/2020 11.29.10 AM

**Notice: Signature or this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions.**

*Received by OCD: 4/16/2020 11:29:10 AM*

Total 200.7 / 6010		200.8 / 6020:		8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se , Circle Method(s) and Metal(s) to be analyzed															
				TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U															
Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.																			
Relinquished by: (Signature)		Received by: (Signature)		Date/Time	Relinquished by: (Signature)		Received by: (Signature)												
<u>Diane Byers</u>		<u></u>		04/17/2019 7:08	<u></u>		<u></u>		4										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		

Ag	SiO <sub>2</sub>	Na	Sr	Ti	Sn	U	V	Zn
1631 / 245.1 / 7470 / 7471 : Hg								

Revised Date 051418 Rev. 2018.1



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 04/19/2019 12:00:00 PM

**Work Order #:** 621719

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**

**Temperature Measuring device used : R8**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

**Checklist completed by:**

  
Brianna Teel

Date: 04/19/2019

**Checklist reviewed by:**

  
Kalei Stout

Date: 04/19/2019

# Analytical Report 640666

for  
LT Environmental, Inc.

**Project Manager: Dan Moir**  
**PLU Big Sinks 25 Federal Battery**  
**2RP-2526**  
**18-NOV-19**

Collected By: Client



**1089 N Canal Street  
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)  
Xenco-Carlsbad (LELAP): Louisiana (05092)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)  
Xenco-Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Tampa: Florida (E87429), North Carolina (483)



18-NOV-19

Project Manager: **Dan Moir**  
**LT Environmental, Inc.**  
 4600 W. 60th Avenue  
 Arvada, CO 80003

Reference: XENCO Report No(s): **640666**  
**PLU Big Sinks 25 Federal Battery**  
 Project Address:

**Dan Moir:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 640666. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 640666 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

---

**Jessica Kramer**  
 Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 640666****LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS09A	S	10-21-19 10:20	7 ft	640666-001
SW12	S	10-21-19 10:50	1 - 3 ft	640666-002



## CASE NARRATIVE

**Client Name:** LT Environmental, Inc.

**Project Name:** PLU Big Sinks 25 Federal Battery

Project ID: 2RP-2526  
Work Order Number(s): 640666

Report Date: 18-NOV-19  
Date Received: 10/22/2019

---

### Sample receipt non conformances and comments:

Per clients email, corrected sample 002 name from SW11 to SW12. NEW VERSION GENERATED JK 11/18/19

---

### Sample receipt non conformances and comments per sample:

None

#### Analytical non conformances and comments:

Batch: LBA-3105173 Chloride by EPA 300

Lab Sample ID 640666-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 640666-001, -002.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3105180 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



## Certificate of Analysis Summary 640666

LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 2RP-2526  
 Contact: Dan Moir  
 Project Location:

Date Received in Lab: Tue Oct-22-19 10:50 am  
 Report Date: 18-NOV-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b> <b>Field Id:</b> <b>Depth:</b> <b>Matrix:</b> <b>Sampled:</b>	640666-001 FS09A 7- ft SOIL Oct-21-19 10:20	640666-002 SW12 1-3 ft SOIL Oct-21-19 10:50				
<b>BTEX by EPA 8021B</b>	<b>Extracted:</b> <b>Analyzed:</b> <b>Units/RL:</b>	Oct-22-19 15:10 Oct-23-19 02:36 mg/kg	Oct-22-19 15:10 Oct-23-19 02:56 RL				
Benzene		<0.000990 0.000990	<0.00100 0.00100				
Toluene		<0.000990 0.000990	<0.00100 0.00100				
Ethylbenzene		<0.000990 0.000990	<0.00100 0.00100				
m,p-Xylenes		<0.00198 0.00198	<0.00200 0.00200				
o-Xylene		<0.000990 0.000990	<0.00100 0.00100				
Total Xylenes		<0.000990 0.000990	<0.00100 0.00100				
Total BTEX		<0.000990 0.000990	<0.00100 0.00100				
<b>Chloride by EPA 300</b>	<b>Extracted:</b> <b>Analyzed:</b> <b>Units/RL:</b>	Oct-22-19 16:10 Oct-22-19 18:43 mg/kg	Oct-22-19 16:10 Oct-22-19 19:02 RL				
Chloride		1210 49.9	695 50.0				
<b>TPH by SW8015 Mod</b>	<b>Extracted:</b> <b>Analyzed:</b> <b>Units/RL:</b>	Oct-22-19 14:10 Oct-22-19 23:22 mg/kg	Oct-22-19 14:10 Oct-22-19 23:22 RL				
Gasoline Range Hydrocarbons (GRO)		<50.3 50.3	<50.2 50.2				
Diesel Range Organics (DRO)		<50.3 50.3	<50.2 50.2				
Motor Oil Range Hydrocarbons (MRO)		<50.3 50.3	<50.2 50.2				
Total GRO-DRO		<50.3 50.3	<50.2 50.2				
Total TPH		<50.3 50.3	<50.2 50.2				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
 Project Assistant



# Certificate of Analytical Results 640666

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **FS09A**

Matrix: Soil

Date Received: 10.22.19 10.50

Lab Sample Id: 640666-001

Date Collected: 10.21.19 10.20

Sample Depth: 7 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 10.22.19 16.10

Basis: Wet Weight

Seq Number: 3105173

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1210	49.9	mg/kg	10.22.19 18.43		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 10.22.19 14.10

Basis: Wet Weight

Seq Number: 3105101

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	10.22.19 23.22	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	10.22.19 23.22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	10.22.19 23.22	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	10.22.19 23.22	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	10.22.19 23.22	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	92	%	70-135	10.22.19 23.22		
o-Terphenyl	84-15-1	90	%	70-135	10.22.19 23.22		



# Certificate of Analytical Results 640666

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **FS09A**

Matrix: **Soil**

Date Received: 10.22.19 10.50

Lab Sample Id: **640666-001**

Date Collected: 10.21.19 10.20

Sample Depth: 7 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **MAB**

% Moisture:

Analyst: **MAB**

Date Prep: **10.22.19 15.10**

Basis: **Wet Weight**

Seq Number: **3105180**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.000990	0.000990	mg/kg	10.23.19 02.36	U	1
Toluene	108-88-3	<0.000990	0.000990	mg/kg	10.23.19 02.36	U	1
Ethylbenzene	100-41-4	<0.000990	0.000990	mg/kg	10.23.19 02.36	U	1
m,p-Xylenes	179601-23-1	<0.00198	0.00198	mg/kg	10.23.19 02.36	U	1
o-Xylene	95-47-6	<0.000990	0.000990	mg/kg	10.23.19 02.36	U	1
Total Xylenes	1330-20-7	<0.000990	0.000990	mg/kg	10.23.19 02.36	U	1
Total BTEX		<0.000990	0.000990	mg/kg	10.23.19 02.36	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	101	%	70-130	10.23.19 02.36	
4-Bromofluorobenzene		460-00-4	108	%	70-130	10.23.19 02.36	



# Certificate of Analytical Results 640666

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW12**  
Lab Sample Id: 640666-002

Matrix: **Soil**  
Date Received: 10.22.19 10.50  
Date Collected: 10.21.19 10.50  
Sample Depth: 1 - 3 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: **MAB**

% Moisture:

Analyst: **MAB**

Date Prep: 10.22.19 16.10

Basis: **Wet Weight**

Seq Number: 3105173

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>695</b>	50.0	mg/kg	10.22.19 19.02		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: **DTH**

% Moisture:

Analyst: **DTH**

Date Prep: 10.22.19 14.10

Basis: **Wet Weight**

Seq Number: 3105101

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	10.22.19 23.22	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	10.22.19 23.22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	10.22.19 23.22	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	10.22.19 23.22	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	10.22.19 23.22	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	85	%	70-135	10.22.19 23.22		
o-Terphenyl	84-15-1	87	%	70-135	10.22.19 23.22		



# Certificate of Analytical Results 640666

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW12**  
Lab Sample Id: 640666-002

Matrix: **Soil**  
Date Collected: 10.21.19 10.50

Date Received: 10.22.19 10.50  
Sample Depth: 1 - 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **MAB**

% Moisture:

Analyst: **MAB**

Date Prep: 10.22.19 15.10

Basis: **Wet Weight**

Seq Number: 3105180

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00100	0.00100	mg/kg	10.23.19 02.56	U	1
Toluene	108-88-3	<0.00100	0.00100	mg/kg	10.23.19 02.56	U	1
Ethylbenzene	100-41-4	<0.00100	0.00100	mg/kg	10.23.19 02.56	U	1
m,p-Xylenes	179601-23-1	<0.00200	0.00200	mg/kg	10.23.19 02.56	U	1
o-Xylene	95-47-6	<0.00100	0.00100	mg/kg	10.23.19 02.56	U	1
Total Xylenes	1330-20-7	<0.00100	0.00100	mg/kg	10.23.19 02.56	U	1
Total BTEX		<0.00100	0.00100	mg/kg	10.23.19 02.56	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	113	%	70-130	10.23.19 02.56	
1,4-Difluorobenzene		540-36-3	104	%	70-130	10.23.19 02.56	



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK** Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS** Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 640666

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method: Chloride by EPA 300**

Seq Number:	3105173	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7688678-1-BLK	LCS Sample Id: 7688678-1-BKS				Date Prep: 10.22.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<10.0	250	270	108	269	108	90-110	0	20
							mg/kg		Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3105173	Matrix: Solid				Prep Method: E300P			
Parent Sample Id:	640664-001	MS Sample Id: 640664-001 S				Date Prep: 10.22.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	24.5	199	247	112	246	111	90-110	0	20
							mg/kg		Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3105173	Matrix: Solid				Prep Method: E300P			
Parent Sample Id:	640666-001	MS Sample Id: 640666-001 S				Date Prep: 10.22.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	1210	996	2490	129	2520	131	90-110	1	20
							mg/kg		Analysis Date
									Flag

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3105101	Matrix: Solid				Prep Method: SW8015P			
MB Sample Id:	7688651-1-BLK	LCS Sample Id: 7688651-1-BKS				Date Prep: 10.22.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	889	89	875	88	70-135	2	35
Diesel Range Organics (DRO)	<50.0	1000	826	83	807	81	70-135	2	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane	77		93		92		70-135	%	10.22.19 22:02
o-Terphenyl	78		88		87		70-135	%	10.22.19 22:02

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3105101	Matrix: Solid				Prep Method: SW8015P			
MB Sample Id:	7688651-1-BLK	MB Sample Id: 7688651-1-BLK				Date Prep: 10.22.19			
<b>Parameter</b>	<b>MB Result</b>						<b>Units</b>	<b>Analysis Date</b>	
Motor Oil Range Hydrocarbons (MRO)	<50.0						mg/kg	10.22.19 22:02	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 640666

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** TPH by SW8015 Mod

Seq Number:	3105101	Matrix: Soil				Prep Method: SW8015P			
Parent Sample Id:	640662-011	MS Sample Id: 640662-011 S				Date Prep: 10.22.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Gasoline Range Hydrocarbons (GRO)	<50.2	1000	832	83	790	79	70-135	5	35
Diesel Range Organics (DRO)	18.0	1000	726	71	713	70	70-135	2	35
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1-Chlorooctane			114		99		70-135	%	10.22.19 22:42
o-Terphenyl			97		96		70-135	%	10.22.19 22:42

**Analytical Method:** BTEX by EPA 8021B

Seq Number:	3105180	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7688753-1-BLK	LCS Sample Id: 7688753-1-BKS				Date Prep: 10.22.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00100	0.100	0.0927	93	0.0921	92	70-130	1	35
Toluene	<0.00100	0.100	0.0898	90	0.0891	89	70-130	1	35
Ethylbenzene	<0.00100	0.100	0.0923	92	0.0913	91	71-129	1	35
m,p-Xylenes	<0.00200	0.200	0.185	93	0.183	92	70-135	1	35
o-Xylene	<0.00100	0.100	0.0922	92	0.0922	92	71-133	0	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	100		101		102		70-130	%	10.22.19 17:03
4-Bromofluorobenzene	107		104		108		70-130	%	10.22.19 17:03

**Analytical Method:** BTEX by EPA 8021B

Seq Number:	3105180	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	640664-001	MS Sample Id: 640664-001 S				Date Prep: 10.22.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.000990	0.0990	0.0949	96	0.0951	95	70-130	0	35
Toluene	<0.000990	0.0990	0.0912	92	0.0897	90	70-130	2	35
Ethylbenzene	<0.000990	0.0990	0.0931	94	0.0905	91	71-129	3	35
m,p-Xylenes	<0.00198	0.198	0.187	94	0.181	91	70-135	3	35
o-Xylene	<0.000990	0.0990	0.0939	95	0.0915	92	71-133	3	35
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene			105		105		70-130	%	10.22.19 17:44
4-Bromofluorobenzene			110		111		70-130	%	10.22.19 17:44

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

Work Order No: 1400000000

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
 Midland, TX (432)-704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1286  
 Hobbs, NM (575)-392-7550 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000

[www.xenco.com](http://www.xenco.com)

Page 1 of 1

Project Manager:		Dan Moir	Bill to: (if different)		Kyle Littrell	
Company Name:		LT Environmental, Inc., Permian office	Company Name:		XTO Energy	
Address:		3300 North A Street	Address:		3104 East Green Street	
City, State ZIP:		Midland, TX 79705	City, State ZIP:		Carlsbad, NM 88220	
Phone:		(432) 236-3849	Email:		slo@ltenv.com, dmoir@ltenv.com	
ANALYSIS REQUEST						
Project Name:	PLU 83 Sinks 25ft below Bottom		Turn Around			
Project Number:	L2P-1526		Routine			
P.O. Number:			Rush:			
Sampler's Name:	Spencer Lo		Due Date:			
SAMPLE RECEIPT	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Wet Ice:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Temperature (°C):	1.0					
Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	N/A	Correction Factor:	-0.2		
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	N/A	Total Containers:	2		
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	
					TPH (EPA 8015)	BTEX (EPA 0=8021)
					Chloride (EPA 300.0)	
Work Order Notes						

Work Order Comments					
Program: UST/PST	<input type="checkbox"/> PRP	<input type="checkbox"/> Brownfields	<input type="checkbox"/> RRC	<input type="checkbox"/> Superfund	<input type="checkbox"/>
State of Project:					
Reporting Level II	<input type="checkbox"/> Level III	<input type="checkbox"/> STU/ST	<input type="checkbox"/> RRP	<input type="checkbox"/> Level IV	<input type="checkbox"/>
Deliverables: EDD	<input type="checkbox"/>	ADaPT	<input type="checkbox"/>	Other:	

*[Handwritten notes and signatures over the grid]*

Received by OCD: 4/16/2020 11:29:10 AM

**Total 200.7 / 6010 200.8 / 6020:** 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
 Circle Method(s) and Metal(s) to be analyzed **TCLP / SPLP 6010:** 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U **1631 / 245.1 / 7470 / 7471 : Hg**

**Note:** Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>Ben Lo</i>	<i>Anne Byers</i>	10/21/19 10:05	<i>John Coots</i>	<i>John Coots</i>	10/22/19 10:50
		2			4
		6			



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 10/22/2019 10:50:00 AM

**Work Order #:** 640666

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : T-NM-007**


Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6* Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	Yes
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:


PH Device/Lot#:

**Checklist completed by:**

  
 Elizabeth McClellan

Date: 10/22/2019

**Checklist reviewed by:**

  
 Jessica Kramer

Date: 10/22/2019

# Analytical Report 640781

for  
LT Environmental, Inc.

**Project Manager: Dan Moir**  
**PLU Big Sinks 25 Federal Battery**  
**2RP-4398**  
**28-OCT-19**

Collected By: Client



**1089 N Canal Street  
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142), North Carolina (681)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)  
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Tampa: Florida (E87429), North Carolina (483)



28-OCT-19

Project Manager: **Dan Moir**  
**LT Environmental, Inc.**  
 4600 W. 60th Avenue  
 Arvada, CO 80003

Reference: XENCO Report No(s): **640781**  
**PLU Big Sinks 25 Federal Battery**  
 Project Address:

**Dan Moir:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 640781. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 640781 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Jessica Kramer".

---

**Jessica Kramer**  
 Project Assistant

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# Sample Cross Reference 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

<b>Sample Id</b>	<b>Matrix</b>	<b>Date Collected</b>	<b>Sample Depth</b>	<b>Lab Sample Id</b>
PH01	S	10-22-19 13:35	1 ft	640781-001
PH01A	S	10-22-19 13:40	2 ft	640781-002
PH01B	S	10-22-19 13:45	3 ft	640781-003
PH01C	S	10-22-19 13:50	4 ft	640781-004
PH01D	S	10-22-19 13:55	5 ft	640781-005
PH02	S	10-22-19 14:10	1 ft	640781-006
PH02A	S	10-22-19 14:15	2 ft	640781-007
PH02B	S	10-22-19 14:20	3 ft	640781-008
PH02C	S	10-22-19 14:25	4 ft	640781-009
PH02D	S	10-22-19 14:30	5 ft	640781-010
BH01	S	10-22-19 16:20	1 ft	640781-011
BH01A	S	10-22-19 16:25	2 ft	640781-012
BH01B	S	10-22-19 16:30	3 ft	640781-013
BH01C	S	10-22-19 16:35	4 ft	640781-014
BH01D	S	10-22-19 16:40	5 ft	640781-015
FS01	S	10-22-19 12:40	5 ft	640781-016
FS02	S	10-22-19 12:45	5 ft	640781-017
SW03	S	10-22-19 12:50	1 - 5 ft	640781-018
SW01	S	10-22-19 12:55	1 - 5 ft	640781-019
SW02	S	10-22-19 13:00	1 - 5 ft	640781-020
SW04	S	10-22-19 13:05	1 - 5 ft	640781-021



## CASE NARRATIVE

**Client Name: LT Environmental, Inc.**

**Project Name: PLU Big Sinks 25 Federal Battery**

Project ID: 2RP-4398  
Work Order Number(s): 640781

Report Date: 28-OCT-19  
Date Received: 10/23/2019

---

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3105377 Chloride by EPA 300

Lab Sample ID 640781-020 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 640781-009, -010, -011, -012, -013, -014, -015, -016, -017, -018, -019, -020, -021.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3105530 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3105532 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



# Certificate of Analysis Summary 640781

LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 2RP-4398  
 Contact: Dan Moir  
 Project Location:

Date Received in Lab: Wed Oct-23-19 09:12 am  
 Report Date: 28-OCT-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b>	640781-001	640781-002	640781-003	640781-004	640781-005	640781-006
	<b>Field Id:</b>	PH01	PH01A	PH01B	PH01C	PH01D	PH02
	<b>Depth:</b>	1- ft	2- ft	3- ft	4- ft	5- ft	1- ft
	<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<b>Sampled:</b>	Oct-22-19 13:35	Oct-22-19 13:40	Oct-22-19 13:45	Oct-22-19 13:50	Oct-22-19 13:55	Oct-22-19 14:10
<b>BTEX by EPA 8021B</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-27-19 10:30					
	<b>Analyzed:</b>	Oct-27-19 14:02	Oct-27-19 14:23	Oct-27-19 14:43	Oct-27-19 15:03	Oct-27-19 15:23	Oct-27-19 15:43
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Toluene		<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Ethylbenzene		<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
m,p-Xylenes		<0.00402	0.00402	<0.00398	0.00398	<0.00401	0.00401
o-Xylene		<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Total Xylenes		<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
Total BTEX		<0.00201	0.00201	<0.00199	0.00199	<0.00200	0.00200
<b>Chloride by EPA 300</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 14:00					
	<b>Analyzed:</b>	Oct-24-19 20:01	Oct-24-19 20:16	Oct-24-19 20:21	Oct-24-19 20:26	Oct-24-19 20:31	Oct-24-19 20:36
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		<4.97	4.97	<4.97	4.97	<5.01	5.01
<b>TPH by SW8015 Mod</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 11:00					
	<b>Analyzed:</b>	Oct-24-19 13:13	Oct-24-19 14:16	Oct-24-19 14:37	Oct-24-19 14:58	Oct-24-19 15:32	Oct-24-19 15:53
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<49.9	49.9	<50.0	50.0	<50.0	50.0
Diesel Range Organics (DRO)		<49.9	49.9	<50.0	50.0	<49.9	49.9
Motor Oil Range Hydrocarbons (MRO)		<49.9	49.9	<50.0	50.0	<49.9	49.9
Total GRO-DRO		<49.9	49.9	<50.0	50.0	<49.9	49.9
Total TPH		<49.9	49.9	<50.0	50.0	<49.9	49.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
Project Assistant



# Certificate of Analysis Summary 640781

LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 2RP-4398  
 Contact: Dan Moir  
 Project Location:

Date Received in Lab: Wed Oct-23-19 09:12 am  
 Report Date: 28-OCT-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b>	640781-007	640781-008	640781-009	640781-010	640781-011	640781-012
	<b>Field Id:</b>	PH02A	PH02B	PH02C	PH02D	BH01	BH01A
	<b>Depth:</b>	2- ft	3- ft	4- ft	5- ft	1- ft	2- ft
	<b>Matrix:</b>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<b>Sampled:</b>	Oct-22-19 14:15	Oct-22-19 14:20	Oct-22-19 14:25	Oct-22-19 14:30	Oct-22-19 16:20	Oct-22-19 16:25
<b>BTEX by EPA 8021B</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-27-19 10:30					
	<b>Analyzed:</b>	Oct-27-19 16:03	Oct-27-19 16:23	Oct-27-19 16:43	Oct-27-19 17:03	Oct-27-19 18:22	Oct-27-19 18:42
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Benzene		<0.00198	0.00198	<0.00199	0.00199	<0.00200	0.00200
Toluene		<0.00198	0.00198	<0.00199	0.00199	<0.00200	0.00200
Ethylbenzene		<0.00198	0.00198	<0.00199	0.00199	<0.00202	0.00202
m,p-Xylenes		<0.00397	0.00397	<0.00398	0.00398	<0.00404	0.00404
o-Xylene		<0.00198	0.00198	<0.00199	0.00199	<0.00202	0.00202
Total Xylenes		<0.00198	0.00198	<0.00199	0.00199	<0.00202	0.00202
Total BTEX		<0.00198	0.00198	<0.00199	0.00199	<0.00202	0.00202
<b>Chloride by EPA 300</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 14:00	Oct-24-19 14:00	Oct-24-19 14:30	Oct-24-19 14:30	Oct-24-19 14:30	Oct-24-19 14:30
	<b>Analyzed:</b>	Oct-24-19 20:41	Oct-24-19 20:46	Oct-24-19 21:16	Oct-24-19 21:31	Oct-24-19 21:36	Oct-24-19 21:41
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		5.08	4.96	<5.04	5.04	23.4	5.00
<b>TPH by SW8015 Mod</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 11:00					
	<b>Analyzed:</b>	Oct-24-19 16:14	Oct-24-19 16:35	Oct-24-19 16:56	Oct-24-19 17:16	Oct-24-19 17:58	Oct-24-19 18:19
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<50.0	50.0	<50.0	50.0	<49.9	49.9
Diesel Range Organics (DRO)		<50.0	50.0	<50.0	50.0	<49.9	49.9
Motor Oil Range Hydrocarbons (MRO)		<50.0	50.0	<50.0	50.0	<49.9	49.9
Total GRO-DRO		<50.0	50.0	<50.0	50.0	<49.9	49.9
Total TPH		<50.0	50.0	<50.0	50.0	<49.9	49.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
 Project Assistant



## Certificate of Analysis Summary 640781

LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 2RP-4398  
 Contact: Dan Moir  
 Project Location:

Date Received in Lab: Wed Oct-23-19 09:12 am  
 Report Date: 28-OCT-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b>	640781-013	640781-014	640781-015	640781-016	640781-017	640781-018					
<b>BTEX by EPA 8021B SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-27-19 10:30										
	<b>Analyzed:</b>	Oct-27-19 19:02	Oct-27-19 19:22	Oct-27-19 19:42	Oct-27-19 20:02	Oct-27-19 20:23	Oct-27-19 20:43					
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Benzene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00200	0.00200	<0.00199	0.00199		
Toluene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00198	0.00198	<0.00200	0.00200	<0.00199	0.00199
Ethylbenzene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00198	0.00198	<0.00200	0.00200	<0.00199	0.00199
m,p-Xylenes	<0.00403	0.00403	<0.00398	0.00398	<0.00402	0.00402	<0.00396	0.00396	<0.00400	0.00400	<0.00398	0.00398
o-Xylene	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00198	0.00198	<0.00200	0.00200	<0.00199	0.00199
Total Xylenes	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00198	0.00198	<0.00200	0.00200	<0.00199	0.00199
Total BTEX	<0.00202	0.00202	<0.00199	0.00199	<0.00201	0.00201	<0.00198	0.00198	<0.00200	0.00200	<0.00199	0.00199
<b>Chloride by EPA 300 SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 14:30										
	<b>Analyzed:</b>	Oct-24-19 21:46	Oct-24-19 22:01	Oct-24-19 22:06	Oct-24-19 22:11	Oct-24-19 22:16	Oct-24-19 22:21					
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Chloride	62.3	4.99	40.3	5.02	18.1	4.97	96.6	4.95	1000	4.95	1030	4.95
<b>TPH by SW8015 Mod SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 11:00										
	<b>Analyzed:</b>	Oct-24-19 18:41	Oct-24-19 19:02	Oct-24-19 19:22	Oct-24-19 19:43	Oct-24-19 20:04	Oct-24-19 20:25					
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL					
Gasoline Range Hydrocarbons (GRO)	<50.0	50.0	<49.9	49.9	<50.0	50.0	<49.8	49.8	<50.0	50.0	<49.9	49.9
Diesel Range Organics (DRO)	<50.0	50.0	<49.9	49.9	<50.0	50.0	<49.8	49.8	<50.0	50.0	<49.9	49.9
Motor Oil Range Hydrocarbons (MRO)	<50.0	50.0	<49.9	49.9	<50.0	50.0	<49.8	49.8	<50.0	50.0	<49.9	49.9
Total GRO-DRO	<50.0	50.0	<49.9	49.9	<50.0	50.0	<49.8	49.8	<50.0	50.0	<49.9	49.9
Total TPH	<50.0	50.0	<49.9	49.9	<50.0	50.0	<49.8	49.8	<50.0	50.0	<49.9	49.9

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
 Project Assistant



# Certificate of Analysis Summary 640781

LT Environmental, Inc., Arvada, CO

Project Name: PLU Big Sinks 25 Federal Battery

Project Id: 2RP-4398  
 Contact: Dan Moir  
 Project Location:

Date Received in Lab: Wed Oct-23-19 09:12 am  
 Report Date: 28-OCT-19  
 Project Manager: Jessica Kramer

<b>Analysis Requested</b>	<b>Lab Id:</b>	640781-019	640781-020	640781-021			
	<b>Field Id:</b>	SW01	SW02	SW04			
	<b>Depth:</b>	1-5 ft	1-5 ft	1-5 ft			
	<b>Matrix:</b>	SOIL	SOIL	SOIL			
	<b>Sampled:</b>	Oct-22-19 12:55	Oct-22-19 13:00	Oct-22-19 13:05			
<b>BTEX by EPA 8021B</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-27-19 10:30	Oct-27-19 10:30	Oct-27-19 11:00			
	<b>Analyzed:</b>	Oct-27-19 21:03	Oct-27-19 21:23	Oct-28-19 00:41			
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL		
Benzene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
Toluene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
Ethylbenzene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
m,p-Xylenes		<0.00400	0.00400	<0.00402	0.00402	<0.00398	0.00398
o-Xylene		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
Total Xylenes		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
Total BTEX		<0.00200	0.00200	<0.00201	0.00201	<0.00199	0.00199
<b>Chloride by EPA 300</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 14:30	Oct-24-19 14:30	Oct-24-19 14:30			
	<b>Analyzed:</b>	Oct-24-19 22:41	Oct-24-19 22:26	Oct-24-19 22:46			
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		4430	25.2	633	4.99	572	4.98
<b>TPH by SW8015 Mod</b> <b>SUB: T104704400-19-19</b>	<b>Extracted:</b>	Oct-24-19 11:00	Oct-24-19 11:00	Oct-24-19 11:00			
	<b>Analyzed:</b>	Oct-24-19 20:46	Oct-24-19 21:07	Oct-24-19 20:46			
	<b>Units/RL:</b>	mg/kg	RL	mg/kg	RL	mg/kg	RL
Gasoline Range Hydrocarbons (GRO)		<50.0	50.0	<49.9	49.9	<50.0	50.0
Diesel Range Organics (DRO)		<50.0	50.0	<49.9	49.9	<50.0	50.0
Motor Oil Range Hydrocarbons (MRO)		<50.0	50.0	<49.9	49.9	<50.0	50.0
Total GRO-DRO		<50.0	50.0	<49.9	49.9	<50.0	50.0
Total TPH		<50.0	50.0	<49.9	49.9	<50.0	50.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.  
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.  
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.

Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.%

Jessica Kramer  
 Project Assistant



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01**  
Lab Sample Id: 640781-001

Matrix: Soil  
Date Received: 10.23.19 09.12  
Date Collected: 10.22.19 13.35  
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3105376

% Moisture:  
Basis: Wet Weight  
SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.97	4.97	mg/kg	10.24.19 20.01	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM  
Analyst: ARM  
Seq Number: 3105463

% Moisture:  
Basis: Wet Weight  
SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 13.13	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 13.13	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 13.13	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 13.13	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 13.13	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	10.24.19 13.13		
o-Terphenyl	84-15-1	103	%	70-135	10.24.19 13.13		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01**  
Lab Sample Id: 640781-001

Matrix: Soil  
Date Collected: 10.22.19 13.35

Date Received: 10.23.19 09.12  
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	10.27.19 14.02	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	10.27.19 14.02	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	10.27.19 14.02	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	10.27.19 14.02	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	10.27.19 14.02	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	10.27.19 14.02	U	1
Total BTEX		<0.00201	0.00201	mg/kg	10.27.19 14.02	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	95	%	70-130	10.27.19 14.02	
1,4-Difluorobenzene		540-36-3	98	%	70-130	10.27.19 14.02	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01A**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-002

Date Collected: 10.22.19 13.40

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.00

Basis: Wet Weight

Seq Number: 3105376

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.97	4.97	mg/kg	10.24.19 20.16	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 14.16	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 14.16	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 14.16	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 14.16	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 14.16	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	10.24.19 14.16		
o-Terphenyl	84-15-1	101	%	70-135	10.24.19 14.16		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01A**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-002

Date Collected: 10.22.19 13.40

Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.27.19 14.23	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.27.19 14.23	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.27.19 14.23	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.27.19 14.23	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.27.19 14.23	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.27.19 14.23	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.27.19 14.23	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	101	%	70-130	10.27.19 14.23	
4-Bromofluorobenzene		460-00-4	98	%	70-130	10.27.19 14.23	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01B**  
Lab Sample Id: 640781-003

Matrix: Soil  
Date Collected: 10.22.19 13.45

Date Received: 10.23.19 09.12  
Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.00

Basis: Wet Weight

Seq Number: 3105376

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<5.01	5.01	mg/kg	10.24.19 20.21	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 14.37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 14.37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 14.37	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 14.37	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 14.37	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	10.24.19 14.37		
o-Terphenyl	84-15-1	100	%	70-135	10.24.19 14.37		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01B**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-003

Date Collected: 10.22.19 13.45

Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.27.19 14.43	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.27.19 14.43	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.27.19 14.43	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	10.27.19 14.43	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.27.19 14.43	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.27.19 14.43	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.27.19 14.43	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	102	%	70-130	10.27.19 14.43	
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 14.43	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01C**  
Lab Sample Id: 640781-004

Matrix: Soil  
Date Received: 10.23.19 09.12  
Date Collected: 10.22.19 13.50  
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.00

Basis: Wet Weight

Seq Number: 3105376

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>8.30</b>	5.00	mg/kg	10.24.19 20.26		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 14.58	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 14.58	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 14.58	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 14.58	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 14.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	99	%	70-135	10.24.19 14.58		
o-Terphenyl	84-15-1	104	%	70-135	10.24.19 14.58		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01C**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-004

Date Collected: 10.22.19 13.50

Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	10.27.19 15.03	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	10.27.19 15.03	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	10.27.19 15.03	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	10.27.19 15.03	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	10.27.19 15.03	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	10.27.19 15.03	U	1
Total BTEX		<0.00202	0.00202	mg/kg	10.27.19 15.03	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	112	%	70-130	10.27.19 15.03	
1,4-Difluorobenzene		540-36-3	97	%	70-130	10.27.19 15.03	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01D**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-005

Date Collected: 10.22.19 13.55

Sample Depth: 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.00

Basis: Wet Weight

Seq Number: 3105376

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7.72	5.00	mg/kg	10.24.19 20.31		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 15.32	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 15.32	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 15.32	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 15.32	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 15.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	10.24.19 15.32		
o-Terphenyl	84-15-1	103	%	70-135	10.24.19 15.32		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH01D**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-005

Date Collected: 10.22.19 13.55

Sample Depth: 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.27.19 15.23	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.27.19 15.23	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.27.19 15.23	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	10.27.19 15.23	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.27.19 15.23	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.27.19 15.23	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.27.19 15.23	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 15.23	
4-Bromofluorobenzene		460-00-4	104	%	70-130	10.27.19 15.23	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02**

Lab Sample Id: 640781-006

Matrix: Soil

Date Received: 10.23.19 09.12

Date Collected: 10.22.19 14.10

Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.00

Basis: Wet Weight

Seq Number: 3105376

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.99	4.99	mg/kg	10.24.19 20.36	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 15.53	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 15.53	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 15.53	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 15.53	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 15.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	94	%	70-135	10.24.19 15.53		
o-Terphenyl	84-15-1	99	%	70-135	10.24.19 15.53		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-006

Date Collected: 10.22.19 14.10

Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.27.19 15.43	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.27.19 15.43	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.27.19 15.43	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	10.27.19 15.43	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.27.19 15.43	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.27.19 15.43	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.27.19 15.43	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	110	%	70-130	10.27.19 15.43	
1,4-Difluorobenzene		540-36-3	102	%	70-130	10.27.19 15.43	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02A**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-007

Date Collected: 10.22.19 14.15

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.00

Basis: Wet Weight

Seq Number: 3105376

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>5.08</b>	4.96	mg/kg	10.24.19 20.41		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 16.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 16.14	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 16.14	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 16.14	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 16.14	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	10.24.19 16.14		
o-Terphenyl	84-15-1	100	%	70-135	10.24.19 16.14		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02A**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-007

Date Collected: 10.22.19 14.15

Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	10.27.19 16.03	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	10.27.19 16.03	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	10.27.19 16.03	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	10.27.19 16.03	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	10.27.19 16.03	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	10.27.19 16.03	U	1
Total BTEX		<0.00198	0.00198	mg/kg	10.27.19 16.03	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	104	%	70-130	10.27.19 16.03	
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 16.03	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02B**  
Lab Sample Id: 640781-008

Matrix: Soil  
Date Collected: 10.22.19 14.20

Date Received: 10.23.19 09.12  
Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.00

Basis: Wet Weight

Seq Number: 3105376

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<5.04	5.04	mg/kg	10.24.19 20.46	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 16.35	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 16.35	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 16.35	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 16.35	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 16.35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	95	%	70-135	10.24.19 16.35		
o-Terphenyl	84-15-1	102	%	70-135	10.24.19 16.35		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02B**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-008

Date Collected: 10.22.19 14.20

Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.27.19 16.23	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.27.19 16.23	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.27.19 16.23	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.27.19 16.23	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.27.19 16.23	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.27.19 16.23	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.27.19 16.23	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	101	%	70-130	10.27.19 16.23	
1,4-Difluorobenzene		540-36-3	100	%	70-130	10.27.19 16.23	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02C**  
Lab Sample Id: 640781-009

Matrix: Soil  
Date Collected: 10.22.19 14.25

Date Received: 10.23.19 09.12  
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	23.4	5.00	mg/kg	10.24.19 21.16		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 16.56	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 16.56	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 16.56	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 16.56	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 16.56	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	10.24.19 16.56		
o-Terphenyl	84-15-1	102	%	70-135	10.24.19 16.56		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02C**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-009

Date Collected: 10.22.19 14.25

Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	10.27.19 16.43	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	10.27.19 16.43	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	10.27.19 16.43	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	10.27.19 16.43	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	10.27.19 16.43	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	10.27.19 16.43	U	1
Total BTEX		<0.00202	0.00202	mg/kg	10.27.19 16.43	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	98	%	70-130	10.27.19 16.43	
4-Bromofluorobenzene		460-00-4	106	%	70-130	10.27.19 16.43	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02D**

Lab Sample Id: 640781-010

Matrix: Soil

Date Received: 10.23.19 09.12

Date Collected: 10.22.19 14.30

Sample Depth: 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>29.4</b>	5.03	mg/kg	10.24.19 21.31		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	10.24.19 17.16	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	10.24.19 17.16	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	10.24.19 17.16	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	10.24.19 17.16	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	10.24.19 17.16	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	96	%	70-135	10.24.19 17.16		
o-Terphenyl	84-15-1	101	%	70-135	10.24.19 17.16		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **PH02D**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-010

Date Collected: 10.22.19 14.30

Sample Depth: 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.27.19 17.03	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.27.19 17.03	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.27.19 17.03	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	10.27.19 17.03	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.27.19 17.03	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.27.19 17.03	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.27.19 17.03	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	98	%	70-130	10.27.19 17.03	
1,4-Difluorobenzene		540-36-3	101	%	70-130	10.27.19 17.03	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-011

Date Collected: 10.22.19 16.20

Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<5.05	5.05	mg/kg	10.24.19 21.36	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 17.58	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 17.58	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 17.58	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 17.58	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 17.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	100	%	70-135	10.24.19 17.58		
o-Terphenyl	84-15-1	104	%	70-135	10.24.19 17.58		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-011

Date Collected: 10.22.19 16.20

Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.27.19 18.22	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.27.19 18.22	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.27.19 18.22	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.27.19 18.22	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.27.19 18.22	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.27.19 18.22	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.27.19 18.22	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	95	%	70-130	10.27.19 18.22	
1,4-Difluorobenzene		540-36-3	97	%	70-130	10.27.19 18.22	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01A**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-012

Date Collected: 10.22.19 16.25

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<5.00	5.00	mg/kg	10.24.19 21.41	U	1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 18.19	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 18.19	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 18.19	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 18.19	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 18.19	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	10.24.19 18.19		
o-Terphenyl	84-15-1	101	%	70-135	10.24.19 18.19		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01A**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-012

Date Collected: 10.22.19 16.25

Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.27.19 18.42	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.27.19 18.42	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.27.19 18.42	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.27.19 18.42	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.27.19 18.42	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.27.19 18.42	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.27.19 18.42	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	101	%	70-130	10.27.19 18.42	
1,4-Difluorobenzene		540-36-3	96	%	70-130	10.27.19 18.42	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01B**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-013

Date Collected: 10.22.19 16.30

Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	62.3	4.99	mg/kg	10.24.19 21.46		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 18.41	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 18.41	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 18.41	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 18.41	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 18.41	U	1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99		%	70-135	10.24.19 18.41	
o-Terphenyl	84-15-1	105		%	70-135	10.24.19 18.41	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01B**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-013

Date Collected: 10.22.19 16.30

Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	10.27.19 19.02	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	10.27.19 19.02	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	10.27.19 19.02	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	10.27.19 19.02	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	10.27.19 19.02	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	10.27.19 19.02	U	1
Total BTEX		<0.00202	0.00202	mg/kg	10.27.19 19.02	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 19.02	
4-Bromofluorobenzene		460-00-4	105	%	70-130	10.27.19 19.02	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01C**  
Lab Sample Id: 640781-014

Matrix: Soil  
Date Collected: 10.22.19 16.35

Date Received: 10.23.19 09.12  
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	40.3	5.02	mg/kg	10.24.19 22.01		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 19.02	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 19.02	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 19.02	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 19.02	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 19.02	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	99	%	70-135	10.24.19 19.02		
o-Terphenyl	84-15-1	103	%	70-135	10.24.19 19.02		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01C**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-014

Date Collected: 10.22.19 16.35

Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.27.19 19.22	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.27.19 19.22	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.27.19 19.22	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.27.19 19.22	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.27.19 19.22	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.27.19 19.22	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.27.19 19.22	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 19.22	
4-Bromofluorobenzene		460-00-4	107	%	70-130	10.27.19 19.22	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01D**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-015

Date Collected: 10.22.19 16.40

Sample Depth: 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>18.1</b>	4.97	mg/kg	10.24.19 22.06		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 19.22	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 19.22	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 19.22	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 19.22	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 19.22	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	99	%	70-135	10.24.19 19.22		
o-Terphenyl	84-15-1	105	%	70-135	10.24.19 19.22		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **BH01D**

Matrix: Soil

Date Received: 10.23.19 09.12

Lab Sample Id: 640781-015

Date Collected: 10.22.19 16.40

Sample Depth: 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	10.27.19 19.42	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	10.27.19 19.42	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	10.27.19 19.42	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	10.27.19 19.42	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	10.27.19 19.42	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	10.27.19 19.42	U	1
Total BTEX		<0.00201	0.00201	mg/kg	10.27.19 19.42	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	98	%	70-130	10.27.19 19.42	
4-Bromofluorobenzene		460-00-4	108	%	70-130	10.27.19 19.42	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **FS01**  
Lab Sample Id: 640781-016

Matrix: Soil  
Date Collected: 10.22.19 12.40

Date Received: 10.23.19 09.12  
Sample Depth: 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>96.6</b>	4.95	mg/kg	10.24.19 22.11		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	10.24.19 19.43	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	10.24.19 19.43	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	10.24.19 19.43	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	10.24.19 19.43	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	10.24.19 19.43	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	102	%	70-135	10.24.19 19.43		
o-Terphenyl	84-15-1	107	%	70-135	10.24.19 19.43		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **FS01**  
Lab Sample Id: 640781-016

Matrix: Soil  
Date Collected: 10.22.19 12.40

Date Received: 10.23.19 09.12  
Sample Depth: 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 10.27.19 10.30

Basis: Wet Weight

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	10.27.19 20.02	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	10.27.19 20.02	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	10.27.19 20.02	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	10.27.19 20.02	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	10.27.19 20.02	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	10.27.19 20.02	U	1
Total BTEX		<0.00198	0.00198	mg/kg	10.27.19 20.02	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	108	%	70-130	10.27.19 20.02	
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 20.02	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **FS02**  
Lab Sample Id: 640781-017

Matrix: Soil  
Date Received: 10.23.19 09.12  
Date Collected: 10.22.19 12.45  
Sample Depth: 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30  
Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1000	4.95	mg/kg	10.24.19 22.16		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00  
Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 20.04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 20.04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 20.04	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 20.04	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 20.04	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	99	%	70-135	10.24.19 20.04		
o-Terphenyl	84-15-1	104	%	70-135	10.24.19 20.04		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **FS02**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: **640781-017**

Date Collected: 10.22.19 12.45

Sample Depth: 5 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: **10.27.19 10.30**

Basis: **Wet Weight**

Seq Number: **3105530**

SUB: **T104704400-19-19**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.27.19 20.23	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.27.19 20.23	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.27.19 20.23	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	10.27.19 20.23	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.27.19 20.23	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.27.19 20.23	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.27.19 20.23	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 20.23	
4-Bromofluorobenzene		460-00-4	105	%	70-130	10.27.19 20.23	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **SW03**

Lab Sample Id: 640781-018

Matrix: Soil

Date Received: 10.23.19 09.12

Date Collected: 10.22.19 12.50

Sample Depth: 1 - 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1030	4.95	mg/kg	10.24.19 22.21		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 20.25	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 20.25	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 20.25	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 20.25	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 20.25	U	1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99		%	70-135	10.24.19 20.25	
o-Terphenyl	84-15-1	104		%	70-135	10.24.19 20.25	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW03**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: **640781-018**

Date Collected: 10.22.19 12.50

Sample Depth: 1 - 5 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: **10.27.19 10.30**

Basis: **Wet Weight**

Seq Number: **3105530**

SUB: **T104704400-19-19**

<b>Parameter</b>	<b>Cas Number</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Analysis Date</b>	<b>Flag</b>	<b>Dil</b>
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.27.19 20.43	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.27.19 20.43	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.27.19 20.43	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.27.19 20.43	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.27.19 20.43	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.27.19 20.43	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.27.19 20.43	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	106	%	70-130	10.27.19 20.43	
1,4-Difluorobenzene		540-36-3	98	%	70-130	10.27.19 20.43	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW01**  
Lab Sample Id: 640781-019

Matrix: Soil  
Date Received: 10.23.19 09.12  
Date Collected: 10.22.19 12.55  
Sample Depth: 1 - 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 10.24.19 14.30

Basis: Wet Weight

Seq Number: 3105377

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<b>4430</b>	25.2	mg/kg	10.24.19 22.41		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 10.24.19 11.00

Basis: Wet Weight

Seq Number: 3105463

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	101	%	70-135	10.24.19 20.46		
o-Terphenyl	84-15-1	105	%	70-135	10.24.19 20.46		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW01**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: **640781-019**

Date Collected: 10.22.19 12.55

Sample Depth: 1 - 5 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: **10.27.19 10.30**

Basis: **Wet Weight**

Seq Number: **3105530**

SUB: **T104704400-19-19**

<b>Parameter</b>	<b>Cas Number</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>	<b>Analysis Date</b>	<b>Flag</b>	<b>Dil</b>
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.27.19 21.03	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.27.19 21.03	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.27.19 21.03	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	10.27.19 21.03	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.27.19 21.03	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.27.19 21.03	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.27.19 21.03	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
4-Bromofluorobenzene		460-00-4	103	%	70-130	10.27.19 21.03	
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 21.03	



# Certificate of Analytical Results 640781

## LT Environmental, Inc., Arvada, CO

PLU Big Sinks 25 Federal Battery

Sample Id: **SW02**  
Lab Sample Id: 640781-020

Matrix: Soil  
Date Received: 10.23.19 09.12  
Date Collected: 10.22.19 13.00  
Sample Depth: 1 - 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE  
Analyst: CHE  
Seq Number: 3105377

% Moisture:  
Basis: Wet Weight  
SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	633	4.99	mg/kg	10.24.19 22.26		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM  
Analyst: ARM  
Seq Number: 3105463

% Moisture:  
Basis: Wet Weight  
SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.24.19 21.07	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.24.19 21.07	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.24.19 21.07	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.24.19 21.07	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.24.19 21.07	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	100	%	70-135	10.24.19 21.07		
o-Terphenyl	84-15-1	102	%	70-135	10.24.19 21.07		



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW02**

Lab Sample Id: 640781-020

Matrix: **Soil**

Date Received: 10.23.19 09.12

Date Collected: 10.22.19 13.00

Sample Depth: 1 - 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: 10.27.19 10.30

Basis: **Wet Weight**

Seq Number: 3105530

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	10.27.19 21.23	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	10.27.19 21.23	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	10.27.19 21.23	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	10.27.19 21.23	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	10.27.19 21.23	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	10.27.19 21.23	U	1
Total BTEX		<0.00201	0.00201	mg/kg	10.27.19 21.23	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.27.19 21.23	
4-Bromofluorobenzene		460-00-4	105	%	70-130	10.27.19 21.23	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW04**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: **640781-021**

Date Collected: 10.22.19 13.05

Sample Depth: 1 - 5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: **CHE**

% Moisture:

Analyst: **CHE**

Date Prep: 10.24.19 14.30

Basis: **Wet Weight**

Seq Number: **3105377**

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
<b>Chloride</b>	16887-00-6	<b>572</b>	4.98	mg/kg	10.24.19 22.46		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: **DVM**

% Moisture:

Analyst: **ARM**

Date Prep: 10.24.19 11.00

Basis: **Wet Weight**

Seq Number: **3105466**

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.24.19 20.46	U	1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	81		%	70-135	10.24.19 20.46	
o-Terphenyl	84-15-1	82		%	70-135	10.24.19 20.46	



# Certificate of Analytical Results 640781

**LT Environmental, Inc., Arvada, CO**

PLU Big Sinks 25 Federal Battery

Sample Id: **SW04**

Matrix: **Soil**

Date Received: 10.23.19 09.12

Lab Sample Id: **640781-021**

Date Collected: 10.22.19 13.05

Sample Depth: 1 - 5 ft

Analytical Method: **BTEX by EPA 8021B**

Prep Method: **SW5030B**

Tech: **KTL**

% Moisture:

Analyst: **KTL**

Date Prep: **10.27.19 11.00**

Basis: **Wet Weight**

Seq Number: **3105532**

SUB: **T104704400-19-19**

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.28.19 00.41	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.28.19 00.41	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.28.19 00.41	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.28.19 00.41	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.28.19 00.41	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.28.19 00.41	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.28.19 00.41	U	1
<b>Surrogate</b>		<b>Cas Number</b>	<b>% Recovery</b>	<b>Units</b>	<b>Limits</b>	<b>Analysis Date</b>	<b>Flag</b>
1,4-Difluorobenzene		540-36-3	99	%	70-130	10.28.19 00.41	
4-Bromofluorobenzene		460-00-4	102	%	70-130	10.28.19 00.41	



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

**SMP** Client Sample      **BLK**      Method Blank

**BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

**MD/SD** Method Duplicate/Sample Duplicate      **MS**      Matrix Spike      **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside Xenco's scope of NELAC accreditation



## QC Summary 640781

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method: Chloride by EPA 300**

Seq Number:	3105376	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7688862-1-BLK	LCS Sample Id: 7688862-1-BKS				Date Prep: 10.24.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<5.00	250	263	105	258	103	90-110	2	20
							mg/kg		Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3105377	Matrix: Solid				Prep Method: E300P			
MB Sample Id:	7688863-1-BLK	LCS Sample Id: 7688863-1-BKS				Date Prep: 10.24.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	<5.00	250	265	106	264	106	90-110	0	20
							mg/kg		Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3105376	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	640895-022	MS Sample Id: 640895-022 S				Date Prep: 10.24.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	32.6	249	299	107	296	106	90-110	1	20
							mg/kg		Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3105376	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	640896-004	MS Sample Id: 640896-004 S				Date Prep: 10.24.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	27.9	253	303	109	290	104	90-110	4	20
							mg/kg		Analysis Date
									Flag

**Analytical Method: Chloride by EPA 300**

Seq Number:	3105377	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	640781-009	MS Sample Id: 640781-009 S				Date Prep: 10.24.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Chloride	23.4	250	303	112	305	113	90-110	1	20
							mg/kg		Analysis Date
									Flag
									X

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 640781

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method: Chloride by EPA 300**

Seq Number:	3105377	Matrix: Soil				Prep Method: E300P			
Parent Sample Id:	640781-020	MS Sample Id: 640781-020 S				Date Prep: 10.24.19			
<b>Parameter</b>	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Chloride	633	250	922	116	930	119	90-110	1 20	mg/kg 10.24.19 22:31 X

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3105463	Matrix: Solid				Prep Method: SW8015P			
MB Sample Id:	7688840-1-BLK	LCS Sample Id: 7688840-1-BKS				Date Prep: 10.24.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1140	114	1140	114	70-135	0 20	mg/kg 10.24.19 12:32
Diesel Range Organics (DRO)	<15.0	1000	1110	111	1120	112	70-135	1 20	mg/kg 10.24.19 12:32
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	104		116		117		70-135	%	10.24.19 12:32
o-Terphenyl	103		117		117		70-135	%	10.24.19 12:32

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3105466	Matrix: Solid				Prep Method: SW8015P			
MB Sample Id:	7688841-1-BLK	LCS Sample Id: 7688841-1-BKS				Date Prep: 10.24.19			
<b>Parameter</b>	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD RPD Limit	Units Analysis Date Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	983	98	981	98	70-135	0 20	mg/kg 10.24.19 12:32
Diesel Range Organics (DRO)	<50.0	1000	927	93	1040	104	70-135	11 20	mg/kg 10.24.19 12:32
<b>Surrogate</b>	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	94		101		102		70-135	%	10.24.19 12:32
o-Terphenyl	99		101		100		70-135	%	10.24.19 12:32

**Analytical Method: TPH by SW8015 Mod**

Seq Number:	3105463	Matrix: Solid				Prep Method: SW8015P			
MB Sample Id:	7688840-1-BLK	LCS Sample Id: 7688840-1-BKS				Date Prep: 10.24.19			
<b>Parameter</b>	MB Result						Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0						mg/kg	10.24.19 12:11	

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 640781

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** TPH by SW8015 Mod

Seq Number: 3105466

Matrix: Solid

Prep Method: SW8015P

Date Prep: 10.24.19

MB Sample Id: 7688841-1-BLK

**Parameter**

Motor Oil Range Hydrocarbons (MRO)

**MB  
Result**

&lt;50.0

**Units****Analysis  
Date****Flag**

mg/kg 10.24.19 12:11

**Analytical Method:** TPH by SW8015 Mod

Seq Number: 3105463

Matrix: Soil

Prep Method: SW8015P

Date Prep: 10.24.19

Parent Sample Id: 640781-001

MS Sample Id: 640781-001 S

MSD Sample Id: 640781-001 SD

**Parameter**

<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS</b>	<b>MS</b>	<b>MSD</b>	<b>MSD</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD</b>	<b>Limit</b>	<b>Units</b>	<b>Analysis Date</b>	<b>Flag</b>
			<b>Result</b>	<b>%Rec</b>	<b>Result</b>	<b>%Rec</b>							
Gasoline Range Hydrocarbons (GRO)	<15.0	999	1100	110	1150	115	70-135	4	20	mg/kg	10.24.19 13:34		
Diesel Range Organics (DRO)	<15.0	999	1120	112	1170	117	70-135	4	20	mg/kg	10.24.19 13:34		

**Surrogate**

<b>Surrogate</b>	<b>MS</b>	<b>MS</b>	<b>MSD</b>	<b>MSD</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
	<b>%Rec</b>	<b>Flag</b>	<b>%Rec</b>	<b>Flag</b>			
1-Chlorooctane	105		109		70-135	%	10.24.19 13:34
o-Terphenyl	102		105		70-135	%	10.24.19 13:34

**Analytical Method:** TPH by SW8015 Mod

Seq Number: 3105466

Matrix: Soil

Prep Method: SW8015P

Date Prep: 10.24.19

Parent Sample Id: 640827-001

MS Sample Id: 640827-001 S

MSD Sample Id: 640827-001 SD

**Parameter**

<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS</b>	<b>MS</b>	<b>MSD</b>	<b>MSD</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD</b>	<b>Limit</b>	<b>Units</b>	<b>Analysis Date</b>	<b>Flag</b>
			<b>Result</b>	<b>%Rec</b>	<b>Result</b>	<b>%Rec</b>							
Gasoline Range Hydrocarbons (GRO)	<15.0	997	975	98	965	97	70-135	1	20	mg/kg	10.24.19 13:34		
Diesel Range Organics (DRO)	22.3	997	924	90	899	88	70-135	3	20	mg/kg	10.24.19 13:34		

**Surrogate**

<b>Surrogate</b>	<b>MS</b>	<b>MS</b>	<b>MSD</b>	<b>MSD</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
	<b>%Rec</b>	<b>Flag</b>	<b>%Rec</b>	<b>Flag</b>			
1-Chlorooctane	91		89		70-135	%	10.24.19 13:34
o-Terphenyl	86		84		70-135	%	10.24.19 13:34

 MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

 [D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

 LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

 MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 640781

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method: BTEX by EPA 8021B**

Seq Number:	3105530	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7688948-1-BLK	LCS Sample Id: 7688948-1-BKS				Date Prep: 10.27.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00200	0.100	0.112	112	0.120	120	70-130	7	35
Toluene	<0.00200	0.100	0.110	110	0.111	111	70-130	1	35
Ethylbenzene	<0.00200	0.100	0.115	115	0.112	112	70-130	3	35
m,p-Xylenes	<0.00400	0.200	0.234	117	0.226	113	70-130	3	35
o-Xylene	<0.00200	0.100	0.114	114	0.111	111	70-130	3	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	96		97		99		70-130	%	10.27.19 12:03
4-Bromofluorobenzene	99		109		98		70-130	%	10.27.19 12:03

**Analytical Method: BTEX by EPA 8021B**

Seq Number:	3105532	Matrix: Solid				Prep Method: SW5030B			
MB Sample Id:	7688950-1-BLK	LCS Sample Id: 7688950-1-BKS				Date Prep: 10.27.19			
<b>Parameter</b>	<b>MB Result</b>	<b>Spike Amount</b>	<b>LCS Result</b>	<b>LCS %Rec</b>	<b>LCSD Result</b>	<b>LCSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00200	0.100	0.108	108	0.108	108	70-130	0	35
Toluene	<0.00200	0.100	0.102	102	0.100	100	70-130	2	35
Ethylbenzene	<0.00200	0.100	0.103	103	0.0998	100	70-130	3	35
m,p-Xylenes	<0.00400	0.200	0.207	104	0.200	100	70-130	3	35
o-Xylene	<0.00200	0.100	0.103	103	0.100	100	70-130	3	35
<b>Surrogate</b>	<b>MB %Rec</b>	<b>MB Flag</b>	<b>LCS %Rec</b>	<b>LCS Flag</b>	<b>LCSD %Rec</b>	<b>LCSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene	94		97		98		70-130	%	10.27.19 22:41
4-Bromofluorobenzene	95		104		98		70-130	%	10.27.19 22:41

**Analytical Method: BTEX by EPA 8021B**

Seq Number:	3105530	Matrix: Soil				Prep Method: SW5030B			
Parent Sample Id:	640781-001	MS Sample Id: 640781-001 S				Date Prep: 10.27.19			
<b>Parameter</b>	<b>Parent Result</b>	<b>Spike Amount</b>	<b>MS Result</b>	<b>MS %Rec</b>	<b>MSD Result</b>	<b>MSD %Rec</b>	<b>Limits</b>	<b>%RPD</b>	<b>RPD Limit</b>
Benzene	<0.00201	0.101	0.108	107	0.124	124	70-130	14	35
Toluene	<0.00201	0.101	0.0996	99	0.113	113	70-130	13	35
Ethylbenzene	<0.00201	0.101	0.0994	98	0.112	112	70-130	12	35
m,p-Xylenes	<0.00402	0.201	0.201	100	0.226	113	70-130	12	35
o-Xylene	<0.00201	0.101	0.0994	98	0.111	111	70-130	11	35
<b>Surrogate</b>			<b>MS %Rec</b>	<b>MS Flag</b>	<b>MSD %Rec</b>	<b>MSD Flag</b>	<b>Limits</b>	<b>Units</b>	<b>Analysis Date</b>
1,4-Difluorobenzene			102		102		70-130	%	10.27.19 12:43
4-Bromofluorobenzene			101		107		70-130	%	10.27.19 12:43

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## QC Summary 640781

**LT Environmental, Inc.**  
 PLU Big Sinks 25 Federal Battery
**Analytical Method:** BTEX by EPA 8021B

Seq Number: 3105532

Matrix: Soil

Prep Method: SW5030B

Parent Sample Id: 640781-021

MS Sample Id: 640781-021 S

Date Prep: 10.27.19

MSD Sample Id: 640781-021 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0940	94	0.0880	87	70-130	7	35	mg/kg	10.27.19 23:22	
Toluene	<0.00200	0.100	0.0852	85	0.0782	77	70-130	9	35	mg/kg	10.27.19 23:22	
Ethylbenzene	<0.00200	0.100	0.0871	87	0.0778	77	70-130	11	35	mg/kg	10.27.19 23:22	
m,p-Xylenes	<0.00401	0.200	0.174	87	0.154	76	70-130	12	35	mg/kg	10.27.19 23:22	
o-Xylene	<0.00200	0.100	0.0910	91	0.0804	80	70-130	12	35	mg/kg	10.27.19 23:22	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits		Units	Analysis Date		
1,4-Difluorobenzene			100		101		70-130		%	10.27.19 23:22		
4-Bromofluorobenzene			110		98		70-130		%	10.27.19 23:22		

MS/MSD Percent Recovery  
 Relative Percent Difference  
 LCS/LCSD Recovery  
 Log Difference

[D] = 100\*(C-A) / B  
 RPD = 200\* | (C-E) / (C+E) |  
 [D] = 100 \* (C) / [B]  
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample  
 A = Parent Result  
 C = MS/LCS Result  
 E = MSD/LCSD Result

MS = Matrix Spike  
 B = Spike Added  
 D = MSD/LCSD % Rec



## Chain of Custody

Work Order No: 140701

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
 Midland, TX (432) 704-5440 El Paso, TX (915) 565-3443 Lubbock, TX (806) 794-1286 Crisbad, NM (432) 704-5440  
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 659-6701  
[www.xenco.com](http://www.xenco.com) Page 1 of 7

Project Manager:	<u>Don Marc</u>	Bill to: (if different)	<u>Lafayette Little</u>
Company Name:	<u>CTE Environmental</u>	Company Name:	<u>XTO</u>
Address:	<u>3300 North A Street</u>	Address:	<u>3109 Green Street</u>
City, State ZIP:	<u>Midland, Texas, 79705</u>	City, State ZIP:	<u>Clovis, NM, 88101</u>
Phone:	<u>432.236.3849</u>	Email:	<u>510@HCU.com</u>

Program: UST/PST  PRP  Brownfields  RRC  Superfund   
 State of Project:  
 Reporting Level I  Level II  Level III  PST/UST  TRRP  Level IV   
 Deliverables: EDD  ADAPT  Other: \_\_\_\_\_

ANALYSIS REQUEST						Preservative Codes
Project Name:	<u>PLU 819 Sinks 25 Gal/1 Battery</u>	Turn Around	Pres. Code			
Project Number:	<u>TRP-4398</u>	Routine				MeOH: Me
Project Location		Rush:				None: NO
Sampler's Name:		Due Date:				HNO3: HN
PO #:		Quote #:				H2SO4: H2

SAMPLE RECEIPT						Number of Containers
Temperature (°C):	<u>A, 0</u>	Temp Blank: Yes <input type="radio"/> No <input checked="" type="radio"/>	Wet Ice: Yes <input type="radio"/> No <input checked="" type="radio"/>	Thermometer ID:		
Received Intact:	<u>Yes</u> <input checked="" type="radio"/> No <input type="radio"/>			<u>TNN007</u>		
Cooler Custody Seals:	<u>Yes</u> <input checked="" type="radio"/> No <input type="radio"/>		Correction Factor:	<u>-0.2</u>		
Sample Custody Seals:	<u>Yes</u> <input checked="" type="radio"/> No <input type="radio"/>		Total Containers:	<u>21</u>		
Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	TPH (EPA 8015) chlorides (EPA 300) BTEX (EPA 16021)
	<u>P401</u>	<u>5</u>	<u>10-22-19</u>	<u>1735</u>	<u>1'</u>	<u>x</u>
	<u>P401A</u>			<u>1340</u>	<u>2'</u>	
	<u>P401B</u>			<u>1345</u>	<u>3'</u>	
	<u>P401C</u>			<u>1750</u>	<u>4'</u>	
	<u>P401D</u>			<u>1355</u>	<u>5'</u>	
	<u>P402</u>			<u>1410</u>	<u>1'</u>	
	<u>P402A</u>			<u>1415</u>	<u>2'</u>	
	<u>P402B</u>			<u>1410</u>	<u>3'</u>	
	<u>P402C</u>			<u>1425</u>	<u>4'</u>	
	<u>P402D</u>			<u>1420</u>	<u>5'</u>	

Sample Comments	
TAT starts the day received by the lab, if received by 4:00pm	
HCl: HL NaOH: Na Zn Acetate+ NaOH: Zn	

Total 20.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn Circle Method(s) and Metal(s) to be analyzed: TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631/245.1/7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	<u>Don Marc</u>	Received by: (Signature)	<u>CDL</u>	Date/Time	<u>10/23/19 09:01Q</u>	Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
				4							6



## Chain of Custody

Work Order No: 1440781

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Roswell, NM (432) 704-5440  
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701  
[www.xenco.com](http://www.xenco.com)

Page 1 of 3

Project Manager:	Dan Meier	Bill to: (if different)	Lake Charles
Company Name:	Lake Charles	Company Name:	XTO
Address:	3300 N. 4th St., Ste. F	Address:	300 E. Main Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carrizo, NM 88220
Phone:	432.236.3849	Email:	<a href="mailto:sales@xencolabs.com">sales@xencolabs.com</a>

Project Name:	PLD R.S. Sample 23 February / 2019	Turn Around	ANALYSIS REQUEST	Preservative Codes
Project Number:	2RP-4398	Routine	Pres. Code	MeOH: Me
Project Location		Rush:		None: NO
Sampler's Name:		Due Date:		HNO3: HN
PO #:		Quote #:		H2SO4: H2

SAMPLE RECEIPT	Temp Blank:	Yes	No	Wet Ice:	Yes	No	Number of Containers	ANALYSIS REQUEST		Preservative Codes
								Thermometer ID	Total Containers:	
Temperature (°C):										
Received Intact:	Yes	No								
Cooler Custody Seals:	Yes	No	N/A		Correction Factor:					
Sample Custody Seals:	Yes	No	N/A		Total Containers:					

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Sample Comments
B401		S	10-22-19	16:20	1'	X X X X X
B4014				16:25	2'	
B4015				16:30	3'	
B4016				16:35	4'	
B4017				16:40	5'	
F301				12:40	5'	
F302				12:45	5'	
S103				12:50	5'	
S104				12:55	1-5'	
S105				13:00	1-5'	
S106				13:05	1-5'	

Total 200.7 / 6010

200.8 / 6020:

8RCRA 13PM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
 Circle Method(s) and Metal(s) to be analyzed/ TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U

1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		10/23/19 09:31Z			
		4			
		6			



## Chain of Custody

Work Order No: 440781

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334  
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Casablanca, NM (432) 704-5440  
 Phoenix, AZ (480) 385-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701  
[www.xenco.com](http://www.xenco.com)

Page 3 of 3

Work Order Comments	
<input type="checkbox"/> UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/> State of Project: <input type="checkbox"/> Reporting: Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/> Deliverables: EDD <input type="checkbox"/> ADaPT <input type="checkbox"/> Other:	

Project Manager:	Darrel Mowry	Bill to: (if different)	<u>helic 1.4.2011</u>
Company Name:	LTS Environmental	Company Name:	<u>1770</u>
Address:	3300 North A Street	Address:	<u>3104 E. Gossen Street</u>
City, State ZIP:	Midland TX 79705	City, State ZIP:	<u>Carlsbad, NM 88220</u>
Phone:	432.236.3449	Email:	<u>silo@travelersenviro.com</u>

ANALYSIS REQUEST		Preservative Codes
Project Name:	PLU 3.19 Sales 25 Industrial Bottling	Turn Around
Project Number:	2420-4398	Routine <input checked="" type="checkbox"/>
Project Location		Rush:
Sampler's Name:		Due Date:
PO #:		Quote #:

SAMPLE RECEIPT	Temp Blank:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Wet Ice: Yes <input type="checkbox"/> No	Number of Containers
Temperature (°C):	<u>20</u>	Thermometer ID	
Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Correction Factor:	
Cooler Custody Seals:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Total Containers:	
Sample Custody Seals:			

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	Preservative Codes
<u>500104</u>		<u>S</u>	<u>10-14-19</u>	<u>1305</u>	<u>1m 5'</u>	<u>x</u>	MeOH: Me
						<u>x</u>	None: NO
						<u>x</u>	HNO3: HN
						<u>x</u>	H2SO4: H2
						<u>x</u>	HCl: HL
						<u>x</u>	NaOH: Na
						<u>x</u>	Zn Acetate+ NaOH: Zn
						<u>x</u>	TAT starts the day received by the lab, if received by 4:00pm

### Sample Comments

Total 200.7 / 6010      200.8 / 6020:      8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO<sub>2</sub> Na Sr Ti Sn U V Zn  
 Circle Method(s) and Metal(s) to be analyzed      TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Se Ag Ti U

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<u>Jean</u>	<u>CDARCO</u>	<u>10/23/19 09:12</u>			
1	3	4			6
5					

**Inter-Office Shipment**

Page 1 of 3

**IOS Number 50698**

Date/Time: 10/23/19 14:02

Created by: Elizabeth McClellan

Please send report to: Jessica Kramer

Lab# From: **Carlsbad**

Delivery Priority:

Address: 1089 N Canal Street

Lab# To: **Midland**

Air Bill No.: 776797683616

F-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
640781-001	S	PH01	10/22/19 13:35	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-001	S	PH01	10/22/19 13:35	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-001	S	PH01	10/22/19 13:35	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-002	S	PH01A	10/22/19 13:40	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-002	S	PH01A	10/22/19 13:40	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-002	S	PH01A	10/22/19 13:40	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-003	S	PH01B	10/22/19 13:45	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-003	S	PH01B	10/22/19 13:45	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-003	S	PH01B	10/22/19 13:45	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-004	S	PH01C	10/22/19 13:50	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-004	S	PH01C	10/22/19 13:50	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-004	S	PH01C	10/22/19 13:50	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-005	S	PH01D	10/22/19 13:55	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-005	S	PH01D	10/22/19 13:55	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-005	S	PH01D	10/22/19 13:55	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-006	S	PH02	10/22/19 14:10	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-006	S	PH02	10/22/19 14:10	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-006	S	PH02	10/22/19 14:10	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-007	S	PH02A	10/22/19 14:15	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-007	S	PH02A	10/22/19 14:15	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-007	S	PH02A	10/22/19 14:15	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-008	S	PH02B	10/22/19 14:20	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-008	S	PH02B	10/22/19 14:20	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-008	S	PH02B	10/22/19 14:20	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-009	S	PH02C	10/22/19 14:25	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	

**Inter-Office Shipment**

Page 2 of 3

**IOS Number 50698**

Date/Time: 10/23/19 14:02

Created by: Elizabeth McClellan

Please send report to: Jessica Kramer

Lab# From: **Carlsbad**

Delivery Priority:

Address: 1089 N Canal Street

Lab# To: **Midland**

Air Bill No.: 776797683616

F-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
640781-009	S	PH02C	10/22/19 14:25	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-009	S	PH02C	10/22/19 14:25	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-010	S	PH02D	10/22/19 14:30	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-010	S	PH02D	10/22/19 14:30	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-010	S	PH02D	10/22/19 14:30	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-011	S	BH01	10/22/19 16:20	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-011	S	BH01	10/22/19 16:20	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-011	S	BH01	10/22/19 16:20	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-012	S	BH01A	10/22/19 16:25	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-012	S	BH01A	10/22/19 16:25	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-012	S	BH01A	10/22/19 16:25	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-013	S	BH01B	10/22/19 16:30	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-013	S	BH01B	10/22/19 16:30	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-013	S	BH01B	10/22/19 16:30	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-014	S	BH01C	10/22/19 16:35	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-014	S	BH01C	10/22/19 16:35	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-014	S	BH01C	10/22/19 16:35	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-015	S	BH01D	10/22/19 16:40	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-015	S	BH01D	10/22/19 16:40	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-015	S	BH01D	10/22/19 16:40	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-016	S	FS01	10/22/19 12:40	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-016	S	FS01	10/22/19 12:40	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-016	S	FS01	10/22/19 12:40	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-017	S	FS02	10/22/19 12:45	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-017	S	FS02	10/22/19 12:45	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	

**Inter Office Shipment or Sample Comments:**

**Inter-Office Shipment**

Page 3 of 3

**IOS Number 50698**

Date/Time: 10/23/19 14:02

Created by: Elizabeth McClellan

Please send report to: Jessica Kramer

Lab# From: **Carlsbad**

Delivery Priority:

Address: 1089 N Canal Street

Lab# To: **Midland**

Air Bill No.: 776797683616

F-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
640781-017	S	FS02	10/22/19 12:45	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-018	S	SW03	10/22/19 12:50	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-018	S	SW03	10/22/19 12:50	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-018	S	SW03	10/22/19 12:50	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-019	S	SW01	10/22/19 12:55	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-019	S	SW01	10/22/19 12:55	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-019	S	SW01	10/22/19 12:55	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-020	S	SW02	10/22/19 13:00	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	
640781-020	S	SW02	10/22/19 13:00	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-020	S	SW02	10/22/19 13:00	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-021	S	SW04	10/22/19 13:05	SW8021B	BTEX by EPA 8021B	10/29/19	11/05/19	JKR	BR4FBZ BZ BZME EBZ X	
640781-021	S	SW04	10/22/19 13:05	SW8015MOD_NM	TPH by SW8015 Mod	10/29/19	11/05/19	JKR	GRO-DRO PHCC10C28 PI	
640781-021	S	SW04	10/22/19 13:05	E300_CL	Chloride by EPA 300	10/29/19	04/19/20	JKR	CL	

**Inter Office Shipment or Sample Comments:**

Relinquished By:



Date Relinquished:

Elizabeth McClellan

10/23/2019

Received By:



Date Received:

Brianna Teel

Cooler Temperature:

10/24/2019 11:18

0.6



# XENCO Laboratories

## Inter Office Report- Sample Receipt Checklist

**Sent To:** Midland

**Acceptable Temperature Range:** 0 - 6 degC

**IOS #:** 50698

**Air and Metal samples Acceptable Range:** Ambient

**Temperature Measuring device used :** R8

**Sent By:** Elizabeth McClellan

**Date Sent:** 10/23/2019 02:02 PM

**Received By:** Brianna Teel

**Date Received:** 10/24/2019 11:18 AM

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received with appropriate temperature?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 *Custody Seals Signed and dated for Containers/coolers	Yes
#6 *IOS present?	Yes
#7 Any missing/extra samples?	No
#8 IOS agrees with sample label(s)/matrix?	Yes
#9 Sample matrix/ properties agree with IOS?	Yes
#10 Samples in proper container/ bottle?	Yes
#11 Samples properly preserved?	Yes
#12 Sample container(s) intact?	Yes
#13 Sufficient sample amount for indicated test(s)?	Yes
#14 All samples received within hold time?	Yes

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

**NonConformance:**

**Corrective Action Taken:**

### Nonconformance Documentation

Contact: \_\_\_\_\_

Contacted by : \_\_\_\_\_

Date: \_\_\_\_\_

Checklist reviewed by:

  
Brianna Teel

Date: 10/24/2019



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

**Client:** LT Environmental, Inc.

**Date/ Time Received:** 10/23/2019 09:12:00 AM

**Work Order #:** 640781

**Acceptable Temperature Range: 0 - 6 degC**  
**Air and Metal samples Acceptable Range: Ambient**  
**Temperature Measuring device used : T-NM-007**

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6* Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	Yes
#18 Water VOC samples have zero headspace?	N/A Subbed to Midland.

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:


PH Device/Lot#:

**Checklist completed by:**

  
 Elizabeth McClellan

Date: 10/23/2019

**Checklist reviewed by:**

  
 Jessica Kramer

Date: 10/24/2019

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 5015

**CONDITIONS**

Operator:  XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 5015
	Action Type: [C-141] Release Corrective Action (C-141)

**CONDITIONS**

Created By	Condition	Condition Date
jharimon	Please note that, when the well or facility is plugged or abandoned, the final remediation and reclamation shall take place in accordance with 19.15.29.12 and 19.15.29.13 NMAC once the site is no longer being used for oil and gas operations.	7/26/2022