



## Certificate of Analysis

Number: 6030-22050194-001A

Artesia Laboratory

200 E Main St.

Artesia, NM 88210

Phone 575-746-3481

Lee Weatherford  
Steward Energy  
2600 Dallas Pkwy Suite 400  
Frisco, TX 75034

May 17, 2022

Station Name: Pollos Hermanos Battery Sales  
Station Number: 50516  
Station Location: Steward  
Sample Point: Meter run  
Analyzed: 05/17/2022 07:22:42 by ERG

Sampled By: Derek Sauder  
Sample Of: Gas Spot  
Sample Date: 05/11/2022 02:20  
Sample Conditions: 74.8 psig, @ 107.2 °F  
Method: GPA-2261M  
Cylinder No: 1111-007434

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Hydrogen Sulfide	1.330	1.902		GPM TOTAL C2+
Nitrogen	5.389	6.335		GPM TOTAL C3+
Methane	66.117	44.511		GPM TOTAL iC5+
Carbon Dioxide	5.281	9.753		
Ethane	12.509	15.784	3.350	
Propane	5.283	9.776	1.458	
Iso-Butane	0.699	1.705	0.229	
n-Butane	1.568	3.825	0.495	
Iso-Pentane	0.505	1.529	0.185	
n-Pentane	0.490	1.484	0.178	
Hexanes	0.379	1.371	0.156	
Heptanes Plus	0.450	2.025	0.219	
	100.000	100.000	6.270	

Calculated Physical Properties	Total	C7+
Relative Density Real Gas	0.8257	3.7019
Calculated Molecular Weight	23.83	107.22
Compressibility Factor	0.9960	

## GPA 2172 Calculation:

Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia & 60°F

Real Gas Dry BTU	1194	5876
Water Sat. Gas Base BTU	1173	5773
Ideal, Gross HV - Dry at 14.696 psia	1188.7	5875.8
Ideal, Gross HV - Wet	1167.9	

Comments: H2S Field Content 13,298.0 ppm  
Mcf/day 89.0

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

<u>Date</u>	<u>Gas Flare</u>	<u>Gas Prod</u>	<u>Approx Hrs</u>	<u>Midstream (Stakeholder) Plant/Gathering Upset Documentation</u>
6/1/2022	5	5.10	24.00	NRU issues from power outages resulting in reduced flow
6/2/2022	0	21.41	0.00	
6/3/2022	0	0.51	0.00	
6/4/2022	0	22.94	0.00	
6/5/2022	0	0.00	0.00	
6/6/2022	68	68.00	24.00	NRU issues from power outages resulting in reduced flow
6/7/2022	48	48.00	24.00	NRU issues from power outage resulting in full NRU warmup, reduce flow on off spec waiver to Kinder Morgan
6/8/2022	217	217.14	24.00	NRU issues from power outage resulting in full NRU warmup, reduce flow on off spec waiver to Kinder Morgan
6/9/2022	54	53.54	24.00	NRU issues from power outage resulting in full NRU warmup, reduce flow on off spec waiver to Kinder Morgan
6/10/2022	13	12.57	24.00	NRU issues from power outage resulting in full NRU warmup, reduce flow on off spec waiver to Kinder Morgan
6/11/2022	89	89.31	24.00	NRU issues from power outage resulting in full NRU warmup, reduce flow on off spec waiver to Kinder Morgan
6/12/2022	144	144.00	24.00	NRU issues from power outage resulting in full NRU warmup, reduce flow on off spec waiver to Kinder Morgan
6/13/2022	121	121.03	24.00	NRU issues from power outage resulting in full NRU warmup, reduce flow on off spec waiver to Kinder Morgan
6/14/2022	114	114.00	24.00	NRU warmup and cooldown complete and working plant volume back up
6/15/2022	90	90.00	24.00	Continued working plant volumes back up, Refridge compressor issues and loss of fan blade on NRU causing reduced flow for estimated 10hrs
6/16/2022	96	96.00	24.00	Refridgeration compressor and NRU issues, estimated reduced flow
6/17/2022	80	80.00	24.00	Cut back inlet flow due to H2S spiking on Dehy bed, estimated reduced flow
6/18/2022	64	64.00	24.00	Multiple compressors up and down a couple times
6/19/2022	52	52.21	24.00	Refridgeration compressor vibration issues, stayed lower rate until fixed 6/21
6/20/2022	76	76.47	24.00	Refridgeration compressor vibration issues, stayed lower rate until fixed 6/20
6/21/2022	77	76.88	24.00	Campo Viejo started ramping up volume with Expansion project
6/22/2022	74	74.04	24.00	Campo Viejo started ramping up volume with Expansion project
6/23/2022	74	74.02	24.00	Campo Viejo started ramping up volume with Expansion project
6/24/2022	74	73.70	24.00	Tulsa heaters was tuning existing HMO heater causin plant to go sour Est.
6/25/2022	72	71.84	24.00	Plant to full capacity, continued tuning to maximze volumes
6/26/2022	72	72.18	24.00	Plant to full capacity, continued tuning to maximze volumes
6/27/2022	51	51.17	24.00	Plant to full capacity, continued tuning to maximze volumes
6/28/2022	32	31.77	24.00	Plant to full capacity, continued tuning to maximze volumes
6/29/2022	25	25.37	24.00	Plant to full capacity, continued tuning to maximze volumes
6/30/2022	0	0.00	0.00	
	<b>1882</b>	<b>1927</b>	<b>600.00</b>	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

DEFINITIONS

Action 129743

DEFINITIONS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 129743
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: <ul style="list-style-type: none"><li>• this application's operator, hereinafter "this operator";</li><li>• venting and/or flaring, hereinafter "vent or flare";</li><li>• any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";</li><li>• the statements in (and/or attached to) this, hereinafter "the statements in this";</li><li>• and the past tense will be used in lieu of mixed past/present tense questions and statements.</li></ul>
--

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 129743

**QUESTIONS**

Operator: STEWART ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 129743
	Action Type: [C-129] Venting and/or Flaring (C-129)

**QUESTIONS**

<b>Prerequisites</b>	
<i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	[30-025-42622] DOG BAR 11 FEE #003H
Incident Facility	Not answered.

<b>Determination of Reporting Requirements</b>	
<i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, major venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there <b>at least 50 MCF</b> of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

<b>Equipment Involved</b>	
Primary Equipment Involved	Separator
Additional details for Equipment Involved. Please specify	All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is from gas off the separator and sent to flare and is due to an upset at their plant or within their gathering system.

<b>Representative Compositional Analysis of Vented or Flared Natural Gas</b>	
<i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	66
Nitrogen (N2) percentage, if greater than one percent	5
Hydrogen Sulfide (H2S) PPM, rounded up	1
Carbon Dioxide (CO2) percentage, if greater than one percent	5
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 129743

QUESTIONS (continued)

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 129743
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	06/01/2022
Time vent or flare was discovered or commenced	07:00 AM
Time vent or flare was terminated	07:00 AM
Cumulative hours during this event	600

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Midstream Emergency Maintenance   Separator   Natural Gas Flared   Released: 1,882 Mcf   Recovered: 0 Mcf   Lost: 1,882 Mcf ]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	Yes
Downstream OGRID that should have notified this operator	[329800] Stakeholder Gas Utility, LLC
Date notified of downstream activity requiring this vent or flare	06/01/2022
Time notified of downstream activity requiring this vent or flare	07:00 AM

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is due to an upset at their plant or within their gathering system.
Steps taken to limit the duration and magnitude of vent or flare	This is out of our control. Stakeholder attempts to rectify every situation as quickly as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Stakeholder is proceeding with the expansion of the Campo Viejo Gas Processing Plant. Steward Energy II has agreed to certain producer commitments in order to support this expansion expected to be completed April 2022.

**District I**

1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 129743

**ACKNOWLEDGMENTS**

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 129743
	Action Type: [C-129] Venting and/or Flaring (C-129)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a <b>complete</b> C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
<input checked="" type="checkbox"/>	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
<input checked="" type="checkbox"/>	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
<input checked="" type="checkbox"/>	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 129743

CONDITIONS

Operator: STEWARD ENERGY II, LLC 2600 Dallas Parkway Frisco, TX 75034	OGRID: 371682
	Action Number: 129743
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
nwhite	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	7/29/2022