



Pima Environmental Services
5614 N. Lovington Highway
Hobbs, NM 88240
575-964-7740

June 16, 2022

NMOCD District 2
811 S. First St
Artesia, NM, 88210

RE: Liner Inspection and Closure Report
Boomslang 14 CTB 1
API No. N/A
GPS: Latitude 32.224446 Longitude -103.539757
UL- B, Section 14, Township 24S, Range 33E
NMOCD Reference No. NAPP2126739634

Devon Energy Production Company (Devon) has contracted Pima Environmental Services, LLC (Pima) to perform a liner inspection and prepare this closure report for a release that happened at the Boomslang 14 CTB 1 (Boomslang). An initial C-141 was submitted on September 23, 2021, and can be found in Appendix B. This incident was assigned Incident ID NAPP2126739634, by the New Mexico Oil Conservation Division (NMOCD).

Site Information and Site Characterization

The Boomslang is located approximately twenty-one (21) miles West of Jal, NM. This spill site is in Unit B, Section 14, Township 24S, Range 33E, Latitude 32.224446 Longitude -103.539757, Lea County, NM. A Location Map can be found in Figure 1.

Based upon New Mexico Office of the State Engineer well water data, depth to the nearest groundwater in this area is 600 feet below grade surface (BGS). According to the United States Geological Survey well water data, depth to the nearest groundwater in this area is greater than 64 feet BGS. See Appendix A for referenced water surveys. The Boomslang is in a low karst area (Figure 3). A Topographic Map can be found in Figure 2.

Release Information

NAPP2126739634: On September 10, 2021, A transfer pump developed a leak, causing a release of produced water into lined containment. Approximately 10 barrels (bbls) of produce water was released. A vacuum truck was dispatched and recovered all 10 bbls of fluid from the lined SPCC containment ring. Once fluids were removed, the liner was visually inspected by Devon field staff for any pinholes or punctures, and none were found. Based on this inspection there is no evidence that the spilled fluids left containment.

A Site Map can be found in Figure 4.

Site Assessment and Liner Inspection

On June 12, 2022, after sending the 48-hour notification via email, Pima Environmental conducted a liner inspection on both containments at this location. We concluded that these liners and containments maintained their integrity and were able to retain fluids. The liner inspection form and photographic documentation can be found in Appendix C.

Closure Request

After careful review, Pima requests that this incident, NAPP2126739634 be closed. Devon has complied with the applicable closure requirements.

Should you have any questions or need additional information, please feel free to contact Tom Bynum at 575-964-7740 or tom@pimaoil.com.

Respectfully,

Tom Bynum

Tom Bynum
Environmental Project Manager
Pima Environmental Services, LLC

Attachments

Figures:

- 1- Location Map
- 2- Topographic Map
- 3- Karst Map
- 4- Site Map

Appendices:

- Appendix A- Referenced Water Surveys
- Appendix B- C-141 Form & 48 Hour Notification
- Appendix C- Liner Inspection Form & Photographic Documentation



Pima Environmental Services

Figures:

1-Location Map

2-Topographic Map

3-Karst Map


4-Site Map

Boomslang 14 CTB 1

Devon Energy
API # N/A
Lea County, NM
Location Map

Legend

-  Boomslang 14 CTB 1



Google Earth

10 mi

Boomslang 14 CTB 1


Devon Energy
API # N/A
Lea County, NM
Topographic Map

Legend

-  Boomslang 14 CTB 1

 Neptune E BATT

 Boomslang 14 CTB 1



Drill Hole




4000 ft

Boomslang 14 CTB 1

Devon Energy
API # N/A
Lea County, NM
Karst Map

Legend

-  High Karst
-  Low Karst
-  Medium Karst



Google Earth


10 mi

Boomslang 14 CTB 1

Devon Energy
API # N/A
Lea County, NM
Site Map

Legend

-  Lined Containments



 Boomslang 14 CTB 1





Pima Environmental Services

Appendix A

Water Surveys:

OSE

USGS



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 64	Q 16	Q 4	Q Sec	Tws	Rng	X	Y	Distance	DepthWell	DepthWater	Water Column
C_03917 POD1	C	LE	LE	4	1	3	13	24S	33E	638374	3565212	1294	600	420	180
C_03662 POD1	C	LE	LE	3	1	2	23	24S	33E	637342	3564428	1838	550	110	440
C_04339 POD6	CUB	LE	LE	3	1	2	23	24S	33E	637340	3564386	1879	60		
C_03666 POD1	C	LE	LE	2	3	4	13	24S	33E	639132	3565078	1930	650	390	260
C_04339 POD9	CUB	LE	LE	3	4	2	23	24S	33E	637731	3563913	2338	45		
C_03601 POD1	CUB	LE	LE	4	4	2	23	24S	33E	638124	3563937	2370			
C_04339 POD7	CUB	LE	LE	4	4	2	23	24S	33E	636473	3564011	2504	43		
C_03601 POD2	CUB	LE	LE	3	2	4	23	24S	33E	637846	3563588	2672			
C_04339 POD10	CUB	LE	LE	4	1	4	23	24S	33E	637688	3563503	2746	49		
C_04339 POD8	CUB	LE	LE	1	1	3	23	24S	33E	636519	3563681	2784	30		
C_02308	CUB	LE	LE	1	3	1	10	24S	33E	634953	3567364*	2870	40	20	20
C_03601 POD3	CUB	LE	LE	1	3	3	24	24S	33E	638142	3563413	2886			
C_03601 POD6	CUB	LE	LE	1	4	4	23	24S	33E	637834	3563338	2919			
C_04339 POD5	CUB	LE	LE	2	3	4	23	24S	33E	637580	3563328	2920	54		
C_03601 POD5	CUB	LE	LE	2	4	4	23	24S	33E	637988	3563334	2940			
C_04339 POD3	CUB	LE	LE	2	4	3	23	24S	33E	637273	3563323	2943	38		
C_04339 POD4	CUB	LE	LE	2	4	3	23	24S	33E	637273	3563323	2943	47		

Average Depth to Water: **235 feet**
 Minimum Depth: **20 feet**
 Maximum Depth: **420 feet**

Record Count: 17

UTMNAD83 Radius Search (in meters):

Easting (X): 637598

Northing (Y): 3566248.8

Radius: 3000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

6/16/22 12:45 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater ▼

Geographic Area:

United States ▼

GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for the Nation

 Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

site_no list =

- 321403103300301

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321403103300301 24S.34E.07.22222

Available data for this site

Groundwater: Field measurements ▼

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°14'03", Longitude 103°30'03" NAD27

Land-surface elevation 3,606 feet above NAVD88


This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Ogallala Formation (121OGLL) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

USGS 321403103300301 24S.34E.07.22222



Breaks in the plot represent a gap of at least one year between field measurements.
[Download a presentation-quality graph](#)

- [Questions about sites/data?](#)
- [Feedback on this web site](#)
- [Automated retrievals](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)
- [News](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2022-06-15 15:42:37 EDT

0.74 0.66 nadww01



Pima Environmental Services

Appendix B

C-141 Form

48-Hour Notification

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input type="checkbox"/> The source of the release has been stopped. <input type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: _____ Title: _____ Signature: <u>Kendra DeHoyos</u> Date: _____ email: _____ Telephone: _____
<u>OCD Only</u> Received by: <u>Ramona Marcus</u> Date: <u>9/27/2021</u>

NAPP2126739634

Spills In Lined Containment	
Measurements Of Standing Fluid	
Length(Ft)	60
Width(Ft)	70
Depth(in.)	0.25
Total Capacity without tank displacements (bbls)	15.58
No. of 500 bbl Tanks In Standing Fluid	8
No. of Other Tanks In Standing Fluid	
OD Of Other Tanks In Standing Fluid(feet)	
Total Volume of standing fluid accounting for tank displacement.	9.99

Incident ID	NAPP2126739634
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_ 62 _ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NAPP2126739634
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Wesley Mathews Title: EHS Professional

Signature: *Wesley Mathews* Date: 6/15/2022

email: wesley.mathews@dn.com Telephone: 575-513-8608

OCD Only

Received by: Jocelyn Harimon Date: 08/29/2022

Incident ID	NAPP2126739634
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Wesley Mathews Title: EHS Professional
 Signature: *Wesley Mathews* Date: 6/15/2022
 email: wesley.mathews@dvn.com Telephone: 575-513-8608

OCD Only

Received by: Jocelyn Harimon Date: 08/29/2022

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: *Jennifer Nobui* Date: 09/02/2022
 Printed Name: Jennifer Nobui Title: Environmental Specialist A



Gio PimaOil <gio@pimaoil.com>

BoomSlang 14 CTB Liner Inspection

1 message

Gio PimaOil <gio@pimaoil.com>

Thu, Jun 9, 2022 at 10:00 AM

To: ocdonline@state.nm.us, Tom Pima Oil <tom@pimaoil.com>

Good Morning,

Pima Environmental would like to notify you that we will be conducting a liner inspection at the BoomSlang 14 CTB 1 for incident NAPP2126739634. Pima personnel are scheduled to be on site for this inspection event at approximately 9:00 a.m. On Sunday, June 12, 2022. If you have any questions or concerns, please let me know. Thank you.

--

Gio Gomez
Environmental Project Manager
cell-806-782-1151
Office- 575-964-7740
Pima Environmental Services, LLC.



Pima Environmental Services

Appendix C

Liner Inspection Form

Photographic Documentation



Pima Environmental Services, LLC

Liner Inspection Form

Company Name: Devon Energy

Site: Boomslang 14 CTB 1

Lat/Long: 32.22446, -103.539757

NMOCD Incident ID & Incident Date: NAPP2126739634 9/10/2021

2-Day Notification Sent: via Email by Gio Gomez 6/9/2022

Inspection Date: 6/12/2022

Liner Type: Earthen w/liner Earthen no liner Polystar
 Steel w/poly liner Steel w/spray epoxy No Liner

Other: _____

Visualization	Yes	No	Comments
Is there a tear in the liner?		X	
Are there holes in the liner?		X	
Is the liner retaining any fluids?		X	
Does the liner have integrity to contain a leak?	X		

Comments: _____

Inspector Name: Ned Rogers Inspector Signature: Ned Rogers



SITE PHOTOGRAPHS DEVON ENERGY – LINER INSPECTION

BOOMSLANG 14 CTB 1



+32.224621,-103.539516
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection



+32.224590,-103.539410
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection



+32.224590,-103.539410
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection




+32.224527,-103.539328
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection



+32.224527,-103.539328
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection





+32.224384,-103.539973
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection



+32.224384,-103.539973
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection



+32.224357,-103.540090
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection



+32.224357,-103.540090
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection



+32.224530,-103.540148
Lea County
Devon Energy
Boomslang 14 CTB 1
Liner Inspection

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 138997

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 138997
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jnobui	Closure Approved.	9/2/2022