

11/22/2022

NV

# First Half 2021 Groundwater Monitoring Summary Report

Former Lee Gas Plant  
Lea County, New Mexico  
GW-002

Prepared for:



370 17<sup>th</sup> St., Suite 2500  
Denver, CO 80202

*Prepared by:*



6855 W. 119<sup>th</sup> Ave.  
Broomfield, CO 80020

**September 21, 2021**



## Table of Contents

1. Introduction .....	1
2. Site Location and Background.....	1
3. Groundwater Monitoring.....	2
3.1    Groundwater Monitoring and LNAPL Thickness.....	2
3.2    Groundwater Quality .....	2
3.3    Data Quality Assurance /Quality Control.....	3
4. Remediation Activities .....	4
4.1    LNAPL Extraction.....	3
5. Conclusions .....	5
6. Recommendations .....	5

### Tables

- 1      First Half 2021 Summary of Groundwater Elevation Data
- 2      First Half 2021 Summary of BTEX Concentrations in Groundwater
- 3      LNAPL Recovery Tank Inspection Log

### Figures

- 1      Site Location Map
- 2      Site Map with Monitoring Well Locations
- 3      First Half 2021 Groundwater Elevation Contour Map – June 22, 2021
- 4      First Half 2021 Analytical Results Map – June 23-24, 2021

### Appendices

- A      Historical Analytical Results – BTEX Concentrations in Groundwater
- B      Laboratory Analytical Report
  - Pace Analytical Job #: L1371311



## 1. Introduction

This report summarizes groundwater monitoring and remediation activities conducted during the First Half 2021 at the Former Lee Gas Plant (Site) in Lea County, New Mexico (Figure 1). Tasman Geosciences, LLC (Tasman) performed these activities on behalf of DCP Midstream, LP (DCP). The field activities described herein were conducted with the purpose of monitoring groundwater flow and quality conditions and assessing the presence of light non-aqueous phase liquid (LNAPL) hydrocarbons in the Site subsurface. Current Site conditions were evaluated from field data and analytical laboratory results collected between June 22<sup>nd</sup> and 24<sup>th</sup> 2021. The data collected were used to develop the groundwater elevation maps and analytical results figure presented herein.

## 2. Site Location and Background

The Site is located in the southwest quarter of the southeast quarter of Section 30, Township 17 South, Range 35 East, approximately 0.45 miles southeast of the intersection of US Highway 238 and County Road 50. The approximate field coordinates are 32.800 degrees north and 103.495 degrees west. The area is sparsely populated, and land use is primarily associated with livestock grazing and oil and gas production and gathering.

Based on review of historical reports from previous Site investigations, the Site was historically used as a gas processing and compression plant. In 1988, Phillips 66 Natural Gas Company was ordered to install four monitoring wells (MW-1 through MW-4) in accordance with the Resource Conservation and Recovery Act (RCRA). An initial groundwater sampling event took place May 13, 1988, and identified impacts in the location of two former evaporation ponds north and east of the main plant. LNAPL was identified immediately above the water table at an approximate depth of 106 feet below ground surface (bgs). Several additional subsurface investigations were performed to determine the extent of both the free and dissolved phase hydrocarbon plumes, resulting in the installation of monitoring and recovery wells as described below:

- MW-5 through MW-8 and RW-1: Installed May 1990 – LNAPL recovery initiated at RW-1.
- MW-9 through MW-12: Installed October 1990.
- MW-13 and MW-14: Installed March 1991 – MW-7, MW-8, and MW-10 were converted into recovery wells.
- MW-15 through MW-20: Installed February 1992.

Subsequent to installation of the final six wells, quarterly groundwater sampling commenced. In addition, a soil vapor extraction (SVE) and air sparge (AS) system operated between 1993 and 2004. Currently, Site groundwater monitoring wells are sampled on a semi-annual basis.

Due to continued LNAPL detections at MW-15, a Magnum Spill Buster automatic LNAPL recovery system was installed on September 14, 2013, to address LNAPL at this location. Current Site remediation activities are further detailed in Section 4.0.



### 3. Groundwater Monitoring

This section describes the groundwater field and laboratory activities performed during the First Half 2021 monitoring events from June 22<sup>nd</sup> to 24<sup>th</sup> 2021. Monitoring activities included Site-wide groundwater gauging, LNAPL measurements, and groundwater sampling. Figure 2 illustrates the groundwater monitoring well network utilized to perform these activities at the Site.

#### 3.1 Groundwater Monitoring and LNAPL Thickness

Depth to groundwater, later converted to elevation, and LNAPL thickness was measured in order to evaluate hydraulic characteristics and provide information regarding seasonal and annual fluctuations in groundwater elevations at the Site. During the first and second half 2020, groundwater levels were measured at 22 monitoring well locations. LNAPL was detected in the following monitoring wells during the 2021 monitoring event, with the measured thickness indicated in parenthesis:

- First Half 2021
  - MW-5 (0.37 feet)
  - MW-6 (1.21 feet)
  - MW-8 (0.02 feet)
  - MW-15 (0.28 feet)

Groundwater and LNAPL levels were measured on the north side of the well casing to the nearest 0.01-foot using an oil-water interface probe (IP). Groundwater level data was later converted to elevation (feet above mean sea level [AMSL]). Measured groundwater levels, calculated groundwater elevations, and LNAPL level data are presented in Table 1.

A first half 2021 groundwater elevation map, included as Figure 3, indicates that groundwater flow at the Site trends to the southwest. Groundwater elevations ranges, average elevation changes from previous monitoring events, and calculated hydraulic gradients (using elevations from MW-3 and MW-20) at the Site are summarized in the table below.

**Summary of Measured Hydraulic Parameters**

	First Half 2021 (6/22/2021)
Maximum Elevation (Well ID)	3,872.54 (MW-3)
Minimum Elevation (Well ID)	3,866.20 (MW-20)
Average Change from Previous Monitoring Event (ft) – All Wells	-0.35
Hydraulic Gradient (ft/ft) / (Well IDs)	0.0055 (MW-3 to MW-20)

#### 3.2 Groundwater Quality

Subsequent to recording groundwater level measurements, groundwater samples were collected from 14 monitoring wells at the Site. A minimum of three well casing volumes of groundwater was purged from



each monitoring well prior to collection of groundwater samples. Following well purging activities utilizing a mechanical pump, groundwater samples were collected using disposable polyethylene bailers, placed in clean laboratory-supplied containers for the selected analytical methods, packed in an ice-filled cooler, and maintained at approximately four (4) degrees Celsius (°C) for transportation to the laboratory. Groundwater samples were shipped under chain-of-custody procedures to Pace Analytical labs (Pace) in Mt. Juliet, Tennessee for analysis. Water quality samples were submitted for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) by United States Environmental Protection Agency (USEPA) Method 8260B.

Monitoring wells with measured LNAPL (MW-5, MW-6, and MW-8) and MW-15 with an active Spill Buster LNAPL recovery system were not sampled. Wells MW-1, MW-2, MW-3, MW-4 and MW-23 have been removed from the groundwater monitoring program due to a lack of groundwater at these locations. It should be noted that Wells MW-9, MW-13 and MW-14 are also dry this First Half.

Table 2 summarizes BTEX concentrations in groundwater samples collected during the reporting period. Analytical results from the June 2021 monitoring event are displayed on Figure 4. Historical analytical results up to and including the June 2021 event are included in Appendix A. The laboratory analytical report for the first half 2021 event are included in Appendix B.

Benzene was detected at concentrations in excess of the New Mexico Water Quality Control Commission (NMWQCC) groundwater standard of 0.005 milligrams per liter (mg/L) at the following monitoring well locations, and the concentrations listed:

- First Half 2021
  - MW-7: 0.0113 mg/L
  - MW-10: 19.2 mg/L;(21.1 mg/L Duplicate)
  - MW-12: 8.44 mg/L
  - MW-21: 14.4 mg/L; (11.5 mg/L Duplicate)

Ethylbenzene was detected at concentrations in excess of the NMWQCC groundwater standard of 0.70 mg/L at the following two locations, and the concentrations listed:

- First Half 2021
  - MW-10: 0.776 mg/L; (0.741 mg/L Duplicate)
  - MW-21: 1.54 mg/L; (1.22 mg/L Duplicate)

All other samples collected had BTEX concentrations below applicable NMWQCC groundwater standards and/or laboratory detection limits.

### 3.3 Data Quality Assurance / Quality Control

Data quality assurance / quality control (QA/QC) procedures included the collection and analysis of QA/QC samples, as well as a review of laboratory analytical data for QA/QC compliance. Specifically, the following QA/QC procedures were conducted: a trip blank was collected and submitted for analysis; field duplicate samples from wells MW-10 and MW-21 were collected and submitted for analysis; and laboratory data



were reviewed for compliance with the analytical method(s) and the associated QA/QC procedures.

An evaluation of the QA/QC procedures conducted during the first half 2021 groundwater monitoring events indicated the following:

- Target analytes were not detected in the trip blank;
- During the First Half 2021 groundwater monitoring event, MW-10 and the associated duplicate sample exhibited benzene concentrations of 19.2 mg/L and 21.1 mg/L, respectively. The calculated relative percent difference (RPD) for benzene between the samples was 9.4%, which is within the target control range of 20%. Monitoring well MW-21 and the duplicate associated with it exhibited benzene concentrations of 14.4 mg/L and 11.5 mg/L, respectively, which yielded a RPD of 22.4%, which exceeded the target control range of 20% likely due to interference and non-homogeneity of the sample matrix. Submitted samples were analyzed using the correct analytical methods and within the correct holding times;
- Chain of custody forms were in order and properly executed.
- Data was reported using the correct method number and reporting units.

The overall QA/QC assessment of the First Half 2021 data indicates that both field precision and overall data precision and accuracy are acceptable.

## 4. Remediation Activities

Measurable free phase hydrocarbons were detected during the reporting period in monitoring wells MW-5, MW-6 and MW-8 as summarized in Tables 1 and 2. LNAPL recovery at MW-15 was initiated on September 14, 2013 (Second Half 2013) using a Magnum Spill Buster automatic LNAPL recovery system. Details regarding Spill Buster implementation were described in the Second Half 2013 Report.

Since LNAPL recovery was initiated at MW-15, the Spill Buster system has removed a cumulative total of more than 480 gallons of LNAPL through June 2021. The extracted LNAPL material is disposed of at the Eunice, New Mexico disposal facility. A summary of LNAPL extraction is provided in the Table 3 LNAPL Recovery Tank Inspection Log. Additionally, the decrease in LNAPL volume observed within the tank between the 2020 and 2021 events is likely attributed to evaporation as no leaks or spills were identified and the system was operational during routine inspections.

### 4.1 LNAPL Extraction

As described in Section 4, LNAPL extraction has been conducted at the Site using automatic recovery methods. The extracted volume by the Spill Buster at MW-15 indicates that the Spill Buster technology is appropriate for continued operation at the Site and that the geology is amenable to moderate LNAPL removal given the appropriate conditions.

LNAPL extraction will be continued and/or expanded during 2021 as follows:

- Passive LNAPL Recovery Bailers:



- Deployment of a passive LNAPL recovery bailer at MW-05, MW-06, and MW-08 to allow continued collection of LNAPL in between field events. This remedial effort is contingent on a sufficient amount of water column within the well to accommodate the bailer's LNAPL collection reservoir and allow the influent filter/collection point of the bailer to sit at the LNAPL/water interface.
- Manual LNAPL Recovery: Field personnel will continue manual LNAPL extraction of LNAPL using dedicated recovery bailers as practical during field events conducted at the Site.
- Solar-Powered Spill Buster:
  - Continue operation of the Spill Buster at MW-15. Removal volumes will be monitored over time to observe changes in the thickness or yield of LNAPL at that location.

## 5. Conclusions

The First Half 2021 monitoring data with historical information provides the following general observations:

- Based on historical groundwater elevations, the potentiometric surface has remained relatively stable, however most Site wells have exhibited a minor, but consistent decreasing trend in groundwater elevation since 2015. The observed trend has resulted in a combined average decrease of 1 to 2-foot in elevation since 2015.
- BTEX concentrations throughout the Site continue to fluctuate when compared to historical data.
- At MW-12 benzene concentrations continue to increase at this location since 2012 and remain above the NMWQCC standard.
- LNAPL persists at monitoring well locations MW-5, MW-6, MW-8, and MW-15. At MW-15, LNAPL is being addressed with the Spill Buster LNAPL extraction system.
- LNAPL in MW-6 has exhibited a decrease in product thickness the last two semi-annual sampling events and decreased 0.49 feet compared to the Second Half 2020. The current thickness is 1.21 feet.

## 6. Recommendations

Based on evaluation of first half 2021 and historical Site observations and monitoring results, the following recommendations have been developed for future activities:

- Continue semi-annual groundwater sampling to monitor dissolved and free phase petroleum hydrocarbons and assess the effectiveness of the current remedial strategy for the Site. Samples will be collected from locations illustrated on Figure 2 and which have historically been included in the sampling plan.
- Continue operation and maintenance of the Spill Buster LNAPL recovery system at MW-15 to address free phase petroleum thicknesses in the northern area of the Site. In order to better gauge the recovery of the LNAPL, installation of a flow meter on the system would be evaluated.



- Consider installing an additional spill buster or LNAPL recovery system at MW-6 to address the free phase petroleum thicknesses in the northern area adjacent to MW-15 (and MW-8)
- Due to the continued trend of BTEX concentrations above standards at monitoring well MW-12 and fluctuations above standards in MW-13 and MW-14, additional groundwater remediation activities at the Site are warranted. An SVE/AS pilot test was completed in 2020 to determine the efficacy of such remediation technologies at the Site.

## Tables

**TABLE 1**  
**FIRST HALF 2021 SEMI-ANNUAL**  
**SUMMARY OF GROUNDWATER ELEVATION DATA**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event (1) (feet)
MW-1	12/16/20	DRY			100.90	3979.21 <sup>(2)</sup>	NA	NA
MW-1	06/22/21	DRY			100.90	3979.21 <sup>(2)</sup>	NA	NA
MW-2	12/16/20	DRY			106.76	3980.49 <sup>(2)</sup>	NA	NA
MW-2	06/22/21	DRY			106.76	3980.49 <sup>(2)</sup>	NA	NA
MW-3	12/16/20	107.76			NM	3980.27	3872.51	-0.04
MW-3	06/22/21	107.73			108.86	3980.27	3872.54	0.03
MW-4	12/16/20	DRY			103.55	NM	NA	NA
MW-4	06/22/21	DRY			103.55	NM	NA	NA
MW-5	12/16/20	110.45	110.00	0.45	NM	3979.82	3869.71	-0.60
MW-5	06/22/21	110.64	110.27	0.37	NM	3979.82	3869.46	-0.25
MW-6	12/16/20	112.45	110.75	1.70	NM	3981.79	3870.62	-0.34
MW-6	06/22/21	112.35	111.14	1.21	NM	3981.79	3870.35	-0.27
MW-7	12/16/20	110.10			112.32	3978.45	3868.35	-0.51
MW-7	06/22/21	110.36			112.32	3978.45	3868.09	-0.26
MW-8	12/16/20	110.95	110.50	0.45	NM	3979.96	3869.35	NA
MW-8	06/22/21	110.97	110.95	0.02	NM	3979.96	3869.01	-0.34
MW-9	12/16/20	DRY			117.01	3980.17	NA	NA
MW-9	06/22/21	DRY			117.01	3980.17	NA	NA
MW-10	12/16/20	111.40			117.39	3979.66	3868.26	-0.43
MW-10	06/22/21	111.72			117.39	3979.66	3867.94	-0.32
MW-11	12/16/20	110.50			118.17	3978.50	3868.00	-0.38
MW-11	06/22/21	110.83			118.17	3978.50	3867.67	-0.33
MW-12	12/16/20	110.95			117.57	3978.82	3867.87	-0.36
MW-12	06/22/21	111.32			117.57	3978.82	3867.50	-0.37
MW-13	12/16/20	112.75			122.12	3980.52	3867.77	0.00
MW-13	06/22/21	113.37			113.56	3980.52	3867.15	-0.62
MW-14	12/16/20	117.66			118.64	3982.23	3864.57	-4.09
MW-14	06/22/21	117.98			118.64	3982.23	3864.25	-0.32
**MW-15	12/15/20	111.85	111.65	0.20	NM	3982.70	3871.00	NA
**MW-15	06/23/21	112.33	112.05	0.28	NM	3982.70	3870.58	-0.42
MW-16	12/16/20	110.02			128.31	3980.80	3870.78	-0.24
MW-16	06/22/21	110.60			128.31	3980.80	3870.20	-0.58
MW-17	12/16/20	112.70			128.19	3981.80	3869.10	-0.48
MW-17	06/22/21	113.11			128.19	3981.80	3868.69	-0.41
MW-18	12/16/20	114.20			125.57	3983.10	3868.90	-0.52
MW-18	06/22/21	114.62			125.57	3983.10	3868.48	-0.42
MW-19	12/16/20	113.95			126.66	3980.80	3866.85	-0.43
MW-19	06/22/21	114.27			126.66	3980.80	3866.53	-0.32
MW-20	12/16/20	116.70			135.77	3983.30	3866.60	-0.36
MW-20	06/22/21	117.10			135.77	3983.30	3866.20	-0.40
MW-21	12/16/20	112.20			123.59	3981.50 <sup>(2)</sup>	3869.30	-0.37
MW-21	06/22/21	112.55			123.59	3981.50 <sup>(2)</sup>	3868.95	-0.35

**TABLE 1**  
**FIRST HALF 2021 SEMI-ANNUAL**  
**SUMMARY OF GROUNDWATER ELEVATION DATA**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event (1) (feet)
MW-22	12/16/20	112.35			148.22	3981.15 <sup>(2)</sup>	3868.80	-0.40
MW-22	06/22/21	112.65			148.22	3981.15 <sup>(2)</sup>	3868.50	-0.30
MW-23	12/16/20	DRY			101.11	3980.54 <sup>(2)</sup>	NA	NA
MW-23	06/22/21	DRY			101.11	3980.54 <sup>(2)</sup>	NA	NA
Average change in groundwater elevation (12/16/20 to 6/22/21)								-0.35

Notes:

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

2- TOC elevations for MW-1, MW-2, MW-21, MW-22, and MW-23 were calculated relative to the historical MW-7 TOC elevation based on a transit survey conducted on 6/4/14.

amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water)

\* Groundwater elevation was corrected for product thickness using the following calculation, when applicable:

Groundwater elevation = (TOC Elevation - Measured Depth to Water) + (LNAPL Thickness in Well \* LNAPL Relative Density)

LNAPL relative density is assumed to be approximately 0.75

\*\* Monitoring well MW-15 has an active Spill Buster automatic LNAPL recovery pump installed. As such, the calculated groundwater elevations may not be representative of actual groundwater elevations within the well.

NM = Not Measured

NA = Not Applicable

**TABLE 2**  
**FIRST HALF 2021 SEMI-ANNUAL**  
**SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-5	06/22/21		LNAPL			
MW-6	06/22/21		LNAPL			
MW-7	06/24/21	<b>0.0113</b>	<0.00100	0.00226	0.000233 J	
MW-8	06/22/21		LNAPL			
MW-9	06/22/21		Dry			
MW-10	06/24/21	<b>19.2</b>	<1.0	<b>0.776 J</b>	<3.00	Duplicate A sample collected
MW-10 (Duplicate)	06/24/21	<b>21.1</b>	<0.00100	<b>0.741 J</b>	0.00169 J	
MW-11	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-12	06/24/21	<b>8.44</b>	<0.200	<0.200	<0.600	
MW-13	06/22/21		Dry			
MW-14	06/23/21		Dry			
MW-15	06/22/21		LNAPL			Active Spill Buster in Well
MW-16	06/23/21	0.00426	<0.00100	<0.00100	<0.00300	
MW-17	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	06/24/21	<b>14.4</b>	<0.100	<b>1.54</b>	0.303	Duplicate B sample collected
MW-21 (Duplicate)	06/24/21	<b>11.5</b>	0.00214	<b>1.22</b>	0.236 J	
MW-22	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

**Bold red** values indicate an exceedance of the associated NMWQCC standard (Effective 7/1/2020) or, for chlorides, the secondary maximum contaminant has been established as a guideline in the National Secondary Drinking Water Regulations.

NMWQCC = New Mexico Water Quality Control Commission

LNAPL = Light Non-Aqueous Phase Liquid

J = A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

mg/L = milligrams per liter


**TABLE 3**  
**LNAPL RECOVERY TANK INSPECTION LOG**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Date	Total Tank Depth (feet)	Product in Tank (feet)	Depth to Water (feet)	Volume of Product (gallons)	Volume of Water (gallons)	Cumulative Volume of Water & Product (Gallons)	Pump Rate (gallons per day)
<b>Lee Booster Station - MW-15 Well (Spill Buster Installed 9/14/13)</b>							
09/15/13	2.05	1.72	--	16.90	--	16.90	16.90
09/16/13	2.05	1.65	--	20.48	--	20.48	3.58
09/20/13	2.05	1.34	--	36.35	--	36.35	3.97
09/25/13	2.05	1.12	--	47.62	--	47.62	2.25
10/04/13	2.05	0.90	--	58.88	--	58.88	1.13
10/10/13	2.05	0.70	--	69.12	--	69.12	1.71
10/17/13	2.05	0.44	--	82.43	--	82.43	1.90
10/25/13	2.05	0.35	--	87.04	--	87.04	0.58
Tank emptied on 10/31/13							
11/13/13	2.05	1.84	--	10.75	--	97.79	0.83
11/22/13	2.05	1.50	--	28.16	--	115.20	1.93
12/04/13	2.05	1.22	--	42.50	--	129.54	1.19
12/18/13	2.05	1.00	--	53.76	--	140.80	0.94
01/06/14	2.05	0.63	--	72.70	--	159.74	0.92
01/23/14	2.05	0.34	--	87.55	--	174.59	0.87
01/27/14	2.05	0.32	--	88.58	--	175.62	0.26
Tank emptied on 1/27/14							
02/10/14	2.05	1.72	--	16.90	--	192.51	1.21
04/25/14	2.05	0.76	--	66.05	--	241.66	0.66
05/27/14	2.05	0.49	--	79.87	--	255.49	0.43
06/02/14	2.05	0.44	--	82.43	--	258.05	0.43
Tank emptied on 6/2/14							
06/24/14	2.05	1.95	--	5.12	--	263.17	0.23
08/15/14	2.05	1.50	--	28.16	--	286.21	0.44
09/25/14	2.05	1.30	--	38.40	--	296.45	0.25
10/16/14	2.05	1.10	--	48.64	--	306.69	0.49
12/18/14	2.05	0.79	--	64.51	--	322.56	0.25
03/12/15	2.05	0.44	--	82.43	--	340.48	0.21
Tank emptied on 3/12/15							
05/05/15	2.05	1.92	--	6.66	--	347.14	0.12
06/03/15	2.05	1.85	--	10.24	--	350.72	0.12
08/31/15	2.05	1.68	--	18.94	--	359.42	0.10
12/15/15	2.05	1.46	--	30.21	--	370.69	0.11
03/23/16	2.05	1.06	--	50.69	--	391.17	0.21
The 105 gallon poly holding tank was emptied and replaced with a 55-gallon steel drum holding tank on March 23, 2016							
03/23/16	2.85	0	--	0.00	--	391.17	NA
06/22/16	2.85	1.6	--	30.88	--	422.05	0.34
12/20/16	2.85	2.83	--	54.62	--	445.79	0.13
Tank emptied on 12/21/16.							
12/21/16	2.85	0	--	0.00	--	445.79	NA
06/21/17	2.85	1.2	--	23.16	--	468.95	0.13
LNAPL Recovery System Not Operational							
07/05/18	2.85	1.2	--	23.16		468.95	0.00
08/13/18	2.85	1.2	--	23.16		468.95	0.00
11/08/18	2.85	1.2	--	23.16		468.95	0.00
12/05/18	2.85	1.29	--	24.90		470.69	0.06
01/10/19	2.85	1.58	--	30.49		476.28	0.16
02/15/19	2.85	1.71	--	33.00		478.79	0.07
03/22/19	2.85	1.74	--	33.58		479.37	0.02
05/03/19	2.85	1.79	--	34.55		480.34	0.02
06/17/19	2.85	1.82	--	35.13		480.92	0.01
09/17/19	2.85	1.82	--	35.13		480.92	0.00
11/20/19	2.85	1.82	--	35.13		480.92	0.00
12/18/19	2.85	1.82	--	35.13		480.92	0.00
02/25/20	2.85	1.76	--	33.97		479.76	-0.02
09/15/20	2.85	1.93	--	37.25		483.04	0.02
12/15/20	2.85	1.88	--	36.28		482.07	-0.01
03/23/21	2.85	1.83	--	35.32		481.11	-0.01
06/23/21	2.85	2.04	--	39.37		485.16	0.04

**Notes:**

- One foot within the 105-gallon poly holding tank equals 51.22 gallons/ One tenth of a foot equals 5.12 gallons.
- One foot within the 55-gallon steel drum holding tank equals 19.3 Gallons.

## Figures



DATE:	June 2015
DESIGNED BY:	T. Johansen
DRAWN BY:	D. Arnold




Tasman Geosciences, LLC  
6899 Pecos Street - Unit C  
Denver, CO 80221

**DCP Midstream**  
**Former Lee Gas Plant**  
SW 1/4, SE 1/4, Section 30, Township 17 South, Range 35 East  
Lea County, New Mexico

Site Location  
Map

Figure  
1



DATE:	January 2020
DESIGNED BY:	B. Humphrey
DRAWN BY:	J. Clonts



Tasman Geosciences, Inc.  
6855 W. 119th Ave  
Broomfield, CO 80020

**DCP Midstream  
Former Lee Gas Plant**  
First Half 2021 Semi-Annual Groundwater Monitoring  
Summary Report

Site Map with Monitoring and  
Remediation Well Locations

**Figure  
2**



DATE:	September 2021
DESIGNED BY:	B. Humphrey
DRAWN BY:	C. Ambler




Tasman Geosciences, Inc.  
6855 W. 119th Ave  
Broomfield, CO 80020

### DCP Midstream Former Lee Gas Plant

First Half 2021 Semi-Annual Groundwater Monitoring  
Summary Report

Groundwater Elevation  
Contour Map  
(June 22, 2021)

Figure  
3



DATE: September 2021  
DESIGNED BY: B. Humphrey  
DRAWN BY: C. Ambler



Tasman Geosciences, Inc.  
6855 W. 119th Ave  
Broomfield, CO 80020

## DCP Midstream Former Lee Gas Plant

First Half 2021 Semi-Annual Groundwater Monitoring  
Summary Report

Analytical Results  
Map

Figure  
4

## Appendix A

### Historical Analytical Data

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-1	03/01/08	<b>1.4</b>	0.0395	<b>0.948</b>	0.128	
MW-1	06/01/08	<b>2.75</b>	0.054	<b>2.17</b>	0.232	
MW-1	09/01/08	<b>1.1</b>	0.0375	<b>0.845</b>	0.131	
MW-1	12/01/08	<b>0.869</b>	0.0385	0.581	0.0709	
MW-1	03/01/09	<b>0.288</b>	0.0149	0.107	0.0395	
MW-1	05/01/09	<b>1.38</b>	0.0705	0.175	0.065	
MW-1	09/01/09	<b>0.267</b>	0.024	0.0332	0.0078	
MW-1	12/2009	<b>0.819</b>	0.088	0.0267	0.012	
MW-1	03/01/10	<b>0.726</b>	0.0879	0.107	0.0278	
MW-1	Removed from sampling plan					
MW-2	03/01/08	<b>8.98</b>	0.135	<b>6.58</b>	<b>0.765</b>	
MW-2	06/01/08	<b>24.3</b>	0.319	<b>18.5</b>	<b>2.58</b>	
MW-2	09/01/08	<b>21.7</b>	0.443	<b>9.79</b>	<b>4.25</b>	
MW-2	12/01/08	Not Sampled: Remediation Activities				
MW-2	03/01/09	<b>23.7</b>	0.538	<b>2.34</b>	<b>1.25</b>	
MW-2	05/01/09	<b>32.7</b>	<b>0.791</b>	<b>1.31</b>	<b>1.69</b>	
MW-2	09/01/09	<b>29.3</b>	0.491	<b>0.771</b>	0.371	
MW-2	12/01/09	<b>28.5</b>	0.57	0.347	0.177	
MW-2	03/01/10	<b>23.8</b>	0.529	0.71	<1.2	
MW-2	Removed from sampling plan					
MW-3	09/27/05	<0.47	<0.54	<0.48	<2.0	
MW-3	12/21/06	<0.23	<0.54	<0.48	<1.1	
MW-3	03/01/08	Dry				
MW-3	06/01/08	Dry				
MW-3	09/01/08	Dry				
MW-3	12/01/08	Dry				
MW-3	03/01/09	Dry				
MW-3	05/01/09	Dry				
MW-3	09/01/09	Dry				
MW-3	12/01/09	Dry				
MW-3	03/01/10	Dry				
MW-3	03/29/10	Dry				
MW-3	09/24/10	Dry				
MW-3	06/03/11	Dry				
MW-3	12/15/11	Dry				
MW-3	06/07/12	Dry				
MW-3	12/06/12	Dry				
MW-3	06/05/13	Dry				
MW-3	12/04/13	Dry				
MW-3	06/04/14	Dry				
MW-3	12/05/14	Dry				
MW-3	Removed from sampling plan					
MW-4	12/21/06	<b>0.03</b>	0.0058	<0.48	0.0075	
MW-4	12/01/09	Dry				
MW-4	06/01/08	Dry				
MW-4	09/01/08	Dry				
MW-4	12/01/08	Dry				
MW-4	03/01/09	Dry				
MW-4	05/01/09	Dry				
MW-4	09/01/09	Dry				
MW-4	12/01/09	Dry				
MW-4	03/01/10	Dry				
MW-4	Removed from sampling plan					
MW-5	03/01/08	LNAPL				
MW-5	03/29/10	LNAPL				

**APPENDIX A**  
**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-5	09/24/10		LNAPL			
MW-5	06/03/11		LNAPL			
MW-5	12/15/11		LNAPL			
MW-5	06/07/12		LNAPL			
MW-5	12/06/12		LNAPL			
MW-5	06/05/13		LNAPL			
MW-5	12/04/13		LNAPL			
MW-5	06/04/14		LNAPL			
MW-5	12/05/14		LNAPL			
MW-5	06/04/15		LNAPL			
MW-5	12/15/15		LNAPL			
MW-5	06/21/16		LNAPL			
MW-5	12/20/16		LNAPL			
MW-5	06/20/17		LNAPL			
MW-5	12/19/17		LNAPL			
MW-5	06/25/18		LNAPL			
MW-5	12/13/18		LNAPL			
MW-5	06/17/19		LNAPL			
MW-5	12/18/19		LNAPL			
MW-5	06/30/20		LNAPL			
MW-5	12/16/20		LNAPL			
MW-5	06/22/21		LNAPL			
MW-6	12/21/06	<0.23	<0.54	<0.48	<1.1	
MW-6	03/29/10		LNAPL			
MW-6	09/24/10		LNAPL			
MW-6	06/03/11		LNAPL			
MW-6	12/15/11		LNAPL			
MW-6	12/06/12		LNAPL			
MW-6	06/07/12		LNAPL			
MW-6	06/05/13		LNAPL			
MW-6	12/04/13		LNAPL			
MW-6	06/04/14		LNAPL			
MW-6	12/05/14		LNAPL			
MW-6	06/04/15		LNAPL			
MW-6	12/15/15		LNAPL			
MW-6	06/21/16		LNAPL			
MW-6	12/20/16		LNAPL			
MW-6	06/20/17		LNAPL			
MW-6	12/19/17		LNAPL			
MW-6	06/25/18		LNAPL			
MW-6	12/13/18		LNAPL			
MW-6	06/17/19		LNAPL			
MW-6	12/18/19		LNAPL			
MW-6	06/30/20		LNAPL			
MW-6	12/16/20		LNAPL			
MW-6	06/22/21		LNAPL			
MW-7	09/24/04	<1.0	0.0012	0.0017	<2.0	
MW-7	09/27/05	0.001	<0.54	0.0025	<2.0	
MW-7	09/15/06	<b>0.74</b>	<0.54	0.0056	0.0086	
MW-7	12/21/06	<0.23	<0.54	<0.48	<1.1	
MW-7	09/20/07	<b>0.864</b>	<0.00054	0.006	0.0137	
MW-7	09/17/09	<b>5.75</b>	0.0018	0.002	0.0018	
MW-7	03/29/10	<b>4.98</b>	0.0017	0.0146	0.0088	
MW-7	03/29/10	<b>4.98</b>	0.0017	0.0146	0.0088	
MW-7	09/23/10	<b>0.976</b>	0.00057	0.0083	<0.0017	
MW-7	09/24/10	<b>0.976</b>	0.00057	0.0083	<0.0017	

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-7	06/03/11	<0.001	<0.002	<0.002	<0.004	
MW-7	06/03/11	<0.00025	<0.0010	<0.00050	<0.0020	
MW-7	12/15/11	0.0013	<0.002	<0.002	<0.004	
MW-7	06/07/12	<b>0.037</b>	<0.005	<0.005	<0.015	
MW-7	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-7	06/04/13	0.0062	<0.001	<0.001	<0.001	
MW-7	12/04/13	<b>0.2</b>	<0.001	0.0073	0.01	
MW-7	06/04/14	<b>0.53</b>	<0.001	0.026	0.012	
MW-7	12/05/14	0.0066	<0.001	<0.001	<0.003	
MW-7	06/04/15	<b>0.23</b>	<0.001	0.0023	<0.003	
MW-7	12/15/15	0.0075	<0.001	<0.001	<0.003	
MW-7	06/22/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-7	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-7	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
MW-7	12/19/17	<b>0.0633</b>	<0.0010	<0.0010	<0.0030	
MW-7	06/26/18	<b>0.0149</b>	<0.0010	<0.0010	<0.0030	
MW-7	12/13/18	<b>1.17</b>	<0.0010	0.0280	0.00278 J	
MW-7	06/19/19	<b>0.266</b>	<0.0050	0.00207 J	<0.0150	
MW-7	12/20/19	<b>0.0247</b>	<0.0010	<0.0010	<0.0030	
MW-7	06/30/20	<b>0.0347</b>	<0.00100	0.000167 J	<0.00300	
MW-7	12/17/20	<0.00100	<0.00100	<0.00100	<0.00300	
MW-7	06/24/21	<b>0.0113</b>	<0.00100	0.00226	0.000233 J	
MW-8	12/21/06	<0.23	<0.54	<0.48	<1.1	
MW-8	03/29/10		LNAPL			
MW-8	09/24/10		LNAPL			
MW-8	06/03/11		LNAPL			
MW-8	12/15/11		LNAPL			
MW-8	06/07/12		LNAPL			
MW-8	12/06/12		LNAPL			
MW-8	06/05/13		LNAPL			
MW-8	12/04/13		LNAPL			
MW-8	06/04/14		LNAPL			
MW-8	12/04/14		LNAPL			
MW-8	06/04/15		LNAPL			
MW-8	12/15/15		LNAPL			
MW-8	06/21/16		LNAPL			
MW-8	12/20/16		LNAPL			
MW-8	06/20/17		LNAPL			
MW-8	12/19/17		LNAPL			
MW-8	06/25/18		LNAPL			
MW-8	12/13/18		LNAPL			
MW-8	06/17/19		LNAPL			
MW-8	12/18/19		LNAPL			
MW-8	06/30/20		Dry			
MW-8	12/16/20		LNAPL			
MW-8	06/22/21		LNAPL			
MW-9	09/23/04	<b>2.4</b>	<1.0	0.013	0.0027	
MW-9	09/27/05	<b>3.4</b>	<0.54	0.053	0.0096	
MW-9	09/15/06	<b>10.9</b>	<0.54	-	0.025	
MW-9	09/20/07	<b>22.6</b>	<0.00054	0.27	0.0834	
MW-9	09/17/09	<b>10.2</b>	<0.00043	0.212	0.0351	
MW-9	03/29/10	<b>0.376</b>	<0.002	0.0016	<0.006	
MW-9	03/29/10	<b>0.376</b>	<0.00043	0.0016	<0.0017	
MW-9	09/23/10	<b>0.0167</b>	<0.00043	0.0008	<0.0017	
MW-9	09/24/10	<b>0.0167</b>	<0.002	0.0008	<0.0017	
MW-9	06/03/11	LNAPL	LNAPL	LNAPL	LNAPL	

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-9	12/16/11	<b>12.5</b>	<0.40	0.39	<0.80	
MW-9	06/07/12	<b>13</b>	0.44	<0.025	<0.075	
MW-9	12/07/12	<b>13</b>	<b>0.89</b>	<0.050	0.28	Duplicate sample collected
MW-9	06/05/13	<b>16</b>	<0.010	<b>0.96</b>	0.38	Duplicate sample collected
MW-9	12/04/13	<b>9.4</b>	<0.010	0.61	0.025	Duplicate sample collected
MW-9	06/05/14	<b>7.2</b>	<0.01	0.53	0.12	Duplicate sample collected
MW-9 (Duplicate)	06/05/14	<b>7.2</b>	<0.01	0.53	0.12	
MW-9	12/05/14	<b>2.9</b>	<0.001	0.4	0.096	Duplicate sample collected
MW-9 (Duplicate)	12/05/14	<b>3.1</b>	<0.001	0.4	0.11	
MW-9	06/04/15	<b>0.77</b>	<0.001	0.041	0.0059	Duplicate sample collected
MW-9 (Duplicate)	06/04/15	<b>0.88</b>	<0.001	0.048	0.0081	
MW-9	12/15/15	<b>1.1</b>	0.001	0.081	0.011	Duplicate #1 sample collected
MW-9 (Duplicate)	12/15/15	<b>0.67</b>	<0.001	0.036	<0.003	
MW-9	06/22/16	<b>4.3</b>	<0.0010	0.13	0.028	Duplicate #1 sample collected
MW-9 (Duplicate)	06/22/16	<b>4</b>	<0.0010	0.13	0.026	
MW-9	12/20/16	<b>8.9</b>	<0.010	0.65	0.21	
MW-9	06/20/17	<b>3.7</b>	<0.010	0.26	0.062	
MW-9	12/19/17	<b>4.53</b>	<0.0010	0.374	0.0717	
MW-9	06/26/18	<b>3.16</b>	<0.0250	0.247	<0.0750	
MW-9	12/13/18	<b>3.61</b>	<0.0010	0.272	0.0423	
MW-9	06/19/19	<b>3.92</b>	<0.020	0.244	0.0452 J	
MW-9	12/20/19	<b>3.22</b>	<0.020	0.234	0.0892	
MW-9	06/30/20	<b>2.24</b>	<0.00100	0.0303	0.00196 J	
MW-9	12/16/20		Dry			
MW-9	06/22/21		Dry			
MW-10	09/24/04	<b>0.022</b>	<1.0	<1.0	<2.0	
MW-10	09/27/05	0.0032	<0.54	<0.48	<2.0	
MW-10	09/15/06	0.0025	<0.54	<0.48	<1.1	
MW-10	09/20/07	<b>3.67</b>	<0.00054	0.0016	<0.0011	
MW-10	09/17/09	<b>3.58</b>	<0.00043	0.0411	<0.0017	
MW-10	03/29/10	<b>0.192</b>	<0.002	0.00095	<0.006	
MW-10	03/29/10	<b>0.192</b>	<0.00043	0.00095	<0.0017	
MW-10	09/24/10	<b>12.2</b>	<0.002	0.0723	0.0026	
MW-10	09/24/10	<b>12.2</b>	<0.00043	0.0723	0.0026	
MW-10	06/03/11	<0.001	<0.002	<0.002	<0.004	
MW-10	06/03/11	<0.00025	<0.0010	<0.00050	<0.0020	
MW-10	12/15/11	<b>12.5</b>	<0.40	0.204	<0.80	
MW-10	06/07/12	<b>29</b>	0.19	<0.05	<0.15	
MW-10	12/07/12	<b>27</b>	0.23	<0.050	<0.15	
MW-10	06/05/13	<b>26</b>	<0.010	0.33	<0.010	
MW-10	12/04/13	<b>19</b>	<0.010	0.3	<0.01	
MW-10	06/05/14	<b>20</b>	<0.01	0.55	<0.01	
MW-10	12/05/14	<b>16</b>	<0.025	0.23	<0.075	
MW-10	06/04/15	<b>24</b>	<0.01	0.37	<0.003	
MW-10	12/15/15	<b>11</b>	<0.01	0.28	0.033	
MW-10	06/22/16	<b>20</b>	<0.010	0.62	<0.030	
MW-10	12/20/16	<b>30</b>	<0.010	0.57	0.015	Duplicate #1 sample collected
MW-10 (Duplicate)	12/20/16	<b>29</b>	<0.010	0.55	0.013	
MW-10	06/21/17	<b>18</b>	<0.025	0.62	<0.025	Duplicate #1 sample collected
MW-10 (Duplicate)	06/21/17	<b>19</b>	<0.025	0.65	<0.025	
MW-10	12/19/17	<b>28.7</b>	0.000553 J	<b>1.93</b>	0.0274	Duplicate #1 sample collected
MW-10 (Duplicate)	12/19/17	<b>28.5</b>	<0.0010	<b>1.88</b>	0.0251	
MW-10	06/26/18	<b>18.0</b>	<0.20	<b>1.43</b>	<0.60	Duplicate #1 sample collected
MW-10 (Duplicate)	06/26/18	<b>14.9</b>	<0.20	<b>1.17</b>	<0.60	
MW-10	12/13/18	<b>19.8</b>	<0.010	<b>1.56</b>	0.0116 J	Duplicate #1 sample collected
MW-10 (Duplicate)	12/13/18	<b>23.4</b>	<0.050	<b>1.38</b>	<0.150	
MW-10	06/19/19	<b>18.0</b>	<0.10	<b>1.32</b>	<0.30	Duplicate A sample collected

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-10 (Duplicate)	06/19/19	<b>18.5</b>	<0.20	<b>1.26</b>	<0.60	
MW-10	12/20/19	<b>14.3</b>	<0.10	<b>1.13</b>	<0.30	
MW-10	06/30/20	<b>26.4</b>	<0.0100	<b>1.06</b>	0.00506 J	Duplicate B sample collected
MW-10 (Duplicate)	06/30/20	<b>26.8</b>	<0.0100	<b>1.19</b>	0.00513 J	
MW-10	12/17/20	<b>21.7</b>	<1.0	<b>0.852</b>	0.0282 J	Duplicate A sample collected
MW-10 (Duplicate)	12/17/20	<b>24.5</b>	<0.0250	<b>0.477</b>	<0.0750	
MW-10	06/24/21	<b>19.2</b>	<1.0	<b>0.776 J</b>	<3.00	Duplicate A sample collected
MW-10 (Duplicate)	06/24/21	<b>21.1</b>	<0.00100	<b>0.741 J</b>	0.00169 J	
MW-11	09/23/04	<1.0	<1.0	<1.0	<2.0	
MW-11	03/14/05	<1.0	<1.0	<1.0	<2.0	
MW-11	09/26/05	<0.47	<0.54	<0.48	<2.0	
MW-11	03/02/06	<0.47	<0.54	<0.48	<2.0	
MW-11	09/14/06	<0.23	<0.54	<0.48	<1.1	
MW-11	03/28/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-11	09/20/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-11	03/20/08	<0.00046	<0.00048	<0.00045	<0.0014	
MW-11	03/11/09	<0.00046	<0.00048	<0.00045	<0.0014	
MW-11	09/18/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-11	03/29/10	<0.002	<0.002	<0.002	<0.006	
MW-11	03/29/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-11	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-11	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-11	06/03/11	<0.001	<0.002	<0.002	<0.004	
MW-11	06/03/11	<0.00025	<0.0010	<0.00050	<0.0020	
MW-11	12/15/11	<0.001	<0.002	<0.002	<0.004	
MW-11	06/08/12	<0.005	<0.005	<0.005	<0.015	
MW-11	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-11	06/04/13	<0.001	<0.001	<0.001	<0.001	
MW-11	12/04/13	<0.001	<0.001	<0.001	<0.001	
MW-11	06/04/14	<0.001	<0.001	<0.001	<0.001	
MW-11	12/04/14	<0.001	<0.001	<0.001	<0.003	
MW-11	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-11	12/15/15	<0.001	<0.001	<0.001	<0.003	
MW-11	06/22/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-11	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-11	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
MW-11	12/19/17	<0.0010	<0.0010	<0.0010	<0.0030	
MW-11	06/26/18	<0.0010	0.000668 B J	<0.0010	<0.0030	
MW-11	12/13/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-11	06/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-11	12/20/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-11	06/26/20	<0.00100	<0.00100	<0.00100	<0.00300	
MW-11	12/16/20	<0.00100	<0.00100	<0.00100	<0.00300	
MW-11	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-12	09/23/04	<1.0	<1.0	<1.0	<2.0	
MW-12	03/14/05	<1.0	<1.0	<1.0	<2.0	
MW-12	09/26/05	<0.47	<0.54	<0.48	<2.0	
MW-12	03/02/06	<0.47	<0.54	<0.48	<2.0	
MW-12	09/14/06	<0.23	<0.54	<0.48	<1.1	
MW-12	03/28/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-12	09/20/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-12	03/20/08	<0.00046	0.00065	<0.00045	<0.0014	
MW-12	11/10/08	<0.00046	<0.00048	<0.00045	<0.0014	
MW-12	03/11/09	<0.00046	<0.00048	<0.00045	<0.0014	
MW-12	09/18/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-12	03/29/10	<0.002	<0.002	<0.002	<0.006	

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-12	03/29/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-12	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-12	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-12	06/03/11	<0.001	<0.002	<0.002	<0.004	
MW-12	06/03/11	<0.00025	<0.0010	<0.00050	<0.0020	
MW-12	12/16/11	<0.001	<0.002	<0.002	<0.004	
MW-12	06/07/12	<b>0.74</b>	<0.005	<0.005	<0.015	
MW-12	12/07/12	<b>5.5</b>	0.0086	<0.005	<0.015	
MW-12	06/05/13	<b>4.3</b>	<0.005	<0.005	<0.005	
MW-12	12/04/13	<b>3.7</b>	<0.0010	0.0011	<0.001	
MW-12	06/04/14	<b>8.1</b>	<0.001	0.0038	0.0015	
MW-12	12/05/14	<b>2.8</b>	<0.001	0.0014	<0.003	
MW-12	06/04/15	<b>1.3</b>	<0.005	<0.005	<0.015	
MW-12	12/15/15	<b>2.3</b>	<0.01	<0.01	<0.03	
MW-12	06/22/16	<b>8.3</b>	<0.010	<0.010	<0.030	
MW-12	12/20/16	<b>11</b>	<0.010	0.12	<0.010	
MW-12	06/20/17	<b>4.4</b>	<0.0050	0.021	<0.0050	
MW-12	12/19/17	<b>5.68</b>	0.000927 J	0.00345	0.00401	
MW-12	06/26/18	<b>7.32</b>	<0.050	0.0957	<0.150	
MW-12	12/13/18	<b>13.5</b>	<0.0250	0.0266	<0.0750	
MW-12	06/19/19	<b>3.05</b>	<0.10	<0.10	<0.30	
MW-12	12/20/19	<b>11.7</b>	<0.10	0.0715 J	<0.30	
MW-12	06/30/20	<b>0.781</b>	0.000825 J	0.0519	0.00220 J	
MW-12	12/18/20	<b>2.79</b>	<0.0100	<0.0100	<0.00300	
MW-12	06/24/21	<b>8.44</b>	<0.200	<0.200	<0.600	
MW-13	09/23/04	<1.0	<1.0	<1.0	<2.0	
MW-13	03/14/05	<1.0	<1.0	<1.0	<2.0	
MW-13	09/26/05	<0.47	<0.54	<0.48	<2.0	
MW-13	03/02/06	<0.47	<0.54	<0.48	<2.0	
MW-13	09/14/06	<0.23	<0.54	<0.48	<1.1	
MW-13	03/28/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-13	09/20/07	0.00092	<0.00054	<0.00048	<0.0011	
MW-13	03/20/08	<0.00046	0.0005	<0.00045	<0.0014	
MW-13	03/11/09	<0.00046	<0.00048	<0.00045	<0.0014	
MW-13	09/18/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-13	03/29/10	<0.002	<0.002	<0.002	<0.006	
MW-13	03/29/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-13	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-13	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-13	06/03/11	<0.001	<0.002	<0.002	<0.004	
MW-13	06/03/11	<0.00025	<0.0010	<0.00050	<0.0020	
MW-13	12/16/11	<0.001	<0.002	<0.002	<0.004	
MW-13	06/07/12	<0.005	<0.005	<0.005	<0.015	
MW-13	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-13	06/04/13	0.0022	<0.001	<0.001	<0.001	
MW-13	12/04/13	<0.001	<0.001	<0.001	<0.001	
MW-13	06/04/14	<0.001	<0.001	<0.001	<0.001	
MW-13	12/04/14	<0.001	<0.001	<0.001	<0.003	MS/MSD Collected
MW-13	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-13	12/15/15	<0.001	<0.001	<0.001	<0.003	
MW-13	06/22/16	0.0016	<0.0010	<0.0010	<0.0030	
MW-13	12/20/16	0.0038	<0.0010	<0.0010	<0.0010	
MW-13	06/20/17	<b>0.17</b>	<0.0010	<0.0010	0.0023	
MW-13	12/19/17	0.00731	<0.0010	0.000574 J	<0.0030	
MW-13	06/25/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-13	12/12/18	<b>0.0872</b>	<0.0010	<0.0010	<0.0030	
MW-13	06/19/19	0.0064	<0.0010	<0.0010	<0.0030	

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-13	12/20/19	0.000434 J	<0.0010	<0.0010	<0.0030	
MW-13	06/30/20	0.000122 J	<0.00100	<0.00100	<0.00300	
MW-13	12/17/20	<b>0.0107</b>	<0.00100	0.000283 J	<0.00300	
MW-13	06/22/21		Dry			
MW-14	09/23/04	<1.0	<1.0	<1.0	<2.0	
MW-14	09/27/05	0.0017	<0.54	<0.48	<2.0	
MW-14	09/15/06	<b>0.14</b>	<0.54	0.003	<1.1	
MW-14	09/20/07	0.003	<0.00054	<0.00048	<0.0011	
MW-14	09/18/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-14	03/29/10	NS	NS	NS	NS	
MW-14	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-14	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-14	06/03/11	NS	NS	NS	NS	
MW-14	12/15/11	<b>0.231</b>	<0.002	0.0095	<0.004	
MW-14	06/07/12	<0.005	<0.005	<0.005	<0.015	
MW-14	12/07/12	0.0024	<0.001	<0.001	<0.003	
MW-14	06/05/13	0.0019	<0.001	<0.001	<0.001	
MW-14	12/04/13	<b>0.44</b>	<0.001	<0.001	<0.001	
MW-14	06/04/14	<b>0.9</b>	<0.001	0.0052	0.0067	
MW-14	12/05/14	<0.001	<0.001	<0.001	<0.003	
MW-14	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-14	12/15/15	<0.001	<0.001	<0.001	<0.003	
MW-14	06/22/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-14	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-14	06/20/17	0.0017	<0.0010	<0.0010	<0.0010	
MW-14	12/19/17	0.000343 J	<0.0010	<0.0010	<0.0030	
MW-14	06/25/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-14	12/13/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-14	06/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-14	12/20/19	0.000507 J	<0.0010	<0.0010	<0.0030	
MW-14	06/29/20	0.00111	<0.00100	<0.00100	<0.00300	
MW-14	12/16/20	0.0000983 J	<0.00100	<0.00100	<0.00300	
MW-14	06/23/21		Dry			
MW-15	03/29/10		LNAPL			
MW-15	09/24/10		LNAPL			
MW-15	06/03/11		LNAPL			
MW-15	12/15/11		LNAPL			
MW-15	06/07/12		LNAPL			
MW-15	12/06/12		LNAPL			
MW-15	06/05/13		LNAPL			
MW-15	12/04/13		LNAPL			
MW-15	06/04/14		LNAPL			
MW-15	12/05/14		LNAPL			
MW-15	06/04/15		LNAPL			
MW-15	12/15/15		LNAPL			
MW-15	06/21/16		LNAPL			
MW-15	12/20/16		LNAPL			
MW-15	06/20/17		LNAPL			
MW-15	12/19/17		LNAPL			
MW-15	06/25/18		LNAPL			Active Spill Buster in Well
MW-15	12/13/18		LNAPL			Active Spill Buster in Well
MW-15	06/17/19		LNAPL			Active Spill Buster in Well
MW-15	12/18/19		LNAPL			Active Spill Buster in Well
MW-15	06/30/20		LNAPL			Active Spill Buster in Well
MW-15	12/16/20		LNAPL			Active Spill Buster in Well
MW-15	06/22/21	NS	NS	NS	NS	Active Spill Buster in Well

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-16	09/23/04	<b>0.012</b>	<1.0	<1.0	<2.0	
MW-16	09/26/05	<b>0.016</b>	<0.54	<0.48	<2.0	
MW-16	09/14/06	<b>0.2</b>	0.0097	0.0035	0.0078	
MW-16	09/20/07	<b>0.0309</b>	0.0014	0.00053	0.0018	
MW-16	09/18/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-16	03/29/10	NS	NS	NS	NS	
MW-16	09/23/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-16	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-16	06/03/11	NS	NS	NS	NS	
MW-16	12/15/11	<0.001	<0.002	<0.002	<0.004	
MW-16	06/08/12	<0.005	<0.005	<0.005	<0.015	
MW-16	12/06/12	<b>0.051</b>	0.0013	0.0027	<0.003	
MW-16	06/05/13	0.0086	<0.001	<0.001	<0.001	
MW-16	12/04/13	0.078	0.0029	0.0028	0.0032	
MW-16	06/04/14	<b>0.071</b>	0.0014	0.0019	0.0039	
MW-16	12/04/14	<b>0.037</b>	<0.001	<0.001	<0.003	
MW-16	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-16	12/15/15	0.007	<0.001	<0.001	<0.003	
MW-16	06/21/16	<b>0.011</b>	<0.0010	<0.0010	<0.0030	
MW-16	12/20/16	0.0021	<0.0010	<0.0010	<0.0010	
MW-16	06/20/17	0.002	<0.0010	<0.0010	<0.0010	
MW-16	12/19/17	0.00971	0.000560 J	0.000602 J	<0.0030	
MW-16	06/26/18	0.00268	<0.0010	<0.0010	<0.0030	
MW-16	12/11/18	<b>0.103</b>	0.00250	0.00817	0.0129	
MW-16	06/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	12/18/19	0.00127	<0.0010	<0.0010	<0.0030	
MW-16	06/29/20	<0.0010	<0.0010	<0.0010	<0.0030	
MW-16	12/18/20	0.00769	0.000450 J	0.000201 J	0.000340 J	
MW-16	06/23/21	0.00426	<0.00100	<0.00100	<0.00300	
MW-17	09/23/04	<1.0	<1.0	<1.0	<2.0	
MW-17	09/26/05	0.0018	<0.54	<0.48	<2.0	
MW-17	09/14/06	<0.23	<0.54	<0.48	<1.1	
MW-17	09/20/07	<b>0.0118</b>	<0.00054	<0.00048	<0.0011	
MW-17	09/18/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-17	03/29/10	NS	NS	NS	NS	
MW-17	09/23/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-17	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-17	06/03/11	NS	NS	NS	NS	
MW-17	12/15/11	<0.001	<0.002	<0.002	<0.004	
MW-17	06/07/12	<0.005	<0.005	<0.005	<0.015	
MW-17	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-17	06/04/13	<0.001	<0.001	<0.001	<0.001	
MW-17	12/04/13	0.0014	<0.001	<0.001	<0.001	
MW-17	06/04/14	<0.001	<0.001	<0.001	<0.001	
MW-17	12/04/14	0.0022	<0.001	<0.001	<0.003	
MW-17	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-17	12/15/15	<0.001	<0.001	<0.001	<0.003	
MW-17	06/21/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-17	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-17	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
MW-17	12/19/17	<0.0010	<0.0010	<0.0010	<0.0030	
MW-17	06/26/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-17	12/12/18	0.000417 J	<0.0010	<0.0010	<0.0030	
MW-17	06/17/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-17	12/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-17	06/29/20	0.000378 J	<0.0010	<0.0010	<0.0030	
MW-17	12/16/20	0.000103 J	<0.0010	<0.0010	<0.0030	

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-17	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	09/23/04	<1.0	<1.0	<1.0	<2.0	
MW-18	09/26/05	<0.47	<0.54	<0.48	<2.0	
MW-18	09/14/06	<0.23	<0.54	<0.48	<1.1	
MW-18	09/20/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-18	09/17/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-18	03/29/10	NS	NS	NS	NS	
MW-18	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-18	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-18	06/03/11	NS	NS	NS	NS	
MW-18	12/16/11	<0.001	<0.002	<0.002	<0.004	
MW-18	06/07/12	<0.005	<0.005	<0.005	<0.015	
MW-18	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-18	06/04/13	<0.001	<0.001	<0.001	<0.001	
MW-18	12/04/13	<0.001	<0.001	<0.001	<0.001	
MW-18	06/04/14	<0.001	<0.001	<0.001	<0.001	
MW-18	12/04/14	<0.001	<0.001	<0.001	<0.003	
MW-18	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-18	12/15/15	<0.001	<0.001	<0.001	<0.003	
MW-18	06/21/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-18	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-18	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
MW-18	12/19/17	<0.0010	<0.0010	<0.0010	<0.0030	
MW-18	06/26/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-18	12/12/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-18	06/17/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-18	12/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-18	06/29/20	0.000305 J	<0.0010	<0.0010	<0.0030	
MW-18	12/16/20	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	09/23/04	<1.0	<1.0	<1.0	<2.0	
MW-19	03/14/05	<1.0	<1.0	<1.0	<2.0	
MW-19	09/26/05	<0.47	<0.54	<0.48	<2.0	
MW-19	03/02/06	<0.47	<0.54	<0.48	<2.0	
MW-19	09/14/06	<0.23	<0.54	<0.48	<1.1	
MW-19	03/28/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-19	09/20/07	0.001	<0.00054	<0.00048	<0.0011	
MW-19	03/20/08	<0.00046	0.00061	<0.00045	<0.0014	
MW-19	03/11/09	<0.00046	<0.00048	<0.00045	<0.0014	
MW-19	09/17/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-19	03/29/10	<0.002	<0.002	<0.002	<0.006	
MW-19	03/29/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-19	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-19	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-19	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-19	06/03/11	<0.001	<0.002	<0.002	<0.004	
MW-19	06/03/11	<0.00025	<0.0010	<0.00050	<0.0020	
MW-19	12/16/11	<0.001	<0.002	<0.002	<0.004	
MW-19	06/07/12	<0.005	<0.005	<0.005	<0.015	
MW-19	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-19	06/04/13	<0.001	<0.001	<0.001	<0.001	
MW-19	12/04/13	<0.001	<0.001	<0.001	<0.001	
MW-19	06/04/14	<0.001	<0.001	<0.001	<0.001	
MW-19	12/04/14	<0.001	<0.001	<0.001	<0.003	
MW-19	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-19	12/15/15	<0.001	<0.001	<0.001	<0.003	

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-19	06/21/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-19	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
MW-19	12/19/17	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	06/25/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	12/12/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	06/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	12/19/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	06/29/20	0.000244 J	<0.0010	<0.0010	<0.0030	
MW-19	12/17/20	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	09/23/04	<11	<11	<11	<22	
MW-20	03/14/05	<1.0	<1.0	<1.0	<2.0	
MW-20	09/26/05	<0.47	<0.54	<0.48		
MW-20	03/02/06	<0.47	<0.54	<0.48	<2.0	
MW-20	09/14/06	<0.23	<0.54	0.0023	<1.1	
MW-20	03/28/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-20	09/20/07	<0.00023	<0.00054	<0.00048	<0.0011	
MW-20	03/20/08	<0.00046	<0.00048	<0.00045	<0.0014	
MW-20	03/11/09	<0.00046	<0.00048	<0.00045	<0.0014	
MW-20	09/17/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-20	03/29/10	<0.002	<0.002	<0.002	<0.006	
MW-20	03/29/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-20	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-20	09/24/10	<0.002	<0.002	<0.002	<0.006	
MW-20	09/24/10	<0.00050	<0.00043	<0.00055	<0.0017	
MW-20	06/03/11	<0.001	<0.002	<0.002	<0.004	
MW-20	06/03/11	<0.00025	<0.0010	<0.00050	<0.0020	
MW-20	12/15/11	0.0013	<0.002	<0.002	<0.004	
MW-20	06/07/12	<0.005	<0.005	<0.005	<0.015	
MW-20	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-20	06/04/13	<0.001	<0.001	<0.001	<0.001	
MW-20	12/04/13	<0.001	<0.001	<0.001	<0.001	
MW-20	06/04/14	<0.001	<0.001	<0.001	<0.001	
MW-20	12/04/14	<0.001	<0.001	<0.001	<0.003	
MW-20	06/04/15	<0.001	<0.001	<0.001	<0.003	
MW-20	12/15/15	<0.001	<0.001	<0.001	<0.003	
MW-20	06/21/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-20	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
MW-20	12/19/17	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	06/25/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	12/12/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	06/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	12/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	06/29/20	0.000212 J	<0.0010	<0.0010	<0.0030	
MW-20	12/17/20	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	09/23/04	<b>8.5</b>	<1.0	0.14	0.2	
MW-21	03/14/05	<b>6.7</b>	<1.0	0.17	0.29	
MW-21	09/27/05	<b>4.4</b>	<0.54	0.087	0.11	
MW-21	03/02/06	<b>2.4</b>	0.00062	0.069	0.11	
MW-21	09/15/06	<b>0.48</b>	<0.54	0.023	0.034	
MW-21	03/28/07	<b>13.2</b>	0.0059	<b>0.839</b>	<b>0.883</b>	
MW-21	09/20/07	<b>7.23</b>	0.00067	0.462	0.321	
MW-21	03/20/08	<b>0.899</b>	<0.00048	0.0399	0.0452	

**HISTORICAL ANALYTICAL RESULTS**  
**BTEX CONCENTRATIONS IN GROUNDWATER**  
**FORMER LEE GAS PLANT**  
**LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-21	03/11/09	<b>0.216</b>	<0.00048	0.0018	<0.0014	
MW-21	09/17/09	<b>12.1</b>	0.0034	<b>1.09</b>	0.312	
MW-21	03/29/10	<b>14.8</b>	0.00265	<b>1.54</b>	0.1945	
MW-21	03/29/10	<b>13</b>	0.0023	<b>1.32</b>	0.0959	
MW-21	09/24/10	<b>11.555</b>	0.0019	<b>1.535</b>	0.02645	
MW-21	09/25/10	<b>9.41</b>	0.002	<b>1.4</b>	0.0104	
MW-21	06/03/11	<b>7.97</b>	0.0012	0.536	<0.004	Duplicate sample collected
MW-21	06/03/11	<b>7.78</b>	0.0011	0.465	<0.0020	
MW-21	12/16/11	<b>0.671</b>	<0.02	0.0513	<0.04	Duplicate sample collected
MW-21	06/07/12	<b>4.4</b>	0.24	<0.025	0.086	Duplicate sample collected
MW-21	12/07/12	<b>1.9</b>	0.24	<0.005	0.098	
MW-21	06/05/13	<b>0.78</b>	<0.001	0.097	0.011	
MW-21	12/04/13	<b>1.8</b>	<0.0010	0.1	0.0064	
MW-21	06/04/14	<b>1.5</b>	<0.001	0.18	0.1	
MW-21	12/05/14	<b>3.1</b>	0.0011	0.6	0.22	
MW-21	06/04/15	<b>3</b>	<0.001	0.2	0.043	
MW-21	12/15/15	<b>6.1</b>	<0.025	<b>1.8</b>	<b>0.67</b>	Duplicate #2 sample collected
MW-21 (Duplicate)	12/15/15	<b>6</b>	<0.025	<b>1.8</b>	<b>0.69</b>	
MW-21	06/22/16	<b>11</b>	<0.010	<b>1.5</b>	0.54	Duplicate #2 sample collected
MW-21 (Duplicate)	06/22/16	<b>12</b>	<0.010	<b>1.6</b>	0.42	
MW-21	12/20/16	<b>11</b>	<0.010	<b>1.3</b>	0.31	Duplicate #2 sample collected
MW-21 (Duplicate)	12/20/16	<b>12</b>	<0.010	<b>1.3</b>	0.37	
MW-21	06/20/17	<b>1.7</b>	<0.0050	0.13	0.011	Duplicate #2 sample collected
MW-21 (Duplicate)	06/20/17	<b>1.7</b>	<0.0050	0.13	0.0096	
MW-21	12/19/17	<b>7.43</b>	0.00151	<b>0.849</b>	0.117	
MW-21 (Duplicate)	12/19/17	<b>8.07</b>	0.00161	<b>0.925</b>	0.133	
MW-21	06/26/18	<b>15.0</b>	<0.050	<b>1.19</b>	0.241	Duplicate #2 sample collected
MW-21 (Duplicate)	06/26/18	<b>13.0</b>	<0.050	<b>1.15</b>	0.20	
MW-21	12/13/18	<b>9.51</b>	<0.050	<b>1.14</b>	0.0899 J	Duplicate #2 sample collected
MW-21 (Duplicate)	12/13/18	<b>12.1</b>	<0.020	<b>1.24</b>	0.0961	
MW-21	06/19/19	<b>15.4</b>	<0.20	<b>1.87</b>	0.351 J	Duplicate B sample collected
MW-21 (Duplicate)	06/19/19	<b>17.6</b>	<0.20	<b>2.13</b>	0.335 J	
MW-21	12/20/19	<b>11.1</b>	<0.20	<b>1.24</b>	<0.60	Duplicate sample collected
MW-21 (Duplicate)	12/20/19	<b>11.4</b>	<0.20	<b>1.3</b>	0.220 J	
MW-21	06/30/20	<b>17.0</b>	<0.0010	<b>1.80</b>	0.155	Duplicate A sample collected
MW-21 (Duplicate)	06/30/20	<b>0.791</b>	<0.0250	<b>1.84</b>	0.130	
MW-21	12/17/20	<b>15.9</b>	<0.100	<b>2.29</b>	0.194 J	Duplicate B sample collected
MW-21 (Duplicate)	12/17/20	<b>14.1</b>	<0.200	<b>2.17</b>	0.156 J	
MW-21	06/24/21	<b>14.4</b>	<0.100	<b>1.54</b>	0.303	Duplicate B sample collected
MW-21 (Duplicate)	06/24/21	<b>11.5</b>	0.00214	<b>1.22</b>	0.236 J	
MW-22	09/23/04	0.0067	<1.0	<1.0	<2.0	
MW-22	09/27/05	<0.47	<0.54	<0.48	<2.0	
MW-22	09/15/06	<b>0.011</b>	<0.54	<0.48	<1.1	
MW-22	09/20/07	0.00057	<0.00054	<0.00048	<0.0011	
MW-22	09/17/09	<0.00050	<0.00043	<0.00055	<0.0017	
MW-22	03/29/10	NS	NS	NS	NS	
MW-22	09/24/10	<b>0.0114</b>	<0.002	0.0033	<0.006	
MW-22	09/25/10	<b>0.0114</b>	<0.00043	0.0033	<0.0017	
MW-22	06/03/11	NS	NS	NS	NS	
MW-22	12/16/11	<0.001	<0.002	<0.002	<0.004	
MW-22	06/07/12	<0.005	<0.005	<0.005	<0.015	
MW-22	12/06/12	<0.001	<0.001	<0.001	<0.003	
MW-22	06/05/13	<0.001	<0.001	<0.001	<0.001	
MW-22	12/04/13	<0.001	<0.001	<0.001	<0.001	
MW-22	06/04/14	<0.001	<0.001	<0.001	<0.001	
MW-22	12/04/14	<0.001	0.027	<0.001	<0.003	
MW-22	06/04/15	<0.001	<0.001	<0.001	<0.003	

**HISTORICAL ANALYTICAL RESULTS  
BTEX CONCENTRATIONS IN GROUNDWATER  
FORMER LEE GAS PLANT  
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
<b>NMWQCC Groundwater Standards (mg/L)</b>		<b>0.005</b>	<b>1.00</b>	<b>0.70</b>	<b>0.62</b>	
MW-22	12/15/15	<0.001	<0.001	<0.001	<0.003	
MW-22	06/22/16	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	12/20/16	<0.0010	<0.0010	<0.0010	<0.0010	
MW-22	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
MW-22	12/19/17	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	06/26/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	12/13/18	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	06/18/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	12/19/19	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	06/26/20	0.000246 J	<0.0010	<0.0010	<0.0030	
MW-22	12/17/20	<0.00100	<0.00100	<0.00100	0.000177 J	
MW-22	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	06/04/14		Dry			
MW-23	12/05/14		Dry			
MW-23	06/04/15		Dry			
MW-23	12/15/15		Dry			
MW-23	06/21/16		Dry			
MW-23			Removed from sampling plan			
Trip Blank	06/04/14	<0.001	<0.001	<0.001	<0.001	
Trip Blank	12/04/14	<0.001	<0.001	<0.001	<0.001	
Trip Blank	06/04/15	<0.001	<0.001	<0.001	<0.003	
Trip Blank	12/15/15	<0.001	<0.001	<0.001	<0.003	
Trip Blank	06/22/16	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/20/16	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/20/17	<0.0010	<0.0010	<0.0010	<0.0010	
Trip Blank	12/19/17	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/25/18	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/11/18	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/19/19	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/19/19	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	06/26/20	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	12/18/20	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	06/23/21	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

**Bold red** values indicate an exceedance of the NMWQCC groundwater standards for the Site.

NMWQCC = New Mexico Water Quality Control Commission

LNAPL = Light Non-Aqueous Phase Liquid

B = A qualifier indicating an analyte was detected in both the sample and the associated Method Blank (MB)

J = A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

NS = Not Sampled

NA = Not Analyzed

mg/L = milligrams per liter

## Appendix B

Laboratory Analytical Report  
Pace Analytical Job #: L1371311



# ANALYTICAL REPORT

July 09, 2021

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>GI<sup>8</sup>AI<sup>9</sup>SC

## DCP Midstream - Tasman

Sample Delivery Group: L1371311  
 Samples Received: 06/25/2021  
 Project Number:  
 Description: Former Lee Gas Plant

Report To: Kyle Norman  
 6899 Pecos St., Unit C  
 Denver, CO 80221

Entire Report Reviewed By:

Chris Ward  
Project Manager


Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National


12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

<b>Cp: Cover Page</b>	<b>1</b>	<b>1</b>
<b>Tc: Table of Contents</b>	<b>2</b>	<b>2</b>
<b>Ss: Sample Summary</b>	<b>3</b>	<b>3</b>
<b>Cn: Case Narrative</b>	<b>5</b>	<b>4</b>
<b>Sr: Sample Results</b>	<b>6</b>	<b>5</b>
MW-7 L1371311-01	6	
MW-10 L1371311-02	7	
MW-11 L1371311-03	8	
MW-12 L1371311-04	9	
MW-16 L1371311-05	10	
MW-17 L1371311-06	11	
MW-18 L1371311-07	12	
MW-19 L1371311-08	13	
MW-20 L1371311-09	14	
MW-21 L1371311-10	15	
MW-22 L1371311-11	16	
DUPLICATE A L1371311-12	17	
DUPLICATE B L1371311-13	18	
TRIP BLANK L1371311-14	19	
<b>Qc: Quality Control Summary</b>	<b>20</b>	<b>6</b>
<b>Volatile Organic Compounds (GC/MS) by Method 8260B</b>	<b>20</b>	
<b>Gl: Glossary of Terms</b>	<b>22</b>	<b>7</b>
<b>Al: Accreditations &amp; Locations</b>	<b>23</b>	<b>8</b>
<b>Sc: Sample Chain of Custody</b>	<b>24</b>	<b>9</b>

MW-7 L1371311-01 GW			Collected by Becky Griffin	Collected date/time 06/24/21 09:15	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 21:33	06/29/21 21:33	ADM	Mt. Juliet, TN
MW-10 L1371311-02 GW			Collected by Becky Griffin	Collected date/time 06/24/21 10:25	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1000	06/30/21 02:37	06/30/21 02:37	ADM	Mt. Juliet, TN
MW-11 L1371311-03 GW			Collected by Becky Griffin	Collected date/time 06/24/21 13:10	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 21:52	06/29/21 21:52	ADM	Mt. Juliet, TN
MW-12 L1371311-04 GW			Collected by Becky Griffin	Collected date/time 06/24/21 12:50	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	200	06/30/21 02:56	06/30/21 02:56	ADM	Mt. Juliet, TN
MW-16 L1371311-05 GW			Collected by Becky Griffin	Collected date/time 06/23/21 08:35	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 22:11	06/29/21 22:11	ADM	Mt. Juliet, TN
MW-17 L1371311-06 GW			Collected by Becky Griffin	Collected date/time 06/23/21 09:15	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 22:30	06/29/21 22:30	ADM	Mt. Juliet, TN
MW-18 L1371311-07 GW			Collected by Becky Griffin	Collected date/time 06/23/21 09:35	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 22:49	06/29/21 22:49	ADM	Mt. Juliet, TN
MW-19 L1371311-08 GW			Collected by Becky Griffin	Collected date/time 06/23/21 10:30	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 23:08	06/29/21 23:08	ADM	Mt. Juliet, TN



MW-20 L1371311-09 GW			Collected by Becky Griffin	Collected date/time 06/23/21 10:00	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 23:27	06/29/21 23:27	ADM	Mt. Juliet, TN
MW-21 L1371311-10 GW			Collected by Becky Griffin	Collected date/time 06/23/21 08:30	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	100	06/30/21 03:15	06/30/21 03:15	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1701309	500	07/07/21 17:16	07/07/21 17:16	BMB	Mt. Juliet, TN
MW-22 L1371311-11 GW			Collected by Becky Griffin	Collected date/time 06/23/21 14:00	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 23:46	06/29/21 23:46	ADM	Mt. Juliet, TN
DUPLICATE A L1371311-12 GW			Collected by Becky Griffin	Collected date/time 06/24/21 00:00	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/30/21 00:05	06/30/21 00:05	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1701309	2000	07/07/21 17:36	07/07/21 17:36	BMB	Mt. Juliet, TN
DUPLICATE B L1371311-13 GW			Collected by Becky Griffin	Collected date/time 06/24/21 00:00	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/30/21 00:24	06/30/21 00:24	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1701309	1000	07/07/21 17:56	07/07/21 17:56	BMB	Mt. Juliet, TN
TRIP BLANK L1371311-14 GW			Collected by Becky Griffin	Collected date/time 06/24/21 00:00	Received date/time 06/25/21 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1697452	1	06/29/21 21:14	06/29/21 21:14	ADM	Mt. Juliet, TN



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Sr
- <sup>6</sup> Qc
- <sup>7</sup> GI
- <sup>8</sup> AI
- <sup>9</sup> SC

Collected date/time: 06/24/21 09:15

L1371311

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	0.0113		0.0000941	0.00100	1	06/29/2021 21:33	WG1697452	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 21:33	WG1697452	<sup>2</sup> Tc
Ethylbenzene	0.00226		0.000137	0.00100	1	06/29/2021 21:33	WG1697452	<sup>3</sup> Ss
Total Xylenes	0.000233	J	0.000174	0.00300	1	06/29/2021 21:33	WG1697452	<sup>4</sup> Cn
(S) Toluene-d8	99.3			80.0-120		06/29/2021 21:33	WG1697452	<sup>5</sup> Sr
(S) 4-Bromofluorobenzene	98.7			77.0-126		06/29/2021 21:33	WG1697452	<sup>6</sup> Qc
(S) 1,2-Dichloroethane-d4	113			70.0-130		06/29/2021 21:33	WG1697452	<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	19.2		0.0941	1.00	1000	06/30/2021 02:37	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.278	1.00	1000	06/30/2021 02:37	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	0.776	J	0.137	1.00	1000	06/30/2021 02:37	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.174	3.00	1000	06/30/2021 02:37	<a href="#">WG1697452</a>	
(S) Toluene-d8	101			80.0-120		06/30/2021 02:37	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	101			77.0-126		06/30/2021 02:37	<a href="#">WG1697452</a>	<sup>5</sup> Sr
(S) 1,2-Dichloroethane-d4	114			70.0-130		06/30/2021 02:37	<a href="#">WG1697452</a>	<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

Collected date/time: 06/24/21 13:10

L1371311

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	U		0.0000941	0.00100	1	06/29/2021 21:52	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 21:52	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 21:52	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.000174	0.00300	1	06/29/2021 21:52	<a href="#">WG1697452</a>	
(S) Toluene-d8	101			80.0-120		06/29/2021 21:52	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	99.3			77.0-126		06/29/2021 21:52	<a href="#">WG1697452</a>	<sup>5</sup> Sr
(S) 1,2-Dichloroethane-d4	114			70.0-130		06/29/2021 21:52	<a href="#">WG1697452</a>	<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

Collected date/time: 06/24/21 12:50

L1371311

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	8.44		0.0188	0.200	200	06/30/2021 02:56	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.0556	0.200	200	06/30/2021 02:56	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	U		0.0274	0.200	200	06/30/2021 02:56	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.0348	0.600	200	06/30/2021 02:56	<a href="#">WG1697452</a>	
(S) Toluene-d8	101			80.0-120		06/30/2021 02:56	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	99.9			77.0-126		06/30/2021 02:56	<a href="#">WG1697452</a>	<sup>5</sup> Sr
(S) 1,2-Dichloroethane-d4	112			70.0-130		06/30/2021 02:56	<a href="#">WG1697452</a>	<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	0.00426		0.0000941	0.00100	1	06/29/2021 22:11	WG1697452	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 22:11	WG1697452	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 22:11	WG1697452	<sup>3</sup> Ss
Total Xylenes	0.000215	J	0.000174	0.00300	1	06/29/2021 22:11	WG1697452	<sup>4</sup> Cn
(S) Toluene-d8	99.9			80.0-120		06/29/2021 22:11	WG1697452	<sup>5</sup> Sr
(S) 4-Bromofluorobenzene	98.8			77.0-126		06/29/2021 22:11	WG1697452	<sup>6</sup> Qc
(S) 1,2-Dichloroethane-d4	114			70.0-130		06/29/2021 22:11	WG1697452	<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

Collected date/time: 06/23/21 09:15

L1371311

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	U		0.0000941	0.00100	1	06/29/2021 22:30	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 22:30	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 22:30	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.000174	0.00300	1	06/29/2021 22:30	<a href="#">WG1697452</a>	
(S) Toluene-d8	99.8			80.0-120		06/29/2021 22:30	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	98.2			77.0-126		06/29/2021 22:30	<a href="#">WG1697452</a>	<sup>5</sup> Sr
(S) 1,2-Dichloroethane-d4	114			70.0-130		06/29/2021 22:30	<a href="#">WG1697452</a>	<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	U		0.0000941	0.00100	1	06/29/2021 22:49	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 22:49	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 22:49	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.000174	0.00300	1	06/29/2021 22:49	<a href="#">WG1697452</a>	
(S) Toluene-d8	99.7			80.0-120		06/29/2021 22:49	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	98.8			77.0-126		06/29/2021 22:49	<a href="#">WG1697452</a>	<sup>5</sup> Sr
(S) 1,2-Dichloroethane-d4	117			70.0-130		06/29/2021 22:49	<a href="#">WG1697452</a>	<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	U		0.0000941	0.00100	1	06/29/2021 23:08	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 23:08	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 23:08	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.000174	0.00300	1	06/29/2021 23:08	<a href="#">WG1697452</a>	
(S) Toluene-d8	102			80.0-120		06/29/2021 23:08	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	99.9			77.0-126		06/29/2021 23:08	<a href="#">WG1697452</a>	
(S) 1,2-Dichloroethane-d4	114			70.0-130		06/29/2021 23:08	<a href="#">WG1697452</a>	<sup>5</sup> Sr
								<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	U		0.0000941	0.00100	1	06/29/2021 23:27	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 23:27	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 23:27	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.000174	0.00300	1	06/29/2021 23:27	<a href="#">WG1697452</a>	
(S) Toluene-d8	101			80.0-120		06/29/2021 23:27	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	97.2			77.0-126		06/29/2021 23:27	<a href="#">WG1697452</a>	
(S) 1,2-Dichloroethane-d4	113			70.0-130		06/29/2021 23:27	<a href="#">WG1697452</a>	<sup>5</sup> Sr
								<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	14.4		0.0471	0.500	500	07/07/2021 17:16	<a href="#">WG1701309</a>
Toluene	U		0.0278	0.100	100	06/30/2021 03:15	<a href="#">WG1697452</a>
Ethylbenzene	1.54		0.0137	0.100	100	06/30/2021 03:15	<a href="#">WG1697452</a>
Total Xylenes	0.303		0.0174	0.300	100	06/30/2021 03:15	<a href="#">WG1697452</a>
(S) Toluene-d8	102			80.0-120		06/30/2021 03:15	<a href="#">WG1697452</a>
(S) Toluene-d8	103			80.0-120		07/07/2021 17:16	<a href="#">WG1701309</a>
(S) 4-Bromofluorobenzene	99.8			77.0-126		06/30/2021 03:15	<a href="#">WG1697452</a>
(S) 4-Bromofluorobenzene	93.2			77.0-126		07/07/2021 17:16	<a href="#">WG1701309</a>
(S) 1,2-Dichloroethane-d4	113			70.0-130		06/30/2021 03:15	<a href="#">WG1697452</a>
(S) 1,2-Dichloroethane-d4	95.4			70.0-130		07/07/2021 17:16	<a href="#">WG1701309</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> Gl<sup>8</sup> Al<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch	
Benzene	U		0.0000941	0.00100	1	06/29/2021 23:46	WG1697452	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 23:46	WG1697452	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 23:46	WG1697452	<sup>3</sup> Ss
Total Xylenes	U		0.000174	0.00300	1	06/29/2021 23:46	WG1697452	
(S) Toluene-d8	101			80.0-120		06/29/2021 23:46	WG1697452	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	99.1			77.0-126		06/29/2021 23:46	WG1697452	<sup>5</sup> Sr
(S) 1,2-Dichloroethane-d4	117			70.0-130		06/29/2021 23:46	WG1697452	<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	21.1		0.188	2.00	2000	07/07/2021 17:36	<a href="#">WG1701309</a>
Toluene	U		0.000278	0.00100	1	06/30/2021 00:05	<a href="#">WG1697452</a>
Ethylbenzene	0.741	J	0.274	2.00	2000	07/07/2021 17:36	<a href="#">WG1701309</a>
Total Xylenes	0.00169	J	0.000174	0.00300	1	06/30/2021 00:05	<a href="#">WG1697452</a>
(S) Toluene-d8	98.0			80.0-120		06/30/2021 00:05	<a href="#">WG1697452</a>
(S) Toluene-d8	103			80.0-120		07/07/2021 17:36	<a href="#">WG1701309</a>
(S) 4-Bromofluorobenzene	104			77.0-126		06/30/2021 00:05	<a href="#">WG1697452</a>
(S) 4-Bromofluorobenzene	90.8			77.0-126		07/07/2021 17:36	<a href="#">WG1701309</a>
(S) 1,2-Dichloroethane-d4	107			70.0-130		06/30/2021 00:05	<a href="#">WG1697452</a>
(S) 1,2-Dichloroethane-d4	94.7			70.0-130		07/07/2021 17:36	<a href="#">WG1701309</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	11.5		0.0941	1.00	1000	07/07/2021 17:56	<a href="#">WG1701309</a>
Toluene	0.00214		0.000278	0.00100	1	06/30/2021 00:24	<a href="#">WG1697452</a>
Ethylbenzene	1.22		0.137	1.00	1000	07/07/2021 17:56	<a href="#">WG1701309</a>
Total Xylenes	0.236	J	0.174	3.00	1000	07/07/2021 17:56	<a href="#">WG1701309</a>
(S) Toluene-d8	97.9			80.0-120		06/30/2021 00:24	<a href="#">WG1697452</a>
(S) Toluene-d8	103			80.0-120		07/07/2021 17:56	<a href="#">WG1701309</a>
(S) 4-Bromofluorobenzene	100			77.0-126		06/30/2021 00:24	<a href="#">WG1697452</a>
(S) 4-Bromofluorobenzene	93.0			77.0-126		07/07/2021 17:56	<a href="#">WG1701309</a>
(S) 1,2-Dichloroethane-d4	114			70.0-130		06/30/2021 00:24	<a href="#">WG1697452</a>
(S) 1,2-Dichloroethane-d4	94.3			70.0-130		07/07/2021 17:56	<a href="#">WG1701309</a>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> GI<sup>8</sup> Al<sup>9</sup> Sc

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis date / time	Batch	
Benzene	U		0.0000941	0.00100	1	06/29/2021 21:14	<a href="#">WG1697452</a>	<sup>1</sup> Cp
Toluene	U		0.000278	0.00100	1	06/29/2021 21:14	<a href="#">WG1697452</a>	<sup>2</sup> Tc
Ethylbenzene	U		0.000137	0.00100	1	06/29/2021 21:14	<a href="#">WG1697452</a>	<sup>3</sup> Ss
Total Xylenes	U		0.000174	0.00300	1	06/29/2021 21:14	<a href="#">WG1697452</a>	
(S) Toluene-d8	101			80.0-120		06/29/2021 21:14	<a href="#">WG1697452</a>	<sup>4</sup> Cn
(S) 4-Bromofluorobenzene	98.3			77.0-126		06/29/2021 21:14	<a href="#">WG1697452</a>	<sup>5</sup> Sr
(S) 1,2-Dichloroethane-d4	113			70.0-130		06/29/2021 21:14	<a href="#">WG1697452</a>	<sup>6</sup> Qc
								<sup>7</sup> Gl
								<sup>8</sup> Al
								<sup>9</sup> Sc

## QUALITY CONTROL SUMMARY

## Method Blank (MB)

(MB) R3676473-3 06/29/21 20:55

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Ethylbenzene	U		0.000137	0.00100
Toluene	U		0.000278	0.00100
Xylenes, Total	U		0.000174	0.00300
(S) Toluene-d8	101			80.0-120
(S) 4-Bromofluorobenzene	101			77.0-126
(S) 1,2-Dichloroethane-d4	115			70.0-130

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3676473-1 06/29/21 19:58 • (LCSD) R3676473-2 06/29/21 20:17

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Benzene	0.00500	0.00536	0.00529	107	106	70.0-123			1.31	20
Ethylbenzene	0.00500	0.00483	0.00482	96.6	96.4	79.0-123			0.207	20
Toluene	0.00500	0.00503	0.00496	101	99.2	79.0-120			1.40	20
Xylenes, Total	0.0150	0.0146	0.0145	97.3	96.7	79.0-123			0.687	20
(S) Toluene-d8				99.9	99.4	80.0-120				
(S) 4-Bromofluorobenzene				99.6	99.1	77.0-126				
(S) 1,2-Dichloroethane-d4				116	113	70.0-130				

## QUALITY CONTROL SUMMARY

[L1371311-10,12,13](#)

## Method Blank (MB)

(MB) R3676786-4 07/07/2110:53

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Ethylbenzene	U		0.000137	0.00100
Xylenes, Total	U		0.000174	0.00300
(S) Toluene-d8	104		80.0-120	
(S) 4-Bromofluorobenzene	93.4		77.0-126	
(S) 1,2-Dichloroethane-d4	96.8		70.0-130	

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

## Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3676786-1 07/07/21 09:12 • (LCSD) R3676786-2 07/07/21 09:32

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Benzene	0.00500	0.00441	0.00469	88.2	93.8	70.0-123			6.15	20
Ethylbenzene	0.00500	0.00404	0.00414	80.8	82.8	79.0-123			2.44	20
Xylenes, Total	0.0150	0.0125	0.0124	83.3	82.7	79.0-123			0.803	20
(S) Toluene-d8			102	102	102	80.0-120				
(S) 4-Bromofluorobenzene			93.4	92.8	92.8	77.0-126				
(S) 1,2-Dichloroethane-d4			95.2	97.9	97.9	70.0-130				

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

**Results Disclaimer -** Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

### Qualifier

### Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> Gl<sup>8</sup> Al<sup>9</sup> Sc

Company Name/Address:


**DCP Midstream - Tasman**6899 Pecos St., Unit C  
Denver, CO 80221Report to:  
**Kyle Norman**Project Description:  
**Former Lee Gas Plant**Phone: **575-318-5017**

## Billing Information:

**Steve Weathers**  
370 17th St, Ste 2500  
Denver, CO 80202Pres  
Chk

## Analysis / Container / Preservative

Chain of Custody



12065 Lebanon Rd Mount Juliet, TN 37122  
 Submitting a sample via this chain of custody  
 constitutes acknowledgment and acceptance of the  
 Pace Terms and Conditions found at:  
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

**SDG # L1371311**  
**H235**

Tel

Acctnum: **DCPTASMAN**Template: **T168947**Prelogin: **P853839**

PM: 824 Chris Ward

PB: **6/10/21 NUS**Shipped Via: **FedEX Ground**

Remarks | Sample # (lab only)

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEx 40mlAmb-HCl					
							Date Results Needed					
MW-5		GW				3	X					
MW-6		GW				3	X					
MW-7		GW		6-24-21 0915		3	X					-01
MW-8		GW				2	X					
MW-9		GW				3	X					
MW-10		GW		6-24-21 1025		3	X					02
MW-11		GW		6-23-21 1310		3	X					03
MW-12		GW		6-24-21 1250		3	X					04
MW-13		GW				3	X					
MW-14		GW				3	X					

\* Matrix:  
SS - Soil AIR - Air F - Filter

GW - Groundwater B - Bioassay

WW - WasteWater

DW - Drinking Water

OT - Other \_\_\_\_\_

Remarks:

pH \_\_\_\_\_ Temp \_\_\_\_\_

Flow \_\_\_\_\_ Other \_\_\_\_\_

Samples returned via:  
UPS FedEx CourierTracking # **516376972124**

Relinquished by : (Signature)

Date: **6-24-21** Time: **1500**

Received by: (Signature)

Trip Blank Received:  Yes  No**HCl MeOH**  
TBR

Relinquished by : (Signature)

Date: **6-24-21** Time: **1500**

Received by: (Signature)

Temp: **43.0 +** °C Bottles Received:**460.6 39**

Relinquished by : (Signature)

Date: **6-25-21** Time: **900**

Received for lab by: (Signature)

Date: **6-25-21** Time: **900**

Sample Receipt Checklist	
COC Seal Present/Intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N

If preservation required by Login: Date/Time

Condition:  
NCF **OK**

DCP Midstream - Tasman

6899 Pecos St., Unit C  
Denver, CO 80221Report to:  
**Kyle Norman**Project Description:  
Former Lee Gas PlantCity/State  
Collected:Please Circle:  
PT MT CT ET

Phone: 575-318-5017

Client Project #

Lab Project #  
**DCPTASMAN-LEEGAS**Collected by (print):  
**Recky Griffen**Collected by (signature):  
**Recky Griffen**Immediately  
Packed on Ice N Y

Site/Facility ID #

P.O. #  
**0000524229****Rush?** (Lab MUST Be Notified)

Same Day  Five Day  
 Next Day  5 Day (Rad Only)  
 Two Day  10 Day (Rad Only)  
 Three Day

Quote #

Date Results Needed

No.  
of  
Cntrs

V82260BTEx 40mlAmb-HCl

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs
MW-15		GW				3 X
MW-16		GW		6-23-21	0835	3 X
MW-17		GW		6-23-21	0915	3 X
MW-18		GW		6-23-21	0935	3 X
MW-19		GW		6-23-21	1030	3 X
MW-20		GW		6-23-21	1000	3 X
MW-21		GW		6-24-21	0830	3 X
MW-22		GW		6-23-21	1400	3 X
		GW				3 X
		GW				3 X

\* Matrix:  
SS - Soil AIR - Air F - Filter  
GW - Groundwater B - Bioassay  
WW - WasteWater  
DW - Drinking Water  
OT - Other \_\_\_\_\_

Remarks:

pH \_\_\_\_\_ Temp \_\_\_\_\_

Flow \_\_\_\_\_ Other \_\_\_\_\_

Samples returned via:  
 UPS  FedEx  Courier \_\_\_\_\_Tracking # **" "**

41

Sample Receipt Checklist	
COC Seal Present/Intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
If Applicable	
VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	

Relinquished by : (Signature)

Date: **6-24-21** Time: **1500**

Received by: (Signature)

Trip Blank Received: Yes / No

**" "** HCl / MeOH  
TBRTemp: **60-6** °C Bottles Received: **" "**

If preservation required by Login: Date/Time

Relinquished by : (Signature)

Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received by: (Signature)

Date: **" "** Time: **" "**

Hold:

Relinquished by : (Signature)

Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received for lab by: (Signature)

Date: **" "** Time: **" "**

Condition:

NCF / **O**

12065 Lebanon Rd Mount Juliet, TN 37122  
Submitting a sample via this chain of custody  
constitutes acknowledgment and acceptance of the  
Pace Terms and Conditions found at:  
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG #

Table #

Acctnum: DCPTASMAN

Template: T168947

Prelogin: P853839

PM: 824- Chris Ward

PB: **6/10/21 WGS**  
Shipped Via FedEX Ground

Remarks Sample # (lab only)

Company Name/Address: <b>DCP Midstream - Tasman</b> 6899 Pecos St., Unit C Denver, CO 80221		Billing Information: <b>Steve Weathers</b> 370 17th St, Ste 2500 Denver, CO 80202		Pres Chk	Analysis / Container / Preservative						Chain of Custody						
Report to: <b>Kyle Norman</b>		Email To: knorman@tasman-geo.com; bhumphrey@tasman-									Pace Analytical®						
Project Description: Former Lee Gas Plant		City/State Collected:	Please Circle: PT MT CT ET									12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <a href="https://info.pacelabs.com/hubs/pas-standard-terms.pdf">https://info.pacelabs.com/hubs/pas-standard-terms.pdf</a>					
Phone: <b>575-318-5017</b>	Client Project #		Lab Project # <b>DCPTASMAN-LEEGAS</b>									SDG #					
Collected by (print): <i>Recky Griffin</i>	Site/Facility ID #		P.O. # <b>0000524229</b>									Table #					
Collected by (signature): <i>Recky Griffin</i>	Rush? (Lab MUST Be Notified)		Quote #									Acctnum: <b>DCPTASMAN</b>					
Immediately Packed on Ice N <u>  </u> Y <u>  </u>	Same Day <u>  </u> Five Day Next Day <u>  </u> 5 Day (Rad Only) Two Day <u>  </u> 10 Day (Rad Only) Three Day <u>  </u>		Date Results Needed		No. of Cntrs							Template: <b>T168947</b>					
Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	V8260BTEx 40m/Amb-HCl							Prelogin: <b>P853839</b>				
DUPPLICATE A		GW		b-24-21		3 X							PM: 824 - Chris Ward				
DUPPLICATE B		GW		b-24-21		3 X							PB: <i>6/10/21 WSG</i>				
TRIP BLANK				b-24-21 1500									Shipped Via: <b>FedEX Ground</b>				
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____	Remarks:						pH _____ Temp _____							Remarks   Sample # (lab only)			
							Flow _____ Other _____										
Samples returned via: UPS FedEx Courier						Tracking # <i>" "</i>						Sample Receipt Checklist					
												COC Seal Present/Intact: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
												COC Signed/Accurate: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
												Bottles arrive intact: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
												Correct bottles used: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
												Sufficient volume sent: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N <i>If Applicable</i>					
												VOA Zero Headspace: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
												Preservation Correct/Checked: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
												RAD Screen <0.5 mR/hr: <u>NP</u> <input checked="" type="checkbox"/> Y <input type="checkbox"/> N					
Relinquished by : (Signature) <i>Recky Griffin</i>	Date: <b>b-24-21</b>	Time: <b>1500</b>	Received by: (Signature)		Trip Blank Received: Yes / No								If preservation required by Login: Date/Time				
Relinquished by : (Signature) <i>Recky Griffin</i>	Date: <b>b-24-21</b>	Time: <b>1500</b>	Received by: (Signature)		Temp: <b>60°</b> °C Bottles Received: <b>60-6</b> " "												
Relinquished by : (Signature)	Date: _____	Time: _____	Received for lab by: (Signature) <i>Jasmine Tye</i>		Date: <b>" "</b>	Time: <b>" "</b>							Hold: _____				
													Condition: NCF / <b>OK</b>				

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**

**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 50968

**CONDITIONS**

Operator:  DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID:  36785
	Action Number:  50968
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

**CONDITIONS**

Created By	Condition	Condition Date
nvelez	Accepted for the record. See app ID 152662 for most updated status.	11/22/2022