



October 18, 2022

New Mexico Oil Conservation Division
Attn: Mr. Bradford Billings
5200 Oakland Avenue, N.E., Suite 100
Albuquerque, New Mexico 87113

RE: Incident Closure Request
NT01423253772-VACUUM GLORIETTA WEST UNIT 118
IRP-3260- Lea County, New Mexico
NT01423253772 @ 30-025-31129

Dear Mr. Billings:

This letter is to request closure of the Vacuum Glorietta West Unit 118 Incident NT01423253772. The discovery of the poly flow line failure was initially reported on 4/22/12. A site assessment and remediation plan were received and approved on 11/4/2015 NMOCD representative Kellie Jones.

Upon completion of all remediation activities, a site closure request was prepared in April of 2019 by the former operator's consulting group. The report along with the associated final C-141 records were supplied to MorningStar at the time of acquisition. However, these records are unavailable in the NMOCD portal "Incident Files" and it is unclear if this submission had been received or reviewed. As such, the closure request with all supporting data and records are being submitted at this time for NMOCD confirmation that this facility has been granted closure status as requested, with the understanding that this facility requires not further assessments or additional clean up actions.

If you have any questions regarding this request, please contact Alan Kane with Kane Environmental Engineering Inc. at (281) 370-6580 or email: alanjkane@comcast.net or Russell Hamm at (918) 693-4833 or email: rhammenviro@gmail.com.

Respectfully,

A handwritten signature in dark ink, appearing to read 'Dan Guillotte', is written over a circular stamp.

Dan Guillotte
Manager Environmental Health and Safety

CC: File, Kane Environmental Engineering Inc.
Attachments: Chevron/Arcadis Closure Request Report



Jason Michelson
Project Manager

**Chevron Environmental
Management Company**
1500 Louisiana Street, #38116
Houston, Texas 77002
Work: 832-854-5601
Cell: 281-660-8564
jmichelson@chevron.com

August 14, 2020

New Mexico Oil Conservation Division, District 1
1625 N. French Drive
Hobbs, NM 88240

**Re: Vacuum Glorieta West Unit #118
Site Closure Report
NMOCD Case No. 1RP-3260
Lea County, New Mexico**

Dear whom it concerns,

Please find enclosed for your files, copies of the following report:

- Vacuum Glorieta West Unit #118 - Site Closure Report

The submittal was prepared by Arcadis U.S., Inc. (Arcadis) on behalf of Chevron Environmental Management Company (CEMC) and is being resubmitted by Arcadis per request of the New Mexico Oil Conservation Division.

Please do not hesitate to call Brett Krehbiel with Arcadis at 916-786-5382 or myself at 832-854-5601, should you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Jason Michelson".

Jason Michelson

Encl. Vacuum Glorieta West Unit #118 - Site Closure Report

C.C. Amy Barnhill, Chevron/MCBU

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nTO1423253772
District RP	1RP-3260
Facility ID	30-025-31129
Application ID	pTO1423253899

Release Notification

Responsible Party

Responsible Party: Chevron USA Inc.	OGRID
Contact Name: Jason Michelson	Contact Telephone: 832-854-5601
Contact email: jmichelson@chevron.com	Incident # (assigned by OCD): nTO1423253772
Contact mailing address: 1500 Louisiana Street Houston, Texas 77002	

Location of Release Source

Latitude 32.782150 Longitude -103.496157
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Vacuum Glorietta West Unit #118	Site Type: Production Well
Date Release Discovered: 4/22/2012	API# (if applicable): 30-025-31129

Unit Letter	Section	Township	Range	County
B	6	18S	35E	Lea

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls): 0.746	Volume Recovered (bbls): 0
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls): 9.61	Volume Recovered (bbls): 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: 1-foot scrape on poly line caused integrity of line to give leading to spill of 9.61 bbls of produced water and 0.746 bbls of oil. Well shut in on discovery.

State of New Mexico
Oil Conservation Division

Page 2

Incident ID	nTO1423253772
District RP	1RP-3260
Facility ID	30-025-31129
Application ID	pTO1423253899

<p>Was this a major release as defined by 19.15.29.7(A) NMAC?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>If YES, for what reason(s) does the responsible party consider this a major release? Release was less than 25 barrels.</p>
<p>If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? See Initial C-141 Form submitted on 4/23/2012.</p>	

Incident ID	nTO1423253772
District RP	1RP-3260
Facility ID	30-025-31129
Application ID	pTO1423253899

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>125</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information - **Photographic documentation is included as attachment to this Final C-141 Form.**
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.


State of New Mexico
Oil Conservation Division

Page 4

Incident ID	nTO1423253772
District RP	1RP-3260
Facility ID	30-025-31129
Application ID	pTO1423253899

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Jason Michelson _____ Title: _____ Project Manager _____

Signature:  _____ Date: _8/14/2020_____

email: ___jmichelson@chevron.com_____ Telephone: _____832-854-5601_____

OCD Only

Received by: _____ Date: _____

Incident ID	nTO1423253772
District RP	1RP-3260
Facility ID	30-025-31129
Application ID	pTO1423253899

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection) – **Photographic documentation of remediation activities and liner installation is attached to this Final C-141 Form.**
- ☒ Laboratory analyses of final sampling (Note: appropriate OCD District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Jason Michelson _____ Title: _____ Project Manager _____

Signature: _____ Date: 8/14/2020 _____

email: jmichelson@chevron.com _____ Telephone: 832-854-5601 _____

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Jennifer Nobui _____ Date: 12/05/2022 _____

Printed Name: _____ Jennifer Nobui _____ Title: Environmental Specialist A _____



New Mexico Oil Conservation Division – District I
Environmental Specialist
1625 N French Drive
Hobbs, New Mexico 88240

Arcadis U.S., Inc.
101 Creekside Ridge Court
Suite 200
Roseville
California 95678
Tel 916 786 0320
Fax 916 786 0366
www.arcadis.com

Subject:

Site Closure Report

2018 HES Transfer Site – Vacuum Glorieta West Unit 118
NMOCD Case No. 1RP-3260
Lea County, New Mexico

ENVIRONMENT

Date:

April 8, 2019

Contact:

Brett Krehbiel

Phone:

916.786.5382

Email:

Brett.Krehbiel@arcadis.com

Our ref:

B0048616.0118

ARCADIS U.S., Inc.

TX Engineering License # F-533
Geoscientist License # 50158

Dear whom it concerns:

On behalf of Chevron Environmental Management Company (CEMC), Arcadis U.S., Inc. (Arcadis) prepared this Site Closure Report (Report) to document geophysical assessment activities performed at the Vacuum Glorieta West Unit (VGWU) 118, located in Lea County, New Mexico (site; **Figure 1**). The purpose of the Report is summarize the field activities completed and the results of samples collected during soil investigation activities conducted on site in 2012, 2013, 2016 and 2017, present final soil boring locations, results of the samples collected, and the evaluation performed as part of the investigations after the April 22, 2012 release of 9.61 barrels (bbls [42 gallons per bbl]) of produced water and 0.746 bbls of oil.

SITE DESCRIPTION AND BACKGROUND

The following site description and background section provides an overview of the site location and description, as well as the regional setting including geology, hydrogeology, nearby drinking water wells, surface water and climate.

Site Location and Description

The site is located within the Vacuum Glorieta West Unit (VGWU) approximately 14.5 miles southwest of Lovington, New Mexico. New Mexico Highway 238 is located approximately 0.54 mile east of the site. The closest agricultural area is 9 miles east of the site.

The site is located in the western edge of the Permian Basin, a 75,000-square-mile area in west Texas and New Mexico that is populated by numerous oil and

New Mexico Oil Conservation Division – District I
April 8, 2019

gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the north and Chaves County to the west.

Climate

Monthly average temperatures near the site vary from a minimum of 27.9 degrees Fahrenheit (°F) in January to a maximum of 93.9°F in July (Western Regional Climate Center [WRCC] Hobbs, New Mexico [294026] weather station). Average annual precipitation recorded for the area of the site from the available WRCC period of record between 1912 and 2013 was approximately 15.75 inches per year (WRCC 2014a).

Due to the arid climate, the site experiences low precipitation and high evaporation rates. The average annual evaporation from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2014b).

Regional Geology and Hydrogeology

The site is located on the Llano Estacado of the Western High Plains, an ecoregion of the Great Plains of North America. The site is positioned immediately east of the Mescalero Ridge, which demarcates the western boundary of the (Miocene to Pliocene) High Plains Ogallala Formation (Reeves 1972). A rapid drop in elevation of 200 to 250 ft occurs west of the northwest-trending Mescalero Ridge. The Ogallala formation is unconfined and is predominantly composed of unconsolidated alluvial fan deposits of sand and gravel near the base, overlain by interbedded sand and clay in the upper portion of the formation (Seni 1980). Repeated depositional events on the High Plains surface beginning approximately 7 million years ago, followed by aerial exposure, generated a thick sequence of caliche horizons that are competent enough to act as a cliff for the expression of Mescalero Ridge. These hard caliche deposits form the upper portion of the stratigraphic sequence. In the site area, the Ogallala Formation is underlain by red beds of the Upper Triassic-age Dockum Group consisting of claystones, sandstones, and siltstones. Aquifers within the Dockum Group are not considered a major fresh groundwater resource in the area due to poor water production rates and elevated natural dissolved solids.

The main source of fresh groundwater in the area comes from the Ogallala aquifer. The Ogallala aquifer has a thickness of approximately 100 ft in the vicinity of the site and is considered the primary source of fresh water in the area. Depth to the groundwater regionally ranges from approximately 120 ft to 135 ft below ground surface (bgs).

Water-supply wells located within the region are completed in the Ogallala aquifer, also known as the High Plains Aquifer (HPA). The HPA consists primarily of the High Plains Ogallala Formation, and in localized areas, alluvial sediment of Quaternary age.

Based on satellite imagery, no surface-water bodies were identified within a radius of approximately 1-mile of the site (GoogleEarth 2018). During October 2018, Arcadis reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2018). Results of the database inquiry indicated there were no water-supply wells located within a radius of 1,000 feet of the site. In addition, results of the database review indicate average depth to groundwater is 93 ft bgs. Results of the database review are included in **Attachment 1**.

arcadis.com

New Mexico Oil Conservation Division – District I
April 8, 2019

INITIAL RELEASE RESPONSE ACTIVITIES

According to the submitted New Mexico Oil Conservation Division (NMOCD) Notification of Release and Correction Actions (Form C141), a flowline leak resulted in a release of 9.61 bbls of produced water and 0.746 bbls of oil on April 22, 2012. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and conducted the initial response activities. On July 12, 2012, Chevron MCBU personnel excavated visually affected soil and collected ten discrete confirmation soil samples from the base of the excavation at approximately 2 fet bgs. Information regarding the disposal of the excavated soil was not available for this Report. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil.

Pursuant to NMOCD requirements (NMOCD 1993), a C-141 form (**Attachment 2**) detailing the location, volume of release and initial and planned cleanup efforts were submitted for the site.

2012 AND 2013 SOIL INVESTIGATIONS

Chevron MCBU personnel collected ten soil samples (VGWU #118 SS #1 through VGWU #118 SS #10) on July 12, 2012 to initially assess the impacted area at VGWU-118. Sample locations are presented in **Figure 2**. Soil samples were collected in laboratory provided bottles and submitted to Cardinal Laboratories in Hobbs, NM for the following compounds:

- Benzene, toluene, ethylene, and xylenes (collectively referred to as BTEX) in accordance with United States Environmental Protection Agency (USEPA) Method 8021B
- Chloride in accordance with Standard Method 4500CI-B
- Total petroleum hydrocarbons (TPH) Gasoline Range Organics (GRO) and Diesel Range Organics (DRO) in accordance with USEPA Method 8015M

In May 2013, Arcadis conducted site assessment activities to characterize the lateral and vertical extent of potentially affected soil at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in July 2012, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. Seven soil samples from four soil borings (VGWU118-01 through VGWU118-03 and VGWU118-07) were collected from each boring location (for a total of 28 soil samples) beginning at a depth of 2 ft bgs and continuing at 5-foot intervals from 5 to 30 ft bgs. Additionally, three soil samples were collected at 2 ft bgs from three soil borings (VGWU118-04 through VGWU118-06). Soil samples were placed in laboratory-supplied containers and submitted under appropriate chain of custody protocols to Cardinal Laboratories for the following analyses:

- BTEX in accordance with USEPA Method 8021B
- Chloride in accordance with USEPA Method 4500CI-B
- TPH GRO and TPH DRO in accordance with USEPA Method 8015M
- Percent moisture by ASTM International Method D2216

Following sampling, boreholes were filled with soil cuttings and grouted to ground surface. The ground surface was restored to match the surrounding conditions. Boring locations are shown on **Figure 2**. Boring logs are presented in **Attachment 3**.

New Mexico Oil Conservation Division – District I
April 8, 2019

The analytical results for BTEX, TPH-GRO, TPH-DRO and chloride for the 10 discrete confirmation soil samples collected in July 2012 and the 31 soil samples collected during the May 2013 site assessment are provided in **Table 1**. The site assessment activities and results are discussed in detail in the *Site Assessment Report: Vacuum Glorieta West Unit #118*, dated December 2, 2014.

2016 SOIL INVESTIGATIONS

Arcadis conducted additional soil assessment activities in June, September and November 2016. A total of twenty-nine soil samples were collected from ten (VGWU118-08 through VGWU118-19) soil borings at the site. Samples were collected at 2 and 4 ft bgs at each boring location. Additional samples were collected at 7 and 10 ft bgs at VGWU118-15 and VGWU118-18 and at 7 ft bgs at VGWU118-19 (**Figure 3**). Following sampling, boreholes were filled with native material to ground surface. The ground surface was restored to match the surrounding conditions.

Soil samples were placed in laboratory-supplied containers and submitted under appropriate chain of custody protocols to Xenco (Xenco) Laboratories in Midland, TX for the following analysis of chloride by USEPA Method 300/300.1. Analysis of soil samples from VGWU118-10, VGWU118-15 (7 and 10 ft bgs only), VGWU118-16, VGWU118-19 (9 ft bgs only) were put on hold pending analysis results. A total of 22 samples from the 2016 soil were analyzed for chloride.

Chloride was detected in 19 of the 22 soil samples analyzed with concentrations ranging from 11.2 milligrams per kilogram (mg/kg) (VGWU118-19 at 2 ft bgs) to 374 mg/kg (VGWU118-12 at 2 ft bgs). Pursuant to the C141 directive published in 1993 by the NMOCD, 2016 chloride results were initially compared to the soil remediation action level of 600 mg/kg required for vertical delineation, and 250 mg/kg required for lateral delineation. Although vertical delineation had been achieved, chloride was detected at concentrations greater than the soil remediation action level of 250 mg/kg for lateral delineation in all surface soil samples, with the exception of surface soil samples collected from VGWU118-08, VGWU118-09, VGWU118-13, VGWU118-15, VGWU118-17 and VGWU118-19. The cumulative analytical results for chloride are provided in **Table 1**. Laboratory analytical results with chain of custody documentation are provided in **Attachment 4**.

2016 AND 2017 SOIL EXCAVATION

Arcadis completed a limited excavation of the chloride affected soil to a maximum depth of 4 ft bgs beginning on November 1, 2016. Five-point composite sidewall samples were collected every 20 ft of sidewall to confirm removal of affected soil. A total of 13 sidewall composite samples (Composite Sample #1 through #13) were collected in laboratory-supplied containers and submitted under appropriate chain of custody protocols to Xenco (Xenco) Laboratories in Midland, TX for the analysis of chloride by USEPA Method 300/300.1. Analytical results are summarized in **Table 1**.

Chloride was detected in each sidewall sample collected in November 2016 with concentrations ranging from 24.3 mg/kg (Composite Sample #10) to 5,000 mg/kg (Composite Sample #12). Chloride concentrations exceeded 250 mg/kg for lateral delineation in 10 of the 13 samples.

In October 2017, excavation was continued to the north and southeast of the 2016 excavation area to complete removal of the affected soil to the extent possible (**Figure 4**). Aboveground and belowground pipeline and utility corridors transect the spill area and border the site to the north, south, and east. The

arcadis.com

New Mexico Oil Conservation Division – District I
April 8, 2019

presence of aboveground and belowground pipeline and utility corridors pose a health and safety risk and prevent additional drilling and other subsurface work in this area. Delineation activities beyond the pipelines and oilfield equipment surrounding the release would not be representative of release area. The limited excavation up to 4 ft bgs was complete in December of 2017. A total of 30 sidewall samples (VGWU-118-001 through VGWU-118-030) were collected 2 ft bgs throughout the 2017 excavation to confirm impacted soil had been removed. Samples were collected in laboratory-supplied containers and submitted under appropriate chain of custody protocols to Xenco for the analysis of chloride by USEPA Method 300/300.1. Seven samples (VGWU-118-008 and VGWU-118-21 through VGWU-118-26) were put on hold with Xenco pending chloride results. Analytical results are summarized in **Table 1**.

Sidewall sample locations and results from the final excavation area are displayed in **Figure 4**. Chloride concentrations detected in sidewall samples collected from the final excavation range from 9.2 mg/kg (VGWU-118-027) to 544 mg/kg (VGWU-118-002).

Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) concerning natural resources and wildlife, oil and gas, and releases which became effective on August 14, 2018. Closure criteria (CC) for chloride concentrations in the soil remains 600 mg/kg. Shallow soil (up to 4 ft bgs) with chloride concentrations greater than 600 mg/kg was excavated. Soil analytical results presented in this Report support a conclusion that affected soil associated with the release poses no significant threat to groundwater resources.

Following completion of the excavation, a liner was installed within the limits of each excavation footprint and clean fill was used to backfill the excavated areas. Following backfill, the surface was graded, broken up, seeded, and watered to promote revegetation. Upon receiving laboratory confirmation, the excavated soil was transported offsite to Sundance Services for disposal in accordance with state and federal regulations.

CONCLUSION

Arcadis completed a limited excavation of chloride affected soil to a maximum depth of 4 ft bgs. Shallow soil (up to 4 ft bgs) with chloride concentrations greater than 600 mg/kg was excavated. The excavated area is presented on **Figure 4**. Sidewall confirmation samples collected from the excavation area and the corresponding soil analytical results confirm removal of affected soil.

Based on the data presented in this Report and concurrence from the NMOCD, no further assessments or additional cleanup actions are required at the site. No Further Action status is being requested for the site.

If you have any questions or comments regarding the information presented in this Report, please contact Brett Krehbiel at 916.786.5382 or at Brett.Krehbiel@arcadis.com.


New Mexico Oil Conservation Division – District I
April 8, 2019

Sincerely,

Arcadis U.S., Inc.

A handwritten signature in black ink, appearing to read "Brett Krehbiel".

Brett Krehbiel
Project Manager

A handwritten signature in blue ink, appearing to read "Greg Cutshall".

Greg Cutshall
Program Manager

Copies:
File

Enclosures:

Tables

- 1 Soil Analytical Results

Figures

- 1 Site Location Map
- 2 Soil Analytical Results

Attachments

- 1 Depth-to-Groundwater Data
- 2 C-141 Form
- 3 Soil Boring Logs
- 4 Laboratory Analytical Results and Chain of Custody

arcadis.com

New Mexico Oil Conservation Division – District I
April 8, 2019

References

- Arcadis U.S., Inc. 2014. Site Assessment Report, Vacuum Glorieta West Unit #118, Lea County New Mexico. December 2.
- Google Earth. 2018. Lovington, New Mexico, 32°47'15.76"N, 103°30'52.71"W, Google Earth Imagery. October 16.
- New Mexico Administrative Code. 2018. Title 19, Chapter 15 of the New Mexico Administrative Code for Natural Resources and Wildlife, Oil and Gas, and Releases, 19.15.29 NMAC. August.
- NMOCD. 1993. Guidelines for Remediation of Leaks, Spills and Releases. August 13.
- NMOSE. 2018a. Water Information, Maps and Data, Geospatial Data, OSE Well Data, http://www.ose.state.nm.us/water_info_data.html, October.
- NMOSE. 2018b. New Mexico Water Rights Reporting System, <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>, October.
- Reeves, C. C. 1972. Tertiary-Quaternary Stratigraphy and Geomorphology of West Texas and Southeastern New Mexico, New Mexico Geological Society, Guidebook 23 pp. 108-117.
- Seni, S. J. 1980. Sand-Body Geometry and Depositional Systems, Ogallala Formation, Texas, University of Texas, Bureau of Economic Geology, Report of Investigations No. 105, pp. 36.

TABLES



Table 1
Soil Analytical Results
Vacuum Glorieta West Unit #118
Lea County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
NMAC Closure Criteria ^(a)			10	---	---	---	50	100	600	---	
VGWU #118 SS #1	7/12/2012	0 to 2	<0.050	<0.050	<0.050	<0.150	--	<10.0	487	16	--
VGWU #118 SS #2	7/12/2012	0 to 2	<0.050	<0.050	<0.050	<0.150	--	<10.0	44	272	--
VGWU #118 SS #3	7/12/2012	0 to 2	<0.050	<0.050	<0.050	<0.150	--	<10.0	123	144	--
VGWU #118 SS #4	7/12/2012	0 to 2	<0.050	<0.050	<0.050	<0.150	--	<10.0	295	16	--
VGWU #118 SS #5	7/12/2012	0 to 2	<0.050	<0.050	<0.050	<0.150	--	<10.0	<10.0	96	--
VGWU #118 SS #6	7/12/2012	0 to 2	<0.050	0.221	0.385	0.937	--	37	2,520	384	--
VGWU #118 SS #7	7/12/2012	0 to 2	<0.050	0.841	2.27	3.32	--	108	6,830	112	--
VGWU #118 SS #8	7/12/2012	0 to 2	<0.050	<0.050	<0.050	<0.150	--	<10.0	50	2,320	--
VGWU #118 SS #9	7/12/2012	0 to 2	<0.050	<0.050	0.179	0.384	--	21	3,050	6,240	--
VGWU #118 SS #10	7/12/2012	0 to 2	<0.050	<0.050	<0.050	<0.150	--	<10.0	28	15,800	--
VGWU118 - 01	5/14/2013	2	<0.056	0.047	<0.056	<0.169	0.047	<16.9	102	4,800	11.3
	5/14/2013	5	<0.062	0.016	<0.062	<0.186	0.016	<18.6	<18.6	192	19.2
	5/14/2013	10	<0.061	0.020	<0.061	<0.184	0.020	<18.4	<16.0	32	18.4
	5/14/2013	15	<0.061	0.022	<0.061	<0.184	0.022	<18.4	<18.4	32	18.4
	5/14/2013	20	<0.063	0.022	<0.063	<0.188	0.022	<18.8	<18.8	<16	20.2
	5/14/2013	25	<0.052	0.042	<0.052	<0.155	0.042	<15.5	<15.5	32	2.9
VGWU118 - 02	5/14/2013	30	<0.062	0.023	<0.062	<0.187	0.023	<18.7	<18.7	<16	20.0
	5/14/2013	2	<0.057	<0.057	<0.057	<0.172	<0.344	<17.2	<17.2	10,000	12.8
	5/14/2013	5	<0.054	<0.054	<0.054	<0.162	<0.324	<16.2	<16.2	368	7.3
	5/14/2013	10	<0.054	<0.054	<0.054	<0.161	<0.322	<16.1	<16.1	80	6.9
	5/14/2013	15	<0.052	0.036	<0.052	<0.156	0.036	<15.6	<15.6	112	4.1
	5/14/2013	20	<0.054	0.035	<0.054	<0.162	0.035	<16.2	<16.2	384	7.1
	5/14/2013	25	<0.054	0.039	<0.054	<0.162	0.039	<16.2	<16.2	1,090	7.3
VGWU118 - 03	5/14/2013	30	<0.065	0.031	<0.065	<0.195	0.031	<19.5	<19.5	224	23.0
	5/14/2013	2	<0.054	0.034	<0.054	<0.161	0.034	<16.1	<16.1	832	7.0
	5/14/2013	5	<0.052	0.033	<0.052	<0.157	0.033	<15.7	<15.7	96	4.4
	5/14/2013	10	<0.054	0.028	<0.054	<0.161	0.028	<16.1	<16.1	48	6.9
	5/14/2013	15	<0.054	0.031	<0.054	<0.161	0.031	<16.1	<16.1	48	6.7
	5/14/2013	20	<0.052	0.019	<0.052	<0.157	0.019	<15.7	<15.7	48	4.5
	5/14/2013	25	<0.052	0.041	<0.052	<0.156	0.041	<15.6	<15.6	32	3.6
VGWU118 - 03	5/14/2013	30	<0.051	<0.051	<0.051	<0.153	<0.307	<15.3	<15.3	32	2.2

Table 1
Soil Analytical Results
Vacuum Glorieta West Unit #118
Lea County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
NMAC Closure Criteria ^(a)			10	---	---	---	50	100		600	---
VGWU118 - 04	5/14/2013	2	--	--	--	--	--	--	--	48	--
VGWU118 - 05	5/14/2013	2	--	--	--	--	--	--	--	64	--
VGWU118 - 06	5/14/2013	2	--	--	--	--	--	--	--	128	--
VGWU118 - 07	5/14/2013	2	<0.058	0.025	<0.058	<0.175	0.025	<17.5	<17.5	7,200	14.2
	5/14/2013	5	<0.053	0.026	<0.053	<0.158	0.026	<15.8	<15.8	96	4.9
	5/14/2013	10	<0.051	<0.051	<0.051	<0.154	0.009	<15.4	<15.4	80	2.5
	5/14/2013	15	<0.051	<0.051	<0.051	<0.152	<0.304	<15.2	<15.2	80	1.4
	5/14/2013	20	<0.052	<0.052	<0.052	<0.157	<0.314	<15.7	<15.7	<16	4.4
	5/14/2013	25	<0.052	<0.052	<0.052	<0.157	<0.314	<15.7	<15.7	<16	4.4
	5/14/2013	30	<0.059	<0.059	<0.059	<0.178	<0.357	<17.8	19.7	<16	15.9
VGWU118-08	6/23/2016	2	--	--	--	--	--	--	--	<10	--
	6/23/2016	4	--	--	--	--	--	--	--	<10	--
VGWU118-09	6/23/2016	2	--	--	--	--	--	--	--	42.2	--
	6/23/2016	4	--	--	--	--	--	--	--	50.9	--
VGWU118-11	6/23/2016	2	--	--	--	--	--	--	--	28.7	--
	6/23/2016	4	--	--	--	--	--	--	--	300	--
VGWU118-12	6/23/2016	2	--	--	--	--	--	--	--	374	--
	6/23/2016	4	--	--	--	--	--	--	--	246	--
VGWU118-13	6/23/2016	2	--	--	--	--	--	--	--	13.2	--
	6/23/2016	4	--	--	--	--	--	--	--	125	--
VGWU118-14	6/23/2016	2	--	--	--	--	--	--	--	298	--
	6/23/2016	4	--	--	--	--	--	--	--	325	--
VGWU118-15	9/14/2016	2	--	--	--	--	--	--	--	18.5	--
	9/14/2016	4	--	--	--	--	--	--	--	<10	--
VGWU118-17	6/23/2016	2	--	--	--	--	--	--	--	248	--
	6/23/2016	4	--	--	--	--	--	--	--	115	--
VGWU118-18	9/14/2016	2	--	--	--	--	--	--	--	91.4	--
	9/14/2016	4	--	--	--	--	--	--	--	355	--
	9/14/2016	7	--	--	--	--	--	--	--	307	--
	9/14/2016	10	--	--	--	--	--	--	--	41.3	--

Table 1
Soil Analytical Results
Vacuum Glorieta West Unit #118
Lea County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
NMAC Closure Criteria ^(a)			10	---	---	---	50	100		600	---
VGWU118-19	11/8/2016	4	--	--	--	--	--	--	--	11.2	--
	11/8/2016	7	--	--	--	--	--	--	--	69.9	--
Composite Sample #1 (0'-4')	11/2/2016	0 to 4	--	--	--	--	--	--	--	220	--
Composite Sample #2 (0'-4')	11/2/2016	0 to 4	--	--	--	--	--	--	--	2370	--
Composite Sample #3 (0'-4')	11/2/2016	0 to 4	--	--	--	--	--	--	--	1400	--
Composite Sample #4 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	403	--
Composite Sample #5 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	88	--
Composite Sample #6 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	3450	--
Composite Sample #7 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	4370	--
Composite Sample #8 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	433	--
Composite Sample #9 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	1140	--
Composite Sample #10 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	24.3	--
Composite Sample #11 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	4250	--
Composite Sample #12 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	5000	--
Composite Sample #13 (0'-4')	11/7/2016	0 to 4	--	--	--	--	--	--	--	1690	--
VGWU-118-001	10/5/2017	2	--	--	--	--	--	--	--	8.1	--
VGWU-118-002	10/5/2017	2	--	--	--	--	--	--	--	544	--
VGWU-118-003	10/5/2017	2	--	--	--	--	--	--	--	2760	--
VGWU-118-004	10/5/2017	2	--	--	--	--	--	--	--	41.3	--
VGWU-118-005	10/5/2017	2	--	--	--	--	--	--	--	67.9	--
VGWU-118-006	10/5/2017	2	--	--	--	--	--	--	--	15.0	--
VGWU-118-007	10/6/2017	2	--	--	--	--	--	--	--	2030	--
VGWU-118-009	10/17/2017	2	--	--	--	--	--	--	--	2150	--
VGWU-118-010	10/17/2017	2	--	--	--	--	--	--	--	13.9	--
VGWU-118-011	10/17/2017	2	--	--	--	--	--	--	--	861	--
VGWU-118-012	10/17/2017	2	--	--	--	--	--	--	--	1530	--
VGWU-118-013	10/17/2017	2	--	--	--	--	--	--	--	12.3	--
VGWU-118-014	10/17/2017	2	--	--	--	--	--	--	--	11.1	--
VGWU-118-015	10/17/2017	2	--	--	--	--	--	--	--	7.1	--
VGWU-118-016	10/17/2017	2	--	--	--	--	--	--	--	39.5	--
VGWU-118-017	10/17/2017	2	--	--	--	--	--	--	--	14.4	--

Table 1
Soil Analytical Results
Vacuum Glorieta West Unit #118
Lea County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
NMAC Closure Criteria ^(a)			10	---	---	---	50	100		600	---
VGWU-118-018	10/17/2017	2	--	--	--	--	--	--	--	28.5	--
VGWU-118-019	10/17/2017	2	--	--	--	--	--	--	--	<4.96	--
VGWU-118-020	12/4/2017	2	--	--	--	--	--	--	--	38.5	--
VGWU-118-027	12/4/2017	2	--	--	--	--	--	--	--	9.2	--
VGWU-118-028	12/4/2017	2	--	--	--	--	--	--	--	18.1	--
VGWU-118-029	12/4/2017	2	--	--	--	--	--	--	--	615	--
VGWU-118-030	12/6/2017	2	--	--	--	--	--	--	--	10.5	--

Legend:


VALUE	Analytical value is greater than or equal to NMAC closure criteria
%	Percent
mg/kg	Miligram(s) per kilogram
<	Analyte was not detected above the specified method reporting limit
--	Not Analyzed/Not Listed
ft bgs	Feet below ground surface
BTEX	Benzene, toluene, ethylbenzene, and total xylenes
NMAC	New Mexico Administrative Code
TPH-GRO	Total Petroleum Hydrocarbons as Gasoline Range Organics
TPH-DRO	Total Petroleum Hydrocarbons as Diesel Range Organics

(a) Title 19, Chapter 15 of the NMAC for Natural Resources and Wildlife, Oil and Gas, and Releases, 19.15.29 NMAC. August.

FIGURES




CITY: MANCHESTER DIV/GROUP: ENVCAD DB: B.SMALL PM: TM:
C:\Users\chutia4677\OneDrive - ARCADIS\BIM 360 Docs\CHEVRON CORPORATION\VGWU 118.dwg LAYOUT: 1 SAVED: 1/17/2019 12:41 PM ACADVER: 21.05 (LMS TECH) PAGESETUP: --- PLOTSTYLETABLE: --- PLOTTED: 1/19/2019 10:19 AM BY: CHUTIA, BARAKHA




CITY: MANCHESTER DIV/GROUP: ENVCAD DB: B.SMALL PM: TM

C:\Users\chutia4677\OneDrive - ARCADIS\BIM 360 Docs\CHEVRON CORPORATION\VGWU 118\B0048616.170101-DWG\B00486111601-VGWU118-2012 and 2013.dwg LAYOUT: 2 SAVED: 1/18/2019 3:23 PM ACADVER: 21.0S (LMS TECH) PAGES SETUP: ---- PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 1/21/2019 3:37 PM BY: CHUTIA, BARAKHA




C:\Users\chutiab4677\OneDrive - ARCADIS\BIM 360 Docs\CHEVRON CORPORATION\VGWU 118\B0048616.1701\01-DWG\B00486111601-VGWU118-2016.dwg LAYOUT: 2 SAVED: 1/18/2019 3:23 PM ACADVER: 21.0S (LMS TECH) PAGESETUP: ---- PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 1/21/2019 12:56 PM BY: CHUTIA, BARAKHA



CITY: MANCHESTER DIV/GROUP: ENVCAD DB: B.SMALL PM: TM

C:\Users\chutlab4677\OneDrive - ARCADIS\BIM 360 Docs\CHEVRON CORPORATION\VGWU 118\B0048616.170101-DWG\B00486111601-VGWU118-2017.dwg LAYOUT: 2 SAVED: 1/17/2019 5:51 PM ACADVER: 21.0S (LMS TECH) PAGESETUP: ---- PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 1/18/2019 2:44 PM BY: CHUTIA, BARAKHA



ATTACHMENT 1

Depth-to-Groundwater Data



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
L 13392 POD20	L	LE		4	1	2	06	18S	35E	641081	3628000	200	138		
L 13392 POD15	L	LE		4	1	2	06	18S	35E	641119	3628041	204	137		
L 13392 POD19	L	LE		3	2	2	06	18S	35E	641155	3628080	221	138		
L 13392 POD14	L	LE		4	1	2	06	18S	35E	641118	3628007	223	133		
L 13392 POD18	L	LE		4	1	2	06	18S	35E	641143	3628014	239	138		
L 13041 POD1	L	LE			2	2	06	18S	35E	641152	3628026	240	130		
L 13041 POD2	L	LE			2	2	06	18S	35E	641152	3628026	240	140		
L 13041 POD3	L	LE			2	2	06	18S	35E	641152	3628026	240	140		
L 13041 POD4	L	LE			2	2	06	18S	35E	641152	3628026	240	140		
L 13392 POD17	L	LE		4	1	2	06	18S	35E	641149	3627992	257	138		
L 13392 POD16	L	LE		3	2	2	06	18S	35E	641171	3627989	276	138		
L 05523	L	LE		3	3	2	06	18S	35E	640855	3627660*	492	147	85	62
L 07119 S	L	LE		1	2	1	06	18S	35E	640445	3628259*	510	233	95	138
L 10337	L	LE		4	1	1	06	18S	35E	640268	3628055*	679	190	100	90
L 07119	L	LE		1	1	1	06	18S	35E	640068	3628255*	880	233	95	138

Average Depth to Water: **93 feet**

Minimum Depth: **85 feet**

Maximum Depth: **100 feet**

Record Count: 15

UTMNAD83 Radius Search (in meters):

Easting (X): 640942

Northing (Y): 3628144.44

Radius: 1000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/14/19 1:09 PM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER

ATTACHMENT 2

C-141 Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011
Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company CHEVRON U.S.A Inc.	Contact David Pagano
Address 56 Texas Camp Road, Lovington, NM 88260	Telephone No. Office: 575-396-4414 ext 275 Cellular: 505-787-9816
Facility Name Vacuum Glorietta West Unit #118	Facility Type Production Well
Surface Owner State of New Mexico	Mineral Owner State of New Mexico
API No. 3002531129	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
B	6	18.0S	35.0E					Lea

Latitude 32.782150° Longitude -103.496157°

NATURE OF RELEASE

Type of Release Produced Water Spill	Volume of Release 9.61 bbls of Produced Water and 0.746 bbls of oil	Volume Recovered 0 bbls
Source of Release Water Injection Station Pump	Date and Hour of Occurrence 04/22/12 07:00	Date and Hour of Discovery 04/22/12 07:00
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mr. Leking via voicemail	
By Whom? David Pagano	Date and Hour 04/22/12 11:00 AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.* NA		
Describe Cause of Problem and Remedial Action Taken.* 1 foot scrape on poly line caused integrity of line to give leading to spill of 9.61bbls of pw and 0.746 bbls of oil. Well shut in on discovery.		
Describe Area Affected and Cleanup Action Taken.* Spill was located in pasture On discovery vacuum truck contacted and vacuumed up the standing fluids which were sent to disposal. Next steps are for the visually contaminated soil to be excavated up to 2 feet and sent off for disposal		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:		OIL CONSERVATION DIVISION	
Printed Name: David Pagano		Approved by Environmental Specialist:	
Title: Health & Environmental Specialist		Approval Date:	Expiration Date:
E-mail Address: david.pagano@chevron.com		Conditions of Approval:	
Date: 04/23/12 Phone: 505-787-9816		Attached <input type="checkbox"/>	

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: CHEVRON U.S.A. Inc.	Contact: Luke Welch
Address: 56 Texas Camp Road, Lovington NM 88260	Telephone No.: Office: (713) 372-0292 Mobile: (832) 627-9171
Facility Name: Vacuum Glorietta West Unit #118	Facility Type: Production Well
Surface Owner: State of New Mexico	Mineral Owner: State of New Mexico
API No. 3002531129	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
B	6	18.0S	35.0E					Lea

Latitude 32.782150° Longitude -103.496157°

NATURE OF RELEASE

Type of Release: Produced Water Spill	Volume of Release: 9.61 bbls of Produced Water and 0.746 bbls of oil	Volume Recovered: 0 bbls
Source of Release: Water Injection Station Pump	Date and Hour of Occurrence: 04/22/12 07:00	Date and Hour of Discovery: 04/22/12 07:00
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mr. Leking via voicemail	
By Whom? David Pagano	Date and Hour: 04/23/12 11:00M	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.* N/A		
Describe Cause of Problem and Remedial Action Taken.* 1 foot scrape on poly line caused integrity of line to give leading to spill of 9.61 bbls of pw and 0.746 bbls of oil. Well shut in on discovery.		
Describe Area Affected and Cleanup Action Taken.* Spill was located in pasture. On discovery, vacuum truck contacted and vacuumed up the standing fluids, which were sent to disposal. Visually contaminated soil was excavated up to 2 feet. Ten discrete soil confirmation samples were collected from the base of the excavation. An additional site assessment was conducted to confirm the extent of soil impacts. Analytical results of the additional assessment are attached.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature:	OIL CONSERVATION DIVISION	
Printed Name: Luke Welch		
Title: Project Manager	Approval Date:	Expiration Date:
E-mail Address: LWelch@chevron.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date:	Phone: (713) 372-0292	

* Attach Additional Sheets If Necessary

ATTACHMENT 3

Soil Boring Logs



Drilling Company: White Drilling/R Dallas

Client: Chevron EMC

Location: Vacuum Glorietta West Unit 118



Drilling Method: Air Rotary

Sampling Method: Shovel

Borehole Depth: 30' bgs

Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AK	2				SILTY SANDY CLAY (Topsoil), Dark Grayish Brown (10YR8/2), firm, blocky, dry, roots in sample, 50% sand, silt to very fine grained, subangular to subrounded, poorly sorted.
1			AK	3	6.2			CALICHE, Pale Yellow (2.5YR8/4), soft, slightly moist, argillaceous, 90% caliche clay, 10% sand, silt to very fine grained, subangular to subrounded, poorly sorted.
5	-5		AR		7.1			
2			AR	5				SANDY CALICHE, Pale Yellow (2.5YR8/3), soft, powdery, 75% caliche, 25% sand, very fine to fine grained, subangular, poorly sorted, loose, dry, trace caliche, White (2.5YR8/1), indurated, nodular, 0.3 cm to 0.5 cm.
10	-10				2.8			
3			AR	5				
15	-15				4.0			SANDY CALICHE, Pale Yellow (2.5YR8/2), soft, powdery, dry, 80% caliche, 20% sand, very fine to fine grained, subrounded to subangular, poorly sorted, loose, formation contains sandy siliceous caliche, Pale Yellow (7.5YR7/4), fine to very fine grained, subrounded, poorly sorted, silica cemented, nodular, traces throughout formation.
4			AR	5				
20	-20				4.7			SANDSTONE, Light Gray (10YR7/2), very fine to fine grained, subangular to subrounded, poorly sorted, weakly cemented, calcareous formation.
5			AR	5				
25	-25				5.8			Same as above, formation sand becomes fine grained, subrounded, well sorted, contained trace indurated sandstone, Pale Yellow (2.5YR7/4), silica cemented, nodules 0.3 cm to 1 cm throughout formation.
6			AR	5				
30	-30				7.4			Same as above, nodules become 5% to 10% at 30 feet bgs.



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;

Drilling Company: White Drilling/R Dallas

Client: Chevron EMC

Location: Vacuum Glorietta West Unit 118

Drilling Method: Air Rotary

Sampling Method: Shovel

Borehole Depth: 30' bgs

Descriptions By: R Nanny



DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							
1		AK	2	3.4				SILTY SANDY CLAY (Topsoil), Dark Grayish Brown (10YR4/2), soft, slightly pliable, moist, roots in sample, 50% clay and 50% sand, silt to very fine grained, subangular to subrounded, poorly sorted, trace caliche, White (5YR8/1), soft to firm, nodular, 0.2 cm to 0.3 cm.
		AK	3					
5	-5	AR		2.9				CALICHE, Pale Yellow (2.5YR8/4), soft, slightly moist, argillaceous, 90% caliche clay, 10% sand, silt to very fine grained, subangular to subrounded, poorly sorted.
2		AR	5					
								SANDY CALICHE, Pale Yellow (2.5YR8/4), soft, powdery, 75% caliche, 25% sand, very fine to fine grained, subangular, poorly sorted, loose, dry. Formation contains trace caliche, White (2.5YR8/1), indurated, nodular, 0.3 cm to 0.5 cm throughout formation.
10	-10			4.3				
3		AR	5					
15	-15			4.8				Same as above, formation had a slight color change to Pale Yellow (2.5YR8/3), sand increased, grains turned to subrounded.
4		AR	5					
20	-20			5.4				SAND, Pale Yellow (2.5YR8/2), fine grained, subrounded, moderately sorted, loose, slightly moist. Formation contains traces sandstone, Light Brown (7.5YR6/4). Sand is same as described above, indurated, nodular, silica cemented.
5		AR	5					
25	-25			5.3				
6		AR	5					
30	-30			7.9				



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;

Drilling Company: White Drilling/R Dallas

Client: Chevron EMC

Location: Vacuum Glorietta West Unit 118



Drilling Method: Air Rotary

Sampling Method: Shovel

Borehole Depth: 30' bgs

Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							SILTY SANDY CLAY (Topsoil), Dark Grayish Brown (10YR4/2), firm, blocky to slightly friable, dry, roots in sample, 50% clay, 50% sand, silt to very fine grained, trace fine grains in samples, subangular to subrounded, poorly sorted, trace caliche, White (5YR8/1), soft to friable, nodular.
1		AK	2	2.7				SANDY CALICHE, White (2.5YR8/1), very firm to indurated, dry, 75% caliche, 25% sand, very fine to fine grained, subangular, poorly sorted.
5	-5	AR	3	2.8				CLAYEY SAND, Light Gray (2.5YR7/2), very fine to fine grained, subangular, poorly sorted, loose, 70% sand, 40% clay, calcareous clay matrix, powdery, arenaceous, trace caliche as described above, nodular, 0.1 to 0.3 cm, firm to indurated.
10	-10	AR	5	6.2				Same as above, formation had a slight color change to Light Gray (10YR7/2), loose.
15	-15	AR	5	6.4				SANDY CALICHE, Pale Yellow (2.5YR8/2) firmly cemented, dry, 80% caliche, 20% sand, very fine to fine grained, subangular, poorly sorted, formation contains White (5YR8/1), indurated, sandy caliche nodules, rounded throughout formation.
20	-20	AR	5	9.0				SANDSTONE, Light Gray (10YR7/2), very fine to fine grained, subangular to subrounded, poorly sorted, weakly cemented, calcareous.
25	-25	AR	5	5.7				Same as above, formation becomes fine grained, subrounded, well sorted. Formation contains trace indurated sandstone, Pale Yellow (2.5YR7/4), sand is same as above, silica cemented nodules.
30	-30	AR	5	5.8				Same as above, nodules become 10% at 30 feet bgs.



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;

Drilling Company: White Drilling/R Dallas

Client: Chevron EMC

Location: Vacuum Glorietta West Unit 118



Drilling Method: Air Rotary

Sampling Method: Shovel

Borehole Depth: 30' bgs

Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							
		1	AK	2	4.3	☒		SILTY SANDY CLAY (Topsoil), Dark Grayish Brown (10YR4/2), friable, dry, 50% clay and 50% sand, silt to fine grained, subrounded, poorly sorted, roots in sample. Formation contains trace caliche, White (5YR8/1), very fine to indurated, nodular throughout formation.
			AK	3		☒		
5	-5		AR		5.9	☒		SANDY CALICHE, White (5YR8/1), powdery, arenaceous, dry, 80% caliche, 20% sand, very fine to fine grained, rounded, poorly sorted, formation contains trace indurated, siliceous caliche nodules, rounded throughout formation, Yellow (5YR8/3).
		2	AR	5				
10	-10				6.7	☒		Same as above, formation becomes slightly softer, sand become 30%.
		3	AR	5				
15	-15				6.1	☒		Same as above, formation becomes soft, sand grain content becomes 40%, caliche is powdery within formation.
		4	AR	5				
20	-20				6.1	☒		SANDSTONE, Pale Yellow (2.5YR8/2), fine grained, subangular to subrounded, moderately to poorly sorted, calcareous, weakly cemented, friable, trace indurated, siliceous concretions, Pale Yellow (2.5YR7/4), rounded, throughout formation, formation is slightly calcareous.
		5	AR	5				
25	-25				5.9	☒		Same as above, formation sand becomes subrounded and well sorted, dry.
		6	AR	5				
30	-30				3.6	☒		SAND at 30 feet bgs, Pale Yellow (2.5YR8/2), fine grained, subrounded, moderately to well sorted, loose, calcareous, 80% sand, 20% indurated siliceous concretions, Pale Yellow (2.5YR7/4), rounded throughout formation, dry.



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;

Drilling Company: White Drilling/R Dallas

Client: Chevron EMC

Location: Vacuum Glorietta West Unit 118



Drilling Method: Air Rotary

Sampling Method: Shovel

Borehole Depth: 30' bgs

Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							
1		AK	2		4.0	☒		SILTY SANDY CLAY (Topsoil), Dark Grayish Brown (10YR4/2), firm, blocky, dry, roots in sample, 50% clay and 50% sand, silt to very fine grained, trace fine grains in sample, subangular to subrounded, poorly sorted.
		AK	3			☒		
5	-5	AR			3.4	☒		CLAYEY SAND, Light Gray (2.5YR7/2), very fine to fine grained, subangular, poorly sorted, loose, 60% caliche, 40% sand, calcareous clay matrix, powdery, arenaceous, slight moisture, trace caliche, White (2.5YR8/1), firm to indurated, nodular, formation also contains trace siliceous caliche, Very Pale Brown (10YR7/3), indurated, rounded, nodular throughout formation.
		AR	5					
10	-10				4.2	☒		
		AR	5					SANDSTONE, Very Pale Brown (10YR8/2 to 10YR7/4), fine grained, subangular to subrounded, poorly sorted, indurated, calcite and silica cementation.
								Same as above, formation softens to friable.
15	-15				5.9	☒		
		AR	5					SANDSTONE, Light Gray (10YR7/2), very fine to fine grained, subangular to subrounded, poorly sorted, weakly cemented, calcareous, formation contains trace caliche, White (2.5YR8/1), indurated, nodular, 0.3 to 0.5 cm throughout formation.
20	-20				4.1	☒		
		AR	5					
25	-25				5.0	☒		
		AR	5					
30	-30				6.1	☒		



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;

Drilling Company: White Drilling/R Dallas

Client: Chevron EMC

Location: Vacuum Glorietta West Unit 118

Drilling Method: Air Rotary

Sampling Method: Shovel

Borehole Depth: 30' bgs

Descriptions By: R Nanny



DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							SILTY SANDY CLAY (Topsoil), Dark Grayish Brown (10YR4/2), firm, blocky to slightly friable, dry, roots in sample, 50% clay, 50% sand, silt to very fine grained, trace fine grains in sample, subangular to subrounded, poorly sorted.
1		AK	2	3.9				
		AK	3					SANDY CALICHE, White (2.5YR8/1), very firm to indurated, dry, 75% caliche, 25% sand, very fine to fine grained, subangular, poorly sorted.
5	-5	AR		5.1				CLAYEY SAND, Light Gray (2.5YR7/2), very fine to fine grained, subangular, poorly sorted, loose, 60% sand, 40% caliche calcareous clay matrix, powdery arenaceous, dry trace caliche described above, nodules 0.1 cm to 0.3 cm.
		2	AR	5				
10	-10			5.2				Same as above, firm to indurated, slight color change to Light Gray (10YR7/2), loose formation.
		3	AR	5				SANDY CALICHE, Pale Yellow (2.5YR8/2), firmly cemented, dry, 80% caliche, 20% sand, very fine to fine grained, subangular, poorly sorted. Formation contains White (5YR8/1), indurated sandy caliche nodules, rounded.
15	-15			4.1				
		4	AR	5				
20	-20			4.1				SANDSTONE, Light Gray (10YR7/2), vrey fine to fine grained, subangular to subrounded, poorly sorted, weakly cemented, calcareous.
		5	AR	5				
25	-25			6.0				Same as above, formation sand becomes fine grained, subrounded, well sorted.
		6	AR	5				
30	-30			5.9				Same as above, at 30 feet bgs, White (10YR8/1), fine grained, subrounded, well sorted, dry, very calcareous.



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;

Drilling Company: White Drilling/R Dallas

Client: Chevron EMC

Location: Vacuum Glorietta West Unit 118



Drilling Method: Air Rotary

Sampling Method: Shovel

Borehole Depth: 30' bgs

Descriptions By: R Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0							
1		AK	2	3.4				SILTY SANDY CLAY, Light Gray (2.5YR7/2), soft, friable, slight moisture, 70% clay, 30% silt to very fine grained sand, subrounded, poorly sorted.
		AK	3					
5	-5	AR		4.6				CLAYEY SAND, Light Gray (2.5YR7/2), very fine to fine grained, subangular to subrounded, poorly sorted, loose to slightly cemented, 80% sand, 20% clay matrix, soft, powdery, dry.
2		AR	5					SANDY CALICHE, Pale Yellow (2.5YR8/2), very fine to indurated, dry, trace sand, very fine to fine grained, subrounded, poorly sorted, formation contained trace concretionary caliche nodules, indurated, calcite and silica cemented, rounded, throughout formation.
10	-10			6.6				
3		AR	5					
15	-15			2.2				Same as above, formation has a slight color change to Pale Yellow (2.5YR8/3), sand grain content increased to 30%.
4		AR	5					
20	-20			0.4				SANDSTONE, Very Pale Brown (10YR8/2), very fine to fine grained, subangular to subrounded, poorly sorted, very loosely cemented, calcareous, formation contains trace caliche, White (2.5YR8/1), indurated, nodular, rounded, 0.2 cm to 0.5 cm throughout formation.
5		AR	5					
25	-25			4.0				
6		AR	5					
30	-30			5.3				Same as above, at 30 feet bgs, formation contains trace concretionary siliceous caliche nodules, 0.2 cm to 0.3 cm, rounded.



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter;



Boring No.: VGWU118-08

Soil Boring Log

Sheet: 1 of 1

Project Name: Chevron EMC
 Project Number: B0048616.0118
 Project Location: HES Transfer Sites



Date Started: 06/23/2016 Logger: Ken Wicks
 Date Completed: 06/23/2016 Editor: NA
 Weather Conditions: NA

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; poorly graded; dry; brown.		
2			SB-08(2')			SAND, fine; some silt; poorly graded; dry; tan.	Borehole backfilled with Native material	
3								
4			SB-08(4')					
5						End of boring at 4.0 ft bgs.		



Drilling Co.: HCI Drilling
 Driller: Kenny Cooper
 Drilling Method: Air Rotary
 Drilling Fluid: None
 Remarks: ' / ft = feet; " / in = inch; bgs = below ground surface;
ppm = parts per million; NA = not available or not applicable.

Sampling Method: Shovel
 Sampling Interval: NA
 Water Level Start (ft. bgs.): NA
 Water Level Finish (ft. btoc.): NA
 Converted to Well: ☐ Yes ☒ No
 Surface Elev.: NA
 North Coord.: NA
 East Coord.: NA



CHEVRON HES DIA-PROJECT FILES\BORELOGS\HES-BORING LOGS\GEO BANGALORE\TEMPLATE\GINT TEMPLATE\EXISTING\HES.GPJ ARCADIS.GDT 25/1/19

 						Boring No.: VGWU118-09		
Soil Boring Log								
Project Name: <u>Chevron EMC</u>			Date Started: <u>06/23/2016</u>			Logger: <u>Ken Wicks</u>		
Project Number: <u>B0048616.0118</u>			Date Completed: <u>06/23/2016</u>			Editor: <u>NA</u>		
Project Location: <u>HES Transfer Sites</u>			Weather Conditions: <u>NA</u>					
Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; poorly graded; dry; brown.		
2			SB-09(2')			SAND, fine; some silt; poorly graded; dry; gray.	Borehole backfilled with Native material	
3								
4			SB-09(4')					
5						End of boring at 4.0 ft bgs.		

Drilling Co.:	<u>HCI Drilling</u>	Sampling Method:	<u>Shovel</u>
Driller:	<u>Kenny Cooper</u>	Sampling Interval:	<u>NA</u>
Drilling Method:	<u>Air Rotary</u>	Water Level Start (ft. bgs.):	<u>NA</u>
Drilling Fluid:	<u>None</u>	Water Level Finish (ft. btoc.):	<u>NA</u>
Remarks:	<u>' / ft = feet; " / in = inch; bgs = below ground surface;</u> <u>ppm = parts per million; NA = not available or not applicable.</u>		
Converted to Well:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Surface Elev.:	<u>NA</u>		
North Coord.:	<u>NA</u>		
East Coord.:	<u>NA</u>		

 						Boring No.: VGWU118-10.		
Soil Boring Log						Sheet: 1 of 1		
Project Name: <u>Chevron EMC</u>			Date Started: <u>06/23/2016</u>			Logger: <u>Ken Wicks</u>		
Project Number: <u>B0048616.0118</u>			Date Completed: <u>06/23/2016</u>			Editor: <u>NA</u>		
Project Location: <u>HES Transfer Sites</u>			Weather Conditions: <u>NA</u>					
Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; poorly graded; dry; brown.		
2			SB-10(2')			SAND, fine; some silt; poorly graded; dry; tan.	Borehole backfilled with Native material	
3								
4			SB-10(4')					
5						End of boring at 4.0 ft bgs.		

Drilling Co.:	<u>HCI Drilling</u>	Sampling Method:	<u>Shovel</u>
Driller:	<u>Kenny Cooper</u>	Sampling Interval:	<u>NA</u>
Drilling Method:	<u>Air Rotary</u>	Water Level Start (ft. bgs.):	<u>NA</u>
Drilling Fluid:	<u>None</u>	Water Level Finish (ft. btoc.):	<u>NA</u>
Remarks:	<u>' / ft = feet; " / in = inch; bgs = below ground surface;</u> <u>ppm = parts per million; NA = not available or not applicable.</u>		
Converted to Well:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Surface Elev.:	<u>NA</u>		
North Coord.:	<u>NA</u>		
East Coord.:	<u>NA</u>		

 						Boring No.: VGWU118-11		
<h2 style="margin: 0;">Soil Boring Log</h2>						Sheet: 1 of 1		
Project Name: <u>Chevron EMC</u>			Date Started: <u>06/23/2016</u>			Logger: <u>Ken Wicks</u>		
Project Number: <u>B0048616.0118</u>			Date Completed: <u>06/23/2016</u>			Editor: <u>NA</u>		
Project Location: <u>HES Transfer Sites</u>			Weather Conditions: <u>NA</u>					

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; poorly graded; dry; brown.		Borehole backfilled with Native material
2			SB-11(2')			SAND, fine; some silt; poorly graded; dry; gray.		
3								
4			SB-11(4')					
5						End of boring at 4.0 ft bgs.		

Drilling Co.: <u>HCI Drilling</u> Driller: <u>Kenny Cooper</u> Drilling Method: <u>Air Rotary</u> Drilling Fluid: <u>None</u> Remarks: <u>' / ft = feet; " / in = inch; bgs = below ground surface;</u> <u>ppm = parts per million; NA = not available or not applicable.</u>	Sampling Method: <u>Shovel</u> Sampling Interval: <u>NA</u> Water Level Start (ft. bgs.): <u>NA</u> Water Level Finish (ft. btoc.): <u>NA</u> Converted to Well: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Surface Elev.: <u>NA</u> North Coord.: <u>NA</u> East Coord.: <u>NA</u>
--	---



Boring No.: VGWU118-12

Soil Boring Log

Sheet: 1 of 1

Project Name: Chevron EMC
 Project Number: B0048616.0118
 Project Location: HES Transfer Sites

Date Started: 06/23/2016 Logger: Ken Wicks
 Date Completed: 06/23/2016 Editor: NA
 Weather Conditions: NA

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; poorly graded; dry; brown.		
2			SB-12(2')			SAND, fine; some silt; poorly graded; dry; gray.	Borehole backfilled with Native material	
3								
4			SB-12(4')					
5						End of boring at 4.0 ft bgs.		

Drilling Co.: HCI Drilling
 Driller: Kenny Cooper
 Drilling Method: Air Rotary
 Drilling Fluid: None
 Remarks: ' / ft = feet; " / in = inch; bgs = below ground surface;
ppm = parts per million; NA = not available or not applicable.

Sampling Method: Shovel
 Sampling Interval: NA
 Water Level Start (ft. bgs.): NA
 Water Level Finish (ft. btoc.): NA
 Converted to Well: ☐ Yes ☒ No
 Surface Elev.: NA
 North Coord.: NA
 East Coord.: NA

CHEVRON HES DIA-PROJECT FILES\BORELOGS\HES-BORING LOGS\GEO BANGALORE\TEMPLATE\GINT TEMPLATE\EXISTING\HES.GPJ ARCADIS.GDT 25/1/19



Boring No.: VGWU118-13

Soil Boring Log

Sheet: 1 of 1

Project Name: Chevron EMC

Date Started: 06/23/2016

Logger: Ken Wicks

Project Number: B0048616.0118

Date Completed: 06/23/2016

Editor: NA

Project Location: HES Transfer Sites

Weather Conditions: NA

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; poorly graded; dry; brown.		
2			SB-13(2')			SAND, fine; some silt; poorly graded; dry; tan.	Borehole backfilled with Native material	
3								
4			SB-13(4')					
5						End of boring at 4.0 ft bgs.		

Drilling Co.: HCI Drilling

Sampling Method: Shovel

Driller: Kenny Cooper

Sampling Interval: NA

Drilling Method: Air Rotary

Water Level Start (ft. bgs.): NA

Drilling Fluid: None

Water Level Finish (ft. btoc.): NA

Remarks: ' / ft = feet; " / in = inch; bgs = below ground surface;

Converted to Well: ☐ Yes ☒ No



ppm = parts per million; NA = not available or not applicable.

Surface Elev.: NA

North Coord.: NA

East Coord.: NA

CHEVRON HES DIA-PROJECT FILES\BORELOGS\HES-BORING LOGS\GEO BANGALORE\TEMPLATE\GINT TEMPLATE\EXISTING\HES.GPJ ARCADIS.GDT 25/1/19

 						Boring No.: VGWU118-14		
<h2 style="margin: 0;">Soil Boring Log</h2>						Sheet: 1 of 1		
Project Name: <u>Chevron EMC</u>			Date Started: <u>06/23/2016</u>			Logger: <u>Ken Wicks</u>		
Project Number: <u>B0048616.0118</u>			Date Completed: <u>06/23/2016</u>			Editor: <u>NA</u>		
Project Location: <u>HES Transfer Sites</u>			Weather Conditions: <u>NA</u>					

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine to coarse; few silt; poorly graded; dry; tan.		Borehole backfilled with Native material
2			SB-14(2')			SAND, fine to coarse; few silt; poorly graded; dry; tan.		
3								
4			SB-14(4')					
5						End of boring at 4.0 ft bgs.		

Drilling Co.: <u>HCI Drilling</u> Driller: <u>Kenny Cooper</u> Drilling Method: <u>Air Rotary</u> Drilling Fluid: <u>None</u> Remarks: <u>' / ft = feet; " / in = inch; bgs = below ground surface;</u> <u>ppm = parts per million; NA = not available or not applicable.</u>	Sampling Method: <u>Shovel</u> Sampling Interval: <u>NA</u> Water Level Start (ft. bgs.): <u>NA</u> Water Level Finish (ft. btoc.): <u>NA</u> Converted to Well: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Surface Elev.: <u>NA</u> North Coord.: <u>NA</u> East Coord.: <u>NA</u>
--	---



Boring No.: VGWU118-15

Soil Boring Log

Sheet: 1 of 1

Project Name: Chevron EMC
 Project Number: B0048616.0118
 Project Location: HES Transfer Sites

Date Started: 09/14/2016 Logger: Melisa Phan
 Date Completed: 09/14/2016 Editor: NA
 Weather Conditions: NA



Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SILT, nonplastic, 10% Caliche nodules, 10% Sand, fine to medium grained; dry; moderate reaction to HCl; dark gray (7.5YR 4/1). Note: Secondary color white(7.5YR 8/1); organic material roots (roots).		
2			VGWU118-15(2') @ 1400					
3						SILT, nonplastic, 10% Caliche nodules, 10% Sand, fine to medium grained; dry; moderate reaction to HCl; gray (7.5YR 6/1). Note: Secondary color white(7.5YR 8/1); organic material roots (roots).		
4								
5								
6								
7			VGWU118-15(7') @ 1402					
8								
9			VGWU118-15(9') @ 1401					
10			VGWU118-15(10') @ 1403					
11						End of boring at 10.0 ft bgs.		

Borehole backfilled with Native material

Drilling Co.: HCI Drilling
 Driller: Kenny Cooper
 Drilling Method: Air Rotary
 Drilling Fluid: None
 Remarks: ' / ft = feet; " / in = inch; bgs = below ground surface;
ppm = parts per million; NA = not available or not applicable.

Sampling Method: Shovel
 Sampling Interval: NA
 Water Level Start (ft. bgs.): NA
 Water Level Finish (ft. btoc.): NA
 Converted to Well: ☐ Yes ☒ No
 Surface Elev.: NA
 North Coord.: NA
 East Coord.: NA

CHEVRON HES DIA-PROJECT FILES\BORELOGS\HES-BORING LOGS\GEC BANGALORE\TEMPLATE\GINT TEMPLATE EXISTING\HES.GPJ / ARCADIS.GDT 25/1/19

 						Boring No.: VGWU118-16		
<h2 style="margin: 0;">Soil Boring Log</h2>						Sheet: 1 of 1		
Project Name: <u>Chevron EMC</u>			Date Started: <u>06/23/2016</u>		Logger: <u>Ken Wicks</u>			
Project Number: <u>B0048616.0118</u>			Date Completed: <u>06/23/2016</u>		Editor: <u>NA</u>			
Project Location: <u>HES Transfer Sites</u>			Weather Conditions: <u>NA</u>					

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; dry; tan.	Borehole backfilled with Native material	
2						SAND, fine; some silt; dry; tan.		
3								
4						End of boring at 4.0 ft bgs.		
5								

Drilling Co.: <u>HCI Drilling</u> Driller: <u>Kenny Cooper</u> Drilling Method: <u>Air Rotary</u> Drilling Fluid: <u>None</u> Remarks: <u>' / ft = feet; " / in = inch; bgs = below ground surface;</u> <u>ppm = parts per million; NA = not available or not applicable.</u>	Sampling Method: <u>Shovel</u> Sampling Interval: <u>NA</u> Water Level Start (ft. bgs.): <u>NA</u> Water Level Finish (ft. btoc.): <u>NA</u> Converted to Well: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Surface Elev.: <u>NA</u> North Coord.: <u>NA</u> East Coord.: <u>NA</u>
--	---



Boring No.: VGWU118-17

Soil Boring Log

Sheet: 1 of 1

Project Name: Chevron EMC

Date Started: 06/23/2016

Logger: Ken Wicks

Project Number: B0048616.0118

Date Completed: 06/23/2016

Editor: NA

Project Location: HES Transfer Sites

Weather Conditions: NA

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SAND, fine; some silt; poorly graded; dry; brown.		
2			SB-17(2')			SAND, coarse; some silt; well graded; dry; gray.	Borehole backfilled with Native material	
3								
4			SB-17(4')					
5						End of boring at 4.0 ft bgs.		

Drilling Co.: HCI Drilling

Sampling Method: Shovel

Driller: Kenny Cooper

Sampling Interval: NA

Drilling Method: Air Rotary

Water Level Start (ft. bgs.): NA

Drilling Fluid: None

Water Level Finish (ft. btoc.): NA

Remarks: ' / ft = feet; " / in = inch; bgs = below ground surface;



Converted to Well: ☐ Yes ☒ No

ppm = parts per million; NA = not available or not applicable.

Surface Elev.: NA

North Coord.: NA

East Coord.: NA

								Boring No.: VGWU118-18	
<h2 style="margin: 0;">Soil Boring Log</h2>						Sheet: 1 of 1			
Project Name: <u>Chevron EMC</u>			Date Started: <u>09/14/2016</u>		Logger: <u>Melisa Phan</u>				
Project Number: <u>B0048616.0118</u>			Date Completed: <u>09/14/2016</u>		Editor: <u>NA</u>				
Project Location: <u>HES Transfer Sites</u>			Weather Conditions: <u>NA</u>						

Depth (feet)	Sample Interval	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1						SILT, nonplastic, 10% Caliche nodules, 10% Sand, fine to medium grained; dry; moderate reaction to HCl; dark gray (7.5YR 4/1). Note: Secondary color white(7.5YR 8/1); organic material roots (roots).		
2			VGWU118-18(2') @ 1430			SILT, nonplastic, 10% Caliche nodules, 10% Sand, fine to medium grained; dry; moderate reaction to HCl; gray (7.5YR 6/1). Note: Secondary color white(7.5YR 8/1); organic material roots (roots).		
3								
4								
5								
6								
7			VGWU118-18(7') @ 1431					
8								
9			VGWU118-18(9') @ 1432					
10			VGWU118-18(10') @ 1433					
						End of boring at 10.0 ft bgs.		
11								

Drilling Co.: <u>HCI Drilling</u> Driller: <u>Kenny Cooper</u> Drilling Method: <u>Air Rotary</u> Drilling Fluid: <u>None</u> Remarks: <u>' / ft = feet; " / in = inch; bgs = below ground surface;</u> <u>ppm = parts per million; NA = not available or not applicable.</u>	Sampling Method: <u>Shovel</u> Sampling Interval: <u>NA</u> Water Level Start (ft. bgs.): <u>NA</u> Water Level Finish (ft. btoc.): <u>NA</u> Converted to Well: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Surface Elev.: <u>NA</u> North Coord.: <u>NA</u> East Coord.: <u>NA</u>
--	---

ATTACHMENT 4

Laboratory Analytical Results and chain of Custody



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

July 18, 2012

DAVID PAGANO

Chevron - Lovington

HCR 60 Box 423

Lovington, NM 88260

RE: SOIL SAMPLES

Enclosed are the results of analyses for samples received by the laboratory on 07/12/12 17:07.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #1 (H201602-01)

BTEx 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/17/2012	ND	1.88	93.9	2.00	2.82	
Toluene*	<0.050	0.050	07/17/2012	ND	1.89	94.5	2.00	3.09	
Ethylbenzene*	<0.050	0.050	07/17/2012	ND	1.94	97.1	2.00	4.36	
Total Xylenes*	<0.150	0.150	07/17/2012	ND	5.85	97.4	6.00	4.60	

Surrogate: 4-Bromofluorobenzene (PID) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/17/2012	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	487	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 74.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 99.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #2 (H201602-02)

BTX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/17/2012	ND	1.88	93.9	2.00	2.82	
Toluene*	<0.050	0.050	07/17/2012	ND	1.89	94.5	2.00	3.09	
Ethylbenzene*	<0.050	0.050	07/17/2012	ND	1.94	97.1	2.00	4.36	
Total Xylenes*	<0.150	0.150	07/17/2012	ND	5.85	97.4	6.00	4.60	

Surrogate: 4-Bromofluorobenzene (PID) 108 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	07/17/2012	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	43.7	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 81.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #3 (H201602-03)

BTEx 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/17/2012	ND	1.88	93.9	2.00	2.82	
Toluene*	<0.050	0.050	07/17/2012	ND	1.89	94.5	2.00	3.09	
Ethylbenzene*	<0.050	0.050	07/17/2012	ND	1.94	97.1	2.00	4.36	
Total Xylenes*	<0.150	0.150	07/17/2012	ND	5.85	97.4	6.00	4.60	

Surrogate: 4-Bromofluorobenzene (PID) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	07/17/2012	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	123	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 85.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 112 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #4 (H201602-04)

BTX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/17/2012	ND	1.88	93.9	2.00	2.82	
Toluene*	<0.050	0.050	07/17/2012	ND	1.89	94.5	2.00	3.09	
Ethylbenzene*	<0.050	0.050	07/17/2012	ND	1.94	97.1	2.00	4.36	
Total Xylenes*	<0.150	0.150	07/17/2012	ND	5.85	97.4	6.00	4.60	

Surrogate: 4-Bromofluorobenzene (PID) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	07/17/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	295	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 86.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #5 (H201602-05)

BTX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/17/2012	ND	1.88	93.9	2.00	2.82	
Toluene*	<0.050	0.050	07/17/2012	ND	1.89	94.5	2.00	3.09	
Ethylbenzene*	<0.050	0.050	07/17/2012	ND	1.94	97.1	2.00	4.36	
Total Xylenes*	<0.150	0.150	07/17/2012	ND	5.85	97.4	6.00	4.60	

Surrogate: 4-Bromofluorobenzene (PID) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	07/17/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	<10.0	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 82.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 103 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #6 (H201602-06)

BTEx 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/18/2012	ND	1.91	95.7	2.00	0.781	
Toluene*	0.221	0.050	07/18/2012	ND	1.94	97.1	2.00	2.18	
Ethylbenzene*	0.385	0.050	07/18/2012	ND	1.98	99.0	2.00	1.91	
Total Xylenes*	0.937	0.150	07/18/2012	ND	5.99	99.9	6.00	2.45	

Surrogate: 4-Bromofluorobenzene (PID) 117 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	384	16.0	07/17/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	36.8	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	2520	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 91.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 154 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #7 (H201602-07)

BTX 8021B		mg/kg		Analyzed By: AP				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/18/2012	ND	1.91	95.7	2.00	0.781	
Toluene*	0.841	0.050	07/18/2012	ND	1.94	97.1	2.00	2.18	
Ethylbenzene*	2.27	0.050	07/18/2012	ND	1.98	99.0	2.00	1.91	
Total Xylenes*	3.32	0.150	07/18/2012	ND	5.99	99.9	6.00	2.45	

Surrogate: 4-Bromofluorobenzene (PID) 134 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	07/17/2012	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: AM				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	108	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	6830	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 106 % 65.2-140

Surrogate: 1-Chlorooctadecane 228 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #8 (H201602-08)

BTEx 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/18/2012	ND	1.91	95.7	2.00	0.781	
Toluene*	<0.050	0.050	07/18/2012	ND	1.94	97.1	2.00	2.18	
Ethylbenzene*	<0.050	0.050	07/18/2012	ND	1.98	99.0	2.00	1.91	
Total Xylenes*	<0.150	0.150	07/18/2012	ND	5.99	99.9	6.00	2.45	

Surrogate: 4-Bromofluorobenzene (PID) 107 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2320	16.0	07/17/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	49.5	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 82.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 111 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #9 (H201602-09)

BTEx 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/18/2012	ND	1.91	95.7	2.00	0.781	
Toluene*	<0.050	0.050	07/18/2012	ND	1.94	97.1	2.00	2.18	
Ethylbenzene*	0.179	0.050	07/18/2012	ND	1.98	99.0	2.00	1.91	
Total Xylenes*	0.384	0.150	07/18/2012	ND	5.99	99.9	6.00	2.45	

Surrogate: 4-Bromofluorobenzene (PID) 115 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6240	16.0	07/18/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: AM				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	20.6	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	3050	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 86.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 163 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Chevron - Lovington
 DAVID PAGANO
 HCR 60 Box 423
 Lovington NM, 88260
 Fax To: None

Received: 07/12/2012
 Reported: 07/18/2012
 Project Name: SOIL SAMPLES
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 07/12/2012
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: VGWU #118 SS #10 (H201602-10)

BTX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/18/2012	ND	1.91	95.7	2.00	0.781	
Toluene*	<0.050	0.050	07/18/2012	ND	1.94	97.1	2.00	2.18	
Ethylbenzene*	<0.050	0.050	07/18/2012	ND	1.98	99.0	2.00	1.91	
Total Xylenes*	<0.150	0.150	07/18/2012	ND	5.99	99.9	6.00	2.45	

Surrogate: 4-Bromofluorobenzene (PID) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	15800	16.0	07/18/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: AM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	07/17/2012	ND	166	83.1	200	6.45	
DRO >C10-C28	28.4	10.0	07/17/2012	ND	173	86.6	200	8.21	

Surrogate: 1-Chlorooctane 77.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 103 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
- Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: <u>Chevron</u>				BILL TO				ANALYSIS REQUEST												
Project Manager: <u>David Pagano</u>				P.O. #:																
Address: <u>56 Texas Camp Rd</u>				Company: <u>Chevron</u>																
City: <u>Levington</u> State: <u>NM</u> Zip: <u>88260</u>				Attn: <u>Nick Moschetti</u>																
Phone #: <u>505 287-9816</u> Fax #:				Address: <u>56 Texas Camp Rd</u>																
Project #: _____ Project Owner: _____				City: <u>Levington</u>																
Project Name: _____				State: <u>NM</u> Zip: <u>88260</u>																
Project Location: _____				Phone #: <u>575-396-4414 x201</u>																
Sampler Name: _____				Fax #: _____																
FOR LAB USE ONLY				MATRIX		PRESERV		SAMPLING												
Lab I.D.	Sample I.D.	# CONTAINERS	GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER	ACID/BASE ICE / COOL OTHER	DATE	TIME														
H201602																				
1	VOLU #118 SS #1				7/12/12	4:00														
2	VOLU #118 SS #2					4:03														
3	VOLU #118 SS #3					4:06														
4	VOLU #118 SS #4					4:09														
5	VOLU #118 SS #5					4:12														
6	VOLU #118 SS #6					4:18														
7	VOLU #118 SS #7					4:20														
8	VOLU #118 SS #8					4:22														
9	VOLU #118 SS #9					4:23														
10	VOLU #118 SS #10					4:26														

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claims arising whether caused in contract or tort shall be limited to the amount paid by the client for the analyses. All other damages, including consequential and punitive damages shall be deemed waived by the client. Cardinal shall not be liable for any damages, including consequential damages, arising out of or in connection with the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the following causes of action: negligence, strict liability, breach of contract, breach of warranty, or any other cause of action.

Relinquished By: <u>David Pagano</u>	Date: <u>7/12/12</u>	Received By: <u>Jodi Henson</u>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Phone #:
Relinquished By: _____	Time: <u>5:07</u>	Received By: _____	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Fax #:
Relinquished By: _____	Date: _____	Received By: _____	REMARKS:
Relinquished By: _____	Time: _____	Received By: _____	
Delivered By: (Circle One)	Sample Condition	CHECKED BY:	
Sampler - UPS - Bus - Other:	Cool <input type="checkbox"/> Intact <input type="checkbox"/>	(Initials)	
	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<u>JPH</u>	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 10, 2013

JONATHAN OLSEN

ARCADIS U.S., INC. - HOUSTON

630 PLAZA DRIVE, SUITE 600

HIGHLANDS RANCH, CO 80129

RE: CHEVRON BUCKEYE

Enclosed are the results of analyses for samples received by the laboratory on 05/15/13 17:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Coley D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
VGW U118 - 07 (10')	H301174-01	Soil	14-May-13 15:25	15-May-13 17:00
VGW U118 - 07 (15')	H301174-02	Soil	14-May-13 15:30	15-May-13 17:00
VGW U118 - 07 (20')	H301174-03	Soil	14-May-13 15:35	15-May-13 17:00
VGW U118 - 07 (25')	H301174-04	Soil	14-May-13 15:40	15-May-13 17:00
VGW U118 - 07 (30')	H301174-05	Soil	14-May-13 15:50	15-May-13 17:00
VGW U118 - 02 (2')	H301174-06	Soil	14-May-13 16:02	15-May-13 17:00
VGW U118 - 02 (5')	H301174-07	Soil	14-May-13 16:07	15-May-13 17:00
VGW U118 - 02 (10')	H301174-08	Soil	14-May-13 16:14	15-May-13 17:00
VGW U118 - 02 (15')	H301174-09	Soil	14-May-13 16:20	15-May-13 17:00
VGW U118 - 02 (20')	H301174-10	Soil	14-May-13 16:25	15-May-13 17:00
VGW U118 - 02 (25')	H301174-11	Soil	14-May-13 16:28	15-May-13 17:00
VGW U118 - 02 (30')	H301174-12	Soil	14-May-13 16:32	15-May-13 17:00
VGW U118 - 04 (2')	H301174-13	Soil	14-May-13 16:57	15-May-13 17:00
VGW U118 - 06 (2')	H301174-20	Soil	14-May-13 12:32	15-May-13 17:00
VGW U118 - 05 (2')	H301174-27	Soil	14-May-13 13:17	15-May-13 17:00
VGW U118 - 01 (2')	H301174-34	Soil	14-May-13 13:54	15-May-13 17:00
VGW U118 - 01 (5')	H301174-35	Soil	14-May-13 13:57	15-May-13 17:00
VGW U118 - 01 (10')	H301174-36	Soil	14-May-13 14:00	15-May-13 17:00
VGW U118 - 01 (15')	H301174-37	Soil	14-May-13 14:05	15-May-13 17:00
VGW U118 - 01 (20')	H301174-38	Soil	14-May-13 14:12	15-May-13 17:00
VGW U118 - 01 (25')	H301174-39	Soil	14-May-13 14:17	15-May-13 17:00
VGW U118 - 01 (30')	H301174-40	Soil	14-May-13 14:25	15-May-13 17:00
VGW U118 - 03 (2')	H301174-41	Soil	14-May-13 14:32	15-May-13 17:00
VGW U118 - 03 (5')	H301174-42	Soil	14-May-13 14:37	15-May-13 17:00
VGW U118 - 03 (10')	H301174-43	Soil	14-May-13 14:40	15-May-13 17:00
VGW U118 - 03 (15')	H301174-44	Soil	14-May-13 14:45	15-May-13 17:00
VGW U118 - 03 (20')	H301174-45	Soil	14-May-13 14:50	15-May-13 17:00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620Reported:
10-Jun-13 10:43

VGW U118 - 03 (25')	H301174-46	Soil	14-May-13 15:00	15-May-13 17:00
VGW U118 - 03 (30')	H301174-47	Soil	14-May-13 15:03	15-May-13 17:00
VGW U118 - 07 (2')	H301174-48	Soil	14-May-13 15:17	15-May-13 17:00
VGW U118 - 07 (5')	H301174-49	Soil	14-May-13 15:20	15-May-13 17:00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 07 (10')
H301174-01 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	97.6	0.100	%	1	3051612	DW	17-May-13	D2216	
% Moisture	2.45	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	80.0	16.0	mg/kg	4	3051610	DW	16-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.4	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	15.4	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		96.2 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		105 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.051	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Toluene*	ND	0.051	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Ethylbenzene*	ND	0.051	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Total Xylenes*	ND	0.154	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Total BTEX	0.009	0.308	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3051601	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 07 (15')**H301174-02 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	1.39	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	98.6	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	80.0	16.0	mg/kg	4	3051610	DW	16-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	15.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		94.0 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		103 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.051	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Toluene*	ND	0.051	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Ethylbenzene*	ND	0.051	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Total Xylenes*	ND	0.152	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Total BTEX	ND	0.304	mg/kg dry	50	3051601	AP	16-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3051601	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 07 (20')**H301174-03 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	4.35	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	95.6	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051610	DW	16-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.7	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	15.7	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		96.2 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Toluene*	ND	0.052	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Ethylbenzene*	ND	0.052	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total Xylenes*	ND	0.157	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total BTEX	ND	0.314	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3051601	AP	17-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 07 (25')**H301174-04 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	4.41	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	95.6	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051610	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.7	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	15.7	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		107 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		99.9 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Toluene*	ND	0.052	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Ethylbenzene*	ND	0.052	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total Xylenes*	ND	0.157	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total BTEX	ND	0.314	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-126		3051601	AP	17-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 07 (30')**H301174-05 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	15.9	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	84.1	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051610	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	17.8	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	19.7	17.8	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		94.0 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		103 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.059	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Toluene*	ND	0.059	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Ethylbenzene*	ND	0.059	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total Xylenes*	ND	0.178	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total BTEX	ND	0.357	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3051601	AP	17-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 02 (2')**H301174-06 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	87.2	0.100	%	1	3051612	DW	17-May-13	D2216	
% Moisture	12.8	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	10000	16.0	mg/kg	4	3051610	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	17.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	17.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		89.4 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		101 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.057	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Toluene*	ND	0.057	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Ethylbenzene*	ND	0.057	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total Xylenes*	ND	0.172	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total BTEX	ND	0.344	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3051601	AP	17-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 02 (5')**H301174-07 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	7.33	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	92.7	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	368	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	16.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		96.3 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Toluene*	ND	0.054	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total Xylenes*	ND	0.162	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total BTEX	ND	0.324	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3051601	AP	17-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 02 (10')**H301174-08 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	6.93	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	93.1	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	80.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.1	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	16.1	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		93.7 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Toluene*	ND	0.054	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total Xylenes*	ND	0.161	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Total BTEX	ND	0.322	mg/kg dry	50	3051601	AP	17-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3051601	AP	17-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 02 (15')**H301174-09 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	4.06	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	95.9	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	112	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.6	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	15.6	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		98.8 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		105 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.036	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.156	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.036	0.313	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 02 (20')**H301174-10 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	7.13	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	92.9	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	384	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	16.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		104 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		104 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.035	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.162	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.035	0.323	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 02 (25')**H301174-11 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	7.33	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	92.7	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	1090	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	16.2	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		102 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		103 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.039	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.162	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.039	0.324	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 02 (30')**H301174-12 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	23.0	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	77.0	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	224	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	19.5	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	19.5	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		96.7 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.065	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.031	0.065	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.065	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.195	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.031	0.390	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 04 (2')**H301174-13 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	48.0	16.0	mg/kg	4	3060505	DW	05-Jun-13	4500-Cl-B	
-----------------	-------------	------	-------	---	---------	----	-----------	-----------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620Reported:
10-Jun-13 10:43**VGW U118 - 06 (2')****H301174-20 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	--------------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	128	16.0	mg/kg	4	3060505	DW	05-Jun-13	4500-Cl-B	
----------	-----	------	-------	---	---------	----	-----------	-----------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in cursive script, reading "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620Reported:
10-Jun-13 10:43**VGW U118 - 05 (2')****H301174-27 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	--------------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Chloride	64.0	16.0	mg/kg	4	3060505	DW	05-Jun-13	4500-Cl-B	
----------	------	------	-------	---	---------	----	-----------	-----------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 01 (2')**H301174-34 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	88.7	0.100	%	1	3051612	DW	17-May-13	D2216	
% Moisture	11.3	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	4800	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.9	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	102	16.9	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		95.7 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		105 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.056	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.047	0.056	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.056	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.169	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.047	0.338	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 01 (5')**H301174-35 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	19.2	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	80.8	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	192	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	18.6	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	18.6	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		95.6 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		103 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.062	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.016	0.062	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.062	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.186	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.016	0.371	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 01 (10')**H301174-36 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	18.4	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	81.6	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	32.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	18.4	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	18.4	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		102 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.061	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.020	0.061	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.061	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.184	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.020	0.368	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 01 (15')**H301174-37 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	18.4	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	81.6	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	32.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	18.4	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	18.4	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		86.0 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		94.7 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.061	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.022	0.061	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.061	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.184	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.022	0.368	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 01 (20')**H301174-38 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	79.8	0.100	%	1	3051612	DW	17-May-13	D2216	
% Moisture	20.2	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	18.8	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	18.8	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		97.5 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		108 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.063	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.022	0.063	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.063	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.188	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.022	0.376	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 01 (25')**H301174-39 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	97.1	0.100	%	1	3051612	DW	17-May-13	D2216	
% Moisture	2.93	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	32.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.5	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	15.5	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		99.8 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.042	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.155	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.042	0.309	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 01 (30')**H301174-40 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	20.0	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	80.0	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	18.7	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	18.7	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		99.6 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		108 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.062	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.023	0.062	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.062	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.187	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.023	0.375	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 03 (2')**H301174-41 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	6.98	0.100	%	1	3051612	DW	17-May-13	D2216	
% Solids	93.0	0.100	%	1	3051612	DW	17-May-13	D2216	
Chloride	832	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.1	mg/kg dry	1	3052411	CK	20-May-13	8015M	
DRO >C10-C28	ND	16.1	mg/kg dry	1	3052411	CK	20-May-13	8015M	
Surrogate: 1-Chlorooctane		91.9 %	70-130		3052411	CK	20-May-13	8015M	
Surrogate: o-Terphenyl		98.8 %	70-130		3052411	CK	20-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.034	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.161	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.034	0.323	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 03 (5')**H301174-42 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	4.43	0.100	%	1	3051613	DW	17-May-13	D2216	
% Solids	95.6	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	96.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.7	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	15.7	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		105 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.033	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.157	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.033	0.314	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 03 (10')**H301174-43 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	6.88	0.100	%	1	3051613	DW	17-May-13	D2216	
% Solids	93.1	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	48.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.1	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	16.1	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		101 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.028	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.161	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.028	0.322	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 03 (15')**H301174-44 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	6.72	0.100	%	1	3051613	DW	17-May-13	D2216	
% Solids	93.3	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	48.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	16.1	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	16.1	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		106 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		107 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.031	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.054	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.161	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.031	0.322	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 03 (20')**H301174-45 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Moisture	4.54	0.100	%	1	3051613	DW	17-May-13	D2216	
% Solids	95.5	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	48.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.7	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	15.7	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		105 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		106 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.019	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.157	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.019	0.314	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		115 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 03 (25')**H301174-46 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	96.4	0.100	%	1	3051613	DW	17-May-13	D2216	
% Moisture	3.57	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	32.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.6	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	15.6	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		98.8 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		108 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.041	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.156	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.041	0.311	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 03 (30')**H301174-47 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	97.8	0.100	%	1	3051613	DW	17-May-13	D2216	
% Moisture	2.20	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	32.0	16.0	mg/kg	4	3051701	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.3	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	15.3	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		94.3 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		104 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.051	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	ND	0.051	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.051	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.153	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	ND	0.307	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 07 (2')**H301174-48 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	85.8	0.100	%	1	3051613	DW	17-May-13	D2216	
% Moisture	14.2	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	7200	16.0	mg/kg	4	3051702	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	17.5	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	17.5	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		85.0 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		92.2 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.058	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.025	0.058	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.058	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.175	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.025	0.349	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

VGW U118 - 07 (5')**H301174-49 (Soil)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

% Solids	95.1	0.100	%	1	3051613	DW	17-May-13	D2216	
% Moisture	4.94	0.100	%	1	3051613	DW	17-May-13	D2216	
Chloride	96.0	16.0	mg/kg	4	3051702	DW	17-May-13	4500-Cl-B	

Organic Compounds**SUB-PBE**

GRO C6-C10	ND	15.8	mg/kg dry	1	3052412	CK	21-May-13	8015M	
DRO >C10-C28	ND	15.8	mg/kg dry	1	3052412	CK	21-May-13	8015M	
Surrogate: 1-Chlorooctane		93.9 %	70-130		3052412	CK	21-May-13	8015M	
Surrogate: o-Terphenyl		102 %	70-130		3052412	CK	21-May-13	8015M	

Volatile Organic Compounds by EPA Method 8021

Benzene*	ND	0.053	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Toluene*	0.026	0.053	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Ethylbenzene*	ND	0.053	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total Xylenes*	ND	0.158	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Total BTEX	0.026	0.316	mg/kg dry	50	3052011	AP	21-May-13	8021B	
Surrogate: 4-Bromofluorobenzene (PID)		113 %	89.4-126		3052011	AP	21-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 3051610 - 1:4 DI Water										
Blank (3051610-BLK1)				Prepared & Analyzed: 16-May-13						
Chloride	ND	16.0	mg/kg							
LCS (3051610-BS1)				Prepared & Analyzed: 16-May-13						
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (3051610-BSD1)				Prepared & Analyzed: 16-May-13						
Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	
Duplicate (3051610-DUP1)				Source: H301164-04		Prepared & Analyzed: 16-May-13				
Chloride	528	16.0	mg/kg		560			5.88	20	
Matrix Spike (3051610-MS1)				Source: H301164-04		Prepared & Analyzed: 16-May-13				
Chloride	944	16.0	mg/kg	400	560	96.0	80-120			
Batch 3051612 - General Prep - Wet Chem										
Blank (3051612-BLK1)				Prepared: 16-May-13 Analyzed: 17-May-13						
% Moisture	ND	0.100	%							
% Solids	100	0.100	%							
Duplicate (3051612-DUP1)				Source: H301174-01		Prepared: 16-May-13 Analyzed: 17-May-13				
% Solids	97.8	0.100	%		97.6			0.215	20	
% Moisture	2.24	0.100	%		2.45			8.96	200	
Batch 3051613 - General Prep - Wet Chem										
Blank (3051613-BLK1)				Prepared: 16-May-13 Analyzed: 17-May-13						
% Moisture	ND	0.100	%							
% Solids	100	0.100	%							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3051613 - General Prep - Wet Chem

Duplicate (3051613-DUP1)	Source: H301174-42			Prepared: 16-May-13 Analyzed: 17-May-13						
% Solids	95.5	0.100	%		95.6			0.0837	20	
% Moisture	4.51	0.100	%		4.43			1.79	200	

Batch 3051701 - 1:4 DI Water

Blank (3051701-BLK1)	Prepared & Analyzed: 17-May-13									
Chloride	ND	16.0	mg/kg							

LCS (3051701-BS1)	Prepared & Analyzed: 17-May-13									
Chloride	432	16.0	mg/kg	400		108	80-120			

LCS Dup (3051701-BSD1)	Prepared & Analyzed: 17-May-13									
Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	

Duplicate (3051701-DUP1)	Source: H301174-07			Prepared & Analyzed: 17-May-13						
Chloride	336	16.0	mg/kg		368			9.09	20	

Matrix Spike (3051701-MS1)	Source: H301174-07			Prepared & Analyzed: 17-May-13						
Chloride	640	16.0	mg/kg	400	368	68.0	80-120			QM-07

Batch 3051702 - 1:4 DI Water

Blank (3051702-BLK1)	Prepared & Analyzed: 17-May-13									
Chloride	ND	16.0	mg/kg							

LCS (3051702-BS1)	Prepared & Analyzed: 17-May-13									
Chloride	432	16.0	mg/kg	400		108	80-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3051702 - 1:4 DI Water

LCS Dup (3051702-BSD1)				Prepared & Analyzed: 17-May-13						
Chloride	416	16.0	mg/kg	400		104	80-120	3.77	20	
Duplicate (3051702-DUP1)				Source: H301174-48 Prepared & Analyzed: 17-May-13						
Chloride	8400	16.0	mg/kg		7200			15.4	20	
Matrix Spike (3051702-MS1)				Source: H301174-48 Prepared & Analyzed: 17-May-13						
Chloride	9040	16.0	mg/kg	400	7200	460	80-120			QM-07

Batch 3060505 - 1:4 DI Water

Blank (3060505-BLK1)				Prepared & Analyzed: 05-Jun-13						
Chloride	ND	16.0	mg/kg							
LCS (3060505-BS1)				Prepared & Analyzed: 05-Jun-13						
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (3060505-BSD1)				Prepared & Analyzed: 05-Jun-13						
Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	
Duplicate (3060505-DUP1)				Source: H301196-44 Prepared & Analyzed: 05-Jun-13						
Chloride	592	16.0	mg/kg		528			11.4	20	
Matrix Spike (3060505-MS1)				Source: H301196-44 Prepared & Analyzed: 05-Jun-13						
Chloride	1020	16.0	mg/kg	400	528	124	80-120			QM-07

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Organic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3052411 - General Prep**Blank (3052411-BLK1)**

Prepared & Analyzed: 20-May-13

GRO C6-C10	ND	15.0	mg/kg wet							
DRO >C10-C28	ND	15.0	mg/kg wet							
Surrogate: 1-Chlorooctane	116		mg/kg	100		116	70-130			
Surrogate: o-Terphenyl	63.8		mg/kg	50.0		128	70-130			

LCS (3052411-BS1)

Prepared & Analyzed: 20-May-13

GRO C6-C10	1220	15.0	mg/kg wet	1000		122	75-125			
DRO >C10-C28	1230	15.0	mg/kg wet	1000		123	75-125			
Surrogate: 1-Chlorooctane	112		mg/kg	100		112	70-130			
Surrogate: o-Terphenyl	53.5		mg/kg	50.0		107	70-130			

Matrix Spike (3052411-MS1)

Source: H301174-41

Prepared & Analyzed: 20-May-13

GRO C6-C10	1180	16.1	mg/kg dry	1080	ND	110	75-125			
DRO >C10-C28	1170	16.1	mg/kg dry	1080	ND	109	75-125			
Surrogate: 1-Chlorooctane	113		mg/kg	100		113	70-130			
Surrogate: o-Terphenyl	54.5		mg/kg	50.0		109	70-130			

Matrix Spike Dup (3052411-MSD1)

Source: H301174-41

Prepared & Analyzed: 20-May-13

GRO C6-C10	1130	16.1	mg/kg dry	1080	ND	105	75-125	4.65	20	
DRO >C10-C28	1250	16.1	mg/kg dry	1080	ND	116	75-125	6.22	20	
Surrogate: 1-Chlorooctane	109		mg/kg	100		109	70-130			
Surrogate: o-Terphenyl	55.6		mg/kg	50.0		111	70-130			

Batch 3052412 - General Prep**Blank (3052412-BLK1)**

Prepared: 20-May-13 Analyzed: 21-May-13

GRO C6-C10	ND	15.0	mg/kg wet							
DRO >C10-C28	ND	15.0	mg/kg wet							
Surrogate: 1-Chlorooctane	123		mg/kg	100		123	70-130			
Surrogate: o-Terphenyl	61.2		mg/kg	50.0		122	70-130			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Organic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3052412 - General Prep**LCS (3052412-BS1)**

Prepared: 20-May-13 Analyzed: 21-May-13

GRO C6-C10	1160	15.0	mg/kg wet	1000		116	75-125			
DRO >C10-C28	1200	15.0	mg/kg wet	1000		120	75-125			
Surrogate: 1-Chlorooctane	126		mg/kg	100		126	70-130			
Surrogate: o-Terphenyl	59.8		mg/kg	50.0		120	70-130			

LCS Dup (3052412-BS1)

Prepared: 20-May-13 Analyzed: 21-May-13

GRO C6-C10	1200	15.0	mg/kg wet	1000		120	75-125	3.39	20	
DRO >C10-C28	1230	15.0	mg/kg wet	1000		123	75-125	2.47	20	
Surrogate: 1-Chlorooctane	125		mg/kg	100		125	70-130			
Surrogate: o-Terphenyl	63.3		mg/kg	50.0		127	70-130			

Matrix Spike (3052412-MS1)

Source: H301174-49

Prepared: 20-May-13 Analyzed: 21-May-13

GRO C6-C10	1120	15.8	mg/kg dry	1050	ND	106	75-125			
DRO >C10-C28	1260	15.8	mg/kg dry	1050	ND	120	75-125			
Surrogate: 1-Chlorooctane	128		mg/kg	100		128	70-130			
Surrogate: o-Terphenyl	57.6		mg/kg	50.0		115	70-130			

Matrix Spike Dup (3052412-MS1)

Source: H301174-49

Prepared: 20-May-13 Analyzed: 21-May-13

GRO C6-C10	1200	15.8	mg/kg dry	1050	ND	114	75-125	7.27	20	
DRO >C10-C28	1300	15.8	mg/kg dry	1050	ND	124	75-125	3.28	20	
Surrogate: 1-Chlorooctane	126		mg/kg	100		126	70-130			
Surrogate: o-Terphenyl	57.1		mg/kg	50.0		114	70-130			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3051601 - Volatiles**Blank (3051601-BLK1)**

Prepared & Analyzed: 16-May-13

Benzene	ND	0.050	mg/kg wet							
Toluene	0.011	0.050	mg/kg wet							
Ethylbenzene	ND	0.050	mg/kg wet							
Total Xylenes	ND	0.150	mg/kg wet							
Total BTEX	0.011	0.300	mg/kg wet							

Surrogate: 4-Bromofluorobenzene (PID) 0.0555 mg/kg wet 0.0500 111 89.4-126

LCS (3051601-BS1)

Prepared & Analyzed: 16-May-13

Benzene	2.08	0.050	mg/kg wet	2.00		104	76.4-135			
Toluene	1.88	0.050	mg/kg wet	2.00		94.2	80.2-135			
Ethylbenzene	2.01	0.050	mg/kg wet	2.00		101	78.5-133			
Total Xylenes	5.93	0.150	mg/kg wet	6.00		98.8	80.1-135			

Surrogate: 4-Bromofluorobenzene (PID) 0.0538 mg/kg wet 0.0500 108 89.4-126

LCS Dup (3051601-BSD1)

Prepared & Analyzed: 16-May-13

Benzene	2.17	0.050	mg/kg wet	2.00		109	76.4-135	4.20	16.4	
Toluene	1.95	0.050	mg/kg wet	2.00		97.7	80.2-135	3.70	16.6	
Ethylbenzene	2.10	0.050	mg/kg wet	2.00		105	78.5-133	4.30	16.1	
Total Xylenes	6.15	0.150	mg/kg wet	6.00		102	80.1-135	3.69	15.8	

Surrogate: 4-Bromofluorobenzene (PID) 0.0538 mg/kg wet 0.0500 108 89.4-126

Batch 3052011 - Volatiles**Blank (3052011-BLK1)**

Prepared: 20-May-13 Analyzed: 21-May-13

Benzene	ND	0.050	mg/kg wet							
Toluene	0.011	0.050	mg/kg wet							
Ethylbenzene	ND	0.050	mg/kg wet							
Total Xylenes	ND	0.150	mg/kg wet							
Total BTEX	0.011	0.300	mg/kg wet							

Surrogate: 4-Bromofluorobenzene (PID) 0.0555 mg/kg wet 0.0500 111 89.4-126

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ARCADIS U.S., INC. - HOUSTON
630 PLAZA DRIVE, SUITE 600
HIGHLANDS RANCH CO, 80129

Project: CHEVRON BUCKEYE
Project Number: B004860.0000
Project Manager: JONATHAN OLSEN
Fax To: (713) 977-4620

Reported:
10-Jun-13 10:43

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3052011 - Volatiles**LCS (3052011-BS1)**

Prepared & Analyzed: 20-May-13

Benzene	2.37	0.050	mg/kg wet	2.00		119	76.4-135			
Toluene	2.12	0.050	mg/kg wet	2.00		106	80.2-135			
Ethylbenzene	2.29	0.050	mg/kg wet	2.00		115	78.5-133			
Total Xylenes	6.67	0.150	mg/kg wet	6.00		111	80.1-135			
Surrogate: 4-Bromofluorobenzene (PID)	0.0533		mg/kg wet	0.0500		107	89.4-126			

LCS Dup (3052011-BSD1)

Prepared: 20-May-13 Analyzed: 21-May-13

Benzene	2.32	0.050	mg/kg wet	2.00		116	76.4-135	2.27	16.4	
Toluene	2.10	0.050	mg/kg wet	2.00		105	80.2-135	1.17	16.6	
Ethylbenzene	2.28	0.050	mg/kg wet	2.00		114	78.5-133	0.595	16.1	
Total Xylenes	6.75	0.150	mg/kg wet	6.00		112	80.1-135	1.17	15.8	
Surrogate: 4-Bromofluorobenzene (PID)	0.0555		mg/kg wet	0.0500		111	89.4-126			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

SUB-PBE	Analysis subcontracted to Permian Basin Environmental Lab, NELAP accreditation # T104704156-12-1.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: **ARCADIS-15**

Project Manager: **Jonathan Olson**

Address: **2929 Buysack Dr., Suite 300**

City: **Houston** State: **TX** Zip: **77102**

Phone #: **713.952.4874** Fax #: **713.977.4620**

Project #: **AR1586, seep** Project Owner: **Chuvion Builway**

Project Location: **Builly - oil field**

Sample Name:

FOR LAB USE ONLY

BILL TO

ANALYSIS REQUEST

P.O. #:

Company:

Attn:

Address:

City: State: Zip:

Phone #:

Fax #:

MATRIX

PRESERV

SAMPLING

Lab I.D. Sample I.D.

H301174

(G)RAB OR (C)OMP
CONTAINERS
GROUNDWATER
WASTEWATER
SOIL
OIL
SLUDGE
OTHER
ACID/BASE
ICE / COOL
OTHER

DATE TIME

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

UGWU118-07 (10')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-07 (15')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-07 (20')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-07 (25')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-07 (30')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-02 (5')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-02 (10')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-02 (15')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-02 (20')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

UGWU118-02 (25')

6

2

X

X

X

X

X

X

X

X

X

X

X

X

</



CARDINAL
Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

FROM LINDA WOOD, CHAIR

Reinforced By:

Delivered By: (Circle One)
 Sampler - UPS - Bus - Other

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326



CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: **ARCADIS-45**

Project Manager: **Jonathan Olson**

Address: **2929 Highway 16, Suit 300**

City: **Houston** State: **TX** Zip: **77402**

Phone #: **713.953.4874** Fax #: **713.977.4620**

Project #: **486,000** Project Owner: **Chyron Buell**

Project Name: **Chyron Buell**

Project Location: **Buella - oil field**

Sampler Name:

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

BILL TO

ANALYSIS REQUEST

P.O. #:

Company:

Attn:

Address:

City:

State:

Phone #:

Fax #:

PRESERV

SAMPLING

MATRIX

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER

ACID/BASE

ICE / COOL

OTHER

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

(G)RAB OR (C)OMP

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER

ACID/BASE

ICE / COOL

OTHER

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

Lab I.D.

Sample I.D.

(G)RAB OR (C)OMP

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER

ACID/BASE

ICE / COOL

OTHER

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

(G)RAB OR (C)OMP

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER

ACID/BASE

ICE / COOL

OTHER

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

(G)RAB OR (C)OMP

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER

ACID/BASE

ICE / COOL

OTHER

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

(G)RAB OR (C)OMP

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER

ACID/BASE

ICE / COOL

OTHER

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

(G)RAB OR (C)OMP

CONTAINERS

GROUNDWATER

WASTEWATER

CARDINAL

Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: **ARCADIS-45**

Project Manager: **Jonathan Olsson**

Address: **2929 Broadway Blvd, Suite 300**

City: **Houston** State: **TX** Zip: **77102**

Phone #: **713.953.4874** Fax #: **713.977.4620**

Project #: **06486, one** Project Owner: **Chavira**

Project Name: **Chavira Building**

Project Location: **Buckeye oil field**

Sample Name:

P.O. #:

Company:

City:

State:

Zip:

Phone #:

Fax #:

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

MATRIX

PRESERV

SAMPLING

DATE

TIME

Moisture 300.1

T/H 8015, BTEX 8021B, Moisture

CI-added 5/31/13

Analytical Report 532328

for
ARCADIS

Project Manager: Arti Patel

Chevron Sites

713.953.4841

20-JUL-16

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)
Xenco-San Antonio: Texas (T104704534)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



20-JUL-16

Project Manager: **Arti Patel**

ARCADIS

1004 N. Big Spring St.

Midland, TX 79701

Reference: XENCO Report No(s): **532328**

Chevron Sites

Project Address: Hobbs, NM

Arti Patel:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 532328. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 532328 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America



Sample Cross Reference 532328

ARCADIS, Midland, TX

Chevron Sites

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWU61-08B 80'	S	06-22-16 00:00	- 80 ft	532328-001
VGWU61-09B 80'	S	06-22-16 00:00	- 80 ft	532328-008
VGWU118-17 2'	S	06-23-16 00:00	- 2 ft	532328-009
VGWU118-17 4'	S	06-23-16 00:00	- 4 ft	532328-010
VGWU118-13 2'	S	06-23-16 00:00	- 2 ft	532328-013
VGWU118-13 4'	S	06-23-16 00:00	- 4 ft	532328-014
VGWU118-14 2'	S	06-23-16 00:00	- 2 ft	532328-015
VGWU118-14 4'	S	06-23-16 00:00	- 4 ft	532328-016
VGWU118-11 2'	S	06-23-16 00:00	- 2 ft	532328-017
VGWU118-11 4'	S	06-23-16 00:00	- 4 ft	532328-018
VGWU118-12 2'	S	06-23-16 00:00	- 2 ft	532328-019
VGWU118-12 4'	S	06-23-16 00:00	- 4 ft	532328-020
VGWU118-09 2'	S	06-23-16 00:00	- 2 ft	532328-021
VGWU118-09 4'	S	06-23-16 00:00	- 4 ft	532328-022
VGWU85-8 2'	S	06-21-16 00:00	- 2 ft	532328-023
VGWU85-8 4'	S	06-21-16 00:00	- 4 ft	532328-024
VGWU85-7 2'	S	06-21-16 00:00	- 2 ft	532328-025
VGWU85-7 4'	S	06-21-16 00:00	- 4 ft	532328-026
VGWU85-5 2'	S	06-21-16 00:00	- 2 ft	532328-027
VGWU85-5 4'	S	06-21-16 00:00	- 4 ft	532328-028
VGWU85-4B 30'	S	06-21-16 00:00	- 30 ft	532328-029
VGWU85-3B 30'	S	06-21-16 00:00	- 30 ft	532328-031
VGWU85-9 2'	S	06-21-16 00:00	- 2 ft	532328-033
VGWU85-9 4'	S	06-21-16 00:00	- 4 ft	532328-034
VGWU85-10 2'	S	06-21-16 00:00	- 2 ft	532328-035
VGWU85-10 4'	S	06-21-16 00:00	- 4 ft	532328-036
VGWU61-4B 30'	S	06-22-16 00:00	- 30 ft	532328-042
VGWU118-08 2'	S	06-23-16 00:00	- 2 ft	532328-056
VGWU118-08 4'	S	06-23-16 00:00	- 4 ft	532328-058
VGWU040-02B 80'	S	06-23-16 00:00	- 80 ft	532328-062
VGWU61-09B 30'	S	06-22-16 00:00	- 30 ft	Not Analyzed
VGWU61-09B 35'	S	06-22-16 00:00	- 35 ft	Not Analyzed
VGWU61-09B 40'	S	06-22-16 00:00	- 40 ft	Not Analyzed
VGWU61-09B 45'	S	06-22-16 00:00	- 45 ft	Not Analyzed
VGWU61-09B 55'	S	06-22-16 00:00	- 55 ft	Not Analyzed
VGWU61-09B 65'	S	06-22-16 00:00	- 65 ft	Not Analyzed
VGWU118-16 2'	S	06-23-16 00:00	- 2 ft	Not Analyzed
VGWU118-16 4'	S	06-23-16 00:00	- 4 ft	Not Analyzed
VGWU85-4B 35'	S	06-21-16 00:00	- 35 ft	Not Analyzed
VGWU85-3B 35'	S	06-21-16 00:00	- 35 ft	Not Analyzed
VGWU85-3B 40'	S	06-21-16 00:00	- 40 ft	Not Analyzed
VGWU85-3B 45'	S	06-21-16 00:00	- 45 ft	Not Analyzed
VGWU85-4B 40'	S	06-21-16 00:00	- 40 ft	Not Analyzed



Sample Cross Reference 532328

ARCADIS, Midland, TX

Chevron Sites

VGWU85-4B 45'	S	06-21-16 00:00	- 45 ft	Not Analyzed
Blank	S	06-22-16 00:00		Not Analyzed
VGWU61-4B 35'	S	06-22-16 00:00	- 35 ft	Not Analyzed
VGWU61-4B 40'	S	06-22-16 00:00	- 40 ft	Not Analyzed
VGWU61-4B 45'	S	06-22-16 00:00	- 45 ft	Not Analyzed
VGWU61-8B 30'	S	06-22-16 00:00	- 30 ft	Not Analyzed
VGWU61-8B 35'	S	06-22-16 00:00	- 35 ft	Not Analyzed
VGWU61-8B 40'	S	06-22-16 00:00	- 40 ft	Not Analyzed
VGWU61-8B 45'	S	06-22-16 00:00	- 45 ft	Not Analyzed
VGWU61-8B 50'	S	06-22-16 00:00	- 50 ft	Not Analyzed
VGWU61-8B 55'	S	06-22-16 00:00	- 55 ft	Not Analyzed
VGWU61-8B 60'	S	06-22-16 00:00	- 60 ft	Not Analyzed
VGWU61-8B 65'	S	06-22-16 00:00	- 65 ft	Not Analyzed
VGWU61-8B 70'	S	06-22-16 00:00	- 70 ft	Not Analyzed
VGWU61-8B 75'	S	06-22-16 00:00	- 75 ft	Not Analyzed
VGWU118-10 2'	S	06-23-16 00:00	- 2 ft	Not Analyzed
VGWU118-10 4'	S	06-23-16 00:00	- 4 ft	Not Analyzed
VGWU040-02B 45'	S	06-23-16 00:00	- 45 ft	Not Analyzed
VGWU040-02B 55'	S	06-23-16 00:00	- 55 ft	Not Analyzed
VGWU040-02B 65'	S	06-23-16 00:00	- 65 ft	Not Analyzed
VGWU040-02B 75'	S	06-23-16 00:00	- 75 ft	Not Analyzed



CASE NARRATIVE

Client Name: *ARCADIS*

Project Name: *Chevron Sites*

Project ID: 713.953.4841
Work Order Number(s): 532328

Report Date: 20-JUL-16
Date Received: 06/24/2016

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 532328

ARCADIS, Midland, TX

Project Name: Chevron Sites

Project Id: 713.953.4841

Contact: Arti Patel

Project Location: Hobbs, NM

Date Received in Lab: Fri Jun-24-16 10:05 am

Report Date: 20-JUL-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	532328-001	532328-008	532328-009	532328-010	532328-013	532328-014
	<i>Field Id:</i>	VGWU61-08B 80'	VGWU61-09B 80'	VGWU118-17 2'	VGWU118-17 4'	VGWU118-13 2'	VGWU118-13 4'
	<i>Depth:</i>	80 ft	80 ft	2 ft	4 ft	2 ft	4 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jun-22-16 00:00	Jun-22-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jun-30-16 17:00	Jul-06-16 10:00	Jun-28-16 19:58	Jun-28-16 20:05	Jun-28-16 20:13	Jun-28-16 20:21
	<i>Analyzed:</i>	Jun-30-16 21:26	Jul-06-16 16:07	Jun-28-16 19:58	Jun-28-16 20:05	Jun-28-16 20:13	Jun-28-16 20:21
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		374 10.0	1440 100	248 10.0	115 10.0	13.2 10.0	125 10.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 532328

ARCADIS, Midland, TX

Project Name: Chevron Sites

Project Id: 713.953.4841

Contact: Arti Patel

Project Location: Hobbs, NM

Date Received in Lab: Fri Jun-24-16 10:05 am

Report Date: 20-JUL-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	532328-015	532328-016	532328-017	532328-018	532328-019	532328-020
	<i>Field Id:</i>	VGWU118-14 2'	VGWU118-14 4'	VGWU118-11 2'	VGWU118-11 4'	VGWU118-12 2'	VGWU118-12 4'
	<i>Depth:</i>	2 ft	4 ft	2 ft	4 ft	2 ft	4 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jun-23-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jun-28-16 20:44	Jun-28-16 20:52	Jul-18-16 14:00	Jul-18-16 14:00	Jun-28-16 21:00	Jun-28-16 21:08
	<i>Analyzed:</i>	Jun-28-16 20:44	Jun-28-16 20:52	Jul-18-16 20:50	Jul-18-16 21:13	Jun-28-16 21:00	Jun-28-16 21:08
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		298 10.0	325 50.0	28.7 10.0	300 50.0	374 50.0	246 50.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 532328

ARCADIS, Midland, TX

Project Name: Chevron Sites

Project Id: 713.953.4841

Contact: Arti Patel

Project Location: Hobbs, NM

Date Received in Lab: Fri Jun-24-16 10:05 am

Report Date: 20-JUL-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	532328-021	532328-022	532328-023	532328-024	532328-025	532328-026
	<i>Field Id:</i>	VGWU118-09 2'	VGWU118-09 4'	VGWU85-8 2'	VGWU85-8 4'	VGWU85-7 2'	VGWU85-7 4'
	<i>Depth:</i>	2 ft	4 ft	2 ft	4 ft	2 ft	4 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jun-23-16 00:00	Jun-23-16 00:00	Jun-21-16 00:00	Jun-21-16 00:00	Jun-21-16 00:00	Jun-21-16 00:00
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jun-28-16 21:16	Jun-28-16 21:23	Jun-28-16 21:47	Jun-28-16 21:55	Jun-28-16 22:18	Jun-28-16 22:26
	<i>Analyzed:</i>	Jun-28-16 21:16	Jun-28-16 21:23	Jun-28-16 21:47	Jun-28-16 21:55	Jun-28-16 22:18	Jun-28-16 22:26
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		42.2 10.0	50.9 10.0	100 10.0	53.0 10.0	533 50.0	879 50.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 532328

ARCADIS, Midland, TX

Project Name: Chevron Sites

Project Id: 713.953.4841

Contact: Arti Patel

Project Location: Hobbs, NM

Date Received in Lab: Fri Jun-24-16 10:05 am

Report Date: 20-JUL-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	532328-027	532328-028	532328-029	532328-031	532328-033	532328-034
	<i>Field Id:</i>	VGWU85-5 2'	VGWU85-5 4'	VGWU85-4B 30'	VGWU85-3B 30'	VGWU85-9 2'	VGWU85-9 4'
	<i>Depth:</i>	2 ft	4 ft	30 ft	30 ft	2 ft	4 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jun-21-16 00:00	Jun-21-16 00:00	Jun-21-16 00:00	Jun-21-16 00:00	Jun-21-16 00:00	Jun-21-16 00:00
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jul-18-16 14:00	Jul-18-16 14:00	Jun-28-16 22:34	Jun-28-16 22:41	Jun-28-16 22:49	Jun-29-16 11:00
	<i>Analyzed:</i>	Jul-18-16 21:21	Jul-18-16 21:44	Jun-28-16 22:34	Jun-28-16 22:41	Jun-28-16 22:49	Jun-29-16 14:08
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		4220 500	1840 100	66.7 10.0	57.5 10.0	279 50.0	523 50.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 532328

ARCADIS, Midland, TX

Project Name: Chevron Sites

Project Id: 713.953.4841

Contact: Arti Patel

Project Location: Hobbs, NM

Date Received in Lab: Fri Jun-24-16 10:05 am

Report Date: 20-JUL-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	532328-035	532328-036	532328-042	532328-056	532328-058	532328-062
	<i>Field Id:</i>	VGWU85-10 2'	VGWU85-10 4'	VGWU61-4B 30'	VGWU118-08 2'	VGWU118-08 4'	VGWU040-02B 80'
	<i>Depth:</i>	2 ft	4 ft	30 ft	2 ft	4 ft	80 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jun-21-16 00:00	Jun-21-16 00:00	Jun-22-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00	Jun-23-16 00:00
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jul-18-16 14:00	Jul-18-16 14:00	Jun-29-16 11:00	Jun-29-16 11:00	Jun-29-16 11:00	Jun-30-16 17:00
	<i>Analyzed:</i>	Jul-18-16 21:52	Jul-18-16 22:00	Jun-29-16 14:16	Jun-29-16 14:39	Jun-29-16 14:47	Jun-30-16 21:42
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		85.1 10.0	495 50.0	50.1 10.0	<10.0 10.0	<10.0 10.0	93.3 10.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



BS / BSD Recoveries

Project Name: Chevron Sites

Work Order #: 532328

Project ID: 713.953.4841

Analyst: MNR

Date Prepared: 06/28/2016

Date Analyzed: 06/28/2016

Lab Batch ID: 997156

Sample: 710442-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<10.0	250	226	90	250	230	92	2	90-110	20	

Analyst: MNR

Date Prepared: 06/29/2016

Date Analyzed: 06/29/2016

Lab Batch ID: 997207

Sample: 710482-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<10.0	250	242	97	250	248	99	2	90-110	20	

Analyst: MNR

Date Prepared: 06/30/2016

Date Analyzed: 06/30/2016

Lab Batch ID: 997412

Sample: 710538-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<10.0	250	262	105	250	262	105	0	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes

BS / BSD Recoveries



Project Name: Chevron Sites

Work Order #: 532328

Project ID: 713.953.4841

Analyst: MNR

Date Prepared: 07/06/2016

Date Analyzed: 07/06/2016

Lab Batch ID: 997589

Sample: 710653-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<10.0	250	236	94	250	232	93	2	90-110	20	

Analyst: MNR

Date Prepared: 07/18/2016

Date Analyzed: 07/18/2016

Lab Batch ID: 998310

Sample: 711075-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<10.0	250	246	98	250	250	100	2	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS Recoveries

Project Name: Chevron Sites

Work Order #: 532328

Lab Batch #: 997156

Date Analyzed: 06/28/2016

QC- Sample ID: 532328-022 S

Reporting Units: mg/kg

Date Prepared: 06/28/2016

Batch #: 1

Project ID: 713.953.4841

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	50.9	250	272	88	80-120	

Lab Batch #: 997156

Date Analyzed: 06/28/2016

QC- Sample ID: 532432-001 S

Reporting Units: mg/kg

Date Prepared: 06/28/2016

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	5010	12500	16800	94	80-120	

Lab Batch #: 997207

Date Analyzed: 06/29/2016

QC- Sample ID: 532377-004 S

Reporting Units: mg/kg

Date Prepared: 06/29/2016

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	<10.6	266	241	91	80-120	

Lab Batch #: 997207

Date Analyzed: 06/29/2016

QC- Sample ID: 532470-001 S

Reporting Units: mg/kg

Date Prepared: 06/29/2016

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	108	250	339	92	80-120	

Matrix Spike Percent Recovery [D] = 100*(C-A)/B

Relative Percent Difference [E] = 200*(C-A)/(C+B)

All Results are based on MDL and Validated for QC Purposes

BRL - Below Reporting Limit



Form 3 - MS Recoveries

Project Name: Chevron Sites

Work Order #: 532328

Lab Batch #: 997412

Date Analyzed: 06/30/2016

QC- Sample ID: 532336-008 S

Reporting Units: mg/kg

Date Prepared: 06/30/2016

Batch #: 1

Project ID: 713.953.4841

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	1910	2500	4260	94	80-120	

Lab Batch #: 997412

Date Analyzed: 06/30/2016

QC- Sample ID: 532377-043 S

Reporting Units: mg/kg

Date Prepared: 06/30/2016

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	44.4	305	326	92	80-120	

Lab Batch #: 997589

Date Analyzed: 07/06/2016

QC- Sample ID: 532769-001 S

Reporting Units: mg/kg

Date Prepared: 07/06/2016

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	945	2500	3210	91	80-120	

Lab Batch #: 997589

Date Analyzed: 07/06/2016

QC- Sample ID: 532769-011 S

Reporting Units: mg/kg

Date Prepared: 07/06/2016

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	1190	2500	3550	94	80-120	

Matrix Spike Percent Recovery [D] = $100 \times (C-A)/B$ Relative Percent Difference [E] = $200 \times (C-A)/(C+B)$

All Results are based on MDL and Validated for QC Purposes

BRL - Below Reporting Limit



Form 3 - MS Recoveries

Project Name: Chevron Sites

Work Order #: 532328

Lab Batch #: 998310

Date Analyzed: 07/18/2016

QC- Sample ID: 532328-017 S

Reporting Units: mg/kg

Date Prepared: 07/18/2016

Batch #: 1

Project ID: 713.953.4841

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	28.7	250	258	92	80-120	

Lab Batch #: 998310

Date Analyzed: 07/18/2016

QC- Sample ID: 533521-001 S

Reporting Units: mg/kg

Date Prepared: 07/18/2016

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	<10.0	250	274	110	80-120	

Matrix Spike Percent Recovery [D] = $100 \times (C-A)/B$ Relative Percent Difference [E] = $200 \times (C-A)/(C+B)$

All Results are based on MDL and Validated for QC Purposes

BRL - Below Reporting Limit

Project Name: Chevron Sites

Work Order #: 532328

Lab Batch #: 997156

Project ID: 713.953.4841

Date Analyzed: 06/28/2016 21:31

Date Prepared: 06/28/2016

Analyst: MNR

QC- Sample ID: 532328-022 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	50.9	44.2	14	20	

Lab Batch #: 997156

Date Analyzed: 06/28/2016 19:42

Date Prepared: 06/28/2016

Analyst: MNR

QC- Sample ID: 532432-001 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	5010	4940	1	20	

Lab Batch #: 997207

Date Analyzed: 06/29/2016 15:26

Date Prepared: 06/29/2016

Analyst: MNR

QC- Sample ID: 532377-004 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	<10.6	<10.6	0	20	U

Lab Batch #: 997207

Date Analyzed: 06/29/2016 13:37

Date Prepared: 06/29/2016

Analyst: MNR

QC- Sample ID: 532470-001 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	108	108	0	20	

Spike Relative Difference RPD $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

BRL - Below Reporting Limit

Project Name: Chevron Sites

Work Order #: 532328

Lab Batch #: 997412

Project ID: 713.953.4841

Date Analyzed: 06/30/2016 20:08

Date Prepared: 06/30/2016

Analyst: MNR

QC- Sample ID: 532336-008 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	1910	1910	0	20	

Lab Batch #: 997412

Date Analyzed: 06/30/2016 18:11

Date Prepared: 06/30/2016

Analyst: MNR

QC- Sample ID: 532377-043 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	44.4	37.4	17	20	

Lab Batch #: 997589

Date Analyzed: 07/06/2016 11:20

Date Prepared: 07/06/2016

Analyst: MNR

QC- Sample ID: 532769-001 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	945	943	0	20	

Lab Batch #: 997589

Date Analyzed: 07/06/2016 14:03

Date Prepared: 07/06/2016

Analyst: MNR

QC- Sample ID: 532769-011 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	1190	1240	4	20	

Spike Relative Difference RPD $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

BRL - Below Reporting Limit

Project Name: Chevron Sites

Work Order #: 532328

Lab Batch #: 998310

Project ID: 713.953.4841

Date Analyzed: 07/18/2016 20:57

Date Prepared: 07/18/2016

Analyst: MNR

QC- Sample ID: 532328-017 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	28.7	25.5	12	20	

Lab Batch #: 998310

Date Analyzed: 07/18/2016 19:08

Date Prepared: 07/18/2016

Analyst: MNR

QC- Sample ID: 533521-001 D

Batch #: 1

Matrix: Soil

Reporting Units: mg/kg

SAMPLE / SAMPLE DUPLICATE RECOVERY

Inorganic Anions by EPA 300/300.1	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Chloride	<10.0	<10.0	0	20	U

Spike Relative Difference RPD $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

BRL - Below Reporting Limit



Prelogin/Nonconformance Report- Sample Log-In

Client: ARCADIS

Date/ Time Received: 06/24/2016 10:05:00 AM

Work Order #: 532328

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used :

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	3.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	Yes
#5 *Custody Seals intact on shipping container/ cooler?	Yes
#6 Custody Seals intact on sample bottles?	Yes
#7 *Custody Seals Signed and dated?	Yes
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	Yes
#21 VOC samples have zero headspace (less than 1/4 inch bubble)?	N/A
#22 <2 for all samples preserved with HNO ₃ , HCL, H ₂ SO ₄ ? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A
#23 >10 for all samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Mary Negron

Date: 06/24/2016

Checklist reviewed by:

Kelsey Brooks

Date: 06/24/2016

[illegible]

ARCADIS

ID#:

CHAIN OF CUSTODY & LABORATORY
ANALYSIS REQUEST FORM

Page 2 of 5

Lab Work Order #

532328

Send Results to:

Contact & Company Name: ARCADIS
 Address: 1313 S. 10th St.
 City: Phoenix State: AZ Zip: 85010
 Telephone: 602.495.4841
 Fax: 602.495.4841
 E-mail Address: phoenix@arcadis.com

Project Name/Location (City, State):
 Project #:
 Sampler's Printed Name:
 Sampler's Signature:

PARAMETER ANALYSIS & METHOD

Preservative	Filtered (✓)	# of Containers	Container Information

Preservation Key:	Keys
A. H ₂ SO ₄	1. 40 ml Vial
B. HCL	2. 1 L Amber
C. HNO ₃	3. 250 ml Plastic
D. NaOH	4. 500 ml Plastic
E. None	5. Encore
F. Other:	6. 2 oz. Glass
G. Other:	7. 4 oz. Glass
H. Other:	8. 8 oz. Glass
	9. Other:
	10. Other:
Matrix Key:	
SO - Soil	SE - Sediment
W - Water	SL - Sludge
T - Tissue	A - Air
	NL - NAP/Oil
	SW - Sample Wipe
	Other:

REMARKS

Sample ID	Collection Date	Time	Type (✓)	Matrix	Chloride
118 SB-14	6/23		✓	SO	TEST
118 SB-14	6/23				TEST
118 SB-11			✓		hold
118 SB-11			✓		hold
118 SB-12			✓		TEST
118 SB-12			✓		TEST
118 SB-09			✓		TEST
118 SB-09			✓		TEST
118 SB-04			✓		TEST
118 SB-04			✓		TEST
85 SB-8	6/21		✓		TEST
85 SB-8			✓		TEST
85 SB-7			✓		TEST
85 SB-7			✓		TEST
85 SB-7			✓		hold
85 SB-5			✓		hold
85 SB-5			✓		hold

Special Instructions/Comments:

☐ Special QA/QC Instructions(✓):

Laboratory Information and Receipt

Lab Name:	Relinquished By	Received By	Relinquished By	Laboratory Received By
	Printed Name: <u>Ken Wicks</u>	Printed Name: <u>Pete Roberts</u>	Printed Name:	Printed Name:
	Signature: <u>[Signature]</u>	Signature: <u>[Signature]</u>	Signature:	Signature:
	Date/Time: <u>6/23/16 16:01</u>	Date/Time: <u>6/23/16 16:14</u>	Date/Time:	Date/Time:

Cooler Custody Seal (✓)

☐ Cooler packed with ice (✓)
☒ Intact ☐ Not Intact

Shipping Tracking #

Sample Receipt:

Condition/Cooler Temp: 25.1°

Distribution:

WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by Arcadis

7/30/2015 DOT Form 08-27-2015



ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 3 of 5

Lab Work Order #

532320

[illegible]

ARCADIS

ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 4 of 5

Lab Work Order #

532328

Send Results to:	
Contact & Company Name: <u>ARCADIS</u>	Telephone: <u>713.353.4841</u>
Address: <u>15015 E. 15th St.</u>	Fac: <u>281-111-1111</u>
City: <u>Houston</u>	State: <u>TX</u>
Zip: <u>77058</u>	E-mail Address: <u>houston@arcadis.com</u>

Project Name/Location (City, State):	Project #:
Sampler's Printed Name:	Sampler's Signature:

Sample ID	Collection Date	Time	Type (✓)	Comp	Grab	Matrix
-----------	-----------------	------	----------	------	------	--------

61	SB-4	30	✓			50
	SB-4	35	✓			
	SB-4	40	✓			
	SB-4	45	✓			
	SB-8	30	✓			
		35	✓			
		40	✓			
		45	✓			
		50	✓			
		55	✓			
		60	✓			
		65	✓			
		70	✓			
		75	✓			

Special Instructions/Comments:

☐ Special QA/QC Instructions(✓):

Preservatives	Filtered (✓)	# of Containers	Container Information
PARAMETER ANALYSIS & METHOD			

Chloride

Preservation Key:	Keys
A. H ₂ SO ₄	1. 40 ml Vial
B. HCL	2. 1 L Amber
C. HNO ₃	3. 250 ml Plastic
D. NaOH	4. 500 ml Plastic
E. None	5. Encore
F. Other:	6. 2 oz Glass
G. Other:	7. 4 oz Glass
H. Other:	8. 8 oz Glass
	9. Other:
	10. Other:
Matrix Key:	SE - Sediment
SO - Soil	SW - Sample Wipe
W - Water	SL - Sludge
T - Tissue	A - Air

REMARKS

test

test

hold

hold

hold

hold

hold

hold

hold

hold

Laboratory Information and Receipt		Relinquished By		Received By		Relinquished By		Laboratory Received By	
Lab Name:	Cooler Custody Seal (✓)	Printed Name:	Signature:	Printed Name:	Signature:	Printed Name:	Signature:	Printed Name:	Signature:
<input type="checkbox"/> Cooler packed with ice (✓)	<input checked="" type="checkbox"/> Intact	<input type="checkbox"/> Not Intact		<u>Ken Wiers</u>	<u>Perla Roberts</u>				
Specify Turnaround Requirements:	Sample Receipt:	Firm:	Date/Time:	Firm:	Date/Time:	Firm:	Date/Time:	Firm:	Date/Time:
Shipping Tracking #:	Condition/Cooler Temp:	<u>ARCADIS</u>	<u>12/3/16 1600</u>	<u>MS</u>	<u>12/3/16 1600</u>				
Distribution:		WHITE - Laboratory returns with results		YELLOW - Lab copy		PINK - Retained by Arcadis			

ARCADIS

ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 5 of 5

Lab Work Order #

532328

Send Results to:

Contact & Company Name
Address
City State ZipTelephone
Fax
E-mail Address

Project Name/Location (City, State)

Project #

Sampler's Printed Name

Sampler's Signature

Sample ID

Collection Date Time

Type (✓)
Comp Grab

Matrix

PARAMETER ANALYSIS & METHOD

Preservative	Filled (✓)	# of Containers	Container Information

REMARKS

Preservation Key: A. H ₂ SO ₄ B. HCl C. HNO ₃ D. NaOH E. None F. Other: _____ G. Other: _____ H. Other: _____	Keys Container Information Key: 1. 40 ml Vial 2. 1 L Amber 3. 250 ml Plastic 4. 500 ml Plastic 5. Etc 6. 2 oz Glass 7. 4 oz Glass 8. 8 oz Glass 9. Other: _____ 10. Other: _____
Matrix Key: SO - Soil W - Water T - Tissue	SE - Sediment SL - Sludge A - Air NL - NAP/OLI SW - Sample Wipe Other: _____

Special Instructions/Comments:

☐ Special QA/QC Instructions(✓):

Laboratory Information and Receipt

Lab Name: Cooler Custody Seal (✓)

☐ Cooler packed with ice (✓)☒ Intact☐ Not Intact

Specify Turnaround Requirements:

Sample Receipt:

Shipping Tracking #

Condition/Cooler Temp: 25.1

Relinquished By

Printed Name:

Signature:

Firm:

Date/Time:

Received By

Printed Name:

Signature:

Firm:

Date/Time:

Relinquished By

Printed Name:

Signature:

Firm:

Date/Time:

Laboratory Received By

Printed Name:

Signature:

Firm:

Date/Time:

07/30/2016 COTC AR Form 08.27.2015

Distribution:

WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by Arcadis

Page 135 of 282

Received by OCD: 12/5/2022 12:15:36 PM

ARCADIS										ID#:		CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM				Page 1 of 5		Lab Work Order # 532328	
Send Results to:										To:		Project Name/Location/Job Name				Project #		Sample & Physical Matrix	
City										State		Contract Address				Contract #		Sample & Physical Matrix	
Sample ID										Collection Date		Type (✓)		Matrix		PARAMETER ANALYSIS & METHOD			
										Time		Comp		Grab					
SB-8										8:00		✓		Soil		HOLD			
SB-9										3:00		✓		Soil		HOLD			
SB-10										3:00		✓		Soil		HOLD			
SB-11										3:00		✓		Soil		HOLD			
SB-12										3:00		✓		Soil		HOLD			
SB-13										3:00		✓		Soil		HOLD			
SB-14										3:00		✓		Soil		HOLD			
SB-15										3:00		✓		Soil		HOLD			
SB-16										3:00		✓		Soil		HOLD			
SB-17										3:00		✓		Soil		HOLD			
SB-18										3:00		✓		Soil		HOLD			
SB-19										3:00		✓		Soil		HOLD			
SB-20										3:00		✓		Soil		HOLD			
SB-21										3:00		✓		Soil		HOLD			
SB-22										3:00		✓		Soil		HOLD			
SB-23										3:00		✓		Soil		HOLD			
SB-24										3:00		✓		Soil		HOLD			
SB-25										3:00		✓		Soil		HOLD			
SB-26										3:00		✓		Soil		HOLD			
SB-27										3:00		✓		Soil		HOLD			
SB-28										3:00		✓		Soil		HOLD			
SB-29										3:00		✓		Soil		HOLD			
SB-30										3:00		✓		Soil		HOLD			
SB-31										3:00		✓		Soil		HOLD			
SB-32										3:00		✓		Soil		HOLD			
SB-33										3:00		✓		Soil		HOLD			
SB-34										3:00		✓		Soil		HOLD			
SB-35										3:00		✓		Soil		HOLD			
SB-36										3:00		✓		Soil		HOLD			
SB-37										3:00		✓		Soil		HOLD			
SB-38										3:00		✓		Soil		HOLD			
SB-39										3:00		✓		Soil		HOLD			
SB-40										3:00		✓		Soil		HOLD			
SB-41										3:00		✓		Soil		HOLD			
SB-42										3:00		✓		Soil		HOLD			
SB-43										3:00		✓		Soil		HOLD			
SB-44										3:00		✓		Soil		HOLD			
SB-45										3:00		✓		Soil		HOLD			
SB-46										3:00		✓		Soil		HOLD			
SB-47										3:00		✓		Soil		HOLD			
SB-48										3:00		✓		Soil		HOLD			
SB-49										3:00		✓		Soil		HOLD			
SB-50										3:00		✓		Soil		HOLD			
SB-51										3:00		✓		Soil		HOLD			
SB-52										3:00		✓		Soil		HOLD			
SB-53										3:00		✓		Soil		HOLD			
SB-54										3:00		✓		Soil		HOLD			
SB-55										3:00		✓		Soil		HOLD			
SB-56										3:00		✓		Soil		HOLD			
SB-57										3:00		✓		Soil		HOLD			
SB-58										3:00		✓		Soil		HOLD			
SB-59										3:00		✓		Soil		HOLD			
SB-60										3:00		✓		Soil		HOLD			
SB-61										3:00		✓		Soil		HOLD			
SB-62										3:00		✓		Soil					



**CHAIN OF CUSTODY & LABORATORY
ANALYSIS REQUEST FORM**

Page 2 of 5

Lab Work Order #

552320

Released to Imaging: 12/5/2022 12:16:32 PM



ID#

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 3 of 5

Lab Work Order #
532326

Send Results to:			
Company Name	Address	City	State
713-953-1841	202 941 9535	Atlanta	GA

[illegible]

Project Name/Location (City, State)	Project #
Sampler's Printed Name	Sampler's Signature

DATE	DESCRIPTION	AMOUNT	CHECK NO.	BANK	INTEREST	TOTAL
1/1/20	Initial deposit	100.00				100.00
1/15/20	Deposit	50.00				150.00
2/1/20	Withdrawal	25.00				125.00
2/15/20	Deposit	75.00				200.00
3/1/20	Withdrawal	100.00				100.00
3/15/20	Deposit	125.00				225.00
4/1/20	Withdrawal	75.00				150.00
4/15/20	Deposit	100.00				250.00
5/1/20	Withdrawal	125.00				125.00
5/15/20	Deposit	150.00				275.00
6/1/20	Withdrawal	100.00				175.00
6/15/20	Deposit	125.00				300.00
7/1/20	Withdrawal	150.00				150.00
7/15/20	Deposit	175.00				325.00
8/1/20	Withdrawal	125.00				200.00
8/15/20	Deposit	150.00				350.00
9/1/20	Withdrawal	175.00				175.00
9/15/20	Deposit	200.00				375.00
10/1/20	Withdrawal	150.00				225.00
10/15/20	Deposit	175.00				400.00
11/1/20	Withdrawal	200.00				200.00
11/15/20	Deposit	225.00				425.00
12/1/20	Withdrawal	250.00				175.00
12/15/20	Deposit	275.00				450.00
1/1/21	Withdrawal	300.00				150.00
1/15/21	Deposit	325.00				475.00
2/1/21	Withdrawal	350.00				125.00
2/15/21	Deposit	375.00				500.00
3/1/21	Withdrawal	400.00				100.00
3/15/21	Deposit	425.00				525.00
4/1/21	Withdrawal	450.00				75.00
4/15/21	Deposit	475.00				500.00
5/1/21	Withdrawal	500.00				0.00
5/15/21	Deposit	525.00				525.00
6/1/21	Withdrawal	550.00				0.00
6/15/21	Deposit	575.00				575.00
7/1/21	Withdrawal	600.00				0.00
7/15/21	Deposit	625.00				625.00
8/1/21	Withdrawal	650.00				0.00
8/15/21	Deposit	675.00				675.00
9/1/21	Withdrawal	700.00				0.00
9/15/21	Deposit	725.00				725.00
10/1/21	Withdrawal	750.00				0.00
10/15/21	Deposit	775.00				775.00
11/1/21	Withdrawal	800.00				0.00
11/15/21	Deposit	825.00				825.00
12/1/21	Withdrawal	850.00				0.00
12/15/21	Deposit	875.00				875.00
1/1/22	Withdrawal	900.00				0.00
1/15/22	Deposit	925.00				925.00
2/1/22	Withdrawal	950.00				0.00
2/15/22	Deposit	975.00				975.00
3/1/22	Withdrawal	1000.00				0.00
3/15/22	Deposit	1025.00				1025.00
4/1/22	Withdrawal	1050.00				0.00
4/15/22	Deposit	1075.00				1075.00
5/1/22	Withdrawal	1100.00				0.00
5/15/22	Deposit	1125.00				1125.00
6/1/22	Withdrawal	1150.00				0.00
6/15/22	Deposit	1175.00				1175.00
7/1/22	Withdrawal	1200.00				0.00

Sample ID	Collection		Type (%)		Matrix
	Date	Time	Comp	Grab	
85 SB-1B3	6-21				

C410							
------	--	--	--	--	--	--	--

S8-4B	35
S13-3B	30
	1
	1

V17	W18	5	418	(30)			het
V18	W19	85	416	(35)			het
V19	W20	85	416	(35)			het

SB-9	2
SB-9	4

V67WU085 - 38	(2)	hold
V67WU085 - 09	(2)	hold

$SB-10$	2
$SB-10$	4

[illegible]

5B-3B	45				
5B-4B	40				

$V_{61} W_{11} B_5$	$- \frac{3B}{2} (41)$		5011
$V_{61} W_{11} B_5$	$- 3B (45)$		5014
			rest

④ $512-913.45$ \downarrow

$$V_{GW} = 48(40) = 1920$$
[illegible]

<input type="checkbox"/> Special OALDC Instructions (*)							

Cooler Custody Seal (✓) <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Not Intact	Printed Name 150
Cooler pack(s) with ice (✓)	Printed Name 150

Relinquished By	Received By	Relinquished By
S. Wicks	[Signature]	
	Paid Name	
	Rick Anderson	

Turnaround Requirements	Sample Receipt:	Print
Tracking #	Condition/Coiler Temp	Alt

Signature	Letter Refers	Chad's
Firm/Company	MS	

16 SOC AR Form 08.27.2015

Distribution: WHITE - Lab

Laboratory returns with results YELLOW - Lab copy	Date/Time 01/23/16 1600
--	----------------------------

Preservation Key:		Keys	
A. H ₂ SO ₄		1. 40 ml Vial	
B. HCl		2. 1 L Amber	
C. HNO ₃		3. 250 ml Plastic	
D. NaOH		4. 500 ml Plastic	
E. None		5. Enclose	
F. Other: _____		6. 2 oz. Glass	
G. Other: _____		7. 4 oz. Glass	
H. Other: _____		8. 8 oz. Glass	
		9. Other: _____	
		10. Other: _____	

Mark Key:		SE - Sediment		NL - NAP/Oil	
SO - Soil		ST - Sludge		SW - Sample	
W - Water		A - Air		Wsp - Wipe	
T - Tissue				Other: _____	

REMARKS

SO - Soil	SE - Sediment	NL - NAPL/Oil
W - Water	SL - Sludge	SW - Sample Wipe
T - Tissue	A - Air	Other: _____

8. 8 oz Glass _____
9. Other: _____
10. Other: _____

D. NACH
E. None
F. Other: _____
G. Other: _____

4. 500 ml Plastic
5. Encore
6. 2 oz. Glass
7. 4 oz. Glass

Preservation Key:
A. H_2SO_4
B. HCl
C. HNO_3

Container Information Key:
1. 40 ml Vial
2. 1 L Amber
3. 250 ml Plastic

Keys

Lab Work Order #



ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 4 of 5

Lab Work Order #

532-328

Send Results to:

Contract & Company Name: ARCADIS

Address: 1000 1st St NW

City: Atlanta State: GA Zip: 30309

Telephone: 770.953.4841

Fax: 770.953.4841

E-mail Address: arcadis@arcadis.com

Project Name/Location (City, State): Project #

Sample's Printed Name: Sample's Signature

Preservative: Filtered (✓)

of Containers: 1

Container Information: 1

PARAMETER ANALYSIS & METHOD

Preservation Key:

Keys:

Container Information Key:

1. 40 ml Vial

2. 1 Lamber

3. 250 ml Plastic

4. 500 ml Plastic

5. Encore

6. 2 oz Glass

7. 4 oz Glass

8. 8 oz Glass

9. Other: 10. Other:

Matrix Key:

SO - Soil

SE - Sediment

SI - Sludge

SW - Sample Wipe

W - Water

TL - Tissue

Other: Other:

REMARKS

Sample ID	Collection Date	Type (✓)	Matrix	Container	Volume	Weight	Temperature	Remarks
SB-4	30-1	6-22	Soil	V61W001	-48 (35)			held test
SB-4	35-1			V61W001	-48 (35)			held
SB-4	40-1			V61W001	-48 (40)			held
SB-4	45-1			V61W001	-48 (45)			held
SB-8	30-1			V61W001	-48 (30)			held
SB-8	35-1			V61W001	-48 (35)			held
SB-8	40-1			V61W001	-48 (40)			held
SB-8	45-1			V61W001	-48 (45)			held
SB-8	50-1			V61W001	-48 (50)			held
SB-8	55-1			V61W001	-48 (55)			held
SB-8	60-1			V61W001	-48 (60)			held
SB-8	65-1			V61W001	-48 (65)			held
SB-8	70-1			V61W001	-48 (70)			held
SB-8	75-1			V61W001	-48 (75)			held

Special QA/QC instructions (✓):

Relinquished By: Leon Wiggins Received By: Perla Berends

Printed Name: Leon Wiggins Printed Name: Perla Berends

Signature: [Signature] Signature: [Signature]

Form: ARCADIS Form: MS

Date/Time: 02/23/16 1600 Date/Time: 04/12/16

Condition/Cooler Temp: 05.1

Distribution: WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by Arcadis

ARCADIS

ID#:

CHAIN OF CUSTODY & LABORATORY
ANALYSIS REQUEST FORM

Page 5 of 5

Lab Work Order #

532328

Contact & Company Name		Telephone
Address		Fax
City	State	Zip
E-mail Address		

Project Name/Location (City, State)

Project #

Sampler's Printed Name

Sampler's Signature

Sample ID

Collection

Date

Time

Type (✓)

Comp

Grab

Matrix

Preservative

Filtered (✓)

of Containers

Container Information

PARAMETER ANALYSIS & METHOD

REMARKS

Preservation Key:		Keys	
A. H ₂ SO ₄	1. 40 ml Vial	Container Information Key:	
B. HCl	2. 1 L Amber	3. 250 ml Plastic	
C. HNO ₃	3. 250 ml Plastic	4. 500 ml Plastic	
D. NaOH	4. 500 ml Plastic	5. Enclave	
E. None	5. Enclave	6. 2 oz Glass	
F. Other:	6. 2 oz Glass	7. 4 oz Glass	
G. Other:	7. 4 oz Glass	8. 8 oz Glass	
H. Other:	8. 8 oz Glass	9. Other:	
Matrix Key:		10. Other:	
SO - Soil	SE - Sediment	NL - NAP/OL	
WV - Water	SL - Sludge	SW - Sample Vial	
T - Tissue	A - Air	Other:	

118	SB-08	2	6-23	✓	Soil	V6 WU118-08(2)	TEST
118	SB-10	2	6-23	✓	Soil	V6 WU118-10(2)	held
↓	SB-08	7	6-23	✓	Soil	V6 WU118-08(7)	TEST
↓	SB-10	7	6-23	✓	Soil	V6 WU118-10(7)	held
040	SB-02	15	6-23	✓	Soil	V6 WU040-02(15)	held
↓	SB-02	15	6-23	✓	Soil	V6 WU040-02(15)	held
118	SB-13	2	6-23	✓	Soil	V6 WU118-13(2)	held
118	SB-13	4	6-23	✓	Soil	V6 WU118-13(4)	held
040	SB-02	65	6-23	✓	Soil	V6 WU040-02(65)	TEST
040	SB-02	75	6-23	✓	Soil	V6 WU040-02(75)	TEST

Special DAQC Instructions(✓):

Laboratory Information and Receipt

Cooler Custody Seal (✓)

Intact

Not Intact

Sample Receipt:

Condition/Cooler Temp: 25.1

Distribution:

WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by Arcadis

2017 25 CMC A-18 Form 08-27-2015



Prelogin/Nonconformance Report- Sample Log-In

Client: ARCADIS

Date/ Time Received: 06/24/2016 10:05:00 AM

Work Order #: 532328

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used :

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	3.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	Yes
#5 *Custody Seals intact on shipping container/ cooler?	Yes
#6 Custody Seals intact on sample bottles?	Yes
#7 *Custody Seals Signed and dated?	Yes
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	Yes
#21 VOC samples have zero headspace (less than 1/4 inch bubble)?	N/A
#22 <2 for all samples preserved with HNO3,HCL, H2SO4? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A
#23 >10 for all samples preserved with NaAsO2+NaOH, ZnAc+NaOH?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Mary Negron

Date: 06/24/2016

Checklist reviewed by:

Kelsey Brooks

Date: 06/24/2016

Analytical Report 536864

for
Arcadis - Houston

Project Manager: Jonathan Olsen

HES Transfer

11-OCT-16

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)

Xenco-San Antonio: Texas (T104704534)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



Table of Contents

Cover Page	1
Cover Letter	3
Sample ID Cross Reference	4
Case Narrative	5
Certificate of Analysis Summary	6
Explanation of Qualifiers (Flags)	11
LCS / LCSD Recoveries	12
MS / MSD Recoveries	14
Chain of Custody	17
Sample Receipt Conformance Report	21



11-OCT-16

Project Manager: **Jonathan Olsen**

Arcadis - Houston

2929 Briarpark Dr., Ste 300

Houston, TX 77042

Reference: XENCO Report No(s): **536864**

HES Transfer

Project Address: Lovington NM

Jonathan Olsen:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 536864. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 536864 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America



Sample Cross Reference 536864

Arcadis - Houston, Houston, TX

HES Transfer

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWUO40-12 (2')	S	09-13-16 08:50		536864-001
VGWUO40-12 (4')	S	09-13-16 08:55		536864-002
VGWUO40-17 (2')	S	09-13-16 10:30		536864-003
VGWUO40-17 (4')	S	09-13-16 10:34		536864-004
VGWUO40-16 (2')	S	09-13-16 09:58		536864-005
VGWUO40-16 (4')	S	09-13-16 10:00		536864-006
VGWUO40-16 (50')	S	09-13-16 10:48		536864-007
VGWUO40-19 (2')	S	09-13-16 11:46		536864-008
VGWUO40-19 (4')	S	09-13-16 11:50		536864-009
VGWUO40-18 (2')	S	09-13-16 12:14		536864-010
VGWUO40-18 (4')	S	09-13-16 12:16		536864-011
VGWUO40-18 (70')	S	09-13-16 13:23		536864-012
VGWU85-06 (2')	S	09-13-16 14:41		536864-013
VGWU85-06 (4')	S	09-13-16 14:42		536864-014
VGWU85-06 (10')	S	09-13-16 14:44		536864-016
VGWU85-06 (50')	S	09-13-16 15:27		536864-017
VGWU85-11 (2')	S	09-13-16 16:00		536864-018
VGWU85-11 (4')	S	09-13-16 16:01		536864-019
VGWUSAT3-03 (4')	S	09-14-16 09:49		536864-023
VGWUSAT3-03 (40')	S	09-14-16 10:40		536864-024
VGWUSAT3-05 (4')	S	09-14-16 11:11		536864-025
VGWUSAT3-05 (40')	S	09-14-16 11:55		536864-026
VGWU118-15 (2')	S	09-14-16 14:00		536864-027
VGWU118-15 (4')	S	09-14-16 14:01		536864-028
VGWU118-18 (2')	S	09-14-16 14:30		536864-031
VGWU118-18 (4')	S	09-14-16 14:31		536864-032
VGWU118-18 (7')	S	09-14-16 14:32		536864-033
VGWU118-18 (10')	S	09-14-16 14:33		536864-034
VGWU85-06 (7')	S	09-13-16 14:43		Not Analyzed
VGWU85-11 (7')	S	09-13-16 16:02		Not Analyzed
VGWU85-11 (10')	S	09-13-16 16:05		Not Analyzed
VGWU85-11 (11')	S	09-13-16 16:21		Not Analyzed
VGWU118-15 (7')	S	09-14-16 14:02		Not Analyzed
VGWU118-15 (10')	S	09-14-16 14:03		Not Analyzed



CASE NARRATIVE

Client Name: Arcadis - Houston

Project Name: HES Transfer

Project ID:

Work Order Number(s): 536864

Report Date: 11-OCT-16

Date Received: 09/15/2016

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 536864

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Jonathan Olsen

Project Location: Lovington NM

Date Received in Lab: Thu Sep-15-16 11:30 am

Report Date: 11-OCT-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	536864-001	536864-002	536864-003	536864-004	536864-005	536864-006
	<i>Field Id:</i>	VGWUO40-12 (2')	VGWUO40-12 (4')	VGWUO40-17 (2')	VGWUO40-17 (4')	VGWUO40-16 (2')	VGWUO40-16 (4')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Sep-13-16 08:50	Sep-13-16 08:55	Sep-13-16 10:30	Sep-13-16 10:34	Sep-13-16 09:58	Sep-13-16 10:00
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Sep-20-16 08:00	Sep-20-16 08:00	Sep-20-16 08:00	Sep-20-16 08:00	Sep-20-16 08:00	Sep-20-16 08:00
	<i>Analyzed:</i>	Sep-20-16 14:44	Sep-20-16 14:51	Sep-20-16 14:59	Sep-20-16 15:07	Sep-20-16 15:15	Sep-20-16 15:23
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		86.6 10.0	54.0 10.0	52.8 10.0	34.8 10.0	329 10.0	881 10.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 536864

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Jonathan Olsen

Project Location: Lovington NM

Date Received in Lab: Thu Sep-15-16 11:30 am

Report Date: 11-OCT-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	536864-007	536864-008	536864-009	536864-010	536864-011	536864-012
	<i>Field Id:</i>	VGWUO40-16 (50')	VGWUO40-19 (2')	VGWUO40-19 (4')	VGWUO40-18 (2')	VGWUO40-18 (4')	VGWUO40-18 (70')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Sep-13-16 10:48	Sep-13-16 11:46	Sep-13-16 11:50	Sep-13-16 12:14	Sep-13-16 12:16	Sep-13-16 13:23
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Sep-30-16 09:00	Sep-21-16 10:00	Sep-21-16 10:00	Sep-21-16 10:00	Sep-21-16 10:00	Sep-30-16 09:00
	<i>Analyzed:</i>	Sep-30-16 13:18	Sep-21-16 12:10	Sep-21-16 12:33	Sep-21-16 12:41	Sep-21-16 12:49	Sep-30-16 13:26
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		16.4 5.00	54.2 10.0	59.6 10.0	65.3 10.0	318 10.0	142 5.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 536864

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Jonathan Olsen

Project Location: Lovington NM

Date Received in Lab: Thu Sep-15-16 11:30 am

Report Date: 11-OCT-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	536864-013	536864-014	536864-016	536864-017	536864-018	536864-019
	<i>Field Id:</i>	VGWU85-06 (2')	VGWU85-06 (4')	VGWU85-06 (10')	VGWU85-06 (50')	VGWU85-11 (2')	VGWU85-11 (4')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Sep-13-16 14:41	Sep-13-16 14:42	Sep-13-16 14:44	Sep-13-16 15:27	Sep-13-16 16:00	Sep-13-16 16:01
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Sep-21-16 10:00	Sep-21-16 10:00	Sep-30-16 09:00	Oct-10-16 09:35	Sep-21-16 10:00	Sep-21-16 10:00
	<i>Analyzed:</i>	Sep-21-16 12:57	Sep-21-16 17:46	Sep-30-16 13:47	Oct-10-16 19:19	Sep-21-16 13:28	Sep-21-16 13:36
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		6120 100	2540 50.0	3760 50.0	37.8 5.00	14.0 10.0	31.1 10.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 536864

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Jonathan Olsen

Project Location: Lovington NM

Date Received in Lab: Thu Sep-15-16 11:30 am

Report Date: 11-OCT-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	536864-023	536864-024	536864-025	536864-026	536864-027	536864-028
	<i>Field Id:</i>	VGWUSAT3-03 (4')	VGWUSAT3-03 (40')	VGWUSAT3-05 (4')	VGWUSAT3-05 (40')	VGWU118-15 (2')	VGWU118-15 (4')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Sep-14-16 09:49	Sep-14-16 10:40	Sep-14-16 11:11	Sep-14-16 11:55	Sep-14-16 14:00	Sep-14-16 14:01
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Sep-21-16 10:00	Sep-30-16 09:00	Sep-30-16 09:00	Oct-10-16 09:35	Sep-21-16 10:00	Sep-21-16 10:00
	<i>Analyzed:</i>	Sep-21-16 13:44	Sep-30-16 13:54	Sep-30-16 14:01	Oct-10-16 19:26	Sep-21-16 13:51	Sep-21-16 13:59
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		454 10.0	12.0 5.00	943 5.00	ND 5.00	18.5 10.0	ND 10.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 536864

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Jonathan Olsen

Project Location: Lovington NM

Date Received in Lab: Thu Sep-15-16 11:30 am

Report Date: 11-OCT-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	536864-031	536864-032	536864-033	536864-034		
	<i>Field Id:</i>	VGWU118-18 (2')	VGWU118-18 (4')	VGWU118-18 (7')	VGWU118-18 (10')		
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Sep-14-16 14:30	Sep-14-16 14:31	Sep-14-16 14:32	Sep-14-16 14:33		
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Sep-21-16 10:00	Sep-21-16 10:00	Sep-30-16 09:00	Oct-10-16 09:35		
	<i>Analyzed:</i>	Sep-21-16 14:23	Sep-21-16 14:46	Sep-30-16 14:08	Oct-10-16 19:33		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		91.4 10.0	355 10.0	307 5.00	41.3 5.00		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



BS / BSD Recoveries

Project Name: HES Transfer

Work Order #: 536864

Project ID:

Analyst: MNR

Date Prepared: 09/20/2016

Date Analyzed: 09/20/2016

Lab Batch ID: 3000344

Sample: 713949-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<10.0	250	250	100	250	257	103	3	90-110	20	

Analyst: MNR

Date Prepared: 09/21/2016

Date Analyzed: 09/21/2016

Lab Batch ID: 3000445

Sample: 713999-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<10.0	250	246	98	250	250	100	2	90-110	20	

Analyst: MNR

Date Prepared: 09/30/2016

Date Analyzed: 09/30/2016

Lab Batch ID: 3001120

Sample: 714399-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<5.00	250	233	93	250	234	94	0	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries

Project Name: HES Transfer

Work Order #: 536864

Project ID:

Analyst: MNR

Date Prepared: 10/10/2016

Date Analyzed: 10/10/2016

Lab Batch ID: 3001741

Sample: 714723-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<5.00	250	250	100	250	262	105	5	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries

Project Name: HES Transfer

Work Order #: 536864

Project ID:

Lab Batch ID: 3000344

QC- Sample ID: 536602-002 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/20/2016

Date Prepared: 09/20/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	2780	1250	4000	98	1250	4030	100	1	90-110	20	

Lab Batch ID: 3000344

QC- Sample ID: 536660-002 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/20/2016

Date Prepared: 09/20/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	1970	1250	3230	101	1250	3210	99	1	90-110	20	

Lab Batch ID: 3000445

QC- Sample ID: 536864-008 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/21/2016

Date Prepared: 09/21/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	54.2	250	298	98	250	294	96	1	90-110	20	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
 Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries

Project Name: HES Transfer

Work Order #: 536864

Project ID:

Lab Batch ID: 3000445

QC- Sample ID: 536864-028 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/21/2016

Date Prepared: 09/21/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<10.0	250	250	100	250	244	98	2	90-110	20	

Lab Batch ID: 3001120

QC- Sample ID: 536657-006 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/30/2016

Date Prepared: 09/30/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	920	250	1160	96	250	1150	92	1	90-110	20	

Lab Batch ID: 3001120

QC- Sample ID: 537439-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/30/2016

Date Prepared: 09/30/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	4120	2500	6760	106	2500	6650	101	2	90-110	20	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
 Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries

Project Name: HES Transfer

Work Order #: 536864

Project ID:

Lab Batch ID: 3001741

QC- Sample ID: 538189-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 10/10/2016

Date Prepared: 10/10/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	1720	250	1980	104	250	1970	100	1	90-110	20	

Lab Batch ID: 3001741

QC- Sample ID: 538316-006 S

Batch #: 1 Matrix: Soil

Date Analyzed: 10/10/2016

Date Prepared: 10/10/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	258	250	501	97	250	493	94	2	90-110	20	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
 Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
 N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 2 of 3

Lab Work Order #

536864

Contact & Company Name: Jonathan Olsen Address: 2929 Briarpark Dr City: Houston, TX 77042 State: TX Zip: 77042 Project #: Sample's Name: Melissa Phan		Telephone: 713.953.4874 Fax: Email Address: Jonathan.Olsen@arcadis.com		Preservative: Filtered (✓) # of Containers: 1 Container Information: 7		Preservation Key: A. H ₂ SO ₄ B. HCl C. HNO ₃ D. NaOH E. None F. Other: G. Other: H. Other: Matrix Key: SE - Sediment SL - Sludge A - Air SW - Sample Wipe Other:		Container Information Key: 1. 40 ml Vial 2. 1 L Amber 3. 250 ml Plastic 4. 500 ml Plastic 5. Encores 6. 2 oz. Glass 7. 4 oz. Glass 8. 8 oz. Glass 9. Other: 10. Other:			
Sample ID		Collection Date		Time		Type (✓) Comp		Grab		Matrix	
VGWU85-06(4')		9/13/16		1442		X				SO	
VGWU85-06(7')		9/13/16		1443		X				SO	
VGWU85-06(10')		9/13/16		1444		X				SO	
VGWU85-06(50')		9/13/16		1527		X				SO	
VGWU85-11(2')		9/13/16		1600		X				SO	
VGWU85-11(4')		9/13/16		1601		X				SO	
VGWU85-11(7')		9/13/16		1602		X				SO	
VGWU85-11(18')		9/13/16		1605		X				SO	
VGWU85-11(40')		9/13/16		1621		X				SO	
VGWUSAT3-03(4')		9/14/16		1449		X				SO	
VGWUSAT3-03(40')		9/14/16		1040		X				SO	
VGWUSAT3-05(4')		9/14/16		1111		X				SO	
VGWUSAT3-05(40')		9/14/16		1155		X				SO	
VGWU118-15(2')		9/14/16		1300		X				SO	
Special Instructions/Comments: Standard TAT 1400											
Lab Name:		Requisitioned By:		Printed Name:		Requisitioned By:		Printed Name:		Laboratory Received By:	
Cooler Custody Seal (✓) <input checked="" type="checkbox"/> Intact <input type="checkbox"/> Not Intact		Melissa Phan		Desirae Lopez		Desirae Lopez		Desirae Lopez		Desirae Lopez	
Sample Receipt: Condition/Cooler Temp: 12°C		Arcadis		MS		MS		MS		XEROX	
Shipping Tracking #:		9/14/16 1600		9/14/16 4:00pm		9/14/16 4:00pm		9/14/16 4:00pm		9/15/16 1138	

2073025 Co/C AR Form 08.27.2015

WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by Arcadis

HHS Transfer Sites
Chevron PM Rob Speer



CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

普

Lab Work Order #

Page 2 of 3

Send Results to:		Contact & Company Name:		Telephone:		713-953-4874		Arcadis		Jonathan Olson	
Address:		2029 Briarpark Dr		Suite 300							
City		Houston, TX		State		Zip		77042			
Project Name:		HES Livingston, NM		Project #:							
Sampler & Printed Name:		Melisa Phelan		Sampler's Signature:							
Sample ID		Collection		Type (✓)		Matrix					

Preservative		E									
Filtered (✓)		NA									
# of Containers		1									
Container Information		7									
PARAMETER ANALYSIS & METHOD											
Chloride											

Keys		Container Information Key:	
A. H ₂ SO ₄		1. 40 ml Vial	
B. HCl		2. 1 L Amber	
C. HNO ₃		3. 250 ml Plastic	
D. NaOH		4. 500 ml Plastic	
E. None		5. Encore	
F. Other		6. 2 oz. Glass	
G. Other		7. 4 oz. Glass	
H. Other		8. 8 oz. Glass	
10. Other		9. Other	
Matrix Key:		SE - Sediment	
SO - Soil		NL - NAPL/OIL	
W - Water		SL - Sludge	
T - Tissue		SW - Sample Wipe	
		A - Air	
		Other:	
REMARKS			

☐ Special QA/QC Instructions(✓):

Standard TAT

Laboratory Information and Receipt		Relinquished By		Received By		Relinquished By		Laboratory Received By	
Lab Name:		Printed Name:	Melisa Phan	Printed Name:	Desirae Costa	Printed Name:		Printed Name:	
Cooler packed with ice (✓)	<input checked="" type="checkbox"/> Intact <input type="checkbox"/> Not Intact	Signature:	<i>MP</i>	Signature:	<i>Desirae Costa</i>	Signature:		Signature:	
Specify Turnaround Requirements:	Sample Receipt:	Firm:	Arcadis	Firm/Courier:	MS.	Firm:		Firm:	XENCO
Shipping Tracking #:	Condition/Cooler Temp: 12°C	Date/Time:	2/14/16 1600	Date/Time:	2/14/16 4:00pm	Date/Time:		Date/Time:	2-15-16 1300
Distribution:			WHITE - Laboratory returns with results			YELLOW - Lab copy			PINK - Retained by Arcadis

0730826 Co/C AR Form 08 27 2012

WHITE - Laboratory returns with results

YELLOW - Lab conv

PINK – Retained by Arcadis

ORIGIN ID: H08A (5/5) 392-7550
 MAIL SERVICES ETC, LLC
 4008 N GRIMES
 HOBBS, NY 88240
 UNITED STATES US

SHIP DATE: 14SEP16
 ACTWGT: 27.0 LB NON
 CAD: 0909328/CAFE2915
 DIMS: 29x18x13 IN
 BILL RECIPIENT

TO XENCO LABORATORIES
 XENCO LABORATORIES
 1211 W FLORIDA AVE

MIDLAND TX 79701

(432) 563-1800

REP:

DEPT:

INV:

PO:



FedEx
 Express



1513150813813V

THU - 15 SEP 3:00P
 STANDARD OVERNIGHT

TRK# 6506 3912 4936

41 MAFA

79701
 TX-US LBB



Part # 156148-13V 04/16



Prelogin/Nonconformance Report- Sample Log-In

Client: Arcadis - Houston

Date/ Time Received: 09/15/2016 11:30:00 AM

Work Order #: 536864

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	6.3
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	Yes
#5 *Custody Seals intact on shipping container/ cooler?	Yes
#6 Custody Seals intact on sample bottles?	Yes
#7 *Custody Seals Signed and dated?	Yes
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	N/A
#21 VOC samples have zero headspace (less than 1/4 inch bubble)?	N/A
#22 <2 for all samples preserved with HNO ₃ , HCL, H ₂ SO ₄ ? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A
#23 >10 for all samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Jessica Kramer

Date: 09/15/2016

Checklist reviewed by:

Kelsey Brooks

Date: 09/16/2016

Analytical Report 539912

**for
Arcadis - Houston**

Project Manager: Jonathan Olsen

HES Transfer Sites

B0048611.1601

09-NOV-16

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)
Xenco-San Antonio: Texas (T104704534)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



09-NOV-16

Project Manager: **Jonathan Olsen**

Arcadis - Houston

2929 Briarpark Dr., Ste 300

Houston, TX 77042

Reference: XENCO Report No(s): **539912**

HES Transfer Sites

Project Address: Buckeye NM

Jonathan Olsen:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 539912. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 539912 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 539912****Arcadis - Houston, Houston, TX**

HES Transfer Sites

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
Composite Soil #4 (0'-4')	S	11-07-16 08:35	0 - 4 ft	539912-001
Composite Soil #5 (0'-4')	S	11-07-16 08:48	0 - 4 ft	539912-002
Composite Soil #6 (0'-4')	S	11-07-16 08:52	0 - 4 ft	539912-003
Composite Soil #7 (0'-4')	S	11-07-16 09:06	0 - 4 ft	539912-004
Composite Soil #8 (0'-4')	S	11-07-16 09:08	0 - 4 ft	539912-005
Composite Soil #9 (0'-4')	S	11-07-16 09:12	0 - 4 ft	539912-006
Composite Soil #10 (0'-4')	S	11-07-16 09:15	0 - 4 ft	539912-007
Composite Soil #11 (0'-4')	S	11-07-16 12:17	0 - 4 ft	539912-008
Composite Soil #12 (0'-4')	S	11-07-16 12:20	0 - 4 ft	539912-009
Composite Soil #13 (0'-4')	S	11-07-16 12:23	0 - 4 ft	539912-010



CASE NARRATIVE

Client Name: *Arcadis - Houston*

Project Name: *HES Transfer Sites*

Project ID: *B0048611.1601*

Work Order Number(s): *539912*

Report Date: *09-NOV-16*

Date Received: *11/08/2016*

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 539912

Arcadis - Houston, Houston, TX

Project Name: HES Transfer Sites

Project Id: B0048611.1601

Contact: Jonathan Olsen

Project Location: Buckeye NM

Date Received in Lab: Tue Nov-08-16 10:11 am

Report Date: 09-NOV-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	539912-001	539912-002	539912-003	539912-004	539912-005	539912-006
	<i>Field Id:</i>	Composite Soil #4 (0'-4')	Composite Soil #5 (0'-4')	Composite Soil #6 (0'-4')	Composite Soil #7 (0'-4')	Composite Soil #8 (0'-4')	Composite Soil #9 (0'-4')
	<i>Depth:</i>	0-4 ft	0-4 ft	0-4 ft	0-4 ft	0-4 ft	0-4 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Nov-07-16 08:35	Nov-07-16 08:48	Nov-07-16 08:52	Nov-07-16 09:06	Nov-07-16 09:08	Nov-07-16 09:12
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Nov-08-16 16:05	Nov-08-16 16:27	Nov-08-16 16:34	Nov-08-16 16:55	Nov-08-16 17:02	Nov-08-16 17:09
	<i>Analyzed:</i>	Nov-08-16 16:05	Nov-08-16 16:27	Nov-08-16 16:34	Nov-08-16 16:55	Nov-08-16 17:02	Nov-08-16 17:09
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		403 5.00	87.6 5.00	3450 25.0	4370 50.0	433 5.00	1140 5.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 539912

Arcadis - Houston, Houston, TX

Project Name: HES Transfer Sites

Project Id: B0048611.1601

Contact: Jonathan Olsen

Project Location: Buckeye NM

Date Received in Lab: Tue Nov-08-16 10:11 am

Report Date: 09-NOV-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	539912-007	539912-008	539912-009	539912-010		
	<i>Field Id:</i>	Composite Soil #10 (0'-4')	Composite Soil #11 (0'-4')	Composite Soil #12 (0'-4')	Composite Soil #13 (0'-4')		
	<i>Depth:</i>	0-4 ft	0-4 ft	0-4 ft	0-4 ft		
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Nov-07-16 09:15	Nov-07-16 12:17	Nov-07-16 12:20	Nov-07-16 12:23		
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Nov-08-16 17:30	Nov-08-16 17:37	Nov-08-16 17:44	Nov-08-16 17:51		
	<i>Analyzed:</i>	Nov-08-16 17:30	Nov-08-16 17:37	Nov-08-16 17:44	Nov-08-16 17:51		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		24.3 5.00	4250 50.0	5000 50.0	1690 25.0		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



BS / BSD Recoveries

Project Name: HES Transfer Sites

Work Order #: 539912, 539912

Project ID: B0048611.1601

Analyst: MNR

Date Prepared: 11/08/2016

Date Analyzed: 11/08/2016

Lab Batch ID: 3003523

Sample: 715859-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<5.00	250	237	95	250	246	98	4	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries

Project Name: HES Transfer Sites

Work Order #: 539912

Project ID: B0048611.1601

Lab Batch ID: 3003523

QC- Sample ID: 539906-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 11/08/2016

Date Prepared: 11/08/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	1300	250	1550	100	250	1560	104	1	90-110	20	

Lab Batch ID: 3003523

QC- Sample ID: 539912-003 S

Batch #: 1 Matrix: Soil

Date Analyzed: 11/08/2016

Date Prepared: 11/08/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	3450	1250	4610	93	1250	4690	99	2	90-110	20	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
 Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Setting the Standard since 1990
Stafford, Texas (281-240-4200)
Dallas, Texas (214-902-0300)

Service Center - San Antonio, Texas (210-509-3334)

www.xenco.com

CHAIN OF CUSTODY

Page 1 of 1

Odessa, Texas (432-533-1800)

Norcross, Georgia (770-449-8800)


Lakeland, Florida (888-646-8526)

Xenco Quote #

Tampa, Florida (813-620-2000)

539912

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes		
Company Name / Branch:				Project Name/Number:				Xenco Job #						
Company Address:				Project Location:										
Phone No:				Invoice To:										
Email:				PO Number:										
Project Contact:														
Sample Name:														
Field ID / Point of Collection														
No.	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MeOH	NONE	Field Comments
1	Composite Soil #4 (0-4')	11-7-16	0835	S	1									Chlorides
2	Composite Soil #5 (0-4')	11-7-16	0848	S	1									
3	Composite Soil #6 (0-4')	11-7-16	0852	S	1									
4	Composite Soil #7 (0-4')	11-7-16	0906	S	1									
5	Composite Soil #8 (0-4')	11-7-16	0908	S	1									
6	Composite Soil #9 (0-4')	11-7-16	0912	S	1									
7	Composite Soil #10 (0-4')	11-7-16	0915	S	1									
8	Composite Soil #11 (0-4')	11-7-16	1217	S	1									
9	Composite Soil #12 (0-4')	11-7-16	1220	S	1									
10	Composite Soil #13 (0-4')	11-7-16	1223	S	1									
<div> <input type="checkbox"/> Same Day TAT <input type="checkbox"/> 5 Day TAT <input type="checkbox"/> Level II Std QC <input type="checkbox"/> Level IV (Full Data Pkg raw data) </div> <div> <input checked="" type="checkbox"/> Next Day EMERGENCY <input type="checkbox"/> 7 Day TAT <input type="checkbox"/> Level III Std QC+ Forms <input type="checkbox"/> TRRP Level IV </div> <div> <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> Contract TAT <input type="checkbox"/> Level 3 (CLP Forms) <input type="checkbox"/> UST / RG-411 </div> <div> <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> TRRP Checklist </div>														
<div> <input type="checkbox"/> TAT Starts Day received by Lab, if received by 3:00 pm </div> <div> <input type="checkbox"/> Relinquished by Sampler: Date Time: 11-7-16/1615 Received By: [Signature] Relinquished By: [Signature] Date Time: 11-7-16/1615 Received By: [Signature] </div> <div> <input type="checkbox"/> Relinquished by: Date Time: Received By: Relinquished By: Date Time: Received By: </div> <div> <input type="checkbox"/> Relinquished by: Date Time: Received By: Relinquished By: Date Time: Received By: </div>														
<div> <input type="checkbox"/> On/Off CF: + 0.1 Corrected Temp: 3.5 </div> <div> <input type="checkbox"/> On/Off CF: + 0.1 Corrected Temp: 3.5 </div>														





Prelogin/Nonconformance Report- Sample Log-In

Client: Arcadis - Houston

Date/ Time Received: 11/08/2016 10:11:00 AM

Work Order #: 539912

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	3.3
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	Yes
#5 *Custody Seals intact on shipping container/ cooler?	Yes
#6 Custody Seals intact on sample bottles?	No
#7 *Custody Seals Signed and dated?	No
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	N/A
#21 VOC samples have zero headspace (less than 1/4 inch bubble)?	N/A
#22 <2 for all samples preserved with HNO3,HCL, H2SO4? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A
#23 >10 for all samples preserved with NaAsO2+NaOH, ZnAc+NaOH?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Jessica Kramer

Date: 11/08/2016

Checklist reviewed by:

Kelsey Brooks

Date: 11/08/2016

Analytical Report 540193

**for
Arcadis - Houston**

Project Manager: Jonathan Olsen

HES Transfer

17-NOV-16

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)

Xenco-San Antonio: Texas (T104704534)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



Table of Contents

Cover Page	1
Cover Letter	3
Sample ID Cross Reference	4
Case Narrative	5
Certificate of Analysis Summary	6
Explanation of Qualifiers (Flags)	7
LCS / LCSD Recoveries	8
MS / MSD Recoveries	9
Chain of Custody	10
Sample Receipt Conformance Report	11



17-NOV-16

Project Manager: **Jonathan Olsen**

Arcadis - Houston

2929 Briarpark Dr., Ste 300

Houston, TX 77042

Reference: XENCO Report No(s): **540193**

HES Transfer

Project Address: Buckeye NM

Jonathan Olsen:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 540193. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 540193 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America



Sample Cross Reference 540193

Arcadis - Houston, Houston, TX

HES Transfer

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWU118-19 (4')	S	11-08-16 13:37		540193-001
VGWU118-19 (7')	S	11-08-16 13:45		540193-002
VGWU118-19 (9')	S	11-08-16 14:02		Not Analyzed



CASE NARRATIVE

Client Name: *Arcadis - Houston*

Project Name: *HES Transfer*

Project ID:

Work Order Number(s): *540193*

Report Date: *17-NOV-16*

Date Received: *11/10/2016*

Sample receipt non conformances and comments:

Level II Reporting

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 540193

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Jonathan Olsen

Project Location: Buckeye NM

Date Received in Lab: Thu Nov-10-16 06:50 pm

Report Date: 17-NOV-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	540193-001	540193-002				
	<i>Field Id:</i>	VGWU118-19 (4')	VGWU118-19 (7')				
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL				
	<i>Sampled:</i>	Nov-08-16 13:37	Nov-08-16 13:45				
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Nov-16-16 12:59	Nov-16-16 12:59				
	<i>Analyzed:</i>	Nov-16-16 20:37	Nov-16-16 20:44				
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL				
Chloride		11.2 5.00	69.9 5.00				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.0%

Kelsey Brooks
Project Manager



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



BS / BSD Recoveries

Project Name: HES Transfer

Work Order #: 540193

Project ID:

Analyst: SLU

Date Prepared: 11/16/2016

Date Analyzed: 11/17/2016

Lab Batch ID: 3004056

Sample: 716177-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<5.00	250	265	106	250	259	104	2	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes

Version: 1.0%

Form 3 - MS / MSD Recoveries



Project Name: HES Transfer

Work Order # : 540193

Project ID:

Lab Batch ID: 3004056

QC- Sample ID: 540433-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 11/16/2016

Date Prepared: 11/16/2016

Analyst: SLU

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	3840	2500	6490	106	2500	6310	99	3	90-110	20	

Matrix Spike Percent Recovery $[D] = 100 * (C - A) / B$
 Relative Percent Difference $RPD = 200 * |(C - F) / (C + F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 * (F - A) / E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
 N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



ARCADIS
Environmental Water Treatment Division

ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 1 of 1

Lab Work Order #

540193

Send Results to:
Contact & Company Name: Bentley Design/Analysis
Address: 10005 Westheimer Road
City: Suite 200 State: TX Zip: 77042
Telephone: (713) 993-4874
Fax: (713) 977-4600
E-mail Address: lortwin@bentley.com

Preservation Key: AE
Revised (✓)
of Containers: 3
Container Information: 8
PARAMETER ANALYSIS & METHOD

Preservation Key: AE
Container Information Key:
1. 40 ml Vial
2. 1 L Amber
3. 250 ml Plastic
4. 500 ml Plastic
5. Eucora
6. 2 oz Glass
7. 4 oz Glass
8. 8 oz Glass
9. Other: _____
10. Other: _____

Project Name/Location (City, State): HES Transfer Building, Wm
Sample's Original Name: Kyan Henry
Sample's Original ID: 80048611, 1601
Sample's Original Date: 11-10-16

Matrix Key:
SE - Sediment
W - Water
T - Tissue
SL - Sludge
SM - Sample Wipe
Other: _____

REMARKS

Sample ID

Collection Date Time

Type (✓) Matrix

V6WU118-18(4)
V6WU118-18(7)
V6WU118-18(9)

11-2-16 1337
11-2-16 1345
11-2-16 1402

✓ SD
✓ SD
✓ SD

A. R. R.
11/1/16

11-10-16 15:45

Hold *

Special Instructions/Comments:

* 5-day TAT *

* Level 11 Reporting *

☐ Special OARQ Instructions (✓):

Lab Name: Xenoco

Relinquished By: Kyan Henry

Relinquished By: Bill Williams

Lab Name: Xenoco

Relinquished By: Bill Williams

Relinquished By: Bill Williams

Speedy Turnaround Requirements:
Cooler Custody Seal (✓)
☐ Intact ☐ Not Intact

Temp: IR ID: 8-8
CF: + 0.1
Corrected Temp: 1.30°C

Shipping Tracking: 5-day TAT

20730026 Cdc Lab Form 01-12-2007

Distribution:

WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by ARCADIS



Prelogin/Nonconformance Report- Sample Log-In

Client: Arcadis - Houston

Date/ Time Received: 11/10/2016 06:50:00 PM

Work Order #: 540193

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1.3
#2 *Shipping container in good condition?	N/A
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	N/A
#5 *Custody Seals intact on shipping container/ cooler?	N/A
#6 Custody Seals intact on sample bottles?	N/A
#7 *Custody Seals Signed and dated?	N/A
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	N/A
#21 VOC samples have zero headspace (less than 1/4 inch bubble)?	N/A
#22 <2 for all samples preserved with HNO ₃ , HCL, H ₂ SO ₄ ? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A
#23 >10 for all samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Jessica Kramer

Date: 11/11/2016

Checklist reviewed by:

Kelsey Brooks

Date: 11/11/2016

Analytical Report 540846

**for
Arcadis - Houston**

**Project Manager: Jonathan Olsen
Midland Odessa Discounted Fee Schedule**

02-DEC-16

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)
Xenco-San Antonio: Texas (T104704534)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



Table of Contents

Cover Page	1
Cover Letter	3
Sample ID Cross Reference	4
Case Narrative	5
Certificate of Analysis Summary	6
Explanation of Qualifiers (Flags)	7
LCS / LCSD Recoveries	8
MS / MSD Recoveries	9
Chain of Custody	10
Sample Receipt Conformance Report	11



02-DEC-16

Project Manager: **Jonathan Olsen**

Arcadis - Houston

2929 Briarpark Dr., Ste 300

Houston, TX 77042

Reference: XENCO Report No(s): **540846**

Midland Odessa Discounted Fee Schedule

Project Address: Buckeye NM

Jonathan Olsen:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 540846. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 540846 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America



Sample Cross Reference 540846

Arcadis - Houston, Houston, TX

Midland Odessa Discounted Fee Schedule

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWU-118 #1	S	11-21-16 14:26		540846-001
VGWU-118 #2	S	11-21-16 15:00		540846-002
VGWU-118 #3	S	11-21-16 15:10		540846-003



CASE NARRATIVE

Client Name: *Arcadis - Houston*

Project Name: *Midland Odessa Discounted Fee Schedule*

Project ID:

Work Order Number(s): 540846

Report Date: 02-DEC-16

Date Received: 11/22/2016

Sample receipt non conformances and comments:

Level II Reporting

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 540846

Arcadis - Houston, Houston, TX

Project Name: Midland Odessa Discounted Fee Schedule

Project Id:

Contact: Jonathan Olsen

Project Location: Buckeye NM

Date Received in Lab: Tue Nov-22-16 03:53 pm

Report Date: 02-DEC-16

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	540846-001	540846-002	540846-003			
	<i>Field Id:</i>	VGWU-118 #1	VGWU-118 #2	VGWU-118 #3			
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL			
	<i>Sampled:</i>	Nov-21-16 14:26	Nov-21-16 15:00	Nov-21-16 15:10			
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Nov-30-16 09:04	Nov-30-16 09:04	Nov-30-16 09:04			
	<i>Analyzed:</i>	Nov-30-16 14:25	Nov-30-16 14:32	Nov-30-16 14:39			
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL			
Chloride		220 5.00	2370 25.0	1400 5.00			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



BS / BSD Recoveries

Project Name: Midland Odessa Discounted Fee Schedule

Work Order #: 540846

Project ID:

Analyst: MNR

Date Prepared: 11/30/2016

Date Analyzed: 11/30/2016

Lab Batch ID: 3004723

Sample: 716623-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<5.00	250	241	96	250	238	95	1	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries

Project Name: Midland Odessa Discounted Fee Schedule

Work Order #: 540846

Project ID:

Lab Batch ID: 3004723

QC- Sample ID: 540677-034 S

Batch #: 1 Matrix: Soil

Date Analyzed: 11/30/2016

Date Prepared: 11/30/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	10.9	273	285	100	273	292	103	2	90-110	20	

Lab Batch ID: 3004723

QC- Sample ID: 541018-001 S

Batch #: 1 Matrix: Sludge

Date Analyzed: 11/30/2016

Date Prepared: 11/30/2016

Analyst: MNR

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	1130	250	1360	92	250	1380	100	1	90-110	20	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
 Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Selling the Standard since 1990
Stafford, Texas (281-240-4200)

Dallas, Texas (214-502-0300)

Service Center - San Antonio, Texas (210-509-3334)

www.xenico.com

Odesa, Texas (432-563-1800)

Norcross, Georgia (770-449-8800)

Xenon Quore

Lakeland, Florida (853-646-8526)

Tampa, Florida (813-620-2000)

479

CHAIN OF CUSTODY

Page 10

Client / Reporting Information		Project Information		Analytical Information		Matrix Codes
Company Name / Branch: AICAPDS		Project Name/Number:				A = Air S = Soil/Sed/Solids GW = Ground Water DW = Drinking Water P = Product SW = Surface water SL = Sludge WW = Waste Water W = Wipe O = Oil WW = Waste Water
Company Address: 1004 N. Big Spring St STE 300		Project Location: Buckeye				
Email: joshua.oben@aicapds.com		Invoice To:				
Phone No:						
Project Contact: Dan Allen Dgan		PO Number:				
Sampler's Name: Cory Langwell						

No.	Field ID / Point of Collection	Collection	Number of preserved bottles										Field Comments	
		Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO ₃	H ₂ SO ₄	NaOH	NaHSO ₄	MECH	NONE
1	VCWU-119 #2	/	11/21/14	1921	S	1								V I
2	VCWU-118 #2	/	11/21/14	1500	S	1								V I
3	VCWU-118 #3	/	11/21/14	1510	S	1								V I
4														
5														
6														
7														
8														
9														
10														

Turnaround Time / Business days		Data Deliverable Information		Notes:	
Same Day TAT	<input checked="" type="checkbox"/> 5 Day TAT	<input checked="" type="checkbox"/> Level II Std QC	<input type="checkbox"/> Level IV (Full Data Plg /raw data)		
Next Day EMERGENCY	<input type="checkbox"/> 7 Day TAT	<input type="checkbox"/> Level III Std QC+ Forms	<input type="checkbox"/> TRRP Level IV		
2 Day EMERGENCY	<input type="checkbox"/> Contract TAT	<input type="checkbox"/> Level 3 (CLP Forms)	<input type="checkbox"/> UST / RG -411		
3 Day EMERGENCY		<input type="checkbox"/> TRRP Checklist			

TAT Starts Day received by Lab, if received by 3:00 pm

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY					
Relinquished by Sampler:	Received By:	Relinquished By:	Received By:	FED-EX / UPS Tracking #	
Relinquished by: Cory S. Langwell	Received By: [Signature]	Relinquished By: [Signature]	Received By: [Signature]		
Date Time: 11/21/14 1553	Date Time: 11-22-14 1553	Date Time: 11-22-14 1553	Date Time: 11-22-14 1553		
Preserved where applicable					

Temp: IR ID-R-8
 CF: + 0.1 160c
 Corrected Temp: 1.70c



Prelogin/Nonconformance Report- Sample Log-In

Client: Arcadis - Houston

Date/ Time Received: 11/22/2016 03:53:00 PM

Work Order #: 540846

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1.7
#2 *Shipping container in good condition?	N/A
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	N/A
#5 *Custody Seals intact on shipping container/ cooler?	N/A
#6 Custody Seals intact on sample bottles?	N/A
#7 *Custody Seals Signed and dated?	N/A
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	N/A
#21 VOC samples have zero headspace (less than 1/4 inch bubble)?	N/A
#22 <2 for all samples preserved with HNO3,HCL, H2SO4? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A
#23 >10 for all samples preserved with NaAsO2+NaOH, ZnAc+NaOH?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Jessica Kramer

Date: 11/23/2016

Checklist reviewed by:

Kelsey Brooks

Date: 11/23/2016



Certificate of Analysis Summary 570197

ARCADIS, Midland, TX

Project Name: HES

Project Id:

Contact: Brett Krehbiel

Project Location: Buckeye NM

Date Received in Lab: Mon Dec-04-17 04:00 pm

Report Date: 05-DEC-17

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	570197-001	570197-008	570197-009	570197-010		
	<i>Field Id:</i>	VGWu-118-020	VGWu-118-027	VGWu-118-028	VGWu-118-029		
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Dec-04-17 09:07	Dec-04-17 11:51	Dec-04-17 11:58	Dec-04-17 13:09		
Chloride by EPA 300	<i>Extracted:</i>	Dec-05-17 16:00	Dec-05-17 16:00	Dec-05-17 16:00	Dec-05-17 16:00		
	<i>Analyzed:</i>	Dec-05-17 16:19	Dec-05-17 16:25	Dec-05-17 16:31	Dec-05-17 16:36		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		38.5 4.96	9.15 4.96	18.1 4.97	615 4.96		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Mike Kimmel
Client Services Manager

Analytical Report 570197

for

ARCADIS

Project Manager: Brett Krehbiel

HES

05-DEC-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



05-DEC-17

Project Manager: **Brett Krehbiel**

ARCADIS

1004 N. Big Spring St.

Midland, TX 79701

Reference: XENCO Report No(s): **570197**

HES

Project Address: Buckeye NM

Brett Krehbiel:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 570197. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 570197 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Mike Kimmel', is positioned above a horizontal line.

Mike Kimmel

Client Services Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 570197

ARCADIS, Midland, TX

HES

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWu-118-020	S	12-04-17 09:07		570197-001
VGWu-118-027	S	12-04-17 11:51		570197-008
VGWu-118-028	S	12-04-17 11:58		570197-009
VGWu-118-029	S	12-04-17 13:09		570197-010
VGWu-118-021	S	12-04-17 09:13		Not Analyzed
VGWu-118-022	S	12-04-17 10:02		Not Analyzed
VGWu-118-023	S	12-04-17 10:12		Not Analyzed
VGWu-118-024	S	12-04-17 10:34		Not Analyzed
VGWu-118-025	S	12-04-17 11:12		Not Analyzed
VGWu-118-026	S	12-04-17 11:35		Not Analyzed



CASE NARRATIVE

Client Name: *ARCADIS*

Project Name: *HES*

Project ID:

Work Order Number(s): *570197*

Report Date: *05-DEC-17*

Date Received: *12/04/2017*

Sample receipt non conformances and comments:

12/05/17: Per Brett only run samples 020,027,028,and 029.

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: **VGWu-118-020**

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-001

Date Collected: 12.04.17 09.07

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	38.5	4.96	mg/kg	12.05.17 16.19		1



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: **VGWu-118-027**

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-008

Date Collected: 12.04.17 11.51

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.15	4.96	mg/kg	12.05.17 16.25		1



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: **VGWu-118-028**

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-009

Date Collected: 12.04.17 11.58

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	18.1	4.97	mg/kg	12.05.17 16.31		1



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: **VGWu-118-029**

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-010

Date Collected: 12.04.17 13.09

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	615	4.96	mg/kg	12.05.17 16.36		1



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



ARCADIS HES

Analytical Method: Chloride by EPA 300

Seq Number: 3035034

MB Sample Id: 7635433-1-BLK

Matrix: Solid

LCS Sample Id: 7635433-1-BKS

Prep Method: E300P

Date Prep: 12.05.17

LCSD Sample Id: 7635433-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	254	102	249	100	90-110	2	20	mg/kg	12.05.17 14:02	

Analytical Method: Chloride by EPA 300

Seq Number: 3035034

Parent Sample Id: 569375-044

Matrix: Soil

MS Sample Id: 569375-044 S

Prep Method: E300P

Date Prep: 12.05.17

MSD Sample Id: 569375-044 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	623	247	847	91	852	93	90-110	1	20	mg/kg	12.05.17 14:20	

Analytical Method: Chloride by EPA 300

Seq Number: 3035034

Parent Sample Id: 569375-046

Matrix: Soil

MS Sample Id: 569375-046 S

Prep Method: E300P

Date Prep: 12.05.17

MSD Sample Id: 569375-046 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	967	246	1140	70	1130	66	90-110	1	20	mg/kg	12.05.17 15:43	X

ARCADIS

ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 1 of 1

Lab Work Order #

570197

Send Results to:	
Client & Company Name	Telephone
Address	Fax
City	State
Zip	Project #

Preservative	Filtered (+)	
# of Containers	614	
Container Information		

Preservation Key:	Keys
A. H ₂ SO ₄	1. 40 ml Veal
B. HCL	2. 1 L Amber
C. HNO ₃	3. 250 ml Plastic
D. NaOH	4. 500 ml Plastic
E. Nitro	5. Enclave
F. Other	6. 2 Lz Glass
G. Other	7. 4 Lz Glass
H. Other	8. 5 oz Glass
I. Other	9. Other
J. Other	10. Other

Project Name/Location (City State)	Project #
Sample Name	Sample's Signature
Sample ID	Collection Date

Matrix	Matrix Key:
	SO - Soil
	W - Water
	T - Tissue
	SE - Sediment
	SL - Sludge
	A - Air
	NL - NAFU/OLI
	SV - Sample White
	Other

REMARKS

Sample ID	Collection Date	Type (+)	Matrix	Preservative	Filtered (+)	# of Containers	Container Information
V6004-118-020	12/1/19	0903	S	✓			
V6004-118-021	12/1/19	0913	S	✓			
V6004-118-022	12/1/19	1002	S	✓			
V6004-118-023	12/1/19	1012	S	✓			
V6004-118-024	12/1/19	1034	S	✓			
V6004-118-025	12/1/19	1112	S	✓			
V6004-118-026	12/1/19	1135	S	✓			
V6004-118-027	12/1/19	1151	S	✓			
V6004-118-028	12/1/19	1158	S	✓			
V6004-118-029	12/1/19	1809	S	✓			

Temp: 1.6°C IF ID-R-8
 CF: (0-6: -0.2°C)
 (6-23: +0.2°C)
 Corrected Temp: 1.4°C

☐ Special QA/QC Instructions (+):

☐ Special QA/QC Instructions (+):

Hole #

Laboratory Information and Receipt

Relinquished By

Received By

Relinquished By

Laboratory Received By

Lab Name	Cooler Custody Seal (+)
✓	Intact
✓	Not Intact

Printed Name

Printed Name

Printed Name

Printed Name

Printed Name

✓	Cooler packed with ice (+)
---	----------------------------

Signature

Signature

Signature

Signature

Signature

✓	Sample Transported Reimbursement
---	----------------------------------

File #

File #

File #

File #

File #

✓	Shipping Tracking #
---	---------------------

Date/Time

Date/Time

Date/Time

Date/Time

Date/Time

✓	Condition (+) Cooler Temp
---	---------------------------

Date/Time

Date/Time

Date/Time

Date/Time

Date/Time

207 Jovian Date AR Form 08-21-2016

Distribution:

WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by Arcadis



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: ARCADIS

Date/ Time Received: 12/04/2017 04:00:00 PM

Work Order #: 570197

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	No
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Shawnee Smith

Date: 12/05/2017

Checklist reviewed by:

Mike Kimmel

Date: 12/05/2017



Certificate of Analysis Summary 570432

ARCADIS, Midland, TX

Project Name: HES Transfer

Project Id: VGWU
Contact: Brett Krehbiel
Project Location: Buckeye NM

Date Received in Lab: Thu Dec-07-17 11:15 am
Report Date: 07-DEC-17
Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	570432-001					
	Field Id:	VGWU-118-030					
	Depth:						
	Matrix:	SOIL					
	Sampled:	Dec-06-17 13:05					
Chloride by EPA 300	Extracted:	Dec-07-17 12:30					
	Analyzed:	Dec-07-17 15:18					
	Units/RL:	mg/kg RL					
Chloride		10.5 4.93					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
 The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
 XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
 Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Mike Kimmel
Client Services Manager

Analytical Report 570432

for
ARCADIS

Project Manager: Brett Krehbiel

HES Transfer

VGWU

07-DEC-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



07-DEC-17

Project Manager: **Brett Krehbiel**

ARCADIS

1004 N. Big Spring St.

Midland, TX 79701

Reference: XENCO Report No(s): **570432**

HES Transfer

Project Address: Buckeye NM

Brett Krehbiel:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 570432. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 570432 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Mike Kimmel', is written over a horizontal line.

Mike Kimmel

Client Services Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 570432

ARCADIS, Midland, TX

HES Transfer

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWU-118-030	S	12-06-17 13:05		570432-001



CASE NARRATIVE

Client Name: *ARCADIS*

Project Name: *HES Transfer*

Project ID: *VGWU*
Work Order Number(s): *570432*

Report Date: *07-DEC-17*
Date Received: *12/07/2017*

Sample receipt non conformances and comments:

12/05/17: Per Brett only run samples 020,027,028,and 029.

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 570432

ARCADIS, Midland, TX

HES Transfer

Sample Id: **VGWU-118-030**

Matrix: Soil

Date Received: 12.07.17 11.15

Lab Sample Id: 570432-001

Date Collected: 12.06.17 13.05

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.07.17 12.30

Basis: Wet Weight

Seq Number: 3035238

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.5	4.93	mg/kg	12.07.17 15.18		1



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



ARCADIS

HES Transfer

Analytical Method: Chloride by EPA 300

Seq Number: 3035238

MB Sample Id: 7635585-1-BLK

Matrix: Solid

LCS Sample Id: 7635585-1-BKS

Prep Method: E300P

Date Prep: 12.07.17

LCSD Sample Id: 7635585-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	255	102	258	103	90-110	1	20	mg/kg	12.07.17 09:29	

Analytical Method: Chloride by EPA 300

Seq Number: 3035238

Parent Sample Id: 566199-021

Matrix: Soil

MS Sample Id: 566199-021 S

Prep Method: E300P

Date Prep: 12.07.17

MSD Sample Id: 566199-021 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	53.4	248	307	102	303	101	90-110	1	20	mg/kg	12.07.17 14:07	

Analytical Method: Chloride by EPA 300

Seq Number: 3035238

Parent Sample Id: 569852-001

Matrix: Soil

MS Sample Id: 569852-001 S

Prep Method: E300P

Date Prep: 12.07.17

MSD Sample Id: 569852-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	484	250	730	98	722	95	90-110	1	20	mg/kg	12.07.17 12:44	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page 1 of 1

Lab Work Order #

570432

Send Results to:

Contact & Company Name:

Telephone:

Project Name/Location (City, State):
 Address: 1004 N. 835 Spring St
 City: STE 300 State: TX Zip: 75201
 E-mail Address: 432-687-5401
 Fax: 432-687-5401

Preservative
 Filtered (✓)
 # of Containers
 Container Information

1
 8

PARAMETER ANALYSIS & METHOD

Project Name/Location (City, State):

Project #

Sample's Printed Name:

Sampler's Signature:

Sample ID

Collection

Date

Time

Comp

Grab

Matrix

Vehicle-118-030

24/11/1305

X

S

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

REMARKS

24-hr TAT

Preservation Key:

Keys

Container Information Key:

1. 40 ml Vial

2. 1 L Amber

3. 250 ml Plastic

4. 500 ml Plastic

5. Encore

6. 2 oz Glass

7. 4 oz Glass

8. 8 oz Glass

9. Other:

10. Other:

Matrix Key:

SO - Soil

SE - Sediment

SW - Sludge

A - Air

NL - NAP/OLI

SW - Sample Wipe

Other:

T - Tissue

Special Instructions/Comments:

☐ Special QA/QC Instructions(✓):

Temp: 4.30C IR ID:R-8
 CF:(0-6; -0.2°C)
 (6-23; +0.2°C)
 Corrected Temp: 4.10C

Laboratory Information and Receipt

Lab Name:

Cooler Custody Seal (✓)

☒ Cooler packed with ice (✓)

☐ Intact

☐ Not Intact

Specify Turnaround Requirements:

Sample Receipt:

Shipping Tracking #

Condition/Cooler Temp: 23°C

Relinquished By

Received By

Relinquished By

Laboratory Received By

Printed Name:

Printed Name:

Printed Name:

Printed Name:

Signature:

Signature:

Signature:

Signature:

Date/Time:

Date/Time:

Date/Time:

Date/Time:

From:

From:

From:

From:

20730026 Co/C AR Form 08.27.2015

Distribution:

WHITE - Laboratory returns with results

YELLOW - Lab copy

PINK - Retained by Arcadis



ID#

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page of

Lab Work Order #

570432

Send Results to:		Telephone:	
Beach, Keith Bird / (904) 283-4326		432-682-5400	
Address: 1001 W. 8th St. Ste. 300		Fax:	
City: Ste. 300	State:	Zip:	432-682-5401
Project Name/Location (City, State):		Project #:	
HES Traffic: Bridge on Hwy 5, Highway		beach.keithbird@areadix.com	
Sample ID		Sample's Signature: [Signature]	
Collection Date: 4/4/13		Time: 1305	
Type (✓): X		Comp: 5	
Grab: 1		Matrix: 1	
Condition/Cooler Temp: 23°C		Cooler Custody Seal (✓):	
Intact: <input type="checkbox"/> Not Intact: <input type="checkbox"/>		Relinquished By: [Signature]	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]		Received By: [Signature]	
Signature: [Signature]		Signature: [Signature]	
Date/Time: 12/6/11/1515		Date/Time: 12/6/11/1515	
Firm: AREADIX		Firm: AREADIX	
Printed Name: [Name]			



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: ARCADIS

Date/ Time Received: 12/07/2017 11:15:00 AM

Work Order #: 570432

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	4.1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	No
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Connie Hernandez

Date: 12/07/2017

Checklist reviewed by:

Mike Kimmel

Date: 12/07/2017



Certificate of Analysis Summary 564892

Arcadis - Houston, Houston, TX

Project Name: HES Transfer VGWU-118

Project Id:

Contact: Brett Krehbiel

Project Location:

Date Received in Lab: Fri Oct-06-17 10:30 am

Report Date: 09-OCT-17

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	564892-001	564892-002	564892-003	564892-004	564892-005	564892-006
	<i>Field Id:</i>	VGWU-118-001	VGWU-118-002	VGWU-118-003	VGWU-118-004	VGWU-118-005	VGWU-118-006
	<i>Depth:</i>	2- In	2- In	2- In	2- In	2- In	2- In
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-05-17 07:41	Oct-05-17 07:42	Oct-05-17 07:44	Oct-05-17 07:45	Oct-05-17 07:46	Oct-05-17 07:47
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Oct-06-17 17:00	Oct-06-17 17:00	Oct-06-17 17:00	Oct-06-17 17:00	Oct-06-17 17:00	Oct-06-17 17:00
	<i>Analyzed:</i>	Oct-06-17 22:55	Oct-06-17 23:18	Oct-06-17 23:25	Oct-06-17 23:33	Oct-06-17 23:41	Oct-07-17 00:04
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		8.11 4.96	544 4.99	2760 24.7	41.3 4.94	67.9 4.92	15.0 4.94

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager

Analytical Report 564892

for
Arcadis - Houston

Project Manager: Brett Krehbiel

HES Transfer VGWU-118

09-OCT-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)
Xenco-San Antonio: Texas (T104704534)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



09-OCT-17

Project Manager: **Brett Krehbiel**
Arcadis - Houston
10205 Westheimer Rd., Suite 800
Houston, TX 77042

Reference: XENCO Report No(s): **564892**
HES Transfer VGWU-118
Project Address:

Brett Krehbiel:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 564892. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 564892 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 564892****Arcadis - Houston, Houston, TX**

HES Transfer VGWU-118

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWU-118-001	S	10-05-17 07:41	2 In	564892-001
VGWU-118-002	S	10-05-17 07:42	2 In	564892-002
VGWU-118-003	S	10-05-17 07:44	2 In	564892-003
VGWU-118-004	S	10-05-17 07:45	2 In	564892-004
VGWU-118-005	S	10-05-17 07:46	2 In	564892-005
VGWU-118-006	S	10-05-17 07:47	2 In	564892-006



CASE NARRATIVE

Client Name: Arcadis - Houston

Project Name: HES Transfer VGWU-118

Project ID:
Work Order Number(s): 564892

Report Date: 09-OCT-17
Date Received: 10/06/2017

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 564892

Arcadis - Houston, Houston, TX

HES Transfer VGWU-118

Sample Id: **VGWU-118-001** Matrix: Soil Date Received: 10.06.17 10.30
Lab Sample Id: 564892-001 Date Collected: 10.05.17 07.41 Sample Depth: 2 In
Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
Tech: MNV % Moisture:
Analyst: MNV Date Prep: 10.06.17 17.00 Basis: Wet Weight
Seq Number: 3029837

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	8.11	4.96	mg/kg	10.06.17 22.55		1



Certificate of Analytical Results 564892

Arcadis - Houston, Houston, TX

HES Transfer VGWU-118

Sample Id: **VGWU-118-002**

Matrix: Soil

Date Received: 10.06.17 10.30

Lab Sample Id: 564892-002

Date Collected: 10.05.17 07.42

Sample Depth: 2 In

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.06.17 17.00

Basis: Wet Weight

Seq Number: 3029837

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	544	4.99	mg/kg	10.06.17 23.18		1



Certificate of Analytical Results 564892

Arcadis - Houston, Houston, TX

HES Transfer VGWU-118

Sample Id: **VGWU-118-003**

Matrix: Soil

Date Received: 10.06.17 10.30

Lab Sample Id: 564892-003

Date Collected: 10.05.17 07.44

Sample Depth: 2 In

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.06.17 17.00

Basis: Wet Weight

Seq Number: 3029837

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2760	24.7	mg/kg	10.06.17 23.25		5



Certificate of Analytical Results 564892

Arcadis - Houston, Houston, TX

HES Transfer VGWU-118

Sample Id: **VGWU-118-004**

Matrix: Soil

Date Received: 10.06.17 10.30

Lab Sample Id: 564892-004

Date Collected: 10.05.17 07.45

Sample Depth: 2 In

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.06.17 17.00

Basis: Wet Weight

Seq Number: 3029837

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	41.3	4.94	mg/kg	10.06.17 23.33		1



Certificate of Analytical Results 564892

Arcadis - Houston, Houston, TX

HES Transfer VGWU-118

Sample Id: **VGWU-118-005**

Matrix: Soil

Date Received: 10.06.17 10.30

Lab Sample Id: 564892-005

Date Collected: 10.05.17 07.46

Sample Depth: 2 In

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.06.17 17.00

Basis: Wet Weight

Seq Number: 3029837

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	67.9	4.92	mg/kg	10.06.17 23.41		1

**Certificate of Analytical Results 564892****Arcadis - Houston, Houston, TX**

HES Transfer VGWU-118

Sample Id: **VGWU-118-006**

Matrix: Soil

Date Received: 10.06.17 10.30

Lab Sample Id: 564892-006

Date Collected: 10.05.17 07.47

Sample Depth: 2 In

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.06.17 17.00

Basis: Wet Weight

Seq Number: 3029837

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	15.0	4.94	mg/kg	10.07.17 00.04		1



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



Arcadis - Houston
HES Transfer VGWU-118

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3029837

Matrix: Solid

Prep Method: E300P

MB Sample Id: 7632227-1-BLK

LCS Sample Id: 7632227-1-BKS

Date Prep: 10.06.17

LCSD Sample Id: 7632227-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	247	99	251	100	90-110	2	20	mg/kg	10.06.17 22:39	

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3029837

Matrix: Soil

Prep Method: E300P

Parent Sample Id: 564892-001

MS Sample Id: 564892-001 S

Date Prep: 10.06.17

MSD Sample Id: 564892-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	8.11	248	262	102	269	105	90-110	3	20	mg/kg	10.06.17 23:02	

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3029837

Matrix: Soil

Prep Method: E300P

Parent Sample Id: 564959-005

MS Sample Id: 564959-005 S

Date Prep: 10.06.17

MSD Sample Id: 564959-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	5.15	249	253	100	253	100	90-110	0	20	mg/kg	10.07.17 00:50	

CHAIN OF CUSTODY

Service Center - San Antonio, Texas (210-509-3334)																	
www.xenonco.com																	
Client / Reporting Information			Project Information														
Company Name / Branch: Arcadis - Houston Company Address: 10205 Westheimer Rd., Suite 800 Houston TX 77042 Email: brett.kreibiel@arcadis.com			Project Name/Number: HES Transfer Project Location: Invoice To: VGLU-11B Phone No:														
Project Contact: Brett Kreibiel			PO Number:														
Sampler's Name																	
No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	Chlorides	Analytical Information	Matrix Codes
1	VGLU-11B-CQ1	2'	10/5/17	0741	S	1									X		
2	VGLU-11B-CQ2	2'	10/5/17	0742	S	1									X		
3	VGLU-11B-CQ3	2'	10/5/17	0744	S	1									X		
4	VGLU-11B-CQ4	2'	10/5/17	0745	S	1									X		
5	VGLU-11B-CQ5	2'	10/5/17	0746	S	1									X		
6	VGLU-11B-CQ6	2'	10/5/17	0747	S	1									X		
7																	
8																	
9																	
10																	
Turnaround Time (Business days)		Data Deliverable Information															
<input type="checkbox"/> Same Day TAT		<input checked="" type="checkbox"/> Level II Std QC		<input type="checkbox"/> Level IV (Full Data Pkg / raw data)													
<input type="checkbox"/> Next Day EMERGENCY		<input type="checkbox"/> Level III Std QC+ Forms		<input type="checkbox"/> TRRP Level IV													
<input type="checkbox"/> 2 Day EMERGENCY		<input type="checkbox"/> Contract TAT		<input type="checkbox"/> Level 3 (CLP Forms)		<input type="checkbox"/> UST / RG -411											
<input checked="" type="checkbox"/> 3 Day EMERGENCY		<input type="checkbox"/> TRRP Checklist															
TAT Starts Day received by Lab, if received by 5:00 pm																	
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY																	
Relinquished By Sampler:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:		Date Time:		FED-EX / UPS Tracking #	
1 Kyle Brockman		10/5/17 10:30a		J. Smith MS		10/5/17 10:30a		2 J. Smith		10/5/17 10:30a		3 J. Smith		10/5/17 10:30a		4 J. Smith	
Relinquished By:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:		Date Time:		On Ice	
3				3				4				4				<input checked="" type="checkbox"/>	
Relinquished By:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:		Date Time:		Cooler Temp.	
5				5				5				5				36	
Thermo, Corr. Factor																	



Prelogin/Nonconformance Report- Sample Log-In

Client: Arcadis - Houston

Date/ Time Received: 10/06/2017 10:30:00 AM

Work Order #: 564892

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Shawnee Smith

Date: 10/06/2017

Checklist reviewed by:

Kelsey Brooks

Date: 10/06/2017



Certificate of Analysis Summary 565002

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Brett Krehbiel

Project Location: VGWU-118-0

Date Received in Lab: Fri Oct-06-17 04:04 pm

Report Date: 12-OCT-17

Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	565002-001					
	Field Id:	VGWU-118-007					
	Depth:	2- ft					
	Matrix:	SOIL					
	Sampled:	Oct-06-17 14:34					
Chloride by EPA 300	Extracted:	Oct-10-17 17:50					
	Analyzed:	Oct-11-17 04:01					
	Units/RL:	mg/kg RL					
Chloride		2030 25.0					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager

Analytical Report 565002

**for
Arcadis - Houston**

Project Manager: Brett Krehbiel

HES Transfer

12-OCT-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)

Xenco-San Antonio: Texas (T104704534)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



12-OCT-17

Project Manager: **Brett Krehbiel**

Arcadis - Houston

10205 Westheimer Rd., Suite 800

Houston, TX 77042

Reference: XENCO Report No(s): **565002**

HES Transfer

Project Address: VGWU-118-0

Brett Krehbiel:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 565002. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 565002 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 565002

Arcadis - Houston, Houston, TX

HES Transfer

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWU-118-007	S	10-06-17 14:34	2 ft	565002-001
VGWU-118-008	S	10-06-17 14:36	2 ft	Not Analyzed



CASE NARRATIVE

Client Name: *Arcadis - Houston*

Project Name: *HES Transfer*

Project ID:

Work Order Number(s): 565002

Report Date: 12-OCT-17

Date Received: 10/06/2017

Sample receipt non conformances and comments:

VGWU-118-008 Placed on hold Per Melisa Darrow's e-mail 10/09/17-- KB

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 565002

Arcadis - Houston, Houston, TX

HES Transfer

Sample Id: **VGWU-118-007**

Matrix: Soil

Date Received: 10.06.17 16.04

Lab Sample Id: 565002-001

Date Collected: 10.06.17 14.34

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.10.17 17.50

Basis: Wet Weight

Seq Number: 3030189

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2030	25.0	mg/kg	10.11.17 04.01		5



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



Arcadis - Houston

HES Transfer

Analytical Method: Chloride by EPA 300

Seq Number: 3030189

MB Sample Id: 7632428-1-BLK

Matrix: Solid

LCS Sample Id: 7632428-1-BKS

Prep Method: E300P

Date Prep: 10.10.17

LCSD Sample Id: 7632428-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	245	98	246	98	90-110	0	20	mg/kg	10.11.17 00:26	

Analytical Method: Chloride by EPA 300

Seq Number: 3030189

Parent Sample Id: 565168-005

Matrix: Soil

MS Sample Id: 565168-005 S

Prep Method: E300P

Date Prep: 10.10.17

MSD Sample Id: 565168-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	42.2	249	294	101	295	102	90-110	0	20	mg/kg	10.11.17 00:49	

Analytical Method: Chloride by EPA 300

Seq Number: 3030189

Parent Sample Id: 565207-002

Matrix: Ground Water

MS Sample Id: 565207-002 S

Prep Method: E300P

Date Prep: 10.10.17

MSD Sample Id: 565207-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<4.99	250	252	101	253	101	90-110	0	20	mg/kg	10.11.17 02:36	

Stafford, Texas (281-240-4200)

Dallas Texas (214-902-0300)

Service Center - San Antonio, Texas (210-509-3334)

www.kathiecl.com

Odessa, Texas (432-563-1800)

Norcross, Georgia (770-449-8800)

Tampa, Florida (813-620-2000)

CHAIN OF CUSTODY

Page 1 Of 1

[illegible]



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: Arcadis - Houston

Date/ Time Received: 10/06/2017 04:04:00 PM

Work Order #: 565002

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	2.1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Jessica Kramer

Date: 10/10/2017

Checklist reviewed by:

Kelsey Brooks

Date: 10/10/2017



Certificate of Analysis Summary 565799

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Brett Krehbiel

Project Location: VGWU-118

Date Received in Lab: Tue Oct-17-17 06:05 pm

Report Date: 19-OCT-17

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	565799-001	565799-002	565799-003	565799-004	565799-005	565799-006
	<i>Field Id:</i>	VGWU-118-009	VGWU-118-010	VGWU-118-011	VGWU-118-012	VGWU-118-013	VGWU-118-014
	<i>Depth:</i>	2- ft	2- ft	2- ft	2- ft	2- ft	2- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-17-17 11:41	Oct-17-17 11:43	Oct-17-17 11:46	Oct-17-17 11:48	Oct-17-17 11:49	Oct-17-17 11:52
Chloride by EPA 300	<i>Extracted:</i>	Oct-18-17 10:20	Oct-18-17 10:20	Oct-18-17 10:20	Oct-18-17 10:20	Oct-18-17 10:20	Oct-18-17 10:20
	<i>Analyzed:</i>	Oct-18-17 12:25	Oct-18-17 12:33	Oct-18-17 12:41	Oct-18-17 13:04	Oct-18-17 13:11	Oct-18-17 13:34
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		2150 24.7	13.9 4.92	861 5.00	1530 25.0	12.3 4.92	11.1 4.91

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 565799

Arcadis - Houston, Houston, TX

Project Name: HES Transfer

Project Id:

Contact: Brett Krehbiel

Project Location: VGWU-118

Date Received in Lab: Tue Oct-17-17 06:05 pm

Report Date: 19-OCT-17

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	565799-007	565799-008	565799-009	565799-010	565799-011	
	<i>Field Id:</i>	VGWU-118-015	VGWU-118-016	VGWU-118-017	VGWU-118-018	VGWU-118-019	
	<i>Depth:</i>	2- ft	2- ft	2- ft	2- ft	2- ft	
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	
	<i>Sampled:</i>	Oct-17-17 11:53	Oct-17-17 11:56	Oct-17-17 11:57	Oct-17-17 11:38	Oct-17-17 11:39	
Chloride by EPA 300	<i>Extracted:</i>	Oct-18-17 10:20	Oct-18-17 10:20	Oct-18-17 10:20	Oct-18-17 10:20	Oct-18-17 10:20	
	<i>Analyzed:</i>	Oct-18-17 13:42	Oct-18-17 13:50	Oct-18-17 13:57	Oct-18-17 14:05	Oct-18-17 14:13	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		7.07 4.95	39.5 4.92	14.4 4.90	28.5 4.90	<4.96 4.96	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager

Analytical Report 565799

**for
Arcadis - Houston**

Project Manager: Brett Krehbiel

HES Transfer

19-OCT-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



19-OCT-17

Project Manager: **Brett Krehbiel**

Arcadis - Houston

10205 Westheimer Rd., Suite 800

Houston, TX 77042

Reference: XENCO Report No(s): **565799**

HES Transfer

Project Address: VGWU-118

Brett Krehbiel:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 565799. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 565799 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 565799****Arcadis - Houston, Houston, TX**

HES Transfer

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWU-118-009	S	10-17-17 11:41	2 ft	565799-001
VGWU-118-010	S	10-17-17 11:43	2 ft	565799-002
VGWU-118-011	S	10-17-17 11:46	2 ft	565799-003
VGWU-118-012	S	10-17-17 11:48	2 ft	565799-004
VGWU-118-013	S	10-17-17 11:49	2 ft	565799-005
VGWU-118-014	S	10-17-17 11:52	2 ft	565799-006
VGWU-118-015	S	10-17-17 11:53	2 ft	565799-007
VGWU-118-016	S	10-17-17 11:56	2 ft	565799-008
VGWU-118-017	S	10-17-17 11:57	2 ft	565799-009
VGWU-118-018	S	10-17-17 11:38	2 ft	565799-010
VGWU-118-019	S	10-17-17 11:39	2 ft	565799-011



CASE NARRATIVE

Client Name: Arcadis - Houston

Project Name: HES Transfer

Project ID:

Work Order Number(s): 565799

Report Date: 19-OCT-17

Date Received: 10/17/2017

Sample receipt non conformances and comments:

VGWU-118-008 Placed on hold Per Melisa Darrow's e-mail 10/09/17-- KB

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3030835 Chloride by EPA 300

Lab Sample ID 565799-003 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 565799-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-009**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-001

Date Collected: 10.17.17 11.41

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2150	24.7	mg/kg	10.18.17 12.25		5

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-010**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-002

Date Collected: 10.17.17 11.43

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13.9	4.92	mg/kg	10.18.17 12.33		1

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-011**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-003

Date Collected: 10.17.17 11.46

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	861	5.00	mg/kg	10.18.17 12.41		1

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-012**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-004

Date Collected: 10.17.17 11.48

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1530	25.0	mg/kg	10.18.17 13.04		5

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-013**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-005

Date Collected: 10.17.17 11.49

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	12.3	4.92	mg/kg	10.18.17 13.11		1

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-014**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-006

Date Collected: 10.17.17 11.52

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.1	4.91	mg/kg	10.18.17 13.34		1

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-015**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-007

Date Collected: 10.17.17 11.53

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7.07	4.95	mg/kg	10.18.17 13.42		1

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-016**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-008

Date Collected: 10.17.17 11.56

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	39.5	4.92	mg/kg	10.18.17 13.50		1

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-017**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-009

Date Collected: 10.17.17 11.57

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	14.4	4.90	mg/kg	10.18.17 13.57		1



Certificate of Analytical Results 565799

Arcadis - Houston, Houston, TX

HES Transfer

Sample Id: **VGWU-118-018**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-010

Date Collected: 10.17.17 11.38

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	28.5	4.90	mg/kg	10.18.17 14.05		1

**Certificate of Analytical Results 565799****Arcadis - Houston, Houston, TX****HES Transfer**Sample Id: **VGWU-118-019**

Matrix: Soil

Date Received: 10.17.17 18.05

Lab Sample Id: 565799-011

Date Collected: 10.17.17 11.39

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 10.18.17 10.20

Basis: Wet Weight

Seq Number: 3030835

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<4.96	4.96	mg/kg	10.18.17 14.13	U	1



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



Arcadis - Houston HES Transfer

Analytical Method: Chloride by EPA 300

Seq Number: 3030835

MB Sample Id: 7632811-1-BLK

Matrix: Solid

LCS Sample Id: 7632811-1-BKS

Prep Method: E300P

Date Prep: 10.18.17

LCSD Sample Id: 7632811-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	237	95	238	95	90-110	0	20	mg/kg	10.18.17 09:36	

Analytical Method: Chloride by EPA 300

Seq Number: 3030835

Parent Sample Id: 565762-002

Matrix: Soil

MS Sample Id: 565762-002 S

Prep Method: E300P

Date Prep: 10.18.17

MSD Sample Id: 565762-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	885	249	1100	86	1110	90	90-110	1	20	mg/kg	10.18.17 11:01	X

Analytical Method: Chloride by EPA 300

Seq Number: 3030835

Parent Sample Id: 565799-003

Matrix: Soil

MS Sample Id: 565799-003 S

Prep Method: E300P

Date Prep: 10.18.17

MSD Sample Id: 565799-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	861	250	1070	84	1060	80	90-110	1	20	mg/kg	10.18.17 12:48	X

Service Center - San Antonio, Texas (210-609-3334)

www.xeneco.com

Lakeland, Florida (863-646-8526)
Tampa, Florida (813-620-2000)

Tampa, Florida (813-620-2000)

CHAIN OF CUSTODY

Page 1 Of 1

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes			
Company Name / Branch: Arcadis - Houston				Project Name/Number: HES Transfer											
Company Address: 10205 Washburne Rd, Suite 800 Houston TX 77042				Project Location: 16600-11B											
Email: brett.kreibiel@arcadis.com				Phone No:				Invoice To:							
Project Contact: Brett Kreibiel				PO Number:											
Sampler's Name: Todd Hildebrand															

No.	Field ID / Point of Collection	Sample Depth	Collection		Matrix	# of bottles	Number of preserved bottles								Chlorides	Field Comments
			Date	Time			HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MeOH	NONE		
1	V6600-11B-CC9	2	10-17-17	141	S	1										
2	V6600-11B-010	2		143	S	1										
3	V6600-11B-011	2		146	S	1										
4	V6600-11B-012	2		148	S	1										
5	V6600-11B-013	2		149	S	1										
6	V6600-11B-014	2		152	S	1										
7	V6600-11B-015	2		153	S	1										
8	V6600-11B-016	2		154	S	1										
9	V6600-11B-017	2		157	S	1										
10	V6600-11B-018	2	10-17-17	159	S	1										

Turnaround Time (Business days)				Date Deliverable Information			
<input type="checkbox"/> Same Day TAT <input checked="" type="checkbox"/> Next Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 3 Day EMERGENCY		<input type="checkbox"/> 5 Day TAT <input type="checkbox"/> 7 Day TAT <input type="checkbox"/> Contract TAT		<input type="checkbox"/> Level II Std QC <input type="checkbox"/> Level III Std QC+ Forms <input type="checkbox"/> Level 3 (CLP Forms) <input type="checkbox"/> TRRP Checklist		<input type="checkbox"/> Level IV (Full Data Plg / raw data) <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> UST / RG -411	

TAT Starts Day received by Lab, if received by 5:00 pm				FED-EX / UPS: Tracking #			
Relinquished by: [Signature] Date Time: 10-17-17 18:05 Relinquished By: 103150 MARI-27				Received By: 2 Date Time: 2 Received By: 4			
Relinquished by: 3 Date Time: 3 Received By: 5				Relinquished By: 2 Date Time: 2 Received By: 4			

Temp: **4.8**

CF: (0-6: -0.2°C)

(6-23: +0.2°C)

Corrected Temp: **4.10**

IR ID: R-8

☐ On Ice
 ☐ Cooler Temp.
 ☐ Thermo, Corr. Factor

S = Soil/Sed/Solid
 GW = Ground Water
 DW = Drinking Water
 P = Product
 SW = Surface water
 SL = Sludge
 OW = Ocean/Sea Water
 W = Wipe
 O = Oil
 WW = Waste Water
 A = Air



Prelogin/Nonconformance Report- Sample Log-In

Client: Arcadis - Houston

Date/ Time Received: 10/17/2017 06:05:00 PM

Work Order #: 565799

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	4.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Shawnee Smith

Date: 10/18/2017

Checklist reviewed by:

Kelsey Brooks

Date: 10/18/2017



Certificate of Analysis Summary 570197

ARCADIS, Midland, TX

Project Name: HES

Project Id:

Contact: Brett Krehbiel

Project Location: Buckeye NM

Date Received in Lab: Mon Dec-04-17 04:00 pm

Report Date: 05-DEC-17

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	570197-001	570197-008	570197-009	570197-010		
	<i>Field Id:</i>	VGWu-118-020	VGWu-118-027	VGWu-118-028	VGWu-118-029		
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Dec-04-17 09:07	Dec-04-17 11:51	Dec-04-17 11:58	Dec-04-17 13:09		
Chloride by EPA 300	<i>Extracted:</i>	Dec-05-17 16:00	Dec-05-17 16:00	Dec-05-17 16:00	Dec-05-17 16:00		
	<i>Analyzed:</i>	Dec-05-17 16:19	Dec-05-17 16:25	Dec-05-17 16:31	Dec-05-17 16:36		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		38.5 4.96	9.15 4.96	18.1 4.97	615 4.96		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Mike Kimmel
Client Services Manager

Analytical Report 570197

for
ARCADIS

Project Manager: Brett Krehbiel

HES

05-DEC-17

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



05-DEC-17

Project Manager: **Brett Krehbiel**

ARCADIS

1004 N. Big Spring St.

Midland, TX 79701

Reference: XENCO Report No(s): **570197**

HES

Project Address: Buckeye NM

Brett Krehbiel:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 570197. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 570197 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Mike Kimmel', is positioned above a horizontal line.

Mike Kimmel

Client Services Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 570197

ARCADIS, Midland, TX

HES

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
VGWu-118-020	S	12-04-17 09:07		570197-001
VGWu-118-027	S	12-04-17 11:51		570197-008
VGWu-118-028	S	12-04-17 11:58		570197-009
VGWu-118-029	S	12-04-17 13:09		570197-010
VGWu-118-021	S	12-04-17 09:13		Not Analyzed
VGWu-118-022	S	12-04-17 10:02		Not Analyzed
VGWu-118-023	S	12-04-17 10:12		Not Analyzed
VGWu-118-024	S	12-04-17 10:34		Not Analyzed
VGWu-118-025	S	12-04-17 11:12		Not Analyzed
VGWu-118-026	S	12-04-17 11:35		Not Analyzed



CASE NARRATIVE

Client Name: *ARCADIS*

Project Name: *HES*

Project ID:
Work Order Number(s): 570197

Report Date: 05-DEC-17
Date Received: 12/04/2017

Sample receipt non conformances and comments:

12/05/17: Per Brett only run samples 020,027,028,and 029.

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: **VGWu-118-020**

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-001

Date Collected: 12.04.17 09.07

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	38.5	4.96	mg/kg	12.05.17 16.19		1



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: VGWu-118-027

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-008

Date Collected: 12.04.17 11.51

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9.15	4.96	mg/kg	12.05.17 16.25		1



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: **VGWu-118-028**

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-009

Date Collected: 12.04.17 11.58

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	18.1	4.97	mg/kg	12.05.17 16.31		1



Certificate of Analytical Results 570197

ARCADIS, Midland, TX

HES

Sample Id: **VGWu-118-029**

Matrix: Soil

Date Received: 12.04.17 16.00

Lab Sample Id: 570197-010

Date Collected: 12.04.17 13.09

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MNV

% Moisture:

Analyst: MNV

Date Prep: 12.05.17 16.00

Basis: Wet Weight

Seq Number: 3035034

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	615	4.96	mg/kg	12.05.17 16.36		1



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd, Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



ARCADIS HES

Analytical Method: Chloride by EPA 300

Seq Number: 3035034

MB Sample Id: 7635433-1-BLK

Matrix: Solid

LCS Sample Id: 7635433-1-BKS

Prep Method: E300P

Date Prep: 12.05.17

LCSD Sample Id: 7635433-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	254	102	249	100	90-110	2	20	mg/kg	12.05.17 14:02	

Analytical Method: Chloride by EPA 300

Seq Number: 3035034

Parent Sample Id: 569375-044

Matrix: Soil

MS Sample Id: 569375-044 S

Prep Method: E300P

Date Prep: 12.05.17

MSD Sample Id: 569375-044 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	623	247	847	91	852	93	90-110	1	20	mg/kg	12.05.17 14:20	

Analytical Method: Chloride by EPA 300

Seq Number: 3035034

Parent Sample Id: 569375-046

Matrix: Soil

MS Sample Id: 569375-046 S

Prep Method: E300P

Date Prep: 12.05.17

MSD Sample Id: 569375-046 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	967	246	1140	70	1130	66	90-110	1	20	mg/kg	12.05.17 15:43	X

Page 1 of 1

Lab Work Order #

570197

Final 1.000



Prelogin/Nonconformance Report- Sample Log-In

Client: ARCADIS

Date/ Time Received: 12/04/2017 04:00:00 PM

Work Order #: 570197

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	No
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Shawnee Smith

Date: 12/05/2017

Checklist reviewed by:

Mike Kimmel

Date: 12/05/2017

VGWU 118 / 1RP-3260



Photo 1. View of hydro excavation activities.



Photo 2. View of excavation area.

VGWU 118 / 1RP-3260



Photo 3. Additional view of excavation activities.



Photo. 4 Continued excavation activities.

VGWU 118 / 1RP-3260



Photo 5. View of liner installation.



Photo 6. View of excavation backfill activities.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163837

CONDITIONS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 163837
	Action Type: [IM-SD] Incident File Support Doc (ENV) (IM-BNF)

CONDITIONS

Created By	Condition	Condition Date
jnobui	uploaded signed and approved C141 for closure	12/5/2022