

## REMEDIATION SUMMARY &

### SITE CLOSURE REQUEST

COG Operating, LLC  
SRO State Com #002H  
Eddy County, New Mexico  
Unit Letter "P", Section 32, Township 25 South, Range 28 East  
Latitude 32.080101° North, Longitude 104.1018906° West  
NMOCD Reference Nos. 2RP-4510, 2RP-4862


Prepared For:


**COG Operating, LLC**  
600 W Illinois Avenue  
Midland, Texas 79701

Prepared By:

**TRC Environmental Corporation**  
10 Desta Drive, Suite 150E  
Midland, Texas 79705

February 2019

  
Jared Stoffel, PG  
Staff Geologist

  
Curt Stanley  
Senior Project Manager

**TABLE OF CONTENTS**

INTRODUCTION & BACKGROUND INFORMATION.....1

INITIAL INVESTIGATION AND PROPOSED REMEDIATION WORKPLAN.....2

SUMMARY OF SOIL REMEDIATION ACTIVITIES .....4

SITE CLOSURE REQUEST.....6

LIMITATIONS.....7

DISTRIBUTION.....8

**FIGURES**

Figure 1 – Topographical Map

Figure 2A – Site & Sample Location Map – Initial Investigation (2RP-4510)

Figure 2B – Site & Sample Location Map – Initial Investigation (2RP-4862)

Figure 3 – Site & Confirmation Sample Location Map

**TABLES**

Table 1 – Concentrations of Benzene, BTEX, TPH and Chloride in Soil

**APPENDICES**

Appendix A – Laboratory Analytical Reports

Appendix B – General Photographs

Appendix C – Release Notification and Corrective Action (Form C-141)

Appendix D – Investigation Summary and Proposed Remediation Workplan (2RP-4510)

Appendix E – Investigation Summary and Proposed Remediation Workplan (2RP-4862)

## INTRODUCTION & BACKGROUND INFORMATION

TRC Environmental Corporation (TRC), on behalf of COG Operating, LLC (COG), has prepared this *Remediation Summary and Site Closure Request* for two (2) releases at the Site known as the SRO State Com #002H (the Site). The legal description of the Site is Unit Letter "P", Section 32, Township 25 South, Range 28 East, in Eddy County, New Mexico. The subject property is owned by the State of New Mexico and administered by New Mexico State Land Office (NMSLO). The GPS coordinates for the Site are N 32.080101° W 104.1018906°. A topographical map is provided as **Figure 1**. Photographs are provided in the photolog as **Appendix B**.

On November 30, 2017, COG discovered a produced water release had occurred at the Site. The Release was attributed to the failure of a "two (2) to one (1) swedge", which resulted in the release of produced water inside the facility's secondary lined containment and onto the adjacent caliche production pad. On the discovery date, COG notified the New Mexico Oil and Conservation Division (NMOCD) and New Mexico State Land Office (NMSLO) of the Release and the Release was assigned an NMOCD Reference number of 2RP-4510. During initial response activities, a vacuum truck was dispatched to recover all freestanding fluids. On December 1, 2017, the initial Release Notification and Corrective Action (Form C-141) was submitted and indicated thirty (30) barrels (bbls) of produced water was released with approximately twenty-eight (28) bbls of produced water recovered. The release affected an area measuring approximately one thousand and fifty (1,050) sq. ft. The majority of the release was confined within the facility's secondary lined containment, with the exception of two (2) areas which affected the adjacent caliche production pad. The two (2) areas of exception include an area to the north of the lined containment measuring approximately one hundred and forty-seven (147) sq. ft. and an area to the south of the lined containment measuring approximately two hundred and twenty-one (221) sq. ft.

On July 15, 2018, COG discovered a produced water release had occurred at the Site. The Release was attributed to lightning striking the overflow water tank, which resulted in a fire which destroyed the facility and released produced water onto the caliche production pad and adjacent pasture area. On the discovery date, COG notified the NMOCD and NMSLO of the Release and was assigned an NMOCD Reference number of 2RP-4862. During initial response activities, a vacuum truck was dispatched to recover all freestanding fluids. On July 17, 2018 the initial Release Notification and Corrective Action (Form C-141) was submitted and indicated one hundred and ninety (190) barrels (bbls) of produced water was released with approximately one hundred and eighty (180) bbls of produced water recovered. The Release affected an area measuring approximately ten thousand and fifty-three (10,053) sq. ft. The majority of the release affected the caliche production pad, with the exception of one (1) area north of the pad in the pasture measuring approximately three hundred and seventy-four (374) sq. ft. Copies of the submitted Form C-141 for each Release are provided in **Appendix C**.

A groundwater database maintained by The New Mexico Office of the State Engineer (NMOSE) did not identify any registered water wells in Section 32, Township 25 South, Range 28 East. A reference map utilized by the NMOCD indicates groundwater should be encountered at approximately twenty-five (25) feet below ground surface (bgs). No water wells were observed within one-thousand (1,000) feet of the Site. No surface water was observed within one-thousand (1,000) feet of the release.

Based on the depth to groundwater, the NMOCD Closure Criteria for Soils Impacted by a Release for the SRO State Com #002H are as follows:

- Benzene – 10 mg/kg
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) – 50 mg/kg
- Total Petroleum Hydrocarbons (TPH) – 100 mg/kg
- Chloride – 600 mg/kg

## INITIAL INVESTIGATION AND PROPOSED REMEDIATION WORKPLAN

The July 15, 2018 Release and subsequent fire caused major site destruction. The tank battery was inoperable and the Releases associated with incident report numbers 2RP-4510 and 2RP-4862 were remediated simultaneously. For the remainder of this report the information will be representative of the investigation and remediation completed in association with 2RP-4862, as the footprint of release 2RP-4862 included the footprint of release 2RP-4510. Additional information regarding the initial investigation for the Release associated with 2RP-4510 will be provided as **Appendix D – Investigation Summary and Proposed Remediation Workplan (2RP-4510)**.

On August 15, 2018, an initial investigation was conducted at the Release Site. During the initial investigation, eight (8) augerholes (SP1, SP2, SP3, SP4, SP5, SP6, SP7, and SP8) were advanced at the Release Site in an effort to characterize the vertical extent of soil impact. In addition, four (4) surface samples (North, South, East and West) were collected at the inferred margins of the Release area to characterize the lateral extent of soil impact. Please reference **Figure 2B – Site & Sample Location Map – Initial Investigation (2RP-4862)**.

Augerhole SP1 was advanced in the southwest corner of the facility. During the advancement of the augerhole, three (3) soil samples (SP1 @ Surface, SP1 @ 1', and SP1 @ 2') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents in all samples were below the laboratory method detection limit (MDL), TPH concentrations were below the NMOCD regulatory guidelines in SP1 @ 1' and SP1 @ 2', and chloride concentrations were below NMOCD regulatory guidelines in SP1 @ 1' and SP1 @ 2'. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory guidelines for BTEX constituents, TPH, or chloride beyond two (2) ft. bgs in the area characterized by augerhole SP1.

Augerhole SP2 was advanced outside of the bermed facility to the west. During the advancement of the augerhole, four (4) soil samples (SP2 @ Surface, SP2 @ 1', SP2 @ 2', and SP2 @ 3') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents in all samples analyzed for BTEX were below the laboratory MDL, TPH concentrations were below the laboratory MDL in all samples analyzed for TPH, and chloride concentrations were below NMOCD regulatory guidelines in SP2 @ 3'. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory guidelines for BTEX constituents, TPH or chloride beyond three (3) ft. bgs in the area characterized by augerhole SP2.



Augerhole SP3 was advanced outside of the bermed facility to the northwest. During the advancement of the augerhole, four (4) soil samples (SP3 @ Surface, SP3 @ 1' SP3 @ 2', and SP3 @ 3') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents in all samples analyzed for BTEX were below the laboratory MDL, TPH concentrations were below the NMOCD regulatory guidelines in SP3 @ 1', and chloride concentrations were below NMOCD regulatory guidelines in SP3 @ 2' and SP3 @ 3'. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory guidelines for BTEX constituents, TPH or chloride beyond two (2) ft. bgs in the area characterized by augerhole SP3.

Augerhole SP4 was advanced outside of the bermed facility to the north. During the advancement of the augerhole, three (3) soil samples (SP4 @ Surface, SP4 @ 1', and SP4 @ 2') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents in all samples analyzed for BTEX were below the laboratory MDL, TPH concentrations were below the NMOCD regulatory guidelines in SP4 @ 1' and SP4 @ 2', and chloride concentrations were below NMOCD regulatory guidelines in SP4 @ 1' and SP4 @ 2'. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory guidelines for BTEX constituents, TPH or chloride beyond one (1) ft. bgs in the area characterized by augerhole SP4.

Augerhole SP5 was advanced north of SP4 in the pastureland. During the advancement of the augerhole, three (3) soil samples (SP5 @ Surface, SP5 @ 1' and SP5 @ 2') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents and TPH in all samples were below the laboratory MDL, and chloride concentrations were below NMOCD regulatory guidelines in SP5 @ 1' and SP5 @ 2'. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory guidelines for BTEX constituents, TPH or chloride beyond the surface in the area characterized by augerhole SP5.

Augerhole SP6 was advanced inside the bermed facility between the two (2) easternmost steel tanks. During the advancement of the augerhole, two (2) soil samples (SP6 @ Surface and SP6 @ 1') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents and TPH in all samples were below the laboratory MDL, and chloride concentrations were below NMOCD regulatory guidelines in all samples collected from augerhole SP6. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory limits for BTEX constituents, TPH or chloride at any depth characterized by augerhole SP6.

Augerhole SP7 was advanced inside the bermed facility east of the steel tanks. During the advancement of the augerhole, five (5) soil samples (SP7 @ Surface, SP7 @ 1', SP7 @ 2', SP7 @ 3', and SP7 @ 4') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents and TPH in all samples were below the laboratory MDL, and chloride concentrations were below NMOCD regulatory guidelines in SP7 @ 3' and SP7 @ 4'. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory guidelines for BTEX constituents, TPH or chloride beyond three (3) ft. bgs in the area characterized by augerhole SP7.

Augerhole SP8 was advanced outside the bermed facility to the south. During the advancement of the augerhole, three (3) soil samples (SP8 @ Surface, SP8 @ 1', and SP8 @ 2') were collected and submitted to the laboratory for analysis of BTEX, TPH and/or chloride concentrations. Laboratory analytical results indicated BTEX constituents and TPH in all samples were below the laboratory MDL, and chloride concentrations were below NMOCD regulatory guidelines in SP8 @ 2'. Based on laboratory analytical results, soil was not affected above the NMOCD regulatory guidelines for BTEX constituents, TPH or chloride beyond two (2) ft. bgs in the area characterized by augerhole SP8.

In addition, four (4) surface samples (North @ Surface, East @ Surface, South @ Surface, and West @ Surface) were collected at the inferred edges of the affected area in an effort to characterize the horizontal extent of soil impacts. The samples were collected and submitted to the laboratory for analysis of BTEX, TPH, and chloride concentrations. Laboratory analytical results indicated BTEX constituents, TPH and chloride concentrations were each below the applicable NMOCD regulatory guideline values in each submitted soil sample. Based on laboratory analytical results, no further horizontal or vertical delineation was warranted.

On September 28, 2018, COG submitted a *Soil Investigation Summary and Proposed Remediation Workplan (Workplan)* to the NMOCD and NMSLO, proposing the following remediation activities designed to advance the Site toward an approved closure:

- Utilizing mechanical equipment, excavate impacted soil within the release margins in the areas characterized by SP1, SP5 and SP6 to a depth of approximately six (6) inches bgs, the area characterized by SP4 to a depth of approximately twelve (12) inches bgs, the area characterized by SP8 to a depth of approximately eighteen (18) inches bgs, the areas characterized by SP2 and SP3 to a depth of approximately twenty-four (24) inches bgs and the area characterized by SP7 to a depth of approximately thirty (30) inches bgs. Excavated soil will be stockpiled on-site, atop an impermeable liner pending final disposition.
- After receiving laboratory analytical results from confirmation soil samples, backfill the excavated area with locally sourced, non-impacted "like" material.

The *Workplan* was subsequently approved.

## SUMMARY OF SOIL REMEDIATION ACTIVITIES

Excavation activities were completed by a third-party contractor. As per the approved *Workplan*, the area characterized by SP5 was excavated to six (6) inches bgs. However, the areas characterized by SP1, SP2, SP3, SP4, SP6, SP7, and SP8 were field screened at the floor depth proposed by the workplan and field screen results indicated the floor required additional excavation. The floor of the excavation in the areas characterized by augerholes SP1, SP2, SP3, SP4, SP6, SP7 and SP8 was advanced until chloride field test results suggested concentrations of chloride were below the NMOCD regulatory guidelines. The resultant excavation floor was approximately eighteen (18) inches bgs in the areas characterized by SP1 and SP6, approximately thirty (30) inches bgs in the area characterized by SP8, approximately thirty-six (36) inches bgs in the areas characterized by SP2 and SP3, approximately forty-eight (48) inches bgs in the area characterized by SP7 and approximately twenty-four (24) to thirty-six (36) inches bgs in the area characterized by SP4. Excavated soil was stockpiled on-site pending final disposition.

On October 8, 2018, after the impacted soil had been excavated from within the margins of the Release Site, TRC collected twelve (12) excavation confirmation soil samples (SP-1 @ 1.5', SP-2 @ 3', SP-3 @ 3', SP-4 (1) @ 2', SP-4 (2) @ 3', SP-5 @ 6", SP-6 @ 1.5', SP-8 @ 2.5', Wall 1, Wall 2, Wall 3, and Wall 4) from the floor and sidewalls of the excavated area. The wall samples were collected from half-way down the excavation in the west, north, east and south cardinal directions, respectively, and the floor samples were labeled corresponding to the respective initial sampling areas. Collected soil samples were submitted to the laboratory for analysis of chloride concentrations. Laboratory analytical results indicated chloride concentrations were below the NMOCD regulatory guidelines in all of the submitted soil samples.

On October 11, 2018, following further excavation in the area characterized by SP7, TRC collected two (2) excavation soil samples (SP-7 FL Comp @ 4' and Wall 3) from the floor and sidewall of the excavated area. Wall 3 was resampled as the excavation depth was further advanced along the eastern margin of the excavation. Collected soil samples were submitted to the laboratory for analysis of chloride. Laboratory analytical results indicated chloride concentrations were below the NMOCD regulatory guidelines in each of the submitted soil samples. Please reference Figure 3 – Site & Confirmation Sample Location Map.

Prior to backfilling, the final dimensions of the excavated area were approximately two hundred (200) ft. in length, sixty (60) ft. to one hundred fifteen (115) ft. in width, and six (6) to forty-eight (48) inches in depth.

The site was returned to grade utilizing locally sourced clean backfill material. All excavated materials were disposed of at an NMOCD approved disposal facility.

## **SITE CLOSURE REQUEST**

Remediation activities were conducted in accordance with an NMOCD-approved *Workplan*. Laboratory analytical results from excavation confirmation soil samples indicated chloride concentrations were below the NMOCD regulatory guidelines in all of the submitted soil samples. The impacted soil was transported to an NMOCD approved disposal facility, and the site was returned to grade with locally sourced clean backfill material.

Based on laboratory analytical results and field activities conducted to date, TRC recommends COG provide copies of this Remediation Summary and Risk-Based Site Closure Request to the NMOCD and NMSSLO and request closure status to the SRO State Com #2H.

## LIMITATIONS

TRC has prepared this Remediation Summary and Site Closure Request to the best of its ability. No other warranty, expressed or implied, is made or intended.

TRC has examined and relied upon documents referenced in the report and has relied on oral statements made by certain individuals. TRC has not conducted an independent examination of the facts contained in referenced materials and statements. We have presumed the genuineness of the documents and that the information provided in documents or statements is true and accurate. TRC has prepared this report, in a professional manner, using the degree of skill and care exercised by similar environmental consultants. TRC also notes that the facts and conditions referenced in this report may change over time and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of COG Operating, LLC. The information contained in this report, including all exhibits and attachments, may not be used by any other party without the express consent of TRC and/or COG Operating, LLC.

**DISTRIBUTION**

Copy 1:

Bradford Billings  
New Mexico Energy, Minerals and Natural Resources Department  
Oil Conservation Division, District 2  
811 S. First Street  
Artesia, NM 88210

Copy 2:

Ryan Mann  
Hobbs Field Office  
New Mexico State Land Office  
2827 North Dal Paso St., Suite 117  
Hobbs, New Mexico 88240


Copy 3:


Rebecca Haskell  
COG Operating, LLC  
600 W. Illinois Avenue  
Midland, Texas 79701

Copy4:

TRC Environmental Corporation  
10 Desta Dr STE 150E  
Midland, TX 79705





LEGEND:  Site Location	<b>Figure 1</b>  Topographical Map COG Operating, LLC SRO State Com #002H Eddy County, NM			
		Drafted by: BC   Checked by: JS		
		Draft: February 14, 2019		
		GPS:	32.080101 -104.1018906	
		UL "P", Sec. 32, T25S, R28E		
		TRC Proj. No: 317083		





**LEGEND:**

- Excavate to two feet below ground surface
- Excavate to two and one half feet below ground surface
- Excavate impacted material above the lined surface
- Vertical Soil Sample Location
- Lined Berm



Figure 2A  
Site & Sample Location Map Initial  
Investigation (2RP-4510)  
COG Operating LLC  
SRO State Com #002H Tank Battery  
Eddy County, TX

Scale: 1" = 20'

CAD By: AR

Checked By: MG

Draft: April 30, 2018

Lat. N 32.080101° Long. W 104.1018906°





# COG, SRO State Com #002H

Leak date: 07/15/2018  
Eddy County, NM  
API# 30-015-37141  
2RP-4862

## Legend

- 1 ft Excavation
- 1.5 ft Excavation
- 2 ft Excavation
- 2.5 ft Excavation
- Leak area
- Sample points
- 6 in Excavation





Figure 2B  
Site & Sample Location Map Initial  
Investigation (2RP-4862)  
COG Operating LLC  
SRO State Com #002H Tank Battery  
Eddy County, TX  
BBC International, Inc.

100 ft





LEGEND:	
	Excavated Area (6")
	Excavated Area (1.5')
	Excavated Area (2')
	Excavated Area (2.5')
	Excavated Area (3')
	Excavated Area (4')
	Sample Point Location

**Figure 3**

Site & Confirmation Sample  
Location Map  
COG Operating, LLC  
SRO State Com #002H Eddy  
County, NM

Drafted by: BC   Checked by: JS	
Draft: February 14, 2019	
GPS:	32.080101 -104.1018906
UL "P", Sec. 32, T25S, R28E	
TRC Proj. No:	317083



**TABLE 1**  
**CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL**

**COG OPERATING LLC**  
**SRO STATE COM #002H**  
**EDDY COUNTY, NEW MEXICO**

*All concentrations are reported in mg/kg*

SAMPLE LOCATION	SAMPLE DEPTH	SAMPLE DATE	SOIL STATUS	METHODS: SW 846-8021b					METHOD: SW 8015M				E 300.1
				BENZENE	TOLUENE	ETHYL-BENZENE	TOTAL XYLENES	TOTAL BTEX	TPH GRO C <sub>6</sub> -C <sub>10</sub>	TPH DRO C <sub>10</sub> -C <sub>28</sub>	TPH ORO C <sub>28</sub> -C <sub>35</sub>	TOTAL TPH C <sub>6</sub> -C <sub>35</sub>	CHLORIDE
AH-1 @ 0'	Surface	12/29/17	In-situ	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	<15.0	<15.0	<15.0	<15.0	<b>19,500</b>
AH-1 @ 1'	12"	12/29/17	In-situ	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	<15.0	<15.0	<15.0	<15.0	<b>9,390</b>
AH-1 @ 2'	24"	12/29/17	In-situ	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	<15.0	<15.0	<15.0	<15.0	131
AH-2 @ 0'	Surface	12/29/17	In-situ	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	<15.0	<15.0	<15.0	<15.0	<b>14,400</b>
AH-2 @ 1'	12"	12/29/17	In-situ	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404	<15.0	<15.0	<15.0	<15.0	<b>1,640</b>
AH-2 @ 2'	24"	12/29/17	In-situ	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	<15.0	<15.0	<15.0	<15.0	<b>1,180</b>
T-1 @ 6"	6"	03/13/18	In-situ	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	<15.0	<15.0	<15.0	<15.0	286
T-1 @ 1'	12"	03/13/18	In-situ	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	<15.0	<15.0	<15.0	<15.0	291
T-1 @ 2'	24"	03/13/18	In-situ	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	<15.0	<15.0	<15.0	<15.0	200
T-1 @ 3'	36"	03/13/18	In-situ	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404	<15.0	<15.0	<15.0	<15.0	86.8
T-1 @ 4'	48"	03/13/18	In-situ	<0.00198	<0.00198	<0.00198	<0.00397	<0.00397	<15.0	<15.0	<15.0	<15.0	132
<b>NMOCD Regulatory Guidelines</b>				<b>10</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>100</b>	<b>600</b>
<b>Sample Locations depicted in Figure 2A</b>													

\*\*Samples collected by 2M Environmental Services, LLC



**TABLE 1**  
**CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL**

**COG OPERATING LLC**  
**SRO STATE COM #002H**  
**EDDY COUNTY, NEW MEXICO**

*All concentrations are reported in mg/kg*

SAMPLE LOCATION	SAMPLE DEPTH	SAMPLE DATE	SOIL STATUS	METHODS: SW 846-8021b					METHOD: SW 8015M				E 300.1
				BENZENE	TOLUENE	ETHYL-BENZENE	TOTAL XYLENES	TOTAL BTEX	TPH GRO C <sub>6</sub> -C <sub>10</sub>	TPH DRO C <sub>10</sub> -C <sub>28</sub>	TPH ORO C <sub>28</sub> -C <sub>35</sub>	TOTAL TPH C <sub>6</sub> -C <sub>35</sub>	CHLORIDE
SP1 @ Surface	Surface	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,040
SP1 @ 1'	12"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	10.2	2,220	487	2,717	80
SP1 @ 2'	24"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	56.4	27.1	83.5	48
SP2 @ Surface	Surface	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,120
SP2 @ 1'	12"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	5,040
SP2 @ 2'	24"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	608
SP2 @ 3'	36"	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	80
SP3 @ Surface	Surface	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,800
SP3 @ 1'	12"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	90.5	16.2	107	5,200
SP3 @ 2'	24"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	432
SP3 @ 3'	36"	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	48
SP4 @ Surface	Surface	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,960
SP4 @ 1'	12"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	12.3	<10.0	12.3	496
SP4 @ 2'	24"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	32
SP5 @ Surface	Surface	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,200
SP5 @ 1'	12"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
SP5 @ 2'	24"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	48
SP6 @ Surface	Surface	08/15/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	208
SP6 @ 1'	12"	08/15/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	176
SP7 @ Surface	Surface	08/16/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,960
SP7 @ 1'	12"	08/16/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	4,000
SP7 @ 2'	24"	08/16/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,040
SP7 @ 3'	36"	08/16/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	336
SP7 @ 4'	48"	08/16/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464
SP8 @ Surface	Surface	08/16/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,300
SP8 @ 1'	12"	08/16/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	1,400
SP8 @ 2'	24"	08/16/18	In-situ	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	80
North @ Surface	Surface	08/16/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	208
East @ Surface	Surface	08/16/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240
West @ Surface	Surface	08/16/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	224
South @ Surface	Surface	08/16/18	In-situ	<0.050	<0.050	<0.050	<0.150	<0.300	<10.0	<10.0	<10.0	<10.0	240
NMOCD Regulatory Guidelines				10	-	-	-	50	-	-	-	100	600
Sample Locations depicted in Figure 2B													

\*\*Samples collected by BBC International, Inc.

**TABLE 1**  
**CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL**

**COG OPERATING LLC**  
**SRO STATE COM #002H**  
**EDDY COUNTY, NEW MEXICO**

*All concentrations are reported in mg/kg*

SAMPLE LOCATION	SAMPLE DEPTH	SAMPLE DATE	SOIL STATUS	METHODS: SW 846-8021b					METHOD: SW 8015M				E 300.1
				BENZENE	TOLUENE	ETHYL-BENZENE	TOTAL XYLENES	TOTAL BTEX	TPH GRO C <sub>6</sub> -C <sub>10</sub>	TPH DRO C <sub>10</sub> -C <sub>28</sub>	TPH ORO C <sub>28</sub> -C <sub>35</sub>	TOTAL TPH C <sub>6</sub> -C <sub>35</sub>	CHLORIDE
SP-1 @ 1.5'	18"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	91.6
SP-2 @ 3'	36"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	97.3
SP-3 @ 3'	36"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	65.5
SP-4 (1) @ 2'	24"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	208
SP-4 (2) @ 3'	36"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	298
SP-5 @ 6"	6"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	396
SP-6 @ 1.5'	18"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	456
SP-8 @ 2.5'	30"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	478
Wall 1	9"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	93.3
Wall 2	3"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	219
Wall 3	12"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	46.8
Wall 4	15"	10/08/18	Excavated	-	-	-	-	-	-	-	-	-	48.2
SP-7 FL Comp @ 4'	48"	10/11/18	Excavated	-	-	-	-	-	-	-	-	-	302
Wall 3	24"	10/11/18	Excavated	-	-	-	-	-	-	-	-	-	25.4
<b>NMOCD Regulatory Guidelines</b>				<b>10</b>	-	-	-	<b>50</b>	-	-	-	<b>100</b>	<b>600</b>
<b>Sample Locations depicted in Figure 3</b>													

**\*\*Samples collected by TRC Environmental Corporation**

# Analytical Report 602047

## for TRC Solutions, Inc

Project Manager: Joel Lowry

SRO State Com

#002H

12-OCT-18

Collected By: Client



**6701 Aberdeen, Suite 9 Lubbock, TX 79424**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-27), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)

Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-13)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-17)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429)

Xenco-Lakeland: Florida (E84098)



12-OCT-18

Project Manager: **Joel Lowry**  
**TRC Solutions, Inc**  
2057 Commerce  
Midland, TX 79703

Reference: XENCO Report No(s): **602047**  
**SRO State Com**  
Project Address: Eddy Co. NM

**Joel Lowry:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 602047. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 602047 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

**Kelsey Brooks**  
Project Manager

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



**Sample Cross Reference 602047**

**TRC Solutions, Inc, Midland, TX**

SRO State Com

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SP-1 @ 1.5'	S	10-08-18 09:00	1.5 ft	602047-001
SP-2 @ 3'	S	10-08-18 09:00	3 ft	602047-002
SP-3 @ 3'	S	10-08-18 09:00	3 ft	602047-003
SP-4 (1) @ 2'	S	10-08-18 09:00	2 ft	602047-004
SP-4 (2) @ 3'	S	10-08-18 09:00	3 ft	602047-005
SP-5 @ 6"	S	10-08-18 09:00	6 ft	602047-006
SP-6 @ 1.5'	S	10-08-18 09:00	1.5 ft	602047-007
SP-8 @ 2.5'	S	10-08-18 09:00	2.5	602047-008
Wall 1	S	10-08-18 09:00		602047-009
Wall 2	S	10-08-18 09:00		602047-010
Wall 3	S	10-08-18 09:00		602047-011
Wall 4	S	10-08-18 09:00		602047-012





**CASE NARRATIVE**

*Client Name: TRC Solutions, Inc*

*Project Name: SRO State Com*

Project ID: #002H  
Work Order Number(s): 602047

Report Date: 12-OCT-18  
Date Received: 10/10/2018

**Sample receipt non conformances and comments:**  
None

**Sample receipt non conformances and comments per sample:**  
  
None



# Certificate of Analysis Summary 602047

TRC Solutions, Inc, Midland, TX

Project Name: SRO State Com

Project Id: #002H  
Contact: Joel Lowry  
Project Location: Eddy Co. NM

Date Received in Lab: Wed Oct-10-18 04:40 pm  
Report Date: 12-OCT-18  
Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	602047-001	602047-002	602047-003	602047-004	602047-005	602047-006
	<i>Field Id:</i>	SP-1 @ 1.5'	SP-2 @ 3'	SP-3 @ 3'	SP-4 (1) @ 2'	SP-4 (2) @ 3'	SP-5 @ 6"
	<i>Depth:</i>	1.5- ft	3- ft	3- ft	2- ft	3- ft	6- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00
Chloride by EPA 300	<i>Extracted:</i>	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30
	<i>Analyzed:</i>	Oct-11-18 10:13	Oct-11-18 10:49	Oct-11-18 11:02	Oct-11-18 11:14	Oct-11-18 11:27	Oct-11-18 11:39
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		91.6 25.0	97.3 25.0	65.5 25.0	208 25.0	298 25.0	396 25.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Kelsey Brooks  
Project Manager



# Certificate of Analysis Summary 602047

TRC Solutions, Inc, Midland, TX

Project Name: SRO State Com

Project Id: #002H  
Contact: Joel Lowry  
Project Location: Eddy Co. NM

Date Received in Lab: Wed Oct-10-18 04:40 pm  
Report Date: 12-OCT-18  
Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	602047-007	602047-008	602047-009	602047-010	602047-011	602047-012
	<i>Field Id:</i>	SP-6 @ 1.5'	SP-8 @ 2.5'	Wall 1	Wall 2	Wall 3	Wall 4
	<i>Depth:</i>	1.5- ft	2.5-				
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00	Oct-08-18 09:00
Chloride by EPA 300	<i>Extracted:</i>	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30	Oct-11-18 08:30
	<i>Analyzed:</i>	Oct-11-18 11:52	Oct-11-18 12:04	Oct-11-18 12:16	Oct-11-18 12:29	Oct-11-18 12:54	Oct-11-18 13:31
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		456 25.0	478 25.0	93.3 25.0	219 25.0	46.8 25.0	48.2 25.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Kelsey Brooks  
Project Manager



# Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
  - B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
  - D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
  - E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
  - F** RPD exceeded lab control limits.
  - J** The target analyte was positively identified below the quantitation limit and above the detection limit.
  - U** Analyte was not detected.
  - L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
  - H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
  - K** Sample analyzed outside of recommended hold time.
  - JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.**
- BRL** Below Reporting Limit.
  - RL** Reporting Limit
  - MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection
  - PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation
  - DL** Method Detection Limit
  - NC** Non-Calculable
  - SMP** Client Sample      **BLK** Method Blank
  - BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate
  - MD/SD** Method Duplicate/Sample Duplicate      **MS** Matrix Spike      **MSD:** Matrix Spike Duplicate
  - + NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



# BS / BSD Recoveries

Project Name: SRO State Com

Work Order #: 602047

Analyst: RNL

Lab Batch ID: 3066118

Units: mg/kg

Date Prepared: 10/11/2018

Sample: 7663988-1-BKS

Batch #: 1

Project ID: #002H

Date Analyzed: 10/11/2018

Matrix: Solid

## BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	0.800	250	254	102	250	252	101	1	90-110	20	

Relative Percent Difference RPD =  $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] =  $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] =  $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes





# Form 3 - MS / MSD Recoveries

Project Name: SRO State Com

Work Order #: 602047

Project ID: #002H

Lab Batch ID: 3066118

QC- Sample ID: 602047-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 10/11/2018

Date Prepared: 10/11/2018

Analyst: RNL

Reporting Units: mg/kg

## MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	91.6	250	332	96	250	331	96	0	80-120	20	

Lab Batch ID: 3066118

QC- Sample ID: 602047-011 S

Batch #: 1 Matrix: Soil

Date Analyzed: 10/11/2018

Date Prepared: 10/11/2018

Analyst: RNL

Reporting Units: mg/kg

## MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	46.8	250	295	99	250	285	95	3	80-120	20	

Matrix Spike Percent Recovery  $[D] = 100 \times (C-A)/B$   
Relative Percent Difference  $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery  $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Setting the Standard since 1990

Stafford, Texas (281-240-4200)

Dallas Texas (214-902-0300)

## CHAIN OF CUSTODY

Page 1 Of 1

San Antonio, Texas (210-509-3334)

Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xenco.com

Xenco Job #

602047

Client / Reporting Information		Project Information		Analytical Information												Matrix Codes
Company Name / Branch: TRC Environmental Corporation		Project Name/Number: SRO State Com #002H		<div style="display: flex; justify-content: space-between;"> <div> TPH 8015 M Ext Chloride E 300 BTEX 8021B Hold </div> <div> W = Water S = Soil/Sed/Solid GW = Ground Water DW = Drinking Water P = Product SW = Surface water SL = Sludge OW = Ocean/Sea Water WI = Wipe O = Oil WW = Waste Water A = Air </div> </div>												
Company Address: 2057 Commerce Drive Midland, TX 79703		Project Location: Eddy Co, NM														
Email: jlowry@trcsolutions.com zconder@trcsolutions.com		Invoice To: COG Operating C/O Becky Haskell														
Phone No: 432-466-4450		Invoice:														
Project Contact: Joel Lowry		Samplers's Name: Joel Lowry														
No.	Field ID / Point of Collection	Collection			# of bottles	Number of preserved bottles										Field Comments
		Sample Depth	Date	Time	Matrix	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE			
1	SP-1 @ 1.5'	1ft 6 in	10-2-18	9:00	S	1									X	Composite
2	SP-2 @ 3'	3ft		9:05		1									X	
3	SP-3 @ 3'	3ft		9:10		1									X	
4	SP-4 (1) @ 2'	2ft		9:15		1									X	
5	SP-4 (2) @ 3'	3ft		9:20		1									X	
6	SP-5 @ 0"	6 in		9:25		1									X	
7	SP-6 @ 1.5'	1ft 6 in		9:30		1									X	
8	SP-8 @ 2.5'	2ft 6 in		9:35		1									X	
9	Wall 1	NA		9:40		1									X	
10	Wall 2	NA		9:45		1									X	
11	Wall 5	NA		9:50		1									X	
12	Wall 4	NA		9:55		1									X	
Turnaround Time (Business days)		Data Deliverable Information													Notes:	
<input type="checkbox"/> Same Day TAT <input checked="" type="checkbox"/> 6 Day TAT		<input type="checkbox"/> Level II Std QC <input type="checkbox"/> Level IV (Full Data Pkg /raw data)		jlowry@trcsolutions.com zconder@trcsolutions.com												
<input type="checkbox"/> Next Day EMERGENCY <input type="checkbox"/> 7 Day TAT		<input type="checkbox"/> Level III Std QC+ Forms <input type="checkbox"/> TRRP Level IV		rhaskell@concho.com												
<input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> Contract TAT		<input type="checkbox"/> Level 3 (CLP Forms) <input type="checkbox"/> UST / RG -411		bcooper@trcsolutions.com												
<input type="checkbox"/> 3 Day EMERGENCY		<input type="checkbox"/> TRRP Checklist		dneel2@concho.com												
TAT Starts Day received by Lab, if received by 5:00 pm		FED-EX / UPS: Tracking #														
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY																
Relinquished by Sampler:		Date Time:		Received By:		Relinquished By:		Date Time:		Received By:						
1				1		2				2						
Relinquished by:		Date Time:		Received By:		Relinquished By:		Date Time:		Received By:						
3				3		4				4						
Relinquished by:		Date Time:		Received By:		Custody Seal #		Preserved where applicable		On Ice		Cooler Temp.		Thermo. Corr. Factor		
5		10/10/18 4:40		5 Brenda Ward						✓		4.8		IR-3		

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.



## XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

Client: TRC Solutions, Inc

Date/ Time Received: 10/10/2018 04:40:00 PM

Acceptable Temperature Range: 0 - 6 degC  
Air and Metal samples Acceptable Range: Ambient

Work Order #: 602047

Temperature Measuring device used : IR-3

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	4.8
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	N/A
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Brenda Ward

Date: 10/11/2018

Checklist reviewed by:

Kelsey Brooks

Date: 10/11/2018

# Analytical Report 602197

## for TRC Solutions, Inc

Project Manager: Joel Lowry

SRO State Com #2H

12-OCT-18

Collected By: Client



**6701 Aberdeen, Suite 9 Lubbock, TX 79424**

Xenco-Houston (EPA Lab Code: TX00122):  
Texas (T104704215-18-27), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)  
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):  
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-13)  
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-17)  
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)  
Xenco-San Antonio (EPA Lab Code: TN102385): Texas (T104704534-18-4)  
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)  
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)  
Xenco-Atlanta (LELAP Lab ID #04176)  
Xenco-Tampa: Florida (E87429)  
Xenco-Lakeland: Florida (E84098)



12-OCT-18

Project Manager: **Joel Lowry**  
**TRC Solutions, Inc**  
2057 Commerce  
Midland, TX 79703

Reference: XENCO Report No(s): **602197**  
**SRO State Com #2H**  
Project Address: Eddy Co. NM

**Joel Lowry:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 602197. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 602197 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

**Kelsey Brooks**  
Project Manager

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



**Sample Cross Reference 602197**

**TRC Solutions, Inc, Midland, TX**

**SRO State Com #2H**

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SP-7 FL Comp @ 4'	S	10-11-18 10:00		602197-001
Wall 3	S	10-11-18 10:05		602197-002





**CASE NARRATIVE**

*Client Name: TRC Solutions, Inc*

*Project Name: SRO State Com #2H*

Project ID:

Work Order Number(s): 602197

Report Date: 12-OCT-18

Date Received: 10/11/2018

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None



# Certificate of Analysis Summary 602197

TRC Solutions, Inc, Midland, TX

Project Name: SRO State Com #2H

Project Id:

Contact: Joel Lowry

Project Location: Eddy Co. NM

Date Received in Lab: Thu Oct-11-18 05:33 pm

Report Date: 12-OCT-18

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	602197-001	602197-002				
	<i>Field Id:</i>	SP-7 FL Comp @ 4'	Wall 3				
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL				
<b>Chloride by EPA 300</b>	<i>Sampled:</i>	Oct-11-18 10:00	Oct-11-18 10:05				
	<i>Extracted:</i>	Oct-12-18 11:00	Oct-12-18 11:00				
	<i>Analyzed:</i>	Oct-12-18 14:46	Oct-12-18 15:12				
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL				
Chloride		302 250	25.4 25.0				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks  
Project Manager



# Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
  - B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
  - D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
  - E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
  - F** RPD exceeded lab control limits.
  - J** The target analyte was positively identified below the quantitation limit and above the detection limit.
  - U** Analyte was not detected.
  - L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
  - H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
  - K** Sample analyzed outside of recommended hold time.
  - JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.**
- BRL** Below Reporting Limit.
  - RL** Reporting Limit
  - MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection
  - PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation
  - DL** Method Detection Limit
  - NC** Non-Calculable
  - SMP** Client Sample      **BLK** Method Blank
  - BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate
  - MD/SD** Method Duplicate/Sample Duplicate      **MS** Matrix Spike      **MSD:** Matrix Spike Duplicate
  - + NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



# BS / BSD Recoveries

**Project Name: SRO State Com #2H**

**Work Order #: 602197**

**Analyst: RNL**

**Date Prepared: 10/12/2018**

**Project ID:**

**Date Analyzed: 10/12/2018**

**Lab Batch ID: 3066255**

**Sample: 7664077-1-BKS**

**Batch #: 1**

**Matrix: Solid**

**Units: mg/kg**

## BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	2.37	250	250	100	250	251	100	0	90-110	20	

Relative Percent Difference RPD =  $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] =  $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] =  $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



# Form 3 - MS / MSD Recoveries

Project Name: SRO State Com #2H

Work Order # : 602197

Lab Batch ID: 3066255

Date Analyzed: 10/12/2018

Reporting Units: mg/kg

Project ID:

QC- Sample ID: 602197-002 S

Batch #: 1 Matrix: Soil

Date Prepared: 10/12/2018

Analyst: RNL

## MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	25.4	250	265	96	250	271	98	2	80-120	20	

Matrix Spike Percent Recovery  $[D] = 100 * (C - A) / B$   
Relative Percent Difference  $RPD = 200 * |(C - F) / (C + F)|$

Matrix Spike Duplicate Percent Recovery  $[G] = 100 * (F - A) / E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable  
N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Setting the Standard since 1990

Stafford, Texas (281-240-4200)

Dallas Texas (214-902-0300)

## CHAIN OF CUSTODY

Page 1 Of 1

San Antonio, Texas (210-509-3334)

Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xenco.com

Xenco Quote #		Xenco Job #	
		602197	
Client / Reporting Information		Project Information	
Company Name / Branch: TRC Environmental Corporation		Project Name/Number: SRO State Com #2H	
Company Address: 10 Desta Dr. Suite 150E Midland, TX 79705		Project Location: Eddy Co, NM	
Email: jlowry@trcsolutions.com		Invoice To: Concho cp Rebecca Haskell	
Phone No: 432-466-4450		Invoice:	
Project Contact: Joel Lowry			
Samplers Name: ZPC			
Analytical Information		Matrix Codes	
TPH TX1005 Chloride E 300 NORM RCI TCLP Benzene TCLP RCRA 8 Metals Chloride TPH 8015 M Ext (NM)		W = Water S = Soil/Sed/Solid GW = Ground Water DW = Drinking Water P = Product SW = Surface water SL = Sludge OW = Ocean/Sea Water WI = Wipe O = Oil WW = Waste Water A = Air	
Field ID / Point of Collection		Field Comments	
No.      Sample Depth      Date      Time      Matrix      # of bottles 1      SP-7 FL Comp @ 4'      4'      10-11-18      10:00am      S      1 2      Wall 3      2'      10-11-18      10:05am      S      1		1 2	
Turnaround Time (Business days)		Data Deliverable Information	
<input checked="" type="checkbox"/> Same Day TAT <input type="checkbox"/> 5 Day TAT <input checked="" type="checkbox"/> Next Day EMERGENCY <input type="checkbox"/> 7 Day TAT <input type="checkbox"/> 2 Day EMERGENCY <input checked="" type="checkbox"/> Contract TAT <input type="checkbox"/> 3 Day EMERGENCY		<input type="checkbox"/> Level II Std QC <input type="checkbox"/> Level IV (Full Data Pkg /raw data) <input type="checkbox"/> Level III Std QC+ Forms <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level 3 (CLP Forms) <input type="checkbox"/> UST / RG -411 <input type="checkbox"/> TRRP Checklist	
TAT Starts Day received by Lab, if received by 5:00 pm		Notes:	
		jlowry@trcsolutions.com zconder@trcsolutions.com bcooper@trcsolutions.com ifavarez@concho.com rhaskell@concho.com shitchcock@concho.com dneel2@concho.com	
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY			
Relinquished by Sampler:		Received By:	
1		1 Brenda Warr	
Relinquished by:		Received By:	
2		2	
Relinquished by:		Received By:	
3		3	
Relinquished by:		Received By:	
4		4	
Relinquished by:		Received By:	
5		5	
Custody Seal #		Preserved where applicable	
		On Ice      Cooler Temp.      Thermo. Corr. Factor	
		4.1      78.3	

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.





## XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

Client: TRC Solutions, Inc

Date/ Time Received: 10/11/2018 05:33:17 PM

Acceptable Temperature Range: 0 - 6 degC  
Air and Metal samples Acceptable Range: Ambient

Work Order #: 602197

Temperature Measuring device used : IR-3

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	4.1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	N/A
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Brenda Ward

Date: 10/11/2018

Checklist reviewed by:



Kelsey Brooks

Date: 10/12/2018

COG- SRO State Com #002H

Date: 2/19/2019

Photographic Documentation



<p><b>Photograph No. 1</b></p> <p><b>Date:</b> 10/11/2018</p> <p><b>Direction:</b> East</p> <p><b>Description:</b> View of excavated area.</p>	 <p>Oct 11, 2018 at 10:17:48 AM +32.080488,-104.102305 Carlsbad, NM 88220</p>
<p><b>Photograph No. 2</b></p> <p><b>Date:</b> 10/11/2018</p> <p><b>Direction:</b> Southeast</p> <p><b>Description:</b> View of excavated area.</p>	 <p>Oct 11, 2018 at 10:18:21 AM +32.080406,-104.102352 Carlsbad, NM 88220</p>



COG- SRO State Com #002H

Date: 2/19/2019

Photographic Documentation

<b>Photograph No.</b> <b>3</b>	
<b>Date:</b> 2/18/2019	
<b>Direction:</b> East	
<b>Description:</b> View of backfilled area.	
<b>Photograph No.</b> <b>4</b>	
<b>Date:</b> 2/18/2019	
<b>Direction:</b> Southeast	
<b>Description:</b> View of backfilled area.	

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-141  
Revised April 3, 2017

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

## Release Notification and Corrective Action

### OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: COG Operating, LLC (OGRID #229137)	Contact: Robert McNeill
Address: 600 West Illinois Avenue, Midland, TX 79701	Telephone No. 432-683-7443
Facility Name: <b>SRO State Com #002H</b>	Facility Type: Tank Battery
Surface Owner: State	Mineral Owner: State
	API No. 30-015-37141

### LOCATION OF RELEASE

Unit Letter P	Section 32	Township 25S	Range 28E	Feet from the 430	North/South Line South	Feet from the 330	East/West Line East	County Eddy
------------------	---------------	-----------------	--------------	----------------------	---------------------------	----------------------	------------------------	----------------

Latitude 32.080101 Longitude -104.1018906 NAD83

### NATURE OF RELEASE

Type of Release Produced Water	Volume of Release 190 bbl.	Volume Recovered 180 bbl.
Source of Release Lightning Strike	Date and Hour of Occurrence July 15, 2018 6:30pm	Date and Hour of Discovery July 15, 2018 6:30pm
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mike Bratcher – NMOCOD Ryan Mann – SLO	
By Whom? DeAnn Grant	Date and Hour July 16, 2018 9:03am	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\*


The release was caused by a lightning strike to the overflow water tank. The damaged tanks will be replaced.

Describe Area Affected and Cleanup Action Taken.\*

The release occurred within the lined facility. A vacuum truck was dispatched to remove all freestanding fluids. Concho will have the spill area evaluated for any possible impact from the release and we will present a remediation work plan to the NMOCOD for approval prior to any significant remediation activities.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCOD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCOD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCOD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

### OIL CONSERVATION DIVISION

Signature: 	Approved by Environmental Specialist:		
Printed Name: DeAnn Grant			
Title: HSE Administrative Assistant	Approval Date:	Expiration Date:	
E-mail Address: agrant@concho.com	Conditions of Approval:		Attached <input type="checkbox"/>
Date: July 16, 2018	Phone: (432) 253-4513		

\* Attach Additional Sheets If Necessary



## NM OIL CONSERVATION

ARTESIA DISTRICT

State of New Mexico  
Energy Minerals and Natural Resources

DEC 01 2017

Form C-141  
Revised April 3, 2017District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505Submit 1 Copy to appropriate District Office in  
conformance with 19.15.29 NMAC.  
RECEIVED

## Release Notification and Corrective Action

NAB1734038101

## OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: COG Operating, LLC (OGRID# 229137)	Contact: Robert McNeill
Address: 600 West Illinois Avenue, Midland TX 79701	Telephone No.: 432-683-7443
Facility Name: SRO STATE COM #002H	Facility Type: Tank Battery
Surface Owner: State	Mineral Owner: State
API No.: 30-015-37141	

## LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
P	32	25	28	430	South	330	East	Eddy

Latitude: 32.080101 Longitude: -104.1018906 NAD83

## NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: 30 BBLs	Volume Recovered: 28 BBLs
Source of Release: Water Transfer Pump	Date and Hour of Occurrence: 11/30/2017 8:00 am	Date and Hour of Discovery: 11/30/2017 8:00 am
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Crystal Weaver-NMOCD Amber Groves-NMISO	
By Whom? Rebecca Haskell	Date and Hour: 11/30/2017 2:34	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse:	

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\*




Two to one swedge failed and resulted in a 30 BBL release. The swedge was replaced.

Describe Area Affected and Cleanup Action Taken.\*

The fluid impacted the lined containment and the adjacent well pad. A vacuum truck was dispatched to recover all freestanding fluids. Concho will have the spill area evaluated for any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

## OIL CONSERVATION DIVISION

Signature: 	Approved by Environmental Specialist: 	
Printed Name: Christopher Gray	Approval Date: 12/14/17	
Title: HSE Coordinator	Expiration Date: N/A	Conditions of Approval: See Attached
E-mail Address: cgray@concho.com	Attached 	
Date: 12/1/2017	Phone: 575-746-2010	

\* Attach Additional Sheets If Necessary



June 22, 2018

Mike Bratcher  
New Mexico Energy, Minerals and Natural Resources Department  
Oil Conservation Division, District 2  
811 S. First Street  
Artesia, New Mexico 88210

Ryan Mann  
District Resource Specialist  
Field Operations Division  
New Mexico State Land Office  
2827 N. Dal Paso Suite 117  
Hobbs, NM 88240  
rmann@slo.state.nm.us

Re: Soil Investigation Summary and Proposed Remediation Workplan  
SRO State COM #002H 11/30/2017 (2RP-4510)  
GPS: N 32.080101° W 104.1018906°  
Unit Letter "P", Section 32, Township 25 South, Range 28 East, NMPM  
Eddy County, New Mexico

Dear Mr. Bratcher and Mr. Mann,

2M Environmental Services, LLC. (2M), on behalf of COG Operating, LLC. (Concho), has prepared this Soil Investigation Summary and Proposed Remediation Workplan (Workplan) for the SRO State COM #002H 11/30/2017 Release Site (Release Site). The purpose of this Workplan is to propose remediation activities designed to advance the SRO State COM #002H 11/30/2017 Release Site toward a New Mexico Oil and Conservation District (NMOCD) approved Site Closure Status. The legal description of the Release Site is Unit Letter "P", Section 32, Township 25 South, Range 28 East, in Eddy County, New Mexico. The subject property is administered by the New Mexico State Land Office (NMSLO). The GPS coordinates for the site are N 32.080101° W 104.1018906°. A Site Location Map and Site Details and Soil Sample Location Map are provided as Figure 1 and Figure 2, respectively.



On November 30, 2017, a produced water release occurred at the SRO State COM #002H 11/30/2017. The release was the result of the failure of a two to one swedge, which resulted in the release of produced water in the lined containment and on the adjacent caliche production pad. On November 30, 2017, Concho reported the release to the NMOCD District 2 Office, located in Artesia, New Mexico, and NMSLO. The release was assigned an incident number 2RP-4510. A Release Notification and Corrective Action Form (Form C-141) was subsequently submitted to the NMOCD on December 1, 2017. The release was reported as approximately thirty (30) barrels of produced water released with approximately twenty-eight (28) barrels of produced water recovered, resulting in a net loss of approximately two (2) barrels of produced water. A copy of the NMOCD Release Notification and Corrective Action Form C-141 is attached to this Workplan.

A groundwater database maintained by The New Mexico Office of the State Engineer (NMOSSE) did not identify the average depth to groundwater information in Section 32, Township 25 South, Range 28 East. A reference map utilized by the New Mexico Oil Conservation Division (NMOCD) Artesia District Office indicates groundwater should be encountered at approximately twenty-five (25) feet below ground surface (bgs). Based on the NMOCD site classification system, twenty (20) points will be assigned to the subject area ranking as a result of this criterion. No water wells were observed within one-thousand (1,000) feet of the Release Site. Based on the NMOCD site classification system, zero (0) points will be assigned to the subject area ranking as a result of this criterion. No surface water was observed within one thousand (1,000) feet of the release. Based on the NMOCD site classification system, twenty (20) points will be assigned to the subject area ranking as a result of this criterion.

Based on the NMOCD Site Classification criteria, the Release Site remediation levels are 10 mg/Kg for benzene, 50 mg/Kg for benzene, toluene, ethylbenzene and xylenes (BTEX) and 100 mg/Kg for total petroleum hydrocarbons (TPH). Chloride remediation levels for the Release Site will be 600 mg/Kg, per NMOCD request.

On December 29, 2017, Concho collected six (6) delineation soil samples (AH-1 @ 0', AH-1 @ 1', AH-1 @ 2', AH-2 @ 0', AH-2 @ 1', and AH-2 @ 2') utilizing a hand auger on the caliche pad. The soil samples were submitted to Xenco Laboratories in Midland, Texas for determination of concentrations of BTEX using Method SW 846-8021B, TPH using Method SW 846-8015M, and chloride using Method E-300.1. Laboratory analytical results indicated additional delineation was needed in the area represented by sample point AH-2. Sample results are provided as an attachment to this report (Table 1 - Concentrations of Benzene, BTEX, TPH and Chloride in Soil).

On March 13, 2018, 2M, on behalf of Concho, utilized a backhoe to collect five (5) delineation soil samples (T-1 @ 6', T-1 @ 1', T-1 @ 2', T-1 @ 3', and T-1 @ 4') from the area represented by sample point AH-2. The soil samples were submitted to Xenco Laboratories in Midland, Texas for determination of concentrations of BTEX using Method SW 846-8021B, TPH using Method SW 846-8015M, and chloride using Method E-300.1. Sample results are provided as an attachment to this report (Table 1 - Concentrations of Benzene, BTEX, TPH and Chloride in Soil).

Based on the analytical results of the soil samples collected on December 29, 2017 and March 13, 2018, respectively, Concho proposes the following field activities designed to remediate the SRO State COM #002H 11/30/2017:

- Utilizing a backhoe, excavate the area represented by sample point AH-1 to approximately two (2) feet bgs and the area represented by sample points AH-2 and T-1 to approximately two and a half (2.5) feet bgs.
- Impacted gravel inside the lined containment will be removed down to the lined surface.
- In addition, confirmation sidewall samples will be collected from the excavation to confirm clean margins.
- Excavated soil and impacted gravel will be stockpiled on a plastic liner adjacent to the excavation pending disposal.
- The excavation will be backfilled with locally purchased non-impacted "like" soil or caliche and the lined containment will be backfilled with non-impacted gravel. In addition, the excavated soil and gravel will be transported under manifest to a NMOC approved disposal facility.
- Prepare and submit a "Remediation Summary and Site Closure Request" to the NMOC and NMSLO.

Concho is prepared to begin the activities outlined in this Proposed Remediation Workplan on NMOC and NMSLO approval.

If you have any questions, or if additional information is required, please feel free to call me at 432-614-6793 (office) or 432-230-3763 (cell).

Thank you,




Matthew Green, P.G.  
President  
2M Environmental Services, LLC.

**Attachments:**


Figure 1 - Site Location Map  
Figure 2 - Site Details and Soil Sample Location Map  
Table 1 - Concentrations of Benzene, BTEX, TPH and Chloride in Soil  
Laboratory Analytical Results  
Release Notification and Corrective Action (Form C-141)

cc: File





LEGEND:

 Native Grassland





Figure 1  
Site Location Map  
COG Operating LLC  
SRO State Com #002H Tank Battery  
Eddy County, TX

Scale: 1" = 2000'  
CAD By: JR  
Checked By: MG  
Date: March 25, 2018  
Lat. N 32.080101°, Long. W 104.1018906°







LEGEND:

- Excavate to two feet below ground surface
- Excavate to two and one half feet below ground surface
- Excavate impacted material above the lined surface
- Vertical Soil Sample Location
- Lined Berm



Figure 2  
Site Details &  
Soil Sample Location Map  
COG Operating LLC  
SRO State Com #002H Tank Battery  
Eddy County, TX

Scale: 1" = 20'
CAD By: AR
Checked By: MG
Draft: April 30, 2018
Lat. N 32.080101° Long. W 104.1018906°





**TABLE 1****CONCENTRATIONS OF BENZENE, BTEX, TPH AND CHLORIDE IN SOIL****CONCHO OPERATING, LLC****SRO State Com #002H (11/30/2017) RELEASE SITE****EDDY COUNTY, NEW MEXICO***All concentrations are reported in mg/Kg*

SAMPLE LOCATION	SAMPLE DATE	METHODS: SW 846-8021B						METHOD: SW 8015M				E 300.1	
		BENZENE	TOLUENE	ETHYL-BENZENE	m, p - XYLENES	o - XYLENE	TOTAL XYLENES	TOTAL BTEX	TPH GRO C <sub>6</sub> -C <sub>12</sub>	TPH DRO C <sub>12</sub> -C <sub>28</sub>	TPH ORO C <sub>28</sub> -C <sub>35</sub>	TOTAL TPH C <sub>6</sub> -C <sub>35</sub>	CHLORIDE
Limits		10 mg/Kg						50 mg/Kg				100 mg/Kg	600 mg/Kg
AH-1 @ 0'	12/29/2017	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<15.0	<15.0	<15.0	<15.0	19,500
AH-1 @ 1'	12/29/2017	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<15.0	<15.0	<15.0	<15.0	9,390
AH-1 @ 2'	12/29/2017	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399	<15.0	<15.0	<15.0	<15.0	131
AH-2 @ 0'	12/29/2017	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<15.0	<15.0	<15.0	<15.0	14,400
AH-1 @ 1'	12/29/2017	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<15.0	<15.0	<15.0	<15.0	1,640
AH-2 @ 2'	12/29/2017	<0.00201	<0.00201	<0.00201	<0.00402	<0.00201	<0.00402	<0.00402	<15.0	<15.0	<15.0	<15.0	1,180
T-1 @ 6"	3/13/2018	<0.00202	<0.00202	<0.00202	<0.00403	<0.00202	<0.00403	<0.00403	<14.9	<14.9	<14.9	<14.9	286
T-1 @ 1'	3/13/2018	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398	<15.0	61.2	<15.0	61.2	291
T-1 @ 2'	3/13/2018	<0.00200	<0.00200	<0.00200	<0.00401	<0.00200	<0.00401	<0.00401	<15.0	<15.0	<15.0	<15.0	200
T-1 @ 3'	3/13/2018	<0.00202	<0.00202	<0.00202	<0.00404	<0.00202	<0.00404	<0.00404	<15.0	<15.0	<15.0	<15.0	86.8
T-1 @ 4'	3/13/2018	<0.00198	<0.00198	<0.00198	<0.00397	<0.00198	<0.00397	<0.00397	<15.0	<15.0	<15.0	<15.0	132

\* T-1 was collected from the area represented by AH-2.



# Certificate of Analysis Summary 573116

COG Operating LLC, Artesia, NM

Project Name: SRO St. Com #2H



Project Id:

Contact: Sheldon Hitchcock

Project Location: Eddy County NM

Date Received in Lab: Tue Jan-09-18 12:30 pm

Report Date: 18-JAN-18

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	573116-001	573116-002	573116-003	573116-004	573116-005	573116-006
	<i>Field Id:</i>	AH-1 0'	AH-1 1'	AH-1 2'	AH-2 0'	AH-2 1'	AH-2 2'
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Dec-29-17 13:30	Dec-29-17 13:35	Dec-29-17 13:40	Dec-29-17 14:00	Dec-29-17 14:05	Dec-29-17 14:10
<b>BTEX by EPA 8021B</b>	<i>Extracted:</i>	Jan-12-18 16:00	Jan-12-18 16:00	Jan-12-18 16:00	Jan-12-18 16:00	Jan-12-18 16:00	Jan-12-18 16:00
	<i>Analyzed:</i>	Jan-12-18 22:38	Jan-12-18 20:04	Jan-12-18 19:45	Jan-12-18 20:42	Jan-12-18 21:01	Jan-12-18 21:21
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201
Toluene		<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201
Ethylbenzene		<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201
m,p-Xylenes		<0.00402 0.00402	<0.00398 0.00398	<0.00399 0.00399	<0.00398 0.00398	<0.00404 0.00404	<0.00402 0.00402
o-Xylene		<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201
Total Xylenes		<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201
Total BTEX		<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200	<0.00199 0.00199	<0.00202 0.00202	<0.00201 0.00201
<b>Chloride by EPA 300</b>	<i>Extracted:</i>	Jan-11-18 14:00	Jan-11-18 14:00	Jan-11-18 14:00	Jan-11-18 14:00	Jan-11-18 14:00	Jan-11-18 14:00
	<i>Analyzed:</i>	Jan-11-18 16:24	Jan-11-18 16:31	Jan-11-18 16:38	Jan-11-18 16:45	Jan-11-18 16:52	Jan-11-18 16:59
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		19500 248	9390 50.0	131 49.4	14400 248	1640 49.6	1180 49.9
<b>TPH By SW8015 Mod</b>	<i>Extracted:</i>	Jan-12-18 10:00	Jan-12-18 10:00	Jan-12-18 10:00	Jan-16-18 16:00	Jan-12-18 10:00	Jan-12-18 10:00
	<i>Analyzed:</i>	Jan-12-18 23:10	Jan-12-18 20:16	Jan-12-18 20:38	Jan-17-18 01:33	Jan-12-18 21:21	Jan-12-18 21:43
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Diesel Range Organics (DRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Oil Range Hydrocarbons (ORO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH		<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Kelsey Brooks  
Project Manager

# Analytical Report 573116 for COG Operating LLC

Project Manager: Sheldon Hitchcock

SRO St. Com #2H

18-JAN-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)

Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



18-JAN-18

Project Manager: **Sheldon Hitchcock**  
**COG Operating LLC**  
2407 Pecos Avenue  
Artesia, NM 88210

Reference: XENCO Report No(s): **573116**  
**SRO St. Com #2H**  
Project Address: Eddy County NM

**Sheldon Hitchcock:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 573116. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 573116 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', written over a horizontal line.

**Kelsey Brooks**  
Project Manager

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America





**Sample Cross Reference 573116**

**COG Operating LLC, Artesia, NM**

**SRO St. Com #2H**



Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
AH-1 0'	S	12-29-17 13:30		573116-001
AH-1 1'	S	12-29-17 13:35		573116-002
AH-1 2'	S	12-29-17 13:40		573116-003
AH-2 0'	S	12-29-17 14:00		573116-004
AH-2 1'	S	12-29-17 14:05		573116-005
AH-2 2'	S	12-29-17 14:10		573116-006



**CASE NARRATIVE**

*Client Name: COG Operating LLC*

*Project Name: SRO St. Com #2H*

Project ID:

Report Date: 18-JAN-18

Work Order Number(s): 573116

Date Received: 01/09/2018

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3038355 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: **AH-1 0'** Matrix: Soil Date Received: 01.09.18 12.30  
Lab Sample Id: 573116-001 Date Collected: 12.29.17 13.30

Analytical Method: Chloride by EPA 300 Prep Method: E300P  
Tech: OJS % Moisture:  
Analyst: OJS Date Prep: 01.11.18 14.00 Basis: Wet Weight  
Seq Number: 3038226

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	19500	248	mg/kg	01.11.18 16:24		50

Analytical Method: TPH By SW8015 Mod Prep Method: TX1005P

Tech: ALJ % Moisture:  
Analyst: ALJ Date Prep: 01.12.18 10.00 Basis: Wet Weight  
Seq Number: 3038390

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.12.18 23.10	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.12.18 23.10	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	01.12.18 23.10	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.12.18 23.10	U	1
Surrogate			%				
1-Chlorooctane	111-85-3	94	94	%	01.12.18 23.10		
o-Terphenyl	84-15-1	94	94	%	01.12.18 23.10		



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-1 0' Matrix: Soil Date Received: 01.09.18 12.30  
Lab Sample Id: 573116-001 Date Collected: 12.29.17 13.30  
Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B  
Tech: ALJ % Moisture:  
Analyst: ALJ Date Prep: 01.12.18 16.00 Basis: Wet Weight  
Seq Number: 3038355

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.12.18 22.38	UK	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.12.18 22.38	UK	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.12.18 22.38	UK	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.12.18 22.38	UK	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.12.18 22.38	UK	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	01.12.18 22.38	UK	1
Total BTEX		<0.00201	0.00201	mg/kg	01.12.18 22.38	UK	1
Surrogate							
1,4-Difluorobenzene	540-36-3		92	%	01.12.18 22.38		
4-Bromofluorobenzene	460-00-4		95	%	01.12.18 22.38		





Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-11'  
Lab Sample Id: 573116-002

Matrix: Soil  
Date Collected: 12.29.17 13.35

Date Received: 01.09.18 12.30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: OJS

% Moisture:

Analyst: OJS

Date Prep: 01.11.18 14.00

Basis: Wet Weight

Seq Number: 3038226

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	9390	50.0	mg/kg	01.11.18 16.31		10

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 01.12.18 10.00

Basis: Wet Weight

Seq Number: 3038390

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.12.18 20.16	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.12.18 20.16	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	01.12.18 20.16	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.12.18 20.16	U	1
Surrogate			%				
1-Chlorooctane	111-85-3		76	%	01.12.18 20.16		
o-Terphenyl	84-15-1		77	%	01.12.18 20.16		



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-11'      Matrix: Soil      Date Received: 01.09.18 12.30  
Lab Sample Id: 573116-002      Date Collected: 12.29.17 13.35  
Analytical Method: BTEX by EPA 8021B      Prep Method: SW5030B  
Tech: ALJ      % Moisture:  
Analyst: ALJ      Date Prep: 01.12.18 16.00      Basis: Wet Weight  
Seq Number: 3038355

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.12.18 20.04	UK	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.12.18 20.04	UK	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.12.18 20.04	UK	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.12.18 20.04	UK	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.12.18 20.04	UK	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	01.12.18 20.04	UK	1
Total BTEX		<0.00199	0.00199	mg/kg	01.12.18 20.04	UK	1
Surrogate							
1,4-Difluorobenzene	540-36-3		95	%	01.12.18 20.04		
4-Bromofluorobenzene	460-00-4		94	%	01.12.18 20.04		



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-12'  
Lab Sample Id: 573116-003

Matrix: Soil  
Date Collected: 12.29.17 13.40

Date Received: 01.09.18 12.30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: OJS

% Moisture:

Analyst: OJS

Date Prep: 01.11.18 14.00

Basis: Wet Weight

Seq Number: 3038226

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	131	49.4	mg/kg	01.11.18 16.38		10

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 01.12.18 10.00

Basis: Wet Weight

Seq Number: 3038390

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.12.18 20.38	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.12.18 20.38	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	01.12.18 20.38	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.12.18 20.38	U	1
Surrogate			%				
1-Chlorooctane	111-85-3		85	%	01.12.18 20.38		
o-Terphenyl	84-15-1		86	%	01.12.18 20.38		



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-12'      Matrix: Soil      Date Received: 01.09.18 12.30  
Lab Sample Id: 573116-003      Date Collected: 12.29.17 13.40  
Analytical Method: BTEX by EPA 8021B      Prep Method: SW5030B  
Tech: ALJ      % Moisture:  
Analyst: ALJ      Date Prep: 01.12.18 16.00      Basis: Wet Weight  
Seq Number: 3038355

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.12.18 19.45	UK	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.12.18 19.45	UK	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.12.18 19.45	UK	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	01.12.18 19.45	UK	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.12.18 19.45	UK	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.12.18 19.45	UK	1
Total BTEX		<0.00200	0.00200	mg/kg	01.12.18 19.45	UK	1
Surrogate							
4-Bromofluorobenzene	460-00-4		Recovery 90	Units %	Limits 80-120	Analysis Date 01.12.18 19.45	Flag
1,4-Difluorobenzene	540-36-3		97	%	80-120	01.12.18 19.45	





Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-2-0'  
Lab Sample Id: 573116-004

Matrix: Soil  
Date Collected: 12.29.17 14.00

Date Received: 01.09.18 12.30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: OJS

% Moisture:

Analyst: OJS

Date Prep: 01.11.18 14.00

Basis: Wet Weight

Seq Number: 3038226

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	14400	248	mg/kg	01.11.18 16.45		50

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 01.16.18 16.00

Basis: Wet Weight

Seq Number: 3038511

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.17.18 01.33	UK	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.17.18 01.33	UK	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	01.17.18 01.33	UK	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.17.18 01.33	UK	1
Surrogate			%				
1-Chlorooctane		111-85-3	91	%	70-135	01.17.18 01.33	
o-Terphenyl		84-15-1	92	%	70-135	01.17.18 01.33	



# Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-2 0'	Matrix: Soil	Date Received: 01.09.18 12.30
Lab Sample Id: 573116-004	Date Collected: 12.29.17 14.00	
Analytical Method: BTEX by EPA 8021B	Prep Method: SW5030B	
Tech: ALJ	% Moisture:	
Analyst: ALJ	Basis: Wet Weight	
Seq Number: 3038355		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.12.18 20.42	UK	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.12.18 20.42	UK	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.12.18 20.42	UK	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.12.18 20.42	UK	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.12.18 20.42	UK	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	01.12.18 20.42	UK	1
Total BTEX		<0.00199	0.00199	mg/kg	01.12.18 20.42	UK	1
Surrogate							
1,4-Difluorobenzene	540-36-3		101	%	01.12.18 20.42		
4-Bromofluorobenzene	460-00-4		101	%	01.12.18 20.42		



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-2 1'  
Lab Sample Id: 573116-005

Matrix: Soil  
Date Collected: 12.29.17 14.05

Date Received: 01.09.18 12.30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: OJS

% Moisture:

Analyst: OJS

Date Prep: 01.11.18 14.00

Basis: Wet Weight

Seq Number: 3038226

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1640	49.6	mg/kg	01.11.18 16:52		10

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 01.12.18 10.00

Basis: Wet Weight

Seq Number: 3038390

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.12.18 21.21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.12.18 21.21	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	01.12.18 21.21	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.12.18 21.21	U	1
Surrogate			%				
1-Chlorooctane	111-85-3		70	%	01.12.18 21.21		
o-Terphenyl	84-15-1		70	%	01.12.18 21.21		



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-2 1'      Matrix: Soil      Date Received: 01.09.18 12.30  
Lab Sample Id: 573116-005      Date Collected: 12.29.17 14.05  
Analytical Method: BTEX by EPA 8021B      Prep Method: SW5030B  
Tech: ALJ      % Moisture:  
Analyst: ALJ      Date Prep: 01.12.18 16.00      Basis: Wet Weight  
Seq Number: 3038355

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.12.18 21.01	UK	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.12.18 21.01	UK	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.12.18 21.01	UK	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.12.18 21.01	UK	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.12.18 21.01	UK	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	01.12.18 21.01	UK	1
Total BTEX		<0.00202	0.00202	mg/kg	01.12.18 21.01	UK	1
Surrogate							
1,4-Difluorobenzene	540-36-3		101	%	01.12.18 21.01		
4-Bromofluorobenzene	460-00-4		102	%	01.12.18 21.01		





Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: AH-2-2'  
Lab Sample Id: 573116-006

Matrix: Soil  
Date Collected: 12.29.17 14.10

Date Received: 01.09.18 12.30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: OJS

% Moisture:

Analyst: OJS

Date Prep: 01.11.18 14.00

Basis: Wet Weight

Seq Number: 3038226

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1180	49.9	mg/kg	01.11.18 16:59		10

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 01.12.18 10.00

Basis: Wet Weight

Seq Number: 3038390

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	01.12.18 21.43	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	01.12.18 21.43	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	01.12.18 21.43	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	01.12.18 21.43	U	1
Surrogate			%				
1-Chlorooctane	111-85-3		80	%	01.12.18 21.43		
o-Terphenyl	84-15-1		84	%	01.12.18 21.43		



Certificate of Analytical Results 573116

COG Operating LLC, Artesia, NM  
SRO St. Com #2H

Sample Id: **AH-2 2'** Matrix: Soil Date Received: 01.09.18 12.30  
Lab Sample Id: 573116-006 Date Collected: 12.29.17 14.10  
Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B  
Tech: ALJ % Moisture:  
Analyst: ALJ Date Prep: 01.12.18 16.00 Basis: Wet Weight  
Seq Number: 3038355

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.12.18 21.21	UK	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.12.18 21.21	UK	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.12.18 21.21	UK	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.12.18 21.21	UK	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.12.18 21.21	UK	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	01.12.18 21.21	UK	1
Total BTEX		<0.00201	0.00201	mg/kg	01.12.18 21.21	UK	1
Surrogate							
1,4-Difluorobenzene	540-36-3		103	%	01.12.18 21.21		
4-Bromofluorobenzene	460-00-4		100	%	01.12.18 21.21		



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\*** Surrogate recovered outside laboratory control limit.
- BRL** Below Reporting Limit.
- RL** Reporting Limit
- | <b>MDL</b> Method Detection Limit       | <b>SDL</b> Sample Detection Limit    | <b>LOD</b> Limit of Detection    |
|---|--------------------------------------|----------------------------------|
| <b>PQL</b> Practical Quantitation Limit | <b>SQL</b> Method Quantitation Limit | <b>LOQ</b> Limit of Quantitation |
- DL** Method Detection Limit
- NC** Non-Calculable
- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

### *Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

#### *A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr., Stafford, TX 77477  
9701 Harry Hines Blvd., Dallas, TX 75220  
5332 Blackberry Drive, San Antonio TX 78238  
1211 W Florida Ave, Midland, TX 79701  
2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

	Phone	Fax
	(281) 240-4200	(281) 240-4280
	(214) 902 0300	(214) 351-9139
	(210) 509-3334	(210) 509-3335
	(432) 563-1800	(432) 563-1713
	(602) 437-0330	



QC Summary 573116

COG Operating LLC  
SRO St. Com #2H

Analytical Method: Chloride by EPA 300									
Seq Number:		3038226		Matrix: Solid		Prep Method: E300P			
MB Sample Id:		7637332-1-BLK		LCS Sample Id: 7637332-1-BKS		Date Prep: 01.11.18			
				LCSD Sample Id: 7637332-1-BSD					
Parameter	MB	Spike	LCS	LCS	LCSD	LCSD	Limits	%RPD	Flag
	Result	Amount	Result	%Rec	Result	%Rec		RPD Limit Units	
Chloride	<5.00	250	240	96	240	96	90-110	0 20	
						mg/kg		01.11.18 14:50	

Analytical Method: Chloride by EPA 300										Prep Method: E300P		
Seq Number:		3038226		Matrix: Soil		Date Prep: 01.11.18		MSD Sample Id: 573117-001 SD				
Parent Sample Id:		573117-001		MS Sample Id: 573117-001 S								
Parameter	Parent	Spike	MS	MS	MSD	MSD	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
	Result	Amount	Result	%Rec	Result	%Rec						
Chloride	240	250	500	104	508	107	90-110	2	20	mg/kg	01.11.18 15:11	

Analytical Method: Chloride by EPA 300										Prep Method: E300P		
Seq Number:		3038226		Matrix: Soil		Date Prep: 01.11.18						
Parent Sample Id:		573122-002		MS Sample Id: 573122-002 S		MSD Sample Id: 573122-002 SD						
Parameter	Parent	Spike	MS	MS	MSD	MSD	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
	Result	Amount	Result	%Rec	Result	%Rec						
Chloride	<4.97	249	237	95	247	99	90-110	4	20	mg/kg	01.11.18 17:20	

Analytical Method: TPH By SW8015 Mod										Prep Method: TX1005P		
Seq Number:		3038511		Matrix: Solid		Date Prep: 01.16.18						
MB Sample Id:		7637574-1-BLK		LCS Sample Id: 7637574-1-BKS		LCSD Sample Id: 7637574-1-BSD						
Parameter	MB	Spike	LCS	LCS	LCSD	LCSD	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
	Result	Amount	Result	%Rec	Result	%Rec						
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	923	92	866	87	70-135	6	35	mg/kg	01.16.18 22:31	
Diesel Range Organics (DRO)	<15.0	1000	974	97	925	93	70-135	5	35	mg/kg	01.16.18 22:31	
Surrogate	MB	MB	LCS	LCS	LCSD	LCSD	Limits	Units				
	%Rec	Flag	%Rec	Flag	%Rec	%Rec	Flag					
1-Chlorooctane	93		91		89		70-135	%	01.16.18 22:31			
1-Terphenyl	100		89		89		70-135	%	01.16.18 22:31			

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery

$$[D] = 100 * (C-A) / B$$
$$RPD = 200 * |(C-E) / (C+E)|$$
$$[D] = 100 * (C) / [B]$$

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec





QC Summary 573116

COG Operating LLC  
SRO St. Com #2H

Analytical Method: TPH By SW8015 Mod				Matrix: Solid				Prep Method: TX1005P			
Seq Number: 3038390				LCS Sample Id: 7637443-1-BKS				Date Prep: 01.12.18			
MB Sample Id: 7637443-1-BLK											
Parameter	MB	Spike	LCS	LCS	Limits	Units	Analysis	Flag			
	Result	Amount	Result	%Rec			Date				
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	862	86	70-135	mg/kg	01.12.18 19:11				
Diesel Range Organics (DRO)	<15.0	1000	861	86	70-135	mg/kg	01.12.18 19:11				
Surrogate	MB	MB	LCS	LCS	Limits	Units	Analysis	Flag			
	%Rec	Flag	%Rec	Flag			Date				
1-Chlorooctane	91		80		70-135	%	01.12.18 19:11				
o-Terphenyl	96		95		70-135	%	01.12.18 19:11				

Analytical Method: TPH By SW8015 Mod										Prep Method: TX1005P			
Seq Number: 3038390			Matrix: Soil			Date Prep: 01.12.18				MSD Sample Id: 573261-001 SD			
Parent Sample Id: 573261-001			MS Sample Id: 573261-001 S										
Parameter	Parent Result	Spike Amount	MS	MS	MSD	MSD	Limits	%RPD	RPD	Limit	Units	Analysis	Flag
			Result	%Rec	Result	%Rec							
Gasoline Range Hydrocarbons (GRO)	23.0	1000	796	77	831	81	70-135	4	35	35	mg/kg	01.13.18 02:42	
Diesel Range Organics (DRO)	120	1000	856	74	870	75	70-135	2	35	35	mg/kg	01.13.18 02:42	
Surrogate	MS	MS	MS	MS	MSD	MSD	Limits	Units	Analysis	Flag			
	%Rec	Flag	%Rec	Flag	%Rec	%Rec			Date				
1-Chlorooctane	85		85		88	88	70-135	%	01.13.18 02:42				
1-Terphenyl	101		101		81	81	70-135	%	01.13.18 02:42				

Analytical Method: TPH By SW8015 Mod				Prep Method: TX1005P									
Seq Number:		3038511		Matrix: Soil		Date Prep: 01.16.18							
Parent Sample Id:		572902-001		MS Sample Id: 572902-001 S		MSD Sample Id: 572902-001 SID							
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag	
Gasoline Range Hydrocarbons (GRO)	<15.0	998	836	84	837	84	70-135	0	35	mg/kg	01.16.18 23:40		
Diesel Range Organics (DRO)	<15.0	998	965	97	964	96	70-135	0	35	mg/kg	01.16.18 23:40		
Surrogate			MS %Rec		MS Flag		MSD %Rec		MSD Flag		Limits	Units	Analysis Date
1-Chlorooctane			85				83				70-135	%	01.16.18 23:40
			72				77				70-135	%	01.16.18 23:40

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery

$[D] = 100 * (C-A) / B$   
 $RPD = 200 * |(C-E) / (C+E)|$   
 $[D] = 100 * (C) / [B]$

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



QC Summary 573116

COG Operating LLC  
SRO St. Com #2H

Analytical Method: BTEX by EPA 8021B

Seq Number: 3038355

Matrix: Solid

Prep Method: SW5030B  
Date Prep: 01.12.18

MB Sample Id: 7637493-1-BLK

LCS Sample Id: 7637493-1-BKS

LCSD Sample Id: 7637493-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00201	0.100	0.0948	95	0.0882	88	70-130	7	35	mg/kg	01.12.18 17:29	
Toluene	<0.00201	0.100	0.0928	93	0.0864	87	70-130	7	35	mg/kg	01.12.18 17:29	
Ethylbenzene	<0.00201	0.100	0.0908	91	0.0848	85	71-129	7	35	mg/kg	01.12.18 17:29	
m,p-Xylenes	<0.00402	0.201	0.182	91	0.170	85	70-135	7	35	mg/kg	01.12.18 17:29	
o-Xylene	<0.00201	0.100	0.0902	90	0.0854	86	71-133	5	35	mg/kg	01.12.18 17:29	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	100		99		98		80-120	%	01.12.18 17:29
4-Bromofluorobenzene	92		93		95		80-120	%	01.12.18 17:29

Analytical Method: BTEX by EPA 8021B

Seq Number: 3038355

Matrix: Soil

Prep Method: SW5030B  
Date Prep: 01.12.18

Parent Sample Id: 573116-003

MS Sample Id: 573116-003 S

MSD Sample Id: 573116-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00199	0.0996	0.0868	87	0.0896	90	70-130	3	35	mg/kg	01.12.18 18:09	
Toluene	<0.00199	0.0996	0.0852	86	0.0865	87	70-130	2	35	mg/kg	01.12.18 18:09	
Ethylbenzene	<0.00199	0.0996	0.0806	81	0.0824	83	71-129	2	35	mg/kg	01.12.18 18:09	
m,p-Xylenes	<0.00398	0.199	0.162	81	0.165	83	70-135	2	35	mg/kg	01.12.18 18:09	
o-Xylene	<0.00199	0.0996	0.0818	82	0.0824	83	71-133	1	35	mg/kg	01.12.18 18:09	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		117		80-120	%	01.12.18 18:09
4-Bromofluorobenzene	97		111		80-120	%	01.12.18 18:09

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery

$[D] = 100 * (C-A) / B$   
 $RPD = 200 * |(C-E) / (C+E)|$   
 $[D] = 100 * (C) / [B]$

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec

Midland, Texas (432-704-5251)

## Page 1 of 1

Phoenix, Arizona (480-355-0900)

[www.xenco.com](http://www.xenco.com)

STARS

W = Water  
S = Soil/Sed/Solid  
GW = Ground Water  
DW = Drinking Water  
P = Product  
SW = Surface water  
SL = Sludge  
OW = Ocean/Sea Water  
WI = Wipe  
O = Oil  
WW = Waste Water  
A = Air

## CHLORIDES

BTEX

TPH EXTENDED

三

MEOH

NaHSO <sub>4</sub>	p
	q

Series

	of p

equ	1000000
-----	---------

NaOH/70	2
---------	---

5

#

67

KL p

Midsize

Order:

[illegible]

--	--

San De

---

---

---

tion

---

Coll

---

COCK  
D /

Hitc  
Hitc  
Field

opla

me: S

cont

Object  
Number

---

Final 1.000





## Saving the Standard since 1990

Stanford, Texas (281-240-4200)

Dallas Texas (214-802-0300)

San Antonio, Texas (210-509-3334)

Midland, Texas (432-704-6251)

# CHAIN OF CUSTODY

Page 1 of 1

Phoenix, Arizona (480-355-0800)

## THE GUYANA JOURNAL

**Xenon Job 5**

# STARS

Client / Reporting Information		Project Information		Collection		Turnaround Time (Business days)		TAT Starts Day received by Lab, if received by 5:00 pm		FED-EX / UPS Tracking #	
Company Name / Branch: COG Operating, LLC		Project Name/Number: 5A0 54.0m #2H		Sample Date/Time: 12/29/17 8H		1		Same Day TAT		10-2	
Company Address: 1407 Pecos Ave. Arnsa NM 88210		Project Location: Eddy Co, NM		Sample Depth: 0		2		5 Day TAT		10-2	
Email: sheldon@concho.com, cgray@concho.com, maske@concho.com		Invoice To: COG Operating, LLC		Matrix: S		3		7 Day TAT		10-2	
Phone No: 575-783-4475		COG Operating, LLC		# of bottles: 1		4		Contract TAT		10-2	
Project Contact: Sheldon Hitchcock		600 W. Ithaca Ave.		S		5		Level II Sht QC		10-2	
PO Number: Midland TX, 79701		Adm: Robert McNeill		S		6		Level III Sht QC + Forms		10-2	
		Number of preserved bottles		S		7		Level IV (Full) Data (Pig raw data)		10-2	
		Matrix		S		8		TRRP Level IV		10-2	
		# of bottles		S		9		TRRP Level III		10-2	
		HCl		S		10		Level II Sht QC		10-2	
		NaOH		S		11		Level III Sht QC + Forms		10-2	
		NaOH		S		12		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		13		TRRP Level IV		10-2	
		NaOH		S		14		TRRP Level III		10-2	
		NaOH		S		15		Level II Sht QC		10-2	
		NaOH		S		16		Level III Sht QC + Forms		10-2	
		NaOH		S		17		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		18		TRRP Level IV		10-2	
		NaOH		S		19		TRRP Level III		10-2	
		NaOH		S		20		Level II Sht QC		10-2	
		NaOH		S		21		Level III Sht QC + Forms		10-2	
		NaOH		S		22		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		23		TRRP Level IV		10-2	
		NaOH		S		24		TRRP Level III		10-2	
		NaOH		S		25		Level II Sht QC		10-2	
		NaOH		S		26		Level III Sht QC + Forms		10-2	
		NaOH		S		27		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		28		TRRP Level IV		10-2	
		NaOH		S		29		TRRP Level III		10-2	
		NaOH		S		30		Level II Sht QC		10-2	
		NaOH		S		31		Level III Sht QC + Forms		10-2	
		NaOH		S		32		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		33		TRRP Level IV		10-2	
		NaOH		S		34		TRRP Level III		10-2	
		NaOH		S		35		Level II Sht QC		10-2	
		NaOH		S		36		Level III Sht QC + Forms		10-2	
		NaOH		S		37		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		38		TRRP Level IV		10-2	
		NaOH		S		39		TRRP Level III		10-2	
		NaOH		S		40		Level II Sht QC		10-2	
		NaOH		S		41		Level III Sht QC + Forms		10-2	
		NaOH		S		42		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		43		TRRP Level IV		10-2	
		NaOH		S		44		TRRP Level III		10-2	
		NaOH		S		45		Level II Sht QC		10-2	
		NaOH		S		46		Level III Sht QC + Forms		10-2	
		NaOH		S		47		Level IV (Full) Data (Pig raw data)		10-2	
		NaOH		S		48		TRRP Level IV		10-2	
		NaOH		S		49		TRRP Level III		10-2	
		NaOH		S		50		Level II Sht QC		10-2	
		NaOH		S		51		Level			

with the enclosed unless previously negotiated beyond the contract.  
Xenoco's liability will be limited to the cost of samples. Any samples received by Xenoco but not analyzed will be invoiced at \$5 per sample. These terms  
losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenoco. A minimum charge of \$75 will be applied to each project. Xenoco's liability will be limited to the cost of samples. Any samples received by Xenoco but not analyzed will be invoiced at \$5 per sample. These terms  
Hodges' signature on this document and reimbursement of samples constitutes a valid purchase order from client company to Xenoco. Its affiliates and subcontractors. A signed standard terms and conditions of service. Xenoco will be liable only for the cost of samples and shall not assume any responsibility for any





## Inter-Office Shipment

Page 1 of 1

IOS Number **1054383**

Date/Time: 01/10/18 12:32

Lab# From: **Midland**Lab# To: **Houston**

Created by: Shawnee Smith

Delivery Priority:

Air Bill No.:

Please send report to: Kelsey Brooks

Address: 1211 W. Florida Ave, Midland TX 79701

Phone:

E-Mail: kelsey.brooks@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
573116-001	S	AH-1 0'	12/05/17 13:30	TX1005	TPH by Texas1005	01/15/18	12/19/17	KEB	PHCC12C28 PHCC28C35 1	
573116-002	S	AH-1 1'	12/05/17 13:35	TX1005	TPH by Texas1005	01/15/18	12/19/17	KEB	PHCC12C28 PHCC28C35 1	
573116-003	S	AH-1 2'	12/05/17 13:40	TX1005	TPH by Texas1005	01/15/18	12/19/17	KEB	PHCC12C28 PHCC28C35 1	
573116-004	S	AH-2 0'	12/05/17 14:00	TX1005	TPH by Texas1005	01/15/18	12/19/17	KEB	PHCC12C28 PHCC28C35 1	
573116-005	S	AH-2 1'	12/05/17 14:05	TX1005	TPH by Texas1005	01/15/18	12/19/17	KEB	PHCC12C28 PHCC28C35 1	
573116-006	S	AH-2 2'	12/05/17 14:10	TX1005	TPH by Texas1005	01/15/18	12/19/17	KEB	PHCC12C28 PHCC28C35 1	

Inter Office Shipment or Sample Comments:

Relinquished By

Shawnee Smith

Received By: \_\_\_\_\_

Date Relinquished: 01/10/2018

Date Received: \_\_\_\_\_

Cooler Temperature: \_\_\_\_\_



## XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

Client: COG Operating LLC

Date/ Time Received: 01/09/2018 12:30:00 PM

Acceptable Temperature Range: 0 - 6 degC  
Air and Metal samples Acceptable Range: Ambient

Work Order #: 573116

Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	10.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	No
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Shawnee Smith

Date: 01/10/2018

Checklist reviewed by:

Kelsey Brooks

Date: 01/11/2018



# Certificate of Analysis Summary 579821

2M Enviromental Services LLC, Odessa, TX

Project Name: COG SRO State COM #002



Project Id:

Contact: Matt Green

Project Location: Eddy County, NM

Date Received in Lab: Tue Mar-20-18 03:00 pm

Report Date: 27-MAR-18

Project Manager: Holly Taylor

<i>Analysis Requested</i>	<i>Lab Id:</i>	579821-001	579821-002	579821-003	579821-004	579821-005	
	<i>Field Id:</i>	T-1 @ 6"	T-1 @ 1'	T-1 @ 2'	T-1 @ 3'	T-1 @ 4'	
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	
	<i>Sampled:</i>	Mar-13-18 10:16	Mar-13-18 10:20	Mar-13-18 10:26	Mar-13-18 10:32	Mar-13-18 10:40	
<b>BTEX by EPA 8021B</b>	<i>Extracted:</i>	Mar-22-18 17:15	Mar-22-18 17:15	Mar-22-18 17:15	Mar-22-18 17:15	Mar-22-18 17:15	
	<i>Analyzed:</i>	Mar-23-18 08:37	Mar-23-18 12:29	Mar-23-18 12:49	Mar-23-18 13:08	Mar-23-18 13:27	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Benzene		<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	
Toluene		<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	
Ethylbenzene		<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	
m,p-Xylenes		<0.00403 0.00403	<0.00398 0.00398	<0.00401 0.00401	<0.00404 0.00404	<0.00397 0.00397	
o-Xylene		<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	
Total Xylenes		<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	
Total BTEX		<0.00202 0.00202	<0.00199 0.00199	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	
<b>Chloride by EPA 300</b>	<i>Extracted:</i>	Mar-22-18 13:30	Mar-22-18 13:30	Mar-22-18 13:30	Mar-22-18 13:30	Mar-22-18 13:30	
	<i>Analyzed:</i>	Mar-22-18 18:14	Mar-22-18 18:19	Mar-22-18 18:35	Mar-22-18 18:41	Mar-22-18 18:46	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		286 5.00	291 49.7	200 49.8	86.8 49.9	132 4.95	
<b>TPH By SW8015 Mod</b>	<i>Extracted:</i>	Mar-22-18 15:00	Mar-22-18 15:00	Mar-22-18 15:00	Mar-22-18 15:00	Mar-22-18 15:00	
	<i>Analyzed:</i>	Mar-23-18 03:14	Mar-23-18 03:41	Mar-23-18 04:09	Mar-23-18 04:36	Mar-23-18 05:04	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Gasoline Range Hydrocarbons (GRO)		<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Diesel Range Organics (DRO)		<14.9 14.9	61.2 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Oil Range Hydrocarbons (ORO)		<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	
Total TPH		<14.9 14.9	133 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Holly Taylor  
Project Manager

# Analytical Report 579821 for 2M Environmental Services LLC

Project Manager: Matt Green

COG SRO State COM #002

27-MAR-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-18-24), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)

Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):

Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-18-14)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)





27-MAR-18

Project Manager: **Matt Green**  
**2M Environmental Services LLC**  
1219 W University Blvd  
Odessa, TX 79764

Reference: XENCO Report No(s): **579821**  
**COG SRO State COM #002**  
Project Address: Eddy County, NM

**Matt Green:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 579821. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 579821 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Holly Taylor'.

**Holly Taylor**  
Project Manager

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



## Sample Cross Reference 579821



### 2M Environmental Services LLC, Odessa, TX

COG SRO State COM #002

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
T-1 @ 6"	S	03-13-18 10:16		579821-001
T-1 @ 1'	S	03-13-18 10:20		579821-002
T-1 @ 2'	S	03-13-18 10:26		579821-003
T-1 @ 3'	S	03-13-18 10:32		579821-004
T-1 @ 4'	S	03-13-18 10:40		579821-005



**CASE NARRATIVE**

*Client Name: 2M Environmental Services LLC*

*Project Name: COG SRO State COM #002*

Project ID:

Report Date: 27-MAR-18

Work Order Number(s): 579821

Date Received: 03/20/2018

**Sample receipt non conformances and comments:**

None

**Sample receipt non conformances and comments per sample:**

None

**Analytical non conformances and comments:**

Batch: LBA-3044699 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX

COG SRO State COM #002

Sample Id: T-1 @ 6"      Matrix: Soil      Date Received: 03.20.18 15.00  
Lab Sample Id: 579821-001      Date Collected: 03.13.18 10.16

Analytical Method: Chloride by EPA 300      Prep Method: E300P  
Tech: SCM      % Moisture:  
Analyst: SCM      Date Prep: 03.22.18 13.30      Basis: Wet Weight  
Seq Number: 3044697

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	286	5.00	mg/kg	03.27.18 15.16		1

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM      % Moisture:  
Analyst: ARM      Date Prep: 03.22.18 15.00      Basis: Wet Weight  
Seq Number: 3044591

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	03.23.18 03.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	03.23.18 03.14	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<14.9	14.9	mg/kg	03.23.18 03.14	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	03.23.18 03.14	U	1
Surrogate			%				
1-Chlorooctane	111-85-3		100	%	70-135		
o-Terphenyl	84-15-1		101	%	70-135		





Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX

COG SRO State COM #002

Sample Id: T-1 @ 6"

Matrix: Soil

Date Received: 03.20.18 15.00

Lab Sample Id: 579821-001

Date Collected: 03.13.18 10.16

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 03.22.18 17.15

Basis: Wet Weight

Seq Number: 3044699

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	03.23.18 08.37	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	03.23.18 08.37	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	03.23.18 08.37	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	03.23.18 08.37	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	03.23.18 08.37	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	03.23.18 08.37	U	1
Total BTEX		<0.00202	0.00202	mg/kg	03.23.18 08.37	U	1
Surrogate							
4-Bromofluorobenzene	460-00-4		93	%	03.23.18 08.37		
1,4-Difluorobenzene	540-36-3		98	%	03.23.18 08.37		



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX  
COG SRO State COM #002

Sample Id: T-1 @ 1'      Matrix: Soil      Date Received: 03.20.18 15.00  
Lab Sample Id: 579821-002      Date Collected: 03.13.18 10.20

Analytical Method: Chloride by EPA 300      Prep Method: E300P  
Tech: SCM      % Moisture:  
Analyst: SCM      Date Prep: 03.22.18 13.30      Basis: Wet Weight  
Seq Number: 3044697

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	291	49.7	mg/kg	03.22.18 18.19		10

Analytical Method: TPH By SW8015 Mod      Prep Method: TX1005P

Tech: ARM      % Moisture:  
Analyst: ARM      Date Prep: 03.22.18 15.00      Basis: Wet Weight  
Seq Number: 3044591

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	03.23.18 03.41	U	1
Diesel Range Organics (DRO)	C10C28DRO	61.2	15.0	mg/kg	03.23.18 03.41		1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	03.23.18 03.41	U	1
Total TPH	PHC635	133	15.0	mg/kg	03.23.18 03.41		1
Surrogate			%				
1-Chlorooctane	111-85-3		91	%	70-135		
o-Terphenyl	84-15-1		92	%	70-135		



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX  
COG SRO State COM #002

Sample Id: T-1 @ 1'  
Lab Sample Id: 579821-002

Matrix: Soil  
Date Collected: 03.13.18 10.20

Date Received: 03.20.18 15.00

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 03.22.18 17.15

Basis: Wet Weight

Seq Number: 3044699

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	03.23.18 12.29	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	03.23.18 12.29	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	03.23.18 12.29	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	03.23.18 12.29	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	03.23.18 12.29	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	03.23.18 12.29	U	1
Total BTEX		<0.00199	0.00199	mg/kg	03.23.18 12.29	U	1
Surrogate							
1,4-Difluorobenzene	540-36-3		98	%	03.23.18 12.29		
4-Bromofluorobenzene	460-00-4		97	%	03.23.18 12.29		



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX  
COG SRO State COM #002

Sample Id: T-1 @ 2'      Matrix: Soil      Date Received: 03.20.18 15.00  
Lab Sample Id: 579821-003      Date Collected: 03.13.18 10.26

Analytical Method: Chloride by EPA 300      Prep Method: E300P  
Tech: SCM      % Moisture:  
Analyst: SCM      Date Prep: 03.22.18 13.30      Basis: Wet Weight  
Seq Number: 3044697

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	200	49.8	mg/kg	03.22.18 18.35		10

Analytical Method: TPH By SW8015 Mod      Prep Method: TX1005P  
Tech: ARM      % Moisture:  
Analyst: ARM      Date Prep: 03.22.18 15.00      Basis: Wet Weight  
Seq Number: 3044591

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	03.23.18 04.09	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	03.23.18 04.09	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	03.23.18 04.09	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	03.23.18 04.09	U	1
Surrogate			%				
1-Chlorooctane	111-85-3		103	%	03.23.18 04.09		
o-Terphenyl	84-15-1		103	%	03.23.18 04.09		





Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX  
COG SRO State COM #002

Sample Id: T-1 @ 2' Matrix: Soil Date Received: 03.20.18 15.00  
Lab Sample Id: 579821-003 Date Collected: 03.13.18 10.26  
Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B  
Tech: ALJ % Moisture:  
Analyst: ALJ Date Prep: 03.22.18 17.15 Basis: Wet Weight  
Seq Number: 3044699

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	03.23.18 12.49	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	03.23.18 12.49	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	03.23.18 12.49	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	03.23.18 12.49	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	03.23.18 12.49	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	03.23.18 12.49	U	1
Total BTEX		<0.00200	0.00200	mg/kg	03.23.18 12.49	U	1
Surrogate							
4-Bromofluorobenzene	460-00-4		89	%	03.23.18 12.49		
1,4-Difluorobenzene	540-36-3		94	%	03.23.18 12.49		



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX  
COG SRO State COM #002

Sample Id: T-1 @ 3'      Matrix: Soil      Date Received: 03.20.18 15.00  
Lab Sample Id: 579821-004      Date Collected: 03.13.18 10.32

Analytical Method: Chloride by EPA 300      Prep Method: E300P  
Tech: SCM      % Moisture:  
Analyst: SCM      Date Prep: 03.22.18 13.30      Basis: Wet Weight  
Seq Number: 3044697

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	86.8	49.9	mg/kg	03.22.18 18.41		10

Analytical Method: TPH By SW8015 Mod      Prep Method: TX1005P

Tech: ARM      % Moisture:  
Analyst: ARM      Date Prep: 03.22.18 15.00      Basis: Wet Weight  
Seq Number: 3044591

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	03.23.18 04.36	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	03.23.18 04.36	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	03.23.18 04.36	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	03.23.18 04.36	U	1
Surrogate			%				
1-Chlorooctane	111-85-3		100	%	03.23.18 04.36		
o-Terphenyl	84-15-1		100	%	03.23.18 04.36		



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX  
COG SRO State COM #002

Sample Id: T-1 @ 3'  
Lab Sample Id: 579821-004

Matrix: Soil  
Date Collected: 03.13.18 10.32

Date Received: 03.20.18 15.00

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 03.22.18 17.15

Basis: Wet Weight

Seq Number: 3044699

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	03.23.18 13.08	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	03.23.18 13.08	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	03.23.18 13.08	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	03.23.18 13.08	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	03.23.18 13.08	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	03.23.18 13.08	U	1
Total BTEX		<0.00202	0.00202	mg/kg	03.23.18 13.08	U	1
Surrogate							
4-Bromofluorobenzene	460-00-4		93	%	03.23.18 13.08		
1,4-Difluorobenzene	540-36-3		102	%	03.23.18 13.08		



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX

COG SRO State COM #002

Sample Id: T-1 @ 4'  
Lab Sample Id: 579821-005

Matrix: Soil  
Date Collected: 03.13.18 10.40

Date Received: 03.20.18 15.00

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 03.22.18 13.30

Basis: Wet Weight

Seq Number: 3044697

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	132	4.95	mg/kg	03.22.18 18.46		1

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 03.22.18 15.00

Basis: Wet Weight

Seq Number: 3044591

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	03.23.18 05.04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	03.23.18 05.04	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<15.0	15.0	mg/kg	03.23.18 05.04	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	03.23.18 05.04	U	1
Surrogate			%				
1-Chlorooctane	111-85-3	92	92	%	03.23.18 05.04		
o-Terphenyl	84-15-1	92	92	%	03.23.18 05.04		



Certificate of Analytical Results 579821

2M Environmental Services LLC, Odessa, TX  
COG SRO State COM #002

Sample Id: T-1 @ 4'      Matrix: Soil      Date Received: 03.20.18 15.00  
Lab Sample Id: 579821-005      Date Collected: 03.13.18 10.40  
Analytical Method: BTEX by EPA 8021B      Prep Method: SW5030B  
Tech: ALJ      % Moisture:  
Analyst: ALJ      Date Prep: 03.22.18 17.15      Basis: Wet Weight  
Seq Number: 3044699

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	03.23.18 13.27	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	03.23.18 13.27	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	03.23.18 13.27	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	03.23.18 13.27	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	03.23.18 13.27	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	03.23.18 13.27	U	1
Total BTEX		<0.00198	0.00198	mg/kg	03.23.18 13.27	U	1
Surrogate							
4-Bromofluorobenzene	460-00-4		102	%	03.23.18 13.27		
1,4-Difluorobenzene	540-36-3		103	%	03.23.18 13.27		





# Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
  - B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
  - D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
  - E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
  - F** RPD exceeded lab control limits.
  - J** The target analyte was positively identified below the quantitation limit and above the detection limit.
  - U** Analyte was not detected.
  - L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
  - H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
  - K** Sample analyzed outside of recommended hold time.
  - JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.**
- BRL** Below Reporting Limit.
  - RL** Reporting Limit
  - MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection
  - PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation
  - DL** Method Detection Limit
  - NC** Non-Calculable
  - SMP** Client Sample      **BLK** Method Blank
  - BKS/LCS** Blank Spike/Laboratory Control Sample      **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate
  - MD/SD** Method Duplicate/Sample Duplicate      **MS** Matrix Spike      **MSD:** Matrix Spike Duplicate
  - + NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



## QC Summary 579821

2M Environmental Services LLC  
COG SRO State COM #002

Analytical Method: Chloride by EPA 300												
Seq Number:	3044697		Matrix: Solid				Prep Method: E300P		Date Prep: 03.22.18			
MB Sample Id:	7641290-1-BLK		LCS Sample Id:		7641290-1-BKS		LCSD Sample Id:		7641290-1-BSD			
Parameter	MB	Spike	LCS	LCS	LCSD	LCSD	Limits	%RPD	RPD Limit	Units	Analysis	Flag
	Result	Amount	Result	%Rec	Result	%Rec					Date	
Chloride	<5.00	250	261	104	260	104	90-110	0	20	mg/kg	03.22.18 17:37	

Analytical Method: Chloride by EPA 300												
Seq Number:	3044697			Matrix: Soil				Prep Method: E300P				
Parent Sample Id:	579820-001			MS Sample Id: 579820-001 S				Date Prep: 03.22.18				
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
	62.9	249	309	99	317	102	90-110	3	20	mg/kg	03.22.18 17:53	
Chloride												

Analytical Method: Chloride by EPA 300												
Seq Number:	3044697		Matrix:		Soil		Prep Method:		E300P			
Parent Sample Id:	579822-002		MS Sample Id:		579822-002 S		Date Prep:		03.22.18			
			MSD Sample Id:		579822-002 SD							
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
	164	250	390	90	391	91	90-110	0	20	mg/kg	03.22.18 19:07	
Chloride												

Analytical Method: TPH By SW8015 Mod										Prep Method: TX1005P		
Seq Number:	3044591		Matrix: Solid		Date Prep: 03.22.18							
MB Sample Id:	7641316-1-BLK		LCS Sample Id: 7641316-1-BKS		LCSD Sample Id: 7641316-1-BSD							
Parameter	MB	Spike	LCS	LCS	LCSD	LCSD	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
	Result	Amount	Result	%Rec	Result	%Rec						
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1050	105	1090	109	70-135	4	35	mg/kg	03.22.18 23:38	
Diesel Range Organics (DRO)	<15.0	1000	1110	111	1150	115	70-135	4	35	mg/kg	03.22.18 23:38	
Surrogate	MB	MB	LCS	LCS	LCSD	LCSD	Limits	Units	Analysis Date			
	%Rec	Flag	%Rec	Flag	%Rec	Flag						
1-Chlorooctane	98		115		116		70-135	%	03.22.18 23:38			
1-Terphenyl	100		109		114		70-135	%	03.22.18 23:38			

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery
$$[D] = 100 * (C-A) / B$$

$$RPD = 200 * |(C-E) / (C+E)|$$

$$[D] = 100 * (C) / [B]$$

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



QC Summary 579821

2M Environmental Services LLC  
COG SRO State COM #002

Analytical Method: TPH By SW8015 Mod										Prep Method: TX1005P		
Seq Number:		3044591		Matrix: Soil		Date Prep: 03.22.18		MSD Sample Id: 579708-001 SD				
Parent Sample Id:		579708-001		MS Sample Id: 579708-001 S								
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	1030	103	1090	109	70-135	6	35	mg/kg	03.23.18 00:57	
Diesel Range Organics (DRO)	<15.0	998	1080	108	1140	114	70-135	5	35	mg/kg	03.23.18 00:57	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date			
			109		113		70-135	%	03.23.18 00:57			
			105		111		70-135	%	03.23.18 00:57			
1-Chlorooctane												
o-Terphenyl												

Analytical Method:		BTEX by EPA 8021B				Prep Method:		SW5030B					
Seq Number:		3044699		Matrix:		Solid		Date Prep:		03.22.18			
MB Sample Id:		7641383-1-BLK		LCS Sample Id:		7641383-1-BKS		LCSD Sample Id:		7641383-1-BSD			
Parameter	MB	Spike	LCS	LCS	LCSD	LCSD	Limits	%RPD	RPD	Limit	Units	Analysis	Flag
	Result	Amount	Result	%Rec	Result	%Rec						Date	
Benzene	<0.00199	0.0996	0.113	113	0.115	114	70-130	2	35		mg/kg	03.23.18 06:23	
Toluene	<0.00199	0.0996	0.111	111	0.113	112	70-130	2	35		mg/kg	03.23.18 06:23	
Ethylbenzene	<0.00199	0.0996	0.111	111	0.112	111	70-130	1	35		mg/kg	03.23.18 06:23	
m,p-Xylenes	<0.00398	0.199	0.227	114	0.228	113	70-130	0	35		mg/kg	03.23.18 06:23	
o-Xylene	<0.00199	0.0996	0.113	113	0.115	114	70-130	2	35		mg/kg	03.23.18 06:23	
Surrogate													
	MB	MB	LCS	LCS	LCS	LCSD	LCSD	Limits	Units	Analysis			
	%Rec	Flag	%Rec	Flag	%Rec	%Rec	Flag			Date			
1,4-Difluorobenzene	101		107		107			70-130	%	03.23.18 06:23			
4-Bromofluorobenzene	85		97		92			70-130	%	03.23.18 06:23			

Analytical Method: BTEX by EPA 8021B				Prep Method: SW5030B									
Seq Number: 3044699		Matrix: Soil		Date Prep: 03.22.18									
Parent Sample Id: 579821-001		MS Sample Id: 579821-001 S		MSD Sample Id: 579821-001 SD									
Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag	
	Benzene	<0.00201	0.100	0.0950	95	0.0950	95	70-130	0	35	mg/kg		03.23.18 07:02
	Toluene	<0.00201	0.100	0.0882	88	0.0909	91	70-130	3	35	mg/kg		03.23.18 07:02
	Ethylbenzene	<0.00201	0.100	0.0829	83	0.0868	87	70-130	5	35	mg/kg		03.23.18 07:02
	m,p-Xylenes	<0.00402	0.201	0.169	84	0.177	89	70-130	5	35	mg/kg		03.23.18 07:02
o-Xylene	<0.00201	0.100	0.0845	85	0.0895	90	70-130	6	35	mg/kg	03.23.18 07:02		
Surrogate													
				MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits		Units	Analysis Date		
1,4-Difluorobenzene				107		103		70-130		%	03.23.18 07:02		
4-Bromofluorobenzene				98		95		70-130		%	03.23.18 07:02		

MS/MSD Percent Recovery  
Relative Percent Difference  
LCS/LCSD Recovery

$[D] = 100 * (C-A) / B$   
 $RPD = 200 * |(C-E) / (C+E)|$   
 $[D] = 100 * (C) / [B]$

LCS = Laboratory Control Sample  
A = Parent Result  
C = MS/LCS Result  
E = MSD/LCSD Result

MS = Matrix Spike  
B = Spike Added  
D = MSD/LCSD % Rec



Permian Basin Environmental Lab, LP  
10014 S. County Road 1213  
Midland, Texas 79706

Phone: 432-661-4184

COG SRO STATE COM #002

Project Name:

Project #:

Project Loc:

Eddy County, NM

PO #:

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Fax No:

e-mail:

[mgreen@2m-environmental.com](mailto:mgreen@2m-environmental.com)

Project Manager:

Matt Green

Company Name

2M Environmental Services, LLC.

Company Address:

1219 W. University Blvd.

City/State/Zip:

Odessa, Texas 79764

Telephone No:

(432)230-3763

Sampler Signature:

*Matthew Green*

(lab use only)

ORDER #: 579821

LAB # (lab use only)

FIELD CODE

Beginning Depth

Ending Depth

Date Sampled

Time Sampled

Field Filtered

Total #. of Containers

Ice

HNO<sub>3</sub>

HCl

H<sub>2</sub>SO<sub>4</sub>

NaOH

Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>

None

Other (Specify)

DV=Drinking Water SL=Sludge

GW = Groundwater S=Soil/Solid

NP=Non-Potable Specify Other

TPH: 48.1 8015M 8015B

TPH: TX 1005 Ext TX 1006

Cations (Ca, Mg, Na, K)

Anions (Cl, SO<sub>4</sub>, Alkalinity)

SAR / ESP / CEC

Metals: As Ag Ba Cd Cr Pb Hg Se

Volatiles

Semivolatiles

BTEX 8021B5030 or BTEX 8280

RCI

N.O.R.M.

Chlorides E 300

RUSH TAT (Pre-Schedule) 24, 48, 72 hrs

Standard TAT

Special Instructions:

Relinquished by:

*Matthew Green*

Date

3-20-18

Time

14:11

Received by:

*Matthew Green*

Date

3/20/18

Time

14:11

Received by:

*Matthew Green*

Date

3/20/18

Time

14:11

Relinquished by:

*Matthew Green*

Date

3/20/18

Time

15:00

Received by:

*Matthew Green*

Date

3/20/18

Time

15:00

Received by PBE:

*Matthew Green*

Date

3/20/18

Time

15:00

Sample Containers Intact?

VOCs Free of Headspace?

Labels on container(s)

Temp: 4.4

CF:(0-6: -0.2°C)

(6-23: +0.2°C)

Corrected Temp: 4.4

IR ID:R-8



## XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In

Client: 2M Environmental Services LLC

Date/ Time Received: 03/20/2018 03:00:00 PM

Acceptable Temperature Range: 0 - 6 degC  
Air and Metal samples Acceptable Range: Ambient

Work Order #: 579821

Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	4.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6* Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Connie Hernandez

Date: 03/21/2018

Checklist reviewed by:

Holly Taylor

Date: 03/21/2018



Operator/Responsible Party,

The OCD has received the form C-141 you provided on **12/01/17** regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number ARP-451D has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

*The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]*

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District II office in Artesia on or before 1/01/18. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.

- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

**Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.**

**Jim Griswold**

OCD Environmental Bureau Chief

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505-476-3465

jim.griswold@state.nm.us



## Weaver, Crystal, EMNRD

---

**From:** Christopher Gray <CGray@concho.com>  
**Sent:** Friday, December 1, 2017 2:38 PM  
**To:** Weaver, Crystal, EMNRD; Bratcher, Mike, EMNRD; agroves@slo.state.nm.us  
**Cc:** Rebecca Haskell; Robert McNeill; Sheldon Hitchcock; Dakota Neel  
**Subject:** (C-141 Initial) SRO State Com #002H (30-015-37141) 11-30-2017  
**Attachments:** (C-141 Initial)SRO State Com #002H (30-015-37141) 11-30-2017.pdf

Ms. Weaver / Ms. Groves,

Attached is a C-141 for your consideration. If you have any additional questions please feel free to contact me.

Thank You,

**Christopher Gray**  
HSE Coordinator  
COG Operating, LLC  
Artesia, NM 88210  
575-748-6940 (main)  
575-748-0235 (direct)  
432-557-8032 (cell)  
[cgray@concho.com](mailto:cgray@concho.com)



**CONFIDENTIALITY NOTICE:** The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Further, any contract terms proposed or purportedly accepted in this email are not binding and are subject to management's final approval as memorialized in a separate written instrument, excluding electronic correspondence, executed by an authorized representative of COG Operating LLC or its affiliates.

**Weaver, Crystal, EMNRD**

---

**From:** Rebecca Haskell <RHaskell@concho.com>  
**Sent:** Thursday, November 30, 2017 2:34 PM  
**To:** Weaver, Crystal, EMNRD; Amber Groves (agroves@SLO.state.nm.us)  
**Cc:** Bratcher, Mike, EMNRD; Sheldon Hitchcock; Dakota Neel; Christopher Gray  
**Subject:** (Notification) SRO State Com #002H 11/30/17 (30-015-37141)

Ms. Weaver / Ms. Groves,

COG Operating LLC is reporting a release at the SRO State Com #002H (30-015-37141)  
Unit P Section 32 Township 25S Range 28E GPS 32.080101, -104.1018906.  
OGRID# [229137]

The release occurred on November 30, 2017 at 8:00 am.

Estimated Released: Approximately: >25 bbl. of Produced Water.

Estimated Recovered: Approximately: Currently ongoing.

The release was due to a swedge failure on the water transfer pump. The release is within a lined facility and on the adjacent pad. The site is being evaluated and an Initial C-141 will be submitted. If you have any additional questions please don't hesitate to contact me.

Thank You,

Becky Haskell  
Senior HSE Coordinator  
COG Operating LLC  
600 W Illinois Avenue | Midland, TX 79701  
Direct: 432-818-2372 | Main: 432.683.7443  
Cell: 432-556-5130  
[rhaskell@concho.com](mailto:rhaskell@concho.com)



**CONFIDENTIALITY NOTICE:** The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information herein, is prohibited. If you received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

**NOTICE:** The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Further, any contract terms proposed or purportedly accepted in this email are not binding and are subject to management's final approval as memorialized in a separate written instrument, excluding electronic correspondence, executed by an authorized representative of COG Operating LLC or its affiliates.



PHONE (575) 397-6388 • FAX (575) 397 - 0397 • 1324 W. MARLAND • P.O. BOX 805 • HOBBS, NM 88241-0805  
E-MAIL: [chrnunson@bbcinternational.com](mailto:chrnunson@bbcinternational.com)

## DELINEATION WORKPLAN

### COG – SRO STATE COM #002H (Leak Date: 7/15/18)

#### RP # 2RP-4862

---

This delineation workplan and remediation proposal addresses the release associated with RP # 2RP-4862.

The following information includes:

1. Scaled digital site map with spill area demarcated and leak point identified along with sample point locations and areas of remediation at appropriate depths.
2. GPS information for sample points and sample methodology
3. Depth to groundwater information (i.e., pdf of OSE search results and/or copy of Chevron groundwater trend map).
4. Laboratory analysis results summary table and original laboratory analysis reports
5. A copy of the initial C-141
6. Potentially other pertinent information as necessary for site specific purposes.

***Based on the information included in this package and the NMOCD guidelines, the following remediation is proposed:***

***COG will excavate the spill area as depicted on the following site diagram. The battery was destroyed in the fire and was dismantled so the delineation activities could be conducted. The leak area near SP1, SP5, and SP6 (BLUE shade on diagram) will be excavated to a depth of 6 inches. The leak area near SP2 and SP3 (PURPLE shade on diagram) will be excavated to a depth of 2 feet. The leak area near SP4 (ORANGE shade on diagram) will be excavated to a depth of 1 foot. The leak area near SP7 (PINK shade on diagram) will be excavated to a depth of 2.5 feet.***

The entire site will then be backfilled with clean soil and revegetated (if warranted) to the standards of the appropriate regulatory agency or private surface owner.

All excavated materials will be disposed of at an NMOCD-approved disposal facility.



# COG, SRO State Com #002H

Leak date: 07/15/2018  
Eddy County, NM  
API# 30-015-37141  
2RP-4862

Legend

1 ft Excavation

1.5 ft Excavation


2 ft Excavation

2.5 ft Excavation

Leak area

Sample points

6 in Excavation



Released to Imaging: 12/20/2022 11:15:43 AM

Received by OCD: 12/21/2022 11:14:24 AM



WORLD-WIDE ENVIRONMENTAL SPECIALISTS



PHONE (575) 397-6388 • FAX (575) 397- 0397 • 1324 W. MARLAND • P.O. BOX 805 • HOBBS, NM 88241-0805

# **New Mexico State Land Office** **Revegetation and Noxious Weed Management Plan** **COG – SRO State Com #002H**

**Revegetation Plan**

Disturbed areas associated with the remediation efforts will be reseeded. If after one growing season, the vegetation has not taken hold, seeding may need to be repeated until revegetation is successful, as determined by the State Land Office. The seed will be spread by either using a hand-held broadcaster or tractor-mounted broadcaster and the area will be raked or dragged to cover the seed. If the seed will be broadcast, the pounds per acre will be double over the amount used by drill planting.

The seed mixture will be the appropriate mixture for the specific site and planted in the required amounts of pounds pure live seed (PLS) per acre. Commercially sold seed will be either certified or registered and will not contain primary or secondary noxious weeds.

**Grasses:**

Sidecoats grama	Vaughn, El Reno	4.0	F
Blue grama	Lovington, Hachita	3.0	D
Little bluestem	Pastura, Cimmaron	1.5	F
Green sprangletop	VNS, Southern	1.0	D
Plains bristleglass	VNS, Southern	1.0	D

**Forbs:**

Firewheel ( <i>Gaillardia</i> )	VNS, Southern	1.0	D
---------------------------------	---------------	-----	---

**Shrubs:**

Fourwing saltbush	Marana, Santa Rita	1.0	D
Common winterfat	VNS, Southern	0.5	F

Total PLS/acre    13.0

**Noxious Weed Management Plan**


The site will be visited to assess the establishment of vegetative growth. Personnel performing the site visit will also look for the presence of noxious weeds at the site as indicated on the New Mexico Noxious Weeds List specified on the United States Department of Agriculture website. If a noxious weed is observed at the site, the NMSLO will be contacted to determine the most effective manner to eradicate it.

COG, SRO State Com #002H

Sample points

SP1, N 32.08039 W-104.10226  
SP2, N 32.08041 W-104.10236  
SP3, N 32.08046 W-104.10224  
SP4, N 32.08048 W-104.10212  
SP5, N 32.08054 W-104.10209  
SP6, N 32.08040 W-104.10203  
SP7, N 32.08041 W-104.10194  
SP8, N 32.08031 W-104.10207  
NORTH, N 32.08061 W-104.10209  
SOUTH, N 32.08025 W-104.10207  
EAST, N 32.08039 W-104.10184  
WEST, N 32.08041 W-104.10242

**COG, SRO State Com #002H**  
**U/L P, Section 32, T25S, R28E**  
**Groundwater: <50'**






# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the (R=POD has  
POD suffix indicates the been replaced,  
POD has been replaced O=orphaned,  
& no longer serves a C=the file is  
water right file.) closed) (quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest) (NAD83 UTM in meters) (in feet)

POD		Q Q Q Q				X	Y	Distance		Depth		Water
POD Number	Code	basin	County	64	16	4	Sec	Tws	Rng		Well	Water
<a href="#">C 02478</a>	CUB	ED	2	1	05	26S	28E	583848	3549325*		906	100
Average Depth to Water: --												
Minimum Depth: --												
Maximum Depth: --												

Record Count: 1

UTMNAD83 Radius Search (in meters):

**Easting (X):** 584657

**Northing (Y):** 3549735

**Radius:** 1700

**\*UTM location was derived from PLSS - see Help**

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/25/18 9:38 AM

Page 1 of 1

WATER COLUMN/AVERAGE  
DEPTH TO WATER



Public Land Survey System (PLSS)

☒ Q64:  Q16:   Q4:   Sec:   Tws:   Rng:

State Plane Coordinate System - NAD27

☐ X:  ft Y:  ft Zone:

State Plane Coordinate System - NAD83

☐ X:  ft Y:  ft Zone:

Degrees/Minutes/Seconds

☐ Longitude (X): Degrees:  ° Minutes:  ' Seconds:  "

Latitude (Y): Degrees:  ° Minutes:  ' Seconds:  "

UTM - NAD27

☐ Easting (X):  mtrs Northing (Y):  mtrs Zone:

SUBMIT

All Conversion Results are displayed as NAD 1983 UTM Zone 13

Easting (X):  mtrs Northing (Y):  mtrs

~~ Please keep screen open to copy UTM values for Reports. ~~

Laboratory Analytical Results Summary  
SRO State Com #002H

		Sample ID	SP1 @ SURFACE	SP1 @ 1'	SP1 @ 2'
Analyte	Method	Date	8/15/18	8/15/18	8/15/18
			mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050	<0.050
Toluene	BTEX 8021B		n/a	<0.050	<0.050
Ethylbenzene	BTEX 8021B		n/a	<0.050	<0.050
Total Xylenes	BTEX 8021B		n/a	<0.150	<0.150
Total BTEX	BTEX 8021B		n/a	<0.300	<0.300
Chloride	SM4500Cl-B		4040	80	48
GRO	TPH 8015M		n/a	10.2	<10.0
DRO	TPH 8015M		n/a	2220	56.4
EXT DRO	TPH 8015M		n/a	487	27.1

		Sample ID	SP2 @ SURFACE	SP2 @ 1'	SP2 @ 2'	SP2 @ 3'
Analyte	Method	Date	8/15/18	8/15/18	8/15/18	8/15/18
			mg/kg	mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050	<0.050	n/a
Toluene	BTEX 8021B		n/a	<0.050	<0.050	n/a
Ethylbenzene	BTEX 8021B		n/a	<0.050	<0.050	n/a
Total Xylenes	BTEX 8021B		n/a	<0.150	<0.150	n/a
Total BTEX	BTEX 8021B		n/a	<0.300	<0.300	n/a
Chloride	SM4500Cl-B		7120	5040	608	80
GRO	TPH 8015M		n/a	<10.0	<10.0	n/a
DRO	TPH 8015M		n/a	<10.0	<10.0	n/a
EXT DRO	TPH 8015M		n/a	<10.0	<10.0	n/a

		Sample ID	SP3 @ SURFACE	SP3 @ 1'	SP3 @ 2'	SP3 @ 3'
Analyte	Method	Date	8/15/18	8/15/18	8/15/18	8/15/18
			mg/kg	mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050	<0.050	n/a
Toluene	BTEX 8021B		n/a	<0.050	<0.050	n/a
Ethylbenzene	BTEX 8021B		n/a	<0.050	<0.050	n/a
Total Xylenes	BTEX 8021B		n/a	<0.150	<0.150	n/a
Total BTEX	BTEX 8021B		n/a	<0.300	<0.300	n/a
Chloride	SM4500Cl-B		3800	5200	432	48
GRO	TPH 8015M		n/a	<10.0	<10.0	n/a
DRO	TPH 8015M		n/a	90.5	<10.0	n/a
EXT DRO	TPH 8015M		n/a	16.2	<10.0	n/a

		Sample ID	SP4 @ SURFACE	SP4 @ 1'	SP4 @ 2'
Analyte	Method	Date	8/15/18	8/15/18	8/15/18
			mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050	<0.050
Toluene	BTEX 8021B		n/a	<0.050	<0.050
Ethylbenzene	BTEX 8021B		n/a	<0.050	<0.050
Total Xylenes	BTEX 8021B		n/a	<0.150	<0.150
Total BTEX	BTEX 8021B		n/a	<0.300	<0.300
Chloride	SM4500Cl-B		6960	496	32
GRO	TPH 8015M		n/a	<10.0	<10.0
DRO	TPH 8015M		n/a	12.3	<10.0
EXT DRO	TPH 8015M		n/a	<10.0	<10.0

		Sample ID	SP5 @ SURFACE	SP5 @ 1'	SP5 @ 2'
Analyte	Method	Date	8/15/18	8/15/18	8/15/18
			mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050	<0.050
Toluene	BTEX 8021B		n/a	<0.050	<0.050
Ethylbenzene	BTEX 8021B		n/a	<0.050	<0.050
Total Xylenes	BTEX 8021B		n/a	<0.150	<0.150
Total BTEX	BTEX 8021B		n/a	<0.300	<0.300
Chloride	SM4500Cl-B		5200	176	48
GRO	TPH 8015M		n/a	<10.0	<10.0
DRO	TPH 8015M		n/a	<10.0	<10.0
EXT DRO	TPH 8015M		n/a	<10.0	<10.0

		Sample ID	SP6 @ SURFACE	SP6 @ 1'
Analyte	Method	Date	8/15/18	8/16/18
			mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050
Toluene	BTEX 8021B		n/a	<0.050
Ethylbenzene	BTEX 8021B		n/a	<0.050
Total Xylenes	BTEX 8021B		n/a	<0.150
Total BTEX	BTEX 8021B		n/a	<0.300
Chloride	SM4500Cl-B		208	176
GRO	TPH 8015M		n/a	<10.0
DRO	TPH 8015M		n/a	<10.0
EXT DRO	TPH 8015M		n/a	<10.0

		Sample ID	SP7 @ SURFACE	SP7 @ 1'	SP7 @ 2'	SP7 @ 3'	SP7 @ 4'
Analyte	Method	Date	8/16/18	8/16/18	8/16/18	8/16/18	8/16/18
			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050	n/a	n/a	n/a
Toluene	BTEX 8021B		n/a	<0.050	n/a	n/a	n/a
Ethylbenzene	BTEX 8021B		n/a	<0.050	n/a	n/a	n/a
Total Xylenes	BTEX 8021B		n/a	<0.150	n/a	n/a	n/a
Total BTEX	BTEX 8021B		n/a	<0.300	n/a	n/a	n/a
Chloride	SM4500Cl-B		2960	4000	3040	336	464
GRO	TPH 8015M		n/a	<10.0	n/a	n/a	n/a
DRO	TPH 8015M		n/a	<10.0	n/a	n/a	n/a
EXT DRO	TPH 8015M		n/a	<10.0	n/a	n/a	n/a

		Sample ID	SP8 @ SURFACE	SP8 @ 1'	SP8 @ 2'
Analyte	Method	Date	8/16/18	8/16/18	8/16/18
			mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		n/a	<0.050	n/a
Toluene	BTEX 8021B		n/a	<0.050	n/a
Ethylbenzene	BTEX 8021B		n/a	<0.050	n/a
Total Xylenes	BTEX 8021B		n/a	<0.150	n/a
Total BTEX	BTEX 8021B		n/a	<0.300	n/a
Chloride	SM4500Cl-B		1300	1400	80
GRO	TPH 8015M		n/a	<10.0	n/a
DRO	TPH 8015M		n/a	<10.0	n/a
EXT DRO	TPH 8015M		n/a	<10.0	n/a

Laboratory Analytical Results Summary  
SRO State Com #002H

		Sample ID	NORTH @ SURFACE	EAST @ SURFACE	WEST @ SURFACE	SOUTH @ SURFACE
Analyte	Method	Date	8/16/18	8/16/18	8/16/18	8/16/18
			mg/kg	mg/kg	mg/kg	mg/kg
Benzene	BTEX 8021B		<0.050	<0.050	<0.050	<0.050
Toluene	BTEX 8021B		<0.050	<0.050	<0.050	<0.050
Ethylbenzene	BTEX 8021B		<0.050	<0.050	<0.050	<0.050
Total Xylenes	BTEX 8021B		<0.150	<0.150	<0.150	<0.150
Total BTEX	BTEX 8021B		<0.300	<0.300	<0.300	<0.300
Chloride	SM4500Cl-B		208	240	224	240
GRO	TPH 8015M		<10.0	<10.0	<10.0	<10.0
DRO	TPH 8015M		<10.0	<10.0	<10.0	<10.0
EXT DRO	TPH 8015M		<10.0	<10.0	<10.0	<10.0



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

August 24, 2018

Cliff Brunson

BBC International, Inc.

P. O. Box 805

Hobbs, NM 88241

RE: SRO STATE COM #2H

Enclosed are the results of analyses for samples received by the laboratory on 08/17/18 15:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Halocetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Celey D. Keene", written in a cursive style.

Celey D. Keene

Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018

Reported: 08/24/2018

Project Name: SRO STATE COM #2H

Project Number: 07/15/18

Project Location: COG - MALAGA

Sampling Date: 08/15/2018

Sampling Type: Soil

Sampling Condition: Cool & Intact

Sample Received By: Tamara Oldaker

**Sample ID: SP 1 @ SURFACE (H802315-01)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier

Chloride	4040	16.0	08/21/2018	ND	416	104	400	3.77	
----------	------	------	------------	----	-----	-----	-----	------	--

**Sample ID: SP 1 @ 1 (H802315-02)**

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier

Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEx	<0.300	0.300	08/21/2018	ND					

Surrogate: 4-Bromofluorobenzene (P1D) 92.2 % 69.8-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier

Chloride	80.0	16.0	08/21/2018	ND	400	100	400	7.69	
----------	------	------	------------	----	-----	-----	-----	------	--

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	10.2	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	2220	10.0	08/20/2018	ND	200	100	200	1.84	QM-07
EXT DRO >C28-C36	487	10.0	08/20/2018	ND					

Surrogate: 1-Chlorooctane 71.7 % 41-142

**Cardinal Laboratories**

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

*Celeb D. Keene*

Celeb D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
Cliff Brunson  
P.O. Box 805  
Hobbs NM, 88241  
Fax To: (575) 397-0397

Received:	08/17/2018	Sampling Date:	08/15/2018
Reported:	08/24/2018	Sampling Type:	Soil
Project Name:	SRO STATE COM #2H	Sampling Condition:	Cool & Intact
Project Number:	07/15/18	Sample Received By:	Tamara Oldaker
Project Location:	COG - MALAGA		

**Sample ID: SP 1 @ 1 (H802315-02)**

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Surrogate: 1-Chlorooctadecane	131 %	37.6-147							

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 1 @ 2 (H802315-03)**

**BTEX 80218** **mg/kg** **Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* **92.4 %** **69.8-142**

**Chloride, SM4500Cl-B** **mg/kg** **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>48.0</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
<b>DRO &gt;C10-C28*</b>	<b>56.4</b>	10.0	08/20/2018	ND	200	100	200	1.84	
<b>EXT DRO &gt;C28-C36</b>	<b>27.1</b>	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane* **101 %** **41-142**

*Surrogate: 1-Chlorooctadecane* **96.8 %** **37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
Cliff Brunson  
P.O. Box 805  
Hobbs NM, 88241  
Fax To: (575) 397-0397

Received:	08/17/2018	Sampling Date:	08/15/2018
Reported:	08/24/2018	Sampling Type:	Soil
Project Name:	SRO STATE COM #2H	Sampling Condition:	Cool & Intact
Project Number:	07/15/18	Sample Received By:	Tamara Oldaker
Project Location:	COG - MALAGA		

**Sample ID: SP 2 @ SURFACE (H802315-04)**  
**Chloride, SM4500Cl-B**      **mg/kg**      **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	7120	16.0	08/21/2018	ND	400	100	400	7.69	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 2 @ 1 (H802315-05)**

**BTEX 80218**

**mg/kg**

**Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)*

**95.4 %**

**69.8-142**

**Chloride, SM4500Cl-B**

**mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>5040</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane*

**92.1 %**

**41-142**

*Surrogate: 1-Chlorooctadecane*

**89.4 %**

**37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

*Celey D. Keene*

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 2 @ 2 (H802315-06)**

**BTEX 80218** **mg/kg**

**Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* **95.9 %** **69.8-142**

**Chloride, SM4500Cl-B** **mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>608</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GR0 C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane* **91.4 %** **41-142**

*Surrogate: 1-Chlorooctadecane* **83.2 %** **37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received:

08/17/2018

Sampling Date:

08/15/2018

Reported:

08/24/2018

Sampling Type:

Soil

Project Name:

SRO STATE COM #2H

Sampling Condition:

Cool & Intact

Project Number:

07/15/18

Sample Received By:

Tamara Oldaker

Project Location:

COG - MALAGA

**Sample ID: SP 2 @ 3 (H802315-07)**

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	08/21/2018	ND	400	100	400	7.69	

**Sample ID: SP 3 @ SURFACE (H802315-08)**

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3800	16.0	08/21/2018	ND	400	100	400	7.69	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 3 @ 1 (H802315-09)**

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEx	<0.300	0.300	08/21/2018	ND					

Surrogate: 4-Bromofluorobenzene (PID)		94.5 %		69.8-142					
Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5200	16.0	08/21/2018	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	90.5	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	16.2	10.0	08/20/2018	ND					

Surrogate: 1-Chlorooctane 99.2 % 41-142

Surrogate: 1-Chlorooctadecane 98.6 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 3 @ 2 (H802315-10)**

**BTEX 80218** **mg/kg**

**Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* **95.6 %** **69.8-142**

**Chloride, SM4500Cl-B** **mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>432</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane* **96.6 %** **41-142**

*Surrogate: 1-Chlorooctadecane* **90.3 %** **37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018

Sampling Date: 08/15/2018

Reported: 08/24/2018

Sampling Type: Soil

Project Name: SRO STATE COM #2H

Sampling Condition: Cool & Intact

Project Number: 07/15/18

Sample Received By: Tamara Oldaker

Project Location: COG - MALAGA

**Sample ID: SP 3 @ 3 (H802315-11)**

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	08/21/2018	ND	400	100	400	7.69	

**Sample ID: SP 4 @ SURFACE (H802315-12)**

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6960	16.0	08/21/2018	ND	400	100	400	7.69	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
 Reported: 08/24/2018  
 Project Name: SRO STATE COM #2H  
 Project Number: 07/15/18  
 Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: SP 4 @ 1 (H802315-13)**

**BTEX 80218**

mg/kg

Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* 95.2 % 69.8-142

**Chloride, SM4500Cl-B**

mg/kg

Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>496</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>		mg/kg	Analyzed By: MS						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
<b>DRO &gt;C10-C28*</b>	<b>12.3</b>	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane* 99.6 % 41-142

*Surrogate: 1-Chlorooctadecane* 94.1 %

37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 4 @ 2 (H802315-14)**

**BTEX 80218** **mg/kg**

**Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* **95.9 %** **69.8-142**

**Chloride, SM4500Cl-B** **mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>32.0</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GR0 C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane* **93.9 %** **41-142**

*Surrogate: 1-Chlorooctadecane* **85.9 %** **37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
Cliff Brunson  
P.O. Box 805  
Hobbs NM, 88241  
Fax To: (575) 397-0397

Received:	08/17/2018	Sampling Date:	08/15/2018
Reported:	08/24/2018	Sampling Type:	Soil
Project Name:	SRO STATE COM #2H	Sampling Condition:	Cool & Intact
Project Number:	07/15/18	Sample Received By:	Tamara Oldaker
Project Location:	COG - MALAGA		

**Sample ID: SP 5 @ SURFACE (H802315-15)**  
**Chloride, SM4500Cl-B**      **mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5200	16.0	08/21/2018	ND	400	100	400	7.69	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 5 @ 1 (H802315-16)**

**BTEX 8021B** mg/kg

Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* 95.2 % 69.8-142

**Chloride, SM4500Cl-B** mg/kg

Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>176</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>		mg/kg		Analyzed By: MS					

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GR0 C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane* 102 % 41-142

*Surrogate: 1-Chlorooctadecane* 94.9 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/15/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 5 @ 2 (H802315-17)**

**BTEX 8021B** **mg/kg**

**Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* **95.4 %** **69.8-142**

**Chloride, SM4500Cl-B** **mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>48.0</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GR0 C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane* **96.3 %** **41-142**

*Surrogate: 1-Chlorooctadecane* **90.4 %** **37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
Cliff Brunson  
P.O. Box 805  
Hobbs NM, 88241  
Fax To: (575) 397-0397

Received:	08/17/2018	Sampling Date:	08/15/2018
Reported:	08/24/2018	Sampling Type:	Soil
Project Name:	SRO STATE COM #2H	Sampling Condition:	Cool & Intact
Project Number:	07/15/18	Sample Received By:	Tamara Oldaker
Project Location:	COG - MALAGA		

**Sample ID: SP 6 @ SURFACE (H802315-18)**  
**Chloride, SM4500Cl-B**      **mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	08/21/2018	ND	400	100	400	7.69	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/16/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 6 @ 1 (H802315-19)**

**BTEX 80218**

mg/kg

Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)*

95.3 %

69.8-142

**Chloride, SM4500Cl-B**

mg/kg

Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>176</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>		mg/kg	Analyzed By: MS						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane*

91.9 %

41-142

*Surrogate: 1-Chlorooctadecane*

86.0 %

37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
Cliff Brunson  
P.O. Box 805  
Hobbs NM, 88241  
Fax To: (575) 397-0397

Received:	08/17/2018	Sampling Date:	08/16/2018
Reported:	08/24/2018	Sampling Type:	Soil
Project Name:	SRO STATE COM #2H	Sampling Condition:	Cool & Intact
Project Number:	07/15/18	Sample Received By:	Tamara Oldaker
Project Location:	COG - MALAGA		

**Sample ID: SP 7 @ SURFACE (H802315-20)**  
**Chloride, SM4500Cl-B**      **mg/kg**      **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2960	16.0	08/21/2018	ND	400	100	400	7.69	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/16/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 7 @ 1 (H802315-21)**

**BTEX 8021B** **mg/kg**

**Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

**Surrogate: 4-Bromofluorobenzene (PTD)** **95.0 %** **69.8-142**

**Chloride, SM4500Cl-B** **mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>4000</b>	16.0	08/21/2018	ND	400	100	400	7.69	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

**Surrogate: 1-Chlorooctane** **91.3 %** **41-142**

**Surrogate: 1-Chlorooctadecane** **85.4 %** **37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018

Reported: 08/24/2018

Project Name: SRO STATE COM #2H

Project Number: 07/15/18

Project Location: COG - MALAGA

Sampling Date: 08/16/2018

Sampling Type: Soil

Sampling Condition: Cool & Intact

Sample Received By: Tamara Oldaker

**Sample ID: SP 7 @ 2 (H802315-22)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3040	16.0	08/21/2018	ND	432	108	400	0.00	QM-07

**Sample ID: SP 7 @ 3 (H802315-23)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	08/21/2018	ND	432	108	400	0.00	

**Sample ID: SP 7 @ 4 (H802315-24)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	464	16.0	08/21/2018	ND	432	108	400	0.00	

**Sample ID: SP 8 @ SURFACE (H802315-25)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1300	16.0	08/21/2018	ND	432	108	400	0.00	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

*Celey D. Keene*

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/16/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: SP 8 @ 1 (H802315-26)**

**BTEX 80218**

**mg/kg**

**Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/21/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)*

**92.6 %**

**69.8-142**

**Chloride, SM4500Cl-B**

**mg/kg**

**Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>1400</b>	16.0	08/21/2018	ND	432	108	400	0.00	
<b>TPH 8015M</b>		<b>mg/kg</b>	<b>Analyzed By: MS</b>						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

*Surrogate: 1-Chlorooctane*

**89.9 %**

**41-142**

*Surrogate: 1-Chlorooctadecane*

**85.1 %**

**37.6-147**

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
Cliff Brunson  
P.O. Box 805  
Hobbs NM, 88241  
Fax To: (575) 397-0397

Received:	08/17/2018	Sampling Date:	08/16/2018
Reported:	08/24/2018	Sampling Type:	Soil
Project Name:	SRO STATE COM #2H	Sampling Condition:	Cool & Intact
Project Number:	07/15/18	Sample Received By:	Tamara Oldaker
Project Location:	COG - MALAGA		

**Sample ID: SP 8 @ 2 (H802315-27)**  
**Chloride, SM4500Cl-B**      **mg/kg**      **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	08/21/2018	ND	432	108	400	0.00	

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/16/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: N @ SURFACE (H802315-28)**

BTEx 80218		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/21/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.60	93.3	6.00	1.11	
Total BTEx	<0.300	0.300	08/21/2018	ND					

**Surrogate: 4-Bromofluorobenzene (PTD)**

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier

Chloride	208	16.0	08/21/2018	ND	432	108	400	0.00	
TPH 8015M		mg/kg	Analyzed By: MS						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GR0 C6-C10*	<10.0	10.0	08/20/2018	ND	196	98.0	200	0.403	
DRO >C10-C28*	<10.0	10.0	08/20/2018	ND	200	100	200	1.84	
EXT DRO >C28-C36	<10.0	10.0	08/20/2018	ND					

**Surrogate: 1-Chlorooctane**

Surrogate: 1-Chlorooctadecane	96.5 %	41-142							
	90.1 %	37.6-147							

**Cardinal Laboratories**

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

*Cathy D. Keene*

Cathy D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018

Reported: 08/24/2018

Project Name: SRO STATE COM #2H

Project Number: 07/15/18

Project Location: COG - MALAGA

Sampling Date: 08/16/2018

Sampling Type: Soil

Sampling Condition: Cool & Intact

Sample Received By: Tamara Oldaker

**Sample ID: E @ SURFACE (H802315-29)**

**BTEX 80218** **mg/kg** **Analyzed By: ms**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/22/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/22/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/22/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/22/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/22/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)* *96.2 %* *69.8-142*

**Chloride, SM4500Cl-B** **mg/kg** **Analyzed By: AC**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>240</b>	16.0	08/21/2018	ND	432	108	400	0.00	
<b>TPH 8015M</b>	<b>mg/kg</b>		<b>Analyzed By: MS</b>						

GRO C6-C10*	<10.0	10.0	08/21/2018	ND	205	103	200	0.866	
DRO >C10-C28*	<10.0	10.0	08/21/2018	ND	208	104	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	08/21/2018	ND					

*Surrogate: 1-Chlorooctane* *94.6 %* *41-142*

*Surrogate: 1-Chlorooctadecane* *88.5 %* *37.6-147*

**Cardinal Laboratories**

**\*=Accredited Analyte**

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/16/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: W @ SURFACE (H802315-30)**  
**BTEX 80218**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/22/2018	ND	1.93	96.6	2.00	1.14	
Toluene*	<0.050	0.050	08/22/2018	ND	1.84	91.9	2.00	1.79	
Ethylbenzene*	<0.050	0.050	08/22/2018	ND	1.87	93.3	2.00	1.13	
Total Xylenes*	<0.150	0.150	08/22/2018	ND	5.60	93.3	6.00	1.11	
Total BTEX	<0.300	0.300	08/22/2018	ND					

*Surrogate: 4-Bromofluorobenzene (PTD)*

<b>Chloride, SM4500Cl-B</b>	96.7 %	69.8-142	Analyzed By: AC						
mg/ kg									

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>224</b>	16.0	08/21/2018	ND	432	108	400	0.00	
TPH 8015M	mg/ kg		Analyzed By: MS						

GRO C6-C10*	<10.0	10.0	08/21/2018	ND	205	103	200	0.866	
DRO >C10-C28*	<10.0	10.0	08/21/2018	ND	208	104	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	08/21/2018	ND					

*Surrogate: 1-Chlorooctane*

*Surrogate: 1-Chlorooctadecane*

87.2 % 41-142  
80.5 % 37.6-147

**Cardinal Laboratories**

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.

Cliff Brunson

P.O. Box 805

Hobbs NM, 88241

Fax To: (575) 397-0397

Received: 08/17/2018  
Reported: 08/24/2018  
Project Name: SRO STATE COM #2H  
Project Number: 07/15/18  
Project Location: COG - MALAGA

Sampling Date: 08/16/2018  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: S @ SURFACE (H802315-31)**  
**BTEX 80218**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/21/2018	ND	1.85	92.6	2.00	3.01	
Toluene*	<0.050	0.050	08/21/2018	ND	1.74	87.0	2.00	2.88	
Ethylbenzene*	<0.050	0.050	08/21/2018	ND	1.72	86.1	2.00	3.27	
Total Xylenes*	<0.150	0.150	08/21/2018	ND	5.21	86.8	6.00	3.16	
Total BTEX	<0.300	0.300	08/21/2018	ND					

**Surrogate: 4-Bromofluorobenzene (PTD)**  
**Chloride, SM4500Cl-B** 94.0 % 69.8-142  
mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>240</b>	16.0	08/21/2018	ND	432	108	400	0.00	
<b>TPH 8015M</b>		mg/kg	Analyzed By: MS						

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	08/21/2018	ND	205	103	200	0.866	
DRO >C10-C28*	<10.0	10.0	08/21/2018	ND	208	104	200	3.67	
EXT DRO >C28-C36	<10.0	10.0	08/21/2018	ND					

**Surrogate: 1-Chlorooctadecane** 88.4 % 41-142  
81.7 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500C-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240  
(505) 393-2326 FAX (505) 393-2476

### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476





### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



(505) 393-2326 FAX (505) 393-2476

[illegible]

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476




**CARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240

(505) 393-2326 FAX (505) 393-2476

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: BBC International, Inc.				<b>BILL TO</b>				<b>ANALYSIS REQUEST</b>																					
Project Manager: Cliff Brunson				P.O. #:				<div style="display: flex; flex-direction: column; align-items: center; justify-content: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH Extended</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">BTEX</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">C1-</div> </div>																					
Address: P.O. Box 805				Company:																									
City: Hobbs State: NM Zip: 88241				Attn:																									
Phone #: 575-397-6388 Fax #: 575-397-0397				Address:																									
Project #: Project Owner: <i>CoF</i>				City:																									
Project Name: <i>SFO-2# (7/15/18)</i>				State: Zip:																									
Project Location:				Phone #:																									
Sampler Name:				Fax #:																									
FOR LAB USE ONLY						MATRIX		PRESERV.		SAMPLING																			
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME															
<i>H802315</i>	<i>South@Surke</i>	<i>G</i>	<i>1</i>			<i>✓</i>							<i>8-16-12</i>	<i>5</i>	<i>✓</i>	<i>✓</i>	<i>✓</i>												

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: <i>8-17-10</i>	Received By:	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
<i>[Signature]</i>	Time: <i>3:55</i>	<i>Jamara Oldaker</i>	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:	
<i>[Signature]</i>	Time:			
Delivered By: (Circle One)	<i>-9.79</i>	Sample Condition	CHECKED BY: (Initials)	
Sampler - UPS - Bus - Other:	<i>-9.65c</i>	Cool Intact <input type="checkbox"/> Yes <input type="checkbox"/> No	<i>TO-#15</i>	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

RECEIVED

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

JUL 17 2018

Form C-141  
Revised April 3, 2017

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

DISTRICT OFFICE  
Santa Fe, NM 87505  
District Office in  
accordance with 19.15.29 NMAC.

## Release Notification and Corrective Action

NAB181900323100

Name of Company: COG Operating, LLC (OGRID #229137)		OPERATOR		<input checked="" type="checkbox"/> Initial Report	<input type="checkbox"/> Final Report
Address: 600 West Illinois Avenue, Midland, TX 79701		Contact: Robert McNeill			
Facility Name: SRO State Com #002H		Telephone No. 432-683-7443			
Surface Owner: State		Mineral Owner: State	API No. 30-015-37141		

## LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
P	32	25S	28E	430	South	330	East	Eddy

Latitude 32.080101 Longitude -104.1018906 NAD83

## NATURE OF RELEASE

Type of Release	Produced Water	Volume of Release	190 bbl.	Volume Recovered	180 bbl.
Source of Release	Lightning Strike	Date and Hour of Occurrence	July 15, 2018 6:30pm	Date and Hour of Discovery	July 15, 2018 6:30pm
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Mike Bratcher - NMOCOD		
By Whom? DeAnn Grant	Ryan Mann - SLO				
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date and Hour July 16, 2018 9:03am	If YES, Volume Impacting the Watercourse.		

If a Watercourse was Impacted, Describe Fully.\*




Describe Cause of Problem and Remedial Action Taken.\*

The release was caused by a lightning strike to the overflow water tank. The damaged tanks will be replaced.

Describe Area Affected and Cleanup Action Taken.\*

The release occurred within the lined facility. A vacuum truck was dispatched to remove all freestanding fluids. Concho will have the spill area evaluated for any possible impact from the release and we will present a remediation work plan to the NMOCOD for approval prior to any significant remediation activities.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCOD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCOD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCOD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		OIL CONSERVATION DIVISION	
Printed Name: DeAnn Grant		Approved by Environmental Specialist: 	
Title: HSE Administrative Assistant	Approval Date: 7/17/18	Expiration Date: N/A	
E-mail Address: agrant@concho.com	Conditions of Approval: See Attached		Attached <input checked="" type="checkbox"/> 
Date: July 16, 2018	Phone: (432) 253-4513		

\* Attach Additional Sheets If Necessary



Operator/Responsible Party,

The OCD has received the form C-141 you provided on July 17, 2018 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 88P4808 has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

*The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]*

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in Alaska on or before 8/15/18. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) if groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted



for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

**Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.**

**Jim Griswold**

OCD Environmental Bureau Chief  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505  
505-476-3465  
jim.griswold@state.nm.us

---

**Pruett, Maria, EMNRD**

---

**From:** Bratcher, Mike, EMNRD  
**Sent:** Tuesday, July 17, 2018 11:10 AM  
**To:** Pruett, Maria, EMNRD  
**Subject:** FW: (Initial C-141) SRO State Com #002H Battery (30-015-37141) 07-15-2018  
**Attachments:** (Initial C-141) SRO State Com #002H Battery (30-015-37141) 07-15-2018.pdf

---

**From:** DeAnn Grant <agrant@concho.com>  
**Sent:** Monday, July 16, 2018 3:03 PM  
**To:** Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Mann, Ryan <rmann@slo.state.nm.us>  
**Cc:** Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Ike Tavaréz <itavaréz@concho.com>; Sheldon Hitchcock <SLHitchcock@concho.com>; Dakota Neel <DNeel2@concho.com>; Rebecca Haskell <RHaskell@concho.com>; DeAnn Grant <agrant@concho.com>  
**Subject:** (Initial C-141) SRO State Com #002H Battery (30-015-37141) 07-15-2018


Mr. Bratcher/Mr. Mann,

Please find the attached Initial C-141 for your consideration. If you have any questions or concerns please contact me.

Thank you,

*DeAnn Grant*

HSE Administrative Assistant  
[agrant@concho.com](mailto:agrant@concho.com)  
COG Operating LLC  
600 W Illinois Avenue | Midland, TX 79701  
Direct: 432-253-4513 | Main: 432.683.7443



NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Further, any contract terms proposed or purportedly accepted in this email are not binding and are subject to management's final approval as memorialized in a separate written instrument, excluding electronic correspondence, executed by an authorized representative of COG Operating LLC or its affiliates.



**Bratcher, Mike, EMNRD**

---

**From:** DeAnn Grant <agrant@concho.com>  
**Sent:** Monday, July 16, 2018 8:03 AM  
**To:** Bratcher, Mike, EMNRD; Mann, Ryan  
**Cc:** Weaver, Crystal, EMNRD; Sheldon Hitchcock; Dakota Neel; Rebecca Haskell; DeAnn Grant  
**Subject:** (Notification) ~~SRO State Com #002H (30-015-37141)~~ 07-15-2018

COG Operating, LLC (OGRID# 229137) is reporting a produced water release at the SRO State Com #002H (30-015-37141).

**Release Location:**

ULSTR: P-32-25S-28E  
Lat/Long: 32.080101, -104.1018906

Date of Release: July 15, 2018

Release Volume: >25bbls


Recovery Volume: On going

COG will have the release evaluated and will submit an initial C-141. If you have any questions or concerns please do not hesitate to contact me.

Thank you,

*DeAnn Grant*

HSE Administrative Assistant  
[agrant@concho.com](mailto:agrant@concho.com)  
COG Operating LLC  
600 W Illinois Avenue | Midland, TX 79701  
Direct: 432-253-4513 | Main: 432.683.7443



NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Further, any contract terms proposed or purportedly accepted in this email are not binding and are subject to management's final approval as memorialized in a separate written instrument, excluding electronic correspondence, executed by an authorized representative of COG Operating LLC or its affiliates.

## Oil Conservation Division

Incident ID	nAB1819932369
District RP	2RP-4862
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Charles R. BeauvaisTitle: Senior Environmental EngineerSignature: Charles R. Beauvais 99Date: 12/20/2022email: charles.r.beauvais@conocophillips.comTelephone: 5759882043**OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Brittany HallDate: 12/21/2022Printed Name: Brittany HallTitle: Environmental Specialist

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 169332

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 169332
	Action Type: [IM-SD] Incident File Support Doc (ENV) (IM-BNF)

CONDITIONS

Created By	Condition	Condition Date
bhall	None	12/21/2022