



Certificate of Analysis

Number: 6030-21060187-001A

Artesia Laboratory
 200 E Main St.
 Artesia, NM 88210
 Phone 575-746-3481

Chandler Montgomery
 Occidental Petroleum
 1502 W Commerce Dr.
 Carlsbad, NM 88220

June 21, 2021

Field:	Lost Tank	Sampled By:	Michael Mirabal
Station Name:	Lost Tank 30-19 Fed Com 1H	Sample Of:	Gas Spot
Station Number:	16102T	Sample Date:	06/16/2021 02:20
Station Location:	CTB	Sample Conditions:	113 psia, @ 92 °F Ambient: 95 °F
Sample Point:	Meter	Effective Date:	06/16/2021 02:20
Formation:	Quarterly	Method:	GPA-2261M
County:	Lea	Cylinder No:	1111-002369
Type of Sample:	Spot-Cylinder	Instrument:	70104124 (Inficon GC-MicroFusion)
Heat Trace Used:	N/A	Last Inst. Cal.:	06/21/2021 0:00 AM
Sampling Method:	Fill and Purge	Analyzed:	06/21/2021 12:21:17 by EJ R
Sampling Company:	SPL		

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia	
Hydrogen Sulfide	0.000	0.000	0.000		GPM TOTAL C2+ 5.748
Nitrogen	3.714	3.705	4.543		GPM TOTAL C3+ 2.964
Methane	72.207	72.042	50.591		GPM TOTAL iC5+ 0.710
Carbon Dioxide	4.233	4.223	8.135		
Ethane	10.455	10.431	13.730	2.784	
Propane	5.365	5.353	10.332	1.472	
Iso-butane	0.671	0.669	1.702	0.219	
n-Butane	1.794	1.790	4.554	0.563	
Iso-pentane	0.444	0.443	1.399	0.162	
n-Pentane	0.510	0.509	1.608	0.184	
Hexanes Plus	0.837	0.835	3.406	0.364	
	<u>100.230</u>	<u>100.000</u>	<u>100.000</u>	<u>5.748</u>	

Calculated Physical Properties	Total	C6+
Relative Density Real Gas	0.7915	3.2176
Calculated Molecular Weight	22.84	93.19
Compressibility Factor	0.9962	

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.65 psia & 60°F

Real Gas Dry BTU	1209	5113
Water Sat. Gas Base BTU	1188	5024
Ideal, Gross HV - Dry at 14.65 psia	1204.2	5113.2
Ideal, Gross HV - Wet	1183.1	5023.7
Net BTU Dry Gas - real gas	1098	
Net BTU Wet Gas - real gas	1079	

Comments: H2S Field Content 0 ppm
 Mcf/day 3276

Jesus Escobedo

Eric Ramirez

Data reviewed by: Eric Ramirez, Analyst

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated. 44

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Lost Tank 18 CPF

Flare Date: 2/6/2023

Duration of event: 3 Hours 40 minutes

MCF Flared: 159

Start Time: 08:40 AM

End Time: 12:20 PM

Cause: Emergency Flare > Planned Maintenance > Intermittent Flaring > VRU > Suction Control Valve Installation

Method of Flared Gas Measurement: Gas Flare Meter

Comments: Flare was discovered by Air Quality Team on 02/04/2023, approximately 8:00 AM

1. Reason why this event was beyond Operator's control:

In this case, Lost Tank 18 CPF intermittently flared due to suction control valve installation to increase reliability on VRU's design to decrease emission concerns. The Lost Tank 18 CPF design did not include a bypass to install suction control valve without a shutdown which would affect wells. During every instance of flaring, Oxy production techs, who were on-site to assist, began to choke wells during the installation of the valve to try and eliminate as much flaring as possible without causing too much harm to the processing equipment and wells.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, Lost Tank 18 CPF intermittently flared due to suction control valve installation to increase reliability on VRU's design to decrease emission concerns. The Lost Tank 18 CPF design did not include a bypass to install suction control valve without a shutdown which would affect wells. During every instance of flaring, Oxy production techs, who were on-site to assist, began to choke wells during the installation of the valve to try and eliminate as much flaring as possible without causing too much harm to the processing equipment and wells.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in its action to eliminate the cause and recurrence of flaring during a planned maintenance repair, as there will be times where intermittent flaring shall occur as a safety measure for personnel, equipment and operations. The only actions that Oxy can take is to minimize emissions as much as possible during these planned equipment maintenance periods.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 188985

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 188985
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 188985

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 188985
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites	
<i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Unavailable.
Incident Facility	[fAPP2226965761] Lost Tank 18 CPF

Determination of Reporting Requirements	
<i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Planned Maintenance > Intermittent Flaring > VRU > Suction Control Valve Installation

Representative Compositional Analysis of Vented or Flared Natural Gas	
<i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	72
Nitrogen (N2) percentage, if greater than one percent	4
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	4
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 188985

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 188985
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	02/06/2023
Time vent or flare was discovered or commenced	08:40 AM
Time vent or flare was terminated	12:20 PM
Cumulative hours during this event	4

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 159 Mcf Recovered: 0 Mcf Lost: 159 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	In this case, Lost Tank 18 CPF intermittently flared due to suction control valve installation to increase reliability on VRU's design to decrease emission concerns. The Lost Tank 18 CPF design did not include a bypass to install suction control valve without a shutdown which would affect wells. During every instance of flaring, Oxy production techs, who were on-site to assist, began to choke wells during the installation of the valve to try and eliminate as much flaring as possible without causing too much harm to the processing equipment and wells.
Steps taken to limit the duration and magnitude of vent or flare	It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, Lost Tank 18 CPF intermittently flared due to suction control valve installation to increase reliability on VRU's design to decrease emission concerns. The Lost Tank 18 CPF design did not include a bypass to install suction control valve without a shutdown which would affect wells. During every instance of flaring, Oxy production techs, who were on-site to assist, began to choke wells during the installation of the valve to try and eliminate as much flaring as possible without causing too much harm to the processing equipment and wells.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in its action to eliminate the cause and recurrence of flaring during a planned maintenance repair, as there will be times where intermittent flaring shall occur as a safety measure for personnel, equipment and operations. The only actions that Oxy can take is to minimize emissions as much as possible during these planned equipment maintenance periods.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 188985

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 188985
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
<input checked="" type="checkbox"/>	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
<input checked="" type="checkbox"/>	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
<input checked="" type="checkbox"/>	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 188985

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 188985
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	2/21/2023