

January 31, 2022

Bradford Billings Hydrologist/E.Spec.A District 2 Artesia 1220 South St. Francis Drive Oil Conservation Division Santa Fe, NM 87505

Re: Release Characterization and Closure Request ConocoPhillips Heritage Concho RJ Unit 119 Release Unit Letter P & O, Section 27, Township 17 South, Range 29 East Eddy County, New Mexico Incident ID# NMLB1022356827 2RP-426

Mr. Billings:

Tetra Tech, Inc. (Tetra Tech) was contacted by ConocoPhillips to assess two coincident Heritage Concho releases and subsequent remedial actions taken at the RJ Unit 110 and 119 release sites (API Nos. 30-015-03152 and 30-015-03146). The release footprints are located in Public Land Survey System (PLSS) Unit Letter P and O, Section 27, Township 17 South, Range 29 East, in Eddy County, New Mexico (Site). The approximate release point occurred at coordinates 32.800000°, -104.056700°, as shown on Figures 1 and 2.

#### BACKGROUND

According to the State of New Mexico Oil Conservation Division (NMOCD) C-141 Initial Report, the release at the RJ Unit 119 was discovered on May 30, 2009. The release was caused by a hole in a 2-inch steel injection line. Approximately 200 barrels (bbls) of produced water were released, of which approximately 150 bbls were recovered. The release extent was reported as approximately 50-feet by 100-feet of pastureland. The NMOCD approved the initial C-141 on August 11, 2010 and subsequently assigned the release the Incident ID NMLB1022356827 and the remediation permit (RP) number 2RP-426. The initial C-141 forms are included in Appendix A.

A second release was discovered at the RJ Unit 110 on October 23, 2009. According to the initial C-141 for this release, the cause was also a hole in an injection line. Approximately 100 bbls of produced water were released, of which 400 bbls of produced water mixed with rainwater were recovered. This second release extent reportedly encompassed a 50-foot by 150-foot area of pasture that coincided with the May 30, 2009 release extent. The NMOCD approved the initial C-141 for the second release on August 11, 2010 and subsequently assigned the release the Incident ID NMLB1022357667. A separate report will be submitted to NMOCD addressing the October 23, 2009 release incident.

Page 2 of 71

#### SITE CHARACTERIZATION

A site characterization was performed and no sinkholes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, playa lakes, stream bodies, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the distances specified in 19.15.29 New Mexico Administrative Code (NMAC). The Site is in an area of low karst potential.

There are no water wells listed in the New Mexico Office of the State Engineer (NMOSE database located within approximately ½ mile (800 meters) of the site. According to data from one (1) water well listed in the NMOSE database within approximately 1.55 miles (2,500 meters) of the site, the depth to groundwater is 76 feet below ground surface (bgs). The site characterization data are presented in Appendix B.

#### **REGULATORY FRAMEWORK**

Based upon the release footprint and in accordance with Subsection E of 19.15.29.12 NMAC, per 19.15.29.11 NMAC, the site characterization data was used to determine recommended remedial action levels (RRALs) for benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), total petroleum hydrocarbons (TPH), and chlorides in soil.

Based on the site characterization, established depth to groundwater, and in accordance with Table I of 19.15.29.12 NMAC, the RRALs for the Site are as follows:

Constituent	Site RRALs
Chloride	10,000 mg/kg
ТРН	2,500 mg/kg
BTEX	50 mg/kg

Additionally, in accordance with the NMOCD guidance *Procedures for Implementation of the Spill Rule* (19.15.29 NMAC) (September 6, 2019), the following reclamation requirements for surface soils (0-4 ft bgs) outside of active oil and gas operations are as follows:

Constituent Chloride TPH	<b>Reclamation Requirements</b>							
Chloride	600 mg/kg							
TPH	100 mg/kg							
BTEX	50 mg/kg							

#### INITIAL RESPONSE AND ASSESSMENT ACTIVITIES AND REMEDIATION WORK PLANS

A Work Plan dated August 2, 2010 was developed based on the results of initial response and assessment activities conducted at the Site and submitted to NMOCD for approval. A risk-based evaluation was performed for the Site in accordance with the NMOCD Guidelines for Remediation of Leaks, Spills, and Releases, dated August 13, 1993. A copy of the Work Plan is presented in Appendix C. The release extents are presented in Figure 6 of the Work Plan.

Following the May 30, 2009 release, and prior to the second release, Concho excavated between 1 and 2 feet of impacted soils from the release site and hauled it offsite for proper disposal. On June 4, 2009 Tetra Tech was at the Site on behalf of Concho to delineate the release. Tetra Tech installed seven (7) hand auger borings (AH-1 through AH-7) and sent select samples to an approved laboratory to be analyzed for TPH via EPA method 8015M, BTEX via EPA Method 8021B, and chlorides via EPA Method 300.0. Elevated chloride concentrations were detected in all auger holes. Elevated TPH and BTEX concentrations were detected in limited locations as well.

To complete delineation of chlorides, Tetra Tech returned to the Site on June 30, 2009 to supervise the installation of ten (10) boreholes (SB-1 through SB-10) to depths ranging from 15 to 35 feet bgs using an

air rotary rig. Analytical results indicated that the maximum extent of chloride concentrations above 1,000 mg/kg extended to depths ranging from 8 feet to 25 feet bgs.

In January and April 2010, following the second (October 23, 2009) release at the Site, Tetra Tech provided oversight of the installation of eleven (11) additional drilled borings to assess the new release. Boring depths ranged from 20 feet to 70 feet bgs. Select samples were analyzed for TPH via EPA method 8015M, BTEX via EPA Method 8021B, and chlorides via EPA Method 300.0. The analytical results associated with the intervals tested indicated chloride impact exceeding 1,000 mg/kg from varying depths, ranging from 6 feet bgs to 50 feet bgs.

A summary of all of the assessment results is presented in Tables 1 and 2 of the Work Plan in Appendix C. All assessment sampling locations are presented in Figure 6 of the Work Plan in Appendix C.

On June 4, 2010, Tetra Tech met with Mike Bratcher of the NMOCD to discuss the assessment results and concerns regarding a deep excavation plan. Native sand dunes in the release area posed safety concerns for lines, equipment operators, and other onsite personnel. Based on the discussion with NMOCD, Tetra Tech and Concho proposed to excavate the release area to various depths ranging from 6 feet to 15 feet bgs. A 40-mil plastic liner was proposed for placement at 4 feet bgs in select excavation areas with deeper chloride impacts.

The Work Plan was approved by Mike Bratcher of NMOCD via email dated August 12, 2010. Concurrence was granted by the Bureau of Land Management (BLM) in an email dated August 11, 2010. Copies of the NMOCD and BLM correspondence are included as Appendix D.

#### **REMEDIATION ACTIVITIES AND VISUAL SITE INSPECTION**

According to information provided by Heritage Concho, remediation activities were conducted at the Site per the approved Work Plan. Although there is no photographic documentation of the excavated areas prior to backfilling, and no confirmation samples were collected, the remedial actions are evident in aerial imagery of the release site taken between August 2009 and June 2011. More recent aerial imagery from March 2016 and December 2019 shows the progression of revegetation of the former release Site. Aerial imagery is presented as Appendix E.

To further evaluate the current Site conditions and establishment of vegetation, Tetra Tech conducted a visual inspection at the Site on behalf of ConocoPhillips on December 23, 2021. The visual inspection area is presented in Figure 3.

Photographic documentation from the visual inspection (with stamped GPS coordinates) is presented as Appendix F. A list of field observations describing the Site follow:

- No staining in the reported release footprint; and
- Established vegetative cover that reflects a life-form ratio of plus or minus fifty percent of predisturbance levels.

#### CONCLUSION

Based on the remediation activities that occurred at the Site in accordance with the approved Work Plan, and as supported by observations made in the December 2021 visual inspection, ConocoPhillips respectfully requests closure for this release. The final C-141 forms are enclosed in Appendix A.

ConocoPhillips

If you have any questions concerning the soil assessment activities for the Site, please call me at (512) 217-7254 or Christian at (512) 338-2861.

Sincerely, **Tetra Tech, Inc.** 

Samantha K. Abbott, P.G. Project Manager

Christian M, Llull, P.G. Program Manager

CC: Mr II

Mr. Ike Tavarez, RMR – ConocoPhillips Mr. Charles Beauvais, BU – ConocoPhillips

.

ConocoPhillips

#### LIST OF ATTACHMENTS

#### Figures:

Figure 1 – Overview Map Figure 2 – Topographic Map Figure 3 – Visual Assessment Area

#### Appendices:

Appendix A – C-141 Forms

Appendix B – Site Characterization Data

Appendix C – Work Plan (August 2, 2010)

Appendix D – NMOCD and BLM Correspondence

Appendix E – Aerial Imagery

Appendix F – Photographic Documentation

## FIGURES





Released to Imaging: 2/24/2023 10:14:23 AM

Received by OCD: 1/31/2022 1:12:07 PM



Released to Imaging: 2/24/2023 10:14:23 AM

## APPENDIX A C-141 Forms

Page 11 of 71

Recis NMOCS 6/5/09

Form C-141 Revised October 10, 2003

District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

1000 Rto Brazos Road, Aztec, NM 87410 122   District IV 122   Release Notif   AMLB/0223 56827   Name of Company COG OPERATING LLC 229   Address 550 W. Texas, Suite 1300 Midland, TX 79701   Facility Name – RJ Unit #119 Init Letter Section Township   Q 27 178 29E 660   Latitude	1220	) South	vation Div St. Franc , NM 875	is Dr.	Submit 2 Copies to appropriat District Office in accordanc with Rule 116 on bac side of form					
	•		Rele	ease Notifi	catio	n and Co	rrective A	ction		
n MLB102	23 5682	7				<b>OPERA</b>	<b>FOR</b>	X 1	nitial Report	Final Report
Name of Co	ompany C	COG OPERA	TING LI	LC 22913	57	Contact K	anicia Carrillo		•	
			0 Midlan	id, TX 79701			lo. 432-685-43			
Facility Nar	ne – RJ U1	nit #119				Facility Typ	e- Injection We	<u>  </u>		
Surface Ow	ner			Mineral (	Owner			Lea	se No. 30-01.	5-03146
				LOC	ATIO	N OF REI	LEASE			
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/West L	ine	County
0	27	175	29E	660		South	1980	East		Eddy
			La	titude		Longitud	e			<b>k</b>
					rupf	OF REL				
Type of Rele	ase-Produc	ed Water			IUNE		Release-200bbls	Volu	me Recovered-	150bbls
Source of Re	lease- Hole	in 2" injectio	n line				lour of Occurrence		and Hour of Di	scovery
Was Immedi	ate Notice (	Given?				5/30/09- 1 If YES, To		5/30/	09-12:00pm	
was minicul			Yes 🗌	] No 🔲 Not R	lequired		ther NMOCD I	District 2		
By Whom? I	Kent Greenv	way				Date and H	lour 6/1/09- 9:30	am		
Was a Water	course Rea					If YES, Vo	lume Impacting	the Watercours	e.	
Describe Are Approximate Tetra Tech v	a Affected by 50' X 10 will sample	and Cleanup A 0' area in pas the spill site a	Action Tal ture was a turea to deli	cen.* ffected. All liqui neate any possib.	d was va le contar	cuumed up. T nination from	he area is being c			
regulations at public health should their o or the environ	Il operators or the enviro operations h nment. In a	are required t ronment. The ave failed to a ddition, NMC	o report ar acceptanc adequately OCD accep	nd/or file certain ce of a C-141 rep v investigate and t	release r ort by th remediat	otifications a e NMOCD m e contaminati	nd perform correc arked as "Final R on that pose a thr e the operator of	ctive actions for eport" does no eat to ground responsibility	r releases which t relieve the op water, surface w for compliance	h may endanger erator of liability rater, human health with any other
Signature:	<u> </u>	<u> </u>	•					all i	ON DIVISI	<u> </u>
Printed Name	: Kanicia (	Carrillo				Approved by	Signed By District Supervis AUG 1 1 2		millen_	
Title: Regula	tory Analy	st				Approval Dat	e:	Expira	tion Date:	
							TION per OC	D Rules and	Attached	i []
				52-685-4332						
NB 1022			ui y		G		Y: AROAOJAL	REC'S	- 7R	P-426
LR 1022	357385	-			P	KUPUSAL C			$\propto n$	1 720

MLB 10223 57148 PMLB1022357385

Released to Imaging: 2/24/2023 10:14:23 AM

**Received by OCD: 1/31/2022 1:12:07 PM** Form C-141 State of New Mexico

Oil Conservation Division

	Page 12 of 71
Incident ID	
District RP	
Facility ID	
Application ID	

### Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)
Did this release impact groundwater or surface water?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	🗌 Yes 🗌 No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	🗌 Yes 🗌 No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	🗌 Yes 🗌 No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	🗌 Yes 🗌 No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	🗌 Yes 🗌 No
Are the lateral extents of the release within 300 feet of a wetland?	🗌 Yes 🗌 No
Are the lateral extents of the release overlying a subsurface mine?	🗌 Yes 🗌 No
Are the lateral extents of the release overlying an unstable area such as karst geology?	🗌 Yes 🗌 No
Are the lateral extents of the release within a 100-year floodplain?	🗌 Yes 🗌 No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	🗌 Yes 🗌 No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

#### Characterization Report Checklist: Each of the following items must be included in the report.

Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
Field data
Data table of soil contaminant concentration data
Depth to water determination
Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
Boring or excavation logs
Photographs including date and GIS information
Topographic/Aerial maps

Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 1/31/2	022 1:12:07 PM State of New Mexico	Page 13 of 7.
Form C-141		Incident ID
Page 4	Oil Conservation Division	District RP
		Facility ID
		Application ID
regulations all operators ar public health or the environ failed to adequately investi addition, OCD acceptance and/or regulations. Printed Name: Signature:	re required to report and/or file certain release notification nment. The acceptance of a C-141 report by the OCD de igate and remediate contamination that pose a threat to g of a C-141 report does not relieve the operator of respon Title	f my knowledge and understand that pursuant to OCD rules and ons and perform corrective actions for releases which may endanger loes not relieve the operator of liability should their operations have groundwater, surface water, human health or the environment. In nsibility for compliance with any other federal, state, or local laws e:
OCD Only		
Received by:		Date:

Page 6

Oil Conservation Division

Application ID

### Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

<b><u>Closure Report Attachment Checklist</u>:</b> Each of the following i	items must be included in the closure report.
A scaled site and sampling diagram as described in 19.15.29.1	11 NMAC
Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection)	of the liner integrity if applicable (Note: appropriate OCD District office
Laboratory analyses of final sampling (Note: appropriate OD	C District office must be notified 2 days prior to final sampling)
Description of remediation activities	
and regulations all operators are required to report and/or file certai may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and ren human health or the environment. In addition, OCD acceptance of compliance with any other federal, state, or local laws and/or regula restore, reclaim, and re-vegetate the impacted surface area to the co accordance with 19.15.29.13 NMAC including notification to the C	ations. The responsible party acknowledges they must substantially anditions that existed prior to the release or their final land use in OCD when reclamation and re-vegetation are complete.
	Title:
Signature: /4 7	Date:
email:	Telephone:
OCD Only	
Received by:	Date:
	of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible for regulations.
Closure Approved by: Ashley Maxwell	Date:
Printed Name:	

•

### APPENDIX B Site Characterization Data

## **OCD** Waterbodies



#### 11/30/2021, 11:35:25 AM

- OSE Water-bodies
- PLJV Probable Playas
- OSE Streams



Esri, HERE, Garmin, iPC, Maxar





(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced, O=orphaned, C=the file is closed)	<b>、</b> 1	e 1=NW 2=NE 3- e smallest to larg	,	83 UTM in met	ers)	(In feet)
POD Number	POD Sub- Code basin Cou	Q Q Q ntv 64 16 4 S	Sec Tws Rng	Х	Y	-	oth Depth Water ell Water Column
RA 11807 POD1	RA EI	-	22 17S 29E		3631585 🌍		31 76 55
					Averag	e Depth to Wat	ter: 76 feet
						Minimum Dep	oth: 76 feet
						Maximum Dep	oth: 76 feet
Pecord Count: 1							

#### Record Count: 1

UTMNAD83 Radius Search (in meters):

Easting (X): 588325.23

Northing (Y): 3629555.76

Radius: 2500

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

### APPENDIX C Work Plan (August 2, 2010)



August 2, 2010

Mr. Mike Bratcher Environmental Engineer Specialist Oil Conservation Division, District 2 1301 West Grand Avenue Artesia, NM 88210

## Re: Work Plan for the COG Operating LLC., RJU Unit #119 and RJU #110 (RJU #121), Injection line leaks, Unit P, Section 27, Township 17 South, Range 29 East, Eddy County, New Mexico.

Mr. Bratcher:

Tetra Tech Inc. (Tetra Tech) was contacted by COG Operating LLC. (COG) to assess the spills from the RJU #119 and RJU #110 (RJU #121) sites located in Unit P, Section 27, Township 17 South, Range 29 East, Eddy County, New Mexico (Site). The spill site coordinates are N 32.80042°, W 104.05663°. The site location is shown on Figures 1 and 2.

#### Background

#### RJU #119 - May 30, 2009 Release

According to the State of New Mexico C-141 Initial Report, the leak was discovered on May 30, 2009. Approximately 200 barrels of produced water was released from a hole on a 2-inch injection line. The 2 inch poly line was repaired with new connections. Vacuum trucks were utilized to recover 150 barrels of standing fluids. The initial C-141 is enclosed in Appendix A.

#### RJU # 110 (RJU #121) - October 23, 2009 Release

On October 23, 2009, COG discovered an injection line leak, occurring during a rain storm. Approximately 100 barrels of produced water was released and COG recovered approximately 400 barrels of rainwater mixed with produced water. The release occurred across the road from RJU #121. The majority of the release migrated into the same foot print as the RJU #119 release, which had been investigated an partially excavated. The initial C-141 is enclosed in Appendix A.



#### Groundwater

No water wells were listed within Section 27. An abandoned water well was located in Section 35 and Tetra Tech measured a total depth of 153' (dry). According to the Geology and Groundwater Resources of Eddy County, New Mexico (Report 3), one well is located in Section 22 (Bear Grass Draw) with a depth to water of 79.0' below surface. In addition, a well located in Section 29 was reported at 210 below surface. According to the NMOCD groundwater map the average depth to groundwater in this area is approximately 150' below surface. The Geology and Groundwater Resources of Eddy County, New Mexico (Report 3) well report data is shown in Appendix B.

#### Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

#### **Soil Assessment and Results**

#### RJU #119 - May 30, 2009 Release

On June 4, 2009, Tetra Tech personnel inspected the spill area, which measured approximately 40' x 205' and 10' x 100', located west of the County Road. Prior to sampling, COG excavated 1.0' to 2.0' of impacted soil and hauled to proper disposal. A total of seven (7) auger holes (AH-1 through AH-7) were installed using a stainless steel hand auger to assess the impacted soils. Select samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix D. The results of the sampling are summarized in Table 1.

Referring to Table 1, AH-1 and AH-2 samples exceeded the TPH RRAL to a depth of 2.0' below surface. In addition, the total BTEX exceeded the RRAL in AH-2. Elevated chloride concentrations were detected in all of the auger holes, with no delineation in any of the auger holes.

In order to complete delineation of the chlorides at the sites, on June 30, 2009, Tetra Tech personnel were onsite to install ten (10) boreholes (SB-1 through SB-10) utilizing an air rotary rig. Some of the borings were installed in the vicinity of the

3



previous auger holes. The boreholes were extended to a maximum depth of 15 to 35 feet bgs with samples collected at 2 to 3 foot intervals for the first 15 feet and 5 foot intervals thereafter and submitted to the laboratory for analysis of chlorides and selected samples for BTEX.

Analytical results indicate the maximum extent of chloride impact greater than 1,000 mg/kg extended from 8 feet (SB-2) to 25 feet (SB-1) bgs. Total BTEX concentrations in the vicinity of SB-4 exceeded the RRAL from surface to approximately 5' below excavation bottom. All samples had chloride concentrations that decreased with depth. The soil boring locations are shown in Figure 3. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix D. The results of the sampling are summarized in Table 1. The borehole and auger hole locations are shown on Figure 3.

#### RJU #110 (RJU #121) - October 23, 2009 Release

On January 20, 2010, Tetra Tech was onsite to supervise the installation of eleven (11) boreholes to assess the spill area. On April 20, 2010, several of the boreholes were deepened to further delineate the chloride impact. The boreholes were installed to depths ranging from 20' to 70' below excavation bottom. The soil boring locations are shown on Figure 4. Select samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix D. The sampling results are summarized in Table 2.

Referring to Table 2, all of the samples selected for TPH and BTEX were below the RRAL. Based on the results, the maximum extent of chloride impact greater than 1,000 mg/kg extended from 6 feet (SB-5, SB-6, SB-10 and SB-11) to 50 feet (SB-3).

#### Work Plan

On June 4, 2010, Tetra Tech met with Mike Bratcher of the NMOCD to discuss the results and concerns regarding with a deep excavation plan. Since the impacted area is in the native sand dunes, the proposed excavation depths may not be reached due to wall cave ins and safety concerns for lines, equipment operators as well as other onsite personnel. As such, Tetra Tech will excavate the soils to the maximum extent practicable.

Two underground lines are located in the area of spill/excavation. The active line (Conoco) is running east and west through the center of the spill area and an abandoned line (DCP) runs north and south through the spill. These areas will need to be cleared prior to excavating around the lines and may hinder some soil removal around these lines.

Tetra Tech personnel will supervise the removal of impacted soils as shown in attached Table 3 and Figure 6. In addition, selected excavated areas with deeper chloride impact will be capped (lined) with a 40 mil plastic liner. Once the areas are excavated to the appropriate depths, the excavation will be backfilled with clean soil.

ź

.



The liner will be installed at a depth of 4.0' below surface. The liner installation areas are shown on Figure 4.

If you require any additional information or have any questions or comments concerning this report, please call at (432) 682-4559.

Respectfully submitted, TETRATECH

Ike Tavarez, P.G. Senior Project Manager

cc: Pat Ellis – COG Terry Gregston - BLM

District 1 1625 N. French Dr., Hobbs, NM 88240 District 11	-		f New Mex s and Natura			Form C-14 Revised October 10, 200				
1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rto Brazos Road, Aztec, NM 87410	Oil	Conse	ervation Div	vision	Submit 2 Copies to appropriate District Office in accordance					
District JV 1220 S. St. Francis Dr., Santa Fe, NM 87505			th St. Franc					ith Rule 116 on back side of form		
	elease Notifi		Fe, NM 875		-	,				
ĸ	elease monin	canc			ction					
Name of Company COG OPERATING	LLC		OPERA' Contact K	anicia Carrillo		🛛 Initi	al Report	Final Repor		
Address 550 W. Texas, Suite 100 Midl		~ <u> </u>	Telephone 1	No. 432-685-43						
Facility Name – RJ Unit 110				be- Injection Lin	e					
Surface Owner Federal	Mineral (	Owner				Lease N	No. 30-015	-03152		
	N OF RELEAS			rom the RJ Unit #12	21 (API#	30-015-031	42)			
Unit Letter Section Township Range P 27 17S 29E	e Feet from the 660	Nort Sout	h/South Line	Feet from the 660	East/V East	Vest Line	County Eddy			
		Jour			Lusi					
	Latitude <u>N32'</u>	48.00	Longitu	de <u>W104' 03.40</u>	2					
	NAT	ΓURI	E OF REL	EASE						
Type of Release- Produced water			Volume of	Release-100bbls		Volume I rain wtr	Recovered- 4	100 bbls prod wtr &		
Source of Release- Injection Line			10/23/09	lour of Occurrenc	:e-	Date and 10/23/09	Hour of Dis	covery		
Was Immediate Notice Given?	No Not R	equired	If YES, To Terry Greg							
By Whom? Pat Ellis Was a Watercourse Reached?				lour 10/26/09 2:0						
was a watercourse Reached?	🛛 No		II YES, V	olume Impacting (	ine wate	ercourse.				
If a Watercourse was Impacted, Describe Fu	ly.*									
								<b>、</b>		
Describe Cause of Problem and Remedial Ad Hole in injection line, line is shut in.	tion Taken.*		<u></u>							
Describe Area Affected and Cleanup Action	Taken *	. <u>.</u>						·····		
Spill occurred across the road from the RJ U	hit #121 well, rough									
Tetra Tech will sample the spill site area to d NMOCD/BLM for your approval prior to any				the release and w	e will pr	resent a ren	nediation wo	ork plan to the		
I hereby certify that the information given ab	ove is true and com	plete to	the best of my	knowledge and u	Indersta	nd that pur	suant to NM	OCD rules and		
regulations all operators are required to report	t and/or file certain	release	notifications a	nd perform correc	tive act	ions for rel	leases which	may endanger		
public health or the environment. The accep should their operations have failed to adequa	ely investigate and	remedi	ate contaminat	ion that pose a thr	eat to gi	round wate	r, surface w	ater, human health		
or the environment. In addition, NMOCD ac federal, state, or local laws and/or regulation		report	does not reliev	e the operator of	respons	ibility for c	compliance v	with any other		
	<u> </u>			OIL CON	SERV	ATION	DIVISIO	ON		
Signature:								_		
Printed Name: Kanicia Carrillo			Approved by	District Supervis	or:					
Title: Regulatory Analyst			Approval Da	te:		Expiration	Date.			
E-mail Address: kcarrillo@conchoresources	.com		Conditions o	f Approval:			Attached			
Date: 11/11/09 Phone	: 432-685-4332							· _ ·		
Attach Additional Sheets If Necessary							· · ·			

and the second s

•

<u>District I</u> 625 N. French I <u>District II</u>	•			Sta Energy Mi		New Mexi and Natural			Form C-1 Revised October 10, 20			
301 W. Grand /	Avenue, Arte	sia, NM 88210			00000	vation Div	vision		Submit 2 Copies to appropri-			
000 Rio Brazos	Road, Aztec	, NM 87410				St. Franc			Submit 2 Copies to appropria District Office in accordan with Rule 116 on ba			
<u>listrict IV</u> 220 S. St. Franc	sis Dr., Santa	Fe, NM 87505				31. Flanc			side of for			
			Dala		والتعديد فالمتقرق			- <b>A</b> <sup>*</sup>				
			Keie	ease Notific	ation	OPERAT						
Name of Co	mnany C	OG OPERA	TINGL	LC			anicia Carrillo	🛛 Initia	l Report 🗌 Final Rep			
				id, TX 79701			10. 432-685-43	32				
Facility Nan	ne – RJ Ur	nit #119				Facility Typ	e- Injection We	11				
Surface Ow	ner			Mineral C	wner			Lease N	lo. 30-015-03146			
				LOCA	TIO	OF REI	LEASE					
Unit Letter	Section	Township	Range	Feet from the	North	South Line	Feet from the	East/West Line	County			
O 27 17S 29E 660					South	1980	East	Eddy				
			La	titude		Longitud	e					
			-			OF REL						
Type of Rele	ase-Produce	ed Water			UNE	the second s	Release-200bbis	Volume	lecovered- 150bbls			
		in 2" injectio	n line			Date and H	lour of Occurrence	e- Date and	Hour of Discovery			
Was Immedia	ate Notice (	liven?			·	5/30/09- 1 If YES, To		5/30/09-1	2:00pm			
			Yes [	No 🗌 Not Re	equired		ther NMOCD I	District 2				
By Whom? K							lour 6/1/09- 9:30					
Was a Water	course Reac		Yes	XI No		If YES, Vo	olume Impacting	he Watercourse.				
Tf - Watson		pacted, Descr			·····	<u> </u>						
11 y, Walercol	150 WB3 111		ioe i uny.									
Dereite Co				- Tolus #								
		em and Reme on line. Inject		n Taken.*	ion and t	he line will b	e replaced.					
	-						•		ì			
Describe Are	a Affected	and Cleanup	Action Tal	ken.*					h C			
Tetra Tech v	vill sample (	the spill site a	rea to deli	ineate any possible	e contan	unation from	the release and w	lug out to a 1' depi ve will present a re	n for testing. nediation work plan to the			
				gnificant remedia				•	•			
1.1	Carlos de la											
regulations al	l operators	are required t	o report a	e is true and comp nd/or file certain r	lete to ti elease n	te best of my otifications a	knowledge and und	inderstand that pur tive actions for rel	suant to NMOCD rules and eases which may endanger			
public health	or the envir	ronment. The	acceptant	ce of a C-141 repo	ort by the	NMOCD m	arked as "Final R	eport" does not rel	ieve the operator of liability			
should their o	perations h	ave failed to a	adequately	investigate and r	emediate	e contaminati	on that pose a thr	eat to ground wate	r, surface water, human healt compliance with any other			
federal, state,	or local lav	ws and/or regi	ulations.		report u	ves not renev	e the operator of	responsibility for a	omphance with any other			
		<u>^</u> .					OIL CON	SERVATION	DIVISION			
Signature:	<u> </u>	<u> </u>	-									
Printed Name	· Kanicia (	Carrillo				Approved by	District Supervis	or:				
				*****								
Title: Regula	nory Analy	51				Approval Da	le:	Expiration				
E-mail Addre	ss: kcarrill	o@conchores	ources.co	m		Conditions o	f Approval:		Attached			

Date: 6/3/09 Pho Attach Additional Sheets If Necessary

1000

#### Water Well Data Average Depth to Groundwater (ft) COG - RJU Unit #119 **Eddy County, New Mexico**

	16 :	South	2	8 East			16 Sc	outh	29	East			16 \$	South		30 East	:
6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	Ţ
7	8	9	10	11	12	7	8	9	10	11	12	7	8	9	10	11	╡
18	17	16	15	14	13	18	17	16	15	14	13	18	17	16	15	14	-
19	20	21	22	23	24	19	20	21	22	23	24	19	20	21	22	23	┥
	1	61	1	1		110	1		1	1	1	1	1		1	1	1
30	29	28	27	26	25	30	29	28	27	26	25	30	29	28	27	26	Ţ
31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	╡
	47 (	 South	 	8 East	the second s	L	 17 Se	<u></u>		East	┹╼╍╼╼┛	L	 •	South	_ <u></u>	30 East	
6	15	3000	3	2	11	6	15	14	3	2	1	1c		14	13	2	
	ľ	Ĩ	3	2		ľ	5	ſ		2		6	5	1	ß	ľ	
7	8	9	10	11	12	7	В	9	10	11	12	7	8	9	10	11	T
18	17	16	15	14	13	18	17	18	15	14	13	18	17	18	15	14	-
19	20	21	22	23	24	19	20	21	22	23	24	19	20	21	22	23	-
	_		79	1			_		80						1		
30	29	28	27	26	25	30	29 210 208'	28	27 SITE	26	25	30	29	28	27	26	
31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	
			53							153							
	18 :	South	2	8 East			18 Se	nuth	20	East			18	South		30 East	+
6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	Ì
7	8	9	10	11	12	7	8	9	10	11	12	7	8	9	10	11	-
18	17	16	15	14	13	18	17	16	15	14	13	18	17	18	15	14	-
					1.3		ľ	10		14	13	10	<u> </u>	10	15	14	
19	20	21	22	23	24	19	20	21	22	23	24	19	20	21	22	23	
30	29	28	27	26	25	30	29	28	27	26	25	30	29	28	27	26	1
31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	-
				65					1								

88 New Mexico State Engineers Well Reports

105 USGS Well Reports

90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6) Geology and Groundwater Resources of Eddy County, NM (Report 3)

34 NMOCD - Groundwater Data

123 Field water level

143 NMOCD Groundwater map well location



Released to Imaging: 2/24/2023 10:14:23 AM



Released to Imaging: 2/24/2023 10:14:23 AM

#### Table 1 COG Operating LLC RJU #119 EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil S	Status	Т		)	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
<u>ID</u>	Sampled	Depth (ft)	in-Situ	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
AH-5	6/4/2009	0-1	x		3200	19.9	3219.9	-	-	-	-	1170
	6/4/2009	1-1.5	x		-	-	-	•	-	-	-	412
	6/4/2009	2-2.5	x		-	-	-	-	-	-	-	535
	6/4/2009	3-3.5	X				-		-	-	-	638
	6/4/2009	4-4.5	x		-	-	-		-	-	-	1160
	6/4/2009	5-5.5	X		-	•	-	-	-	-	-	937
	6/4/2009	6-6.5	X		-	-		-	•	-	-	927
	6/4/2009	7-7.5	x		-		-	-	•	-	-	1380
	6/4/2009	8-8.5	x		•	•	-		••		•	1100
SB-1	6/30/2009	5-6	x					-	•	-		1,190
	6/30/2009	8-9	x		-		-		•		-	1,630
	6/30/2009	11-12	x		-	-		-				6,240
	6/30/2009	13-14	x			_	-	-	•			2,760
	6/30/2009	15-16	x		-		-		-	-	-	4,210
	6/30/2009	20-21	x		-		-	-	-		-	1,870
	6/30/2009	25-26	x				-	-			~	1,290
	6/30/2009	30-31	X		-	-	-	-	-	- 1	-	706
	6/30/2009	35-36	x		•	-	-	-	-	-	-	406
		Star Barley							1 (5 )	<b>第1次的</b> 学		
AH-4	6/4/2009	0-1	x		<50.0	18.1	18.1	-	*	-	*	5390
	6/4/2009	1-1.5	x		-	-	-	-	-	-	-	5570
	6/4/2009	2-2.5	x		-	-	-	-	-	-	-	8120
	6/4/2009	3-3.5	х		-		-	-	-	•	-	3280
	6/4/2009	4-4.5	x		-	-	_	-	-	-	+	2740
	6/4/2009	5-5.5	x		-			-		•	-	2710
			ļ			<u> </u>	<b> </b>			┦─────┤		
SB-2	6/30/2009	5-6	<u>x</u>		-	<u> </u>		·	•			3,990
	6/30/2009	8-9	<u> </u>		<u> </u>					·	<u> </u>	3,290
	6/30/2009	11-12	<u> </u>			<u> </u>		·	- <u> </u>			590
<u>#</u>	6/30/2009	13-14	<u>x</u>			·	-	<u> </u>			-	207
	6/30/2009	15-16	<u>x</u>	<u> </u>	-		<u> </u>	<u> </u>		<u> </u>	-	

( - ) Not Analyzed

#### Table 1 COG Operating LLC RJU #119 EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil Soil	Status	<u>;                                    </u>	'PH (mg/kg)		Benzene	Toluene	Ethlybenzene	Xylene	Chloride
ID <sup>11</sup>	Sampled	Depth (ft)	In-Situ	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
AH-3	6/4/2009	0-1	х		<50.0	31.6	31.6	-	-		•	2330
	6/4/2009	1-1.5	x		-	-	-	-	-	-		799
	6/4/2009	2-2.5	x				•	-		-	-	468
	6/4/2009`	3-3.5	x			-	-	-	-	-	-	1350
	6/4/2009	4-4.5	X			-	-		-	•	-	2490
	6/4/2009	5-5.5	x		-	-	-	•	-	-		3540
	6/4/2009	6-6.5	x				-		-			4080
SB-3		5-6	x					-				1,430
	6/30/2009	8-9	X		-	-	-		-	-	-	2,880
	6/30/2009	11-12	x		-	-	~	-	-	+	•	2,820
	6/30/2009	13-14	x			-	-			-	-	2,250
	6/30/2009	15-16	x		-	-	-	<b>-</b>	-	-	-	1,980
	6/30/2009	20-21	X		-	-	-	-	-	-	-	993
	6/30/2009	25-26	x		•	<b>-</b>						<200
(三百次)题。	2	编的时间		, <u>1</u>				2 <sup>3</sup> 8 <sup>2</sup> 2		i de la companya de	· · · · · · · · · · · · · · · · · · ·	
SB-4	6/30/2009	0-1	X		1160	736	1896	<0.0500	7.52	19.5	43.0	1,070
	6/30/2009	2-3	x		691	817	1508	<0.100	7.19	20.1	37.2	1,520
	6/30/2009	5-6	X		-		-	<0.0500	6.06	23.2	34.0	1,390
	6/30/2009	8-9	x		-		-	<0.0100	<0.0100	<0.0100	<0.0100	1,860
	6/30/2009	11-12	х			-	-	-	-	•	-	1,790
	6/30/2009	13-14	x		_	-	-	•	-	•	-	966
	6/30/2009	15-16	x		-	-	-	•	-	-		518
	6/30/2009	20-21	x			-	-	•		-	-	510
	6/30/2009	25-26	X		-			•				336

( - ) Not Analyzed

## Table 1COG Operating LLCRJU #119EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil !	Status	 ۲	PH (mg/kg)	), 2	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
ID I	Sampled	Depth (ft)	in-Situ	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
AH-2	6/4/2009	0-1	x		3570	2330	5900	7.55	74.1	72.5	101	1250
	6/4/2009	1-1.5	x		4320	2830	7150	9.86	112	105	129	1670
	6/4/2009	2-2.5	x		1120	2370	3490	4.78	94.4	93.5	118	3250
	6/4/2009	3-3.5	x		-	-	-	-	-	-		4760
	6/4/2009	4-4.5	x	-	-	-		-	-	-	-	5240
	6/4/2009	5-5.5	х		-	-	-	-	-	-	-	5740
	6/4/2009	6-6.5	X		-		-	-	•	-	<b>·</b>	5270
<u>SB-5</u>	6/30/2009	3-4	x					<0.0100	<0.0100	<0.0100	<0.0100	2,670
	6/30/2009	5-6	<u>x</u>				-			<u> </u>		1,790
	6/30/2009	8-9	X			<u> </u>		-		-	-	2,950
	6/30/2009	11-12	<u>x</u>		<u> </u>	· ·	-	-	·		-	3,660
	6/30/2009	13-14	<u>x</u>				_	-	. <u>.</u> .	-	•	5,090
	6/30/2009	15-16	<u>x</u>				-	-	-		•	5,090
	6/30/2009	20-21	x		-		-		-	-	•	2,600
	6/30/2009	25-26	X		-	-	-	•				386
	· · · ·							· · · · · · · · · · · · · · · · · · ·		By an and a second seco		
SB-6	6/30/2009	0-1	x			-	-				-	1,380
	6/30/2009	2-3	<u>x</u>		<u> </u>		-		-		-	10,200
	6/30/2009	5-6	X				-	-	-	· · ·		5,910
	6/30/2009	8-9	X				-	-	•	-	-	6,300
	6/30/2009	11-12	x		-	-	-	-		-	-	2,430
	6/30/2009	13-14	x				-	-	-	-		1,850
	6/30/2009	15-16	X			•	-	-		-	<u> </u>	436
	6/30/2009	20-21	X		-	-		-	-	-		421
	6/30/2009	25-26	х		-	-	-	-		-		389
	6/30/2009	30-31	x			-	4	•	•			<200

(-) Not Analyzed

# Table 1COG Operating LLCRJU #119EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil S	Status	. ( <b>). T</b>	PH (mg/kg)	)``	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
ID 😓	Sampled	Depth (ft)	In-Situ	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
AH-1	6/4/2009	0-1	x		6910	766	7676	<0.0500	2.80	22.2	34.9	1520
	6/4/2009	1-1.5	x		4140	1130	5270	-	-	-		1690
	6/4/2009	2-2.5	x		<50.0	21.0	21.0	-	-	-	-	675
	6/4/2009	3-3.5	x		-	-	-	-	·	-		1280
	6/4/2009	4-4.5	X			-	-		-		-	1440
	6/4/2009	5-5.5	x		•	-	-		•		<b>۔</b>	1450
	6/4/2009	6-6.5	x			-	· ·	· · ·		· · ·		994
SB-7	6/30/2009	5-6	x		-	-	•				-	6,230
	6/30/2009	8-9	X		-	-	-	-	•	-	•	4,100
	6/30/2009	11-12	_ X_		-	-	-	•	•	-	-	3,180
	6/30/2009	13-14	х		-	•	-	-	-	-	_	1,820
	6/30/2009	15-16	х		-	-	-	-	-	-	•	1,590
	6/30/2009	20-21	x		•	-	-		•	-	-	1,180
	6/30/2009	25-26	x		-	-	-	-	-	-	-	952
	6/30/2009	30-31	x		-		-	-	<u> </u>	·	-	309
	- 13 - <b>283</b> 33										· · · ·	
SB-8	6/30/2009	0-1	x		-	-	-	-	-	-	-	10,700
	6/30/2009	2-3	x		-	-	_	· · ·	-	-	-	3,980
	6/30/2009	5-6	x		-	-	-	-	-	-	-	3,120
	6/30/2009	8-9	х		-	•		- 1	*		•	3,390
	6/30/2009	11-12	x		-	_	-	- 1	-	-	•	3,130
	6/30/2009	13-14	X		-	-	-	-	-	-	-	4,020
	6/30/2009	15-16	x		-	-	_	-	-	-	-	5,120
	6/30/2009	20-21	x		-	•		-	•	-	-	4,480
	6/30/2009	25-26	x		_	-	-	-	•		-	275
	6/30/2009	30-31	x		•	•		· · ·		•		310

(-) Not Analyzed

# Table 1COG Operating LLCRJU #119EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil S	Status 🚶 🥍	्र हे।	PH (mg/kg		Benzene	Toluene	Ethlybenzene	Xylene	Chloride
ÎD Î	Sampled 😥	Depth (ft)	In-Situ	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
AH-6	6/4/2009	0-1	x		<50.0	<1.00	<50.0	-	-	-	-	6750
	6/4/2009	1-1.5	X		-	-	-	-	-	•	-	8750
	6/4/2009	2-2.5	x		-	-	-	-	-	-	-	1180
	6/4/2009	3-3.5	x		-	-	-	_	-	-	-	1120
	6/4/2009	4-4.5	x		-	-	-		-	-	-	3710
	6/4/2009	5-5.5	x		-	-		-		-		2850
	6/4/2009	6-6.5	x			-	-	-	•	-		2540
SB-9	6/30/2009	5-6	x						<u> </u>		-	2,080
	6/30/2009	8-9	x			-	-	-	-	-		3,030
	6/30/2009	11-12	x			-		_		-	-	3,150
	6/30/2009	13-14	x		-	-				-	-	2,370
	6/30/2009	15-16	x			-	-	•	-	-	-	2,260
	6/30/2009	20-21	X		-	-	-	-	-	-	-	5,250
	6/30/2009	25-26	x		-	-	-	-	-	_	-	838
	6/30/2009	30-31	х		-	-	-	-	-	-	-	486
	1 - A			3, - :		÷ ، ۲				n - A	1. 4. A.	
SB-10	6/30/2009	0-1	x		-	-	-	•	-	-	-	<200
	6/30/2009	2-3	X		-		-	-	-	_	-	527
	6/30/2009	5-6	X			-	-	-	-	-	-	1,150
	6/30/2009	8-9	x		-	-	-	•		-		2,360
	6/30/2009	11-12	X		<u> </u>	-	-	-	<u> </u>	-	-	9,190
	6/30/2009	13-14	x		<u> </u>		<u> </u>	-		-	-	7,050
	6/30/2009	15-16	<u>x</u>			-						4,920
	6/30/2009	20-21	x			-	-		<u> </u>		<u> </u>	3,620
	6/30/2009	25-26	x			-		-	·		•	2,140
	6/30/2009	30-31	<u> </u>			-	-	-		-	-	709
	6/30/2009	35-36	X			•	-	-	·			274
		<b> </b>										

(-) Not Analyzed

# Table 1COG Operating LLCRJU #119EDDY COUNTY, NEW MEXICO

Sample S	Date Sampled	Sample Depth (ft)	Soll :	Status Removed	DRO	CPH (mg/kg) GRO	Total ···	Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Chloride (mg/kg)
AH-7	6/4/2009	0-1	x		<50.0	6.14	6.14	-	-	-	-	8240
	6/4/2009	1-1.5	X		-		-	•	-	-	-	6460
	6/4/2009	2-2.5	x									9000
	6/4/2009	3-3.5	x	ļ								9310
SB-11	6/30/2009	5-6	x		-	-	-	-		-	-	3,820
	6/30/2009	8-9	x			-	-	-	-	-	-	4,030
	6/30/2009	11-12	x					-		-		9,070
	6/30/2009	13-14	X		-	-	-	-	-	-	-	4,930
	6/30/2009	15-16	x		-	-	-	•	-	-	-	3,750
	6/30/2009	20-21	х		-	-	-	-	-	-	-	1,330
	6/30/2009	25-26	x				-	-		-	-	310
	6/30/2009	30-31	X		- 1	-	-	-	-	-	-	284

( - ) Not Analyzed

•

.

#### Table 2 COG Operating LLC RJU #121 EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil S	Status	·	TPH (mg/kg	). L (M	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
ार्ट हो 😳 🖓	Sampled	Depth (ft)	🗄 İn-Situ 🎸	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	Chionde
SB-1	1/20/10	0-1'	X		<50.0	<1.00	<50.0	<0.0100	<0.0100	<0.0100	<0.0100	781
		2-3'	X		-	-	-	•	-	-	-	2,660
		4-5'	X		*	-	-	-	-	-	-	10,700
		6-7'	X		-	•	-	-	-	-	-	9,960
		10-11'	X		-	-	-	-	-	-	-	6,070
		15-16'	X		-	-	-		-	-	-	1,860
		20-21'	X		-	-	-			-	-	1,100
······································		25-26'	X		-	-	-		-	-	-	<200
		30-31'	X		-	-	-	-	-	-	-	<200
t inf	5	· · · · ·			~`		· · · · · · · · · · · · · · · · · · ·	1997 - 1997 1997 - 1997			12 14 17 15	* * ev e
SB-2	1/20/10	0-1'	X		332	177	509	<0.0500	0.0509	0.272	2.04	2,780
		2-3'	Х		-	-	-	-	-	-	-	1,040
		4-5'	X		-	-	-	-	-	-	-	1,400
	· · · · ·	6-7'	X		-	-	-	-	-	-	-	1,210
		10-11'	X		-	-	-	-	-	-	•	3,910
		15-16'	X		-	-	-	-	-	-	•	5,550
		20-21'	X		-	-		-	-	-	-	2,580
_		25-26'	X		-	-	-		-	-	-	968
		30-31'	X		-	-	-	-	-	-	-	718
		40-41'	X		•	-	-	-	-	-	-	<200

.

#### Table 2 COG Operating LLC RJU #121 EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil	Status 🗸		TPH (mg/kg	)	Benzene	Toluene	Êthlybenzene	Xylene	Chloride
ID 🖄	Sampled	Depth (ft)	In-Situ 🔎	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	Cillonde
SB-3	1/20/10	0-1'	X		<50.0	<1.00	<50.0	-	-	-	-	2,240
		2-3'	X		-	-	-	-	e	-	+	1,190
		4-5'	X		-	-	•	· ·	-	-	*	4,570
		6-7'	Х		-	-	-	-	-	-	-	6,010
		10-11'	X		-	-	-	-	-	-	-	3,600
		15-16'	X		-	-	_	-		-	-	3,790
		20-21'	X		-	-	-	•	-	-	-	1,570
		25-26'	X		-		-	-	~	-	-	2,260
		30-31'	X		-	-	+	•	-	-	•	5,310
SB-3	4/20/10	20'	X		+	-	-	-	•	-	-	2,400
		25'	X		-	-	-	-	-	-	-	2,380
		30'	X		-	-	•	•	-	-	-	2,210
		35'	X		-	-	-	-	-	-	-	3,590
		40'	X		-	-	-	-	-	-	+	1,900
		45'	x		-	•	-	-	*	-	-	631
		50'	X		-	-	-	-		-	-	1,360
		55'	X		-	-	-	-	-	-	-	336
		60'	X		-	-	-	-	-	-	**	306
		65'	X		-	-	-	-	-	-	-	519
		70'	X		-	-	-	-	-	-		<200

2
### Table 2 COG Operating LLC RJU #121 EDDY COUNTY, NEW MEXICO

Sample	Date	Sample 👘	👘 🔅 Soil S	Status	*	TPH (mg/kg	) R. 2	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
ers ID y	Sampled	Depth (ft)	In-Situ	Removed	DRÓ	🖄 GRO 🕾	Total	े (mg/kg)	(mg/kg)	(mg/kg)	· (mg/kg)	
SB-4	1/20/10	0-1'	X		<50.0	<1.00	<50.0	<0.0100	<0.0100	<0.0100	<0.0100	6,120
		2-3'	X		•	-	-	-	-	-	-	2,720
		4-5'	Х		-	-	-	-	-	-	- -	. 3,840
		6-7'	X		-	-	-	-	-	-	•	3,320
		10-11'	X		-	-	-	-	-	-	-	4,130
	-	15-16'	Х		-	-	-	-	-	-	-	2,330
		20-21'	X		-	-	-		-	-	-	2,680
		25-26'	Х		-	-	-	-	-	-	-	2,250
		30-31'	X		•	-	-	-	-	-	-	1,850
												·••···
SB-4	4/20/10	20'	X		-	-	-	-	-	-	-	1,440
		25'	X		-	-	-	•	-	-	-	1,260
		30'	Х		-	-	-	-	-	-	-	586
		35'	X		-	-	-	-	•	-	-	631
		40'	X		-	-	-	-	-	-	-	<200
		45'	X		-	-	-	-	-	-	-	<200
	<u></u>		No. 1940		÷.	5 ( <sup>0</sup> 2		÷.	Ň.			1 . S. 120
SB-5	1/20/10	0-1'	Х		<50.0	<1.00	<50.0	-	-	-	-	729
		2-3'	Х		-	-	-	-	-	-	-	1,290
	1	4-5'	X		-	•	-	-	-	-	-	2,170
		6-7'	X		-	-	-	-	+	-		2,190
		10-11'	Х		-	-	÷	-	-	-	-	343
		15-16'	Х		-	-	-	-	-	-	-	<200
	T	20-21'	X		-	-	-	-	-	-	-	213

•

### Table 2 COG Operating LLC RJU #121 EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil S	Status	3	TPH (mg/kg	)	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
iD	Sampled	Depth (ft)	ln-Sitù ⊳∕	Removed	DRO	GRO	Total	(mg/kg)	(mg/kg)	ື່ (mg/kg)	(mg/kg)	
SB-6	1/20/10	0-1'	X		<50.0	<1.00	<50.0	<0.0100	<0.0100	<0.0100	<0.0100	659
		2-3'	X		-	-	-	-	-	-	-	737
		4-5'	X		-	-		-	-	-	-	1,870
		6-7'	X		-	-	-	-	-		_	1,640
		10-11'	X		-	-	-	-	-	-	•	<200
		15-16'	X		-	-	-	-	-	- 1	-	222
		20-21'	X		-	-	-	-	•	-	-	202
						\$						1 . C . M
SB-7	1/20/10	0-1'	X		<50.0	<1.00	<50.0	-	-	- 1	-	716
		2-3'	X		-	-	-	-	-	-	-	1,850
		4-5'	X		•	-	-	-	-	· ·	-	2,000
		6-7'	X		-	-	-	-	-	-	-	2,050
		10-11'	X		-	-	-	-	-	-	-	2,840
		15-16'	X		-	-	-	-	-	- 1		1,430
		20-21'	X		-	-	-	-	-	-	•	1,150
				· · · · · · · · · · · · · · · · · · ·								
SB-7	4/20/10	10'	X		-	•	-	-	-	- 1	•	2,180
		15'	X		-	-	•	-	-	-	-	1,110
		20'	X		-	-	-	-	-	· ·	-	1,150
		25'	X		-	-	-	-	-	-	-	340
		30'	X		-	-	-	-	-	-	-	<200

### Table 2 COG Operating LLC RJU #121 EDDY COUNTY, NEW MEXICO

Sample	Date 🚲	Sample	soil Soil S	Status		TPH (mg/kg	) (2)	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
Sample ID	Sampled	Depth (ft)	In-Situ	Removed	X DRO	GRO	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	CIIIOIIUE
SB-8	1/20/10	0-1'	Х		1510	<5.00	1510	<0.0100	<0.0100	<0.0100	<0.0100	1,610
		2-3'	Х		-	-	-	-	-	-	-	3,160
		4-5'	X		-	-	-	-	-	-	-	4,500
		6-7'	Х		-	-	-	-	•	-	-	5,390
		10-11'	х		-	-	-	-	-	-	-	4,190
		15-16'	x		-	-	-	-	-	-	-	1,550
		20-21'	Х			-	-	-	-	-	-	678
				3		n and a second s	1	S.			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
SB-9	1/20/10	0-1'	Х		<50.0	<1.00	<50.0	-	-	-	-	1,540
		2-3'	Х		-	-	-	-	-	-	-	1,630
		4-5'	X		-	-	-	-	-	-	-	3,390
		6-7'	Х		-	-	-	-	-	-	-	3,600
		10-11'	X		•	-	-	-	-	-	-	2,680
		15-16'	X		-	-	-	-	-	-	-	5,110
		20-21'	X		-	-	-	-	-	-	-	3,430
		25-26'	X		-	-	-	-	-	-	-	682
		30-31'	Х		-	-	-	-	-		-	941
		40-41'	X			-	-	-	•	-		1,410
SB-9	4/20/10	30'	X				<u> </u>	-				<200
		35'	X					_				<200
		40'	<u> </u>									207
		45'	<u> </u>		•	-	-	-	-	-	-	<200

•

### Table 2 COG Operating LLC RJU #121 EDDY COUNTY, NEW MEXICO

Sample	Date	Sample	Soil 8	Status	· · · · ·	TPH (mg/kg	)	Benzene	Toluene	Ethlybenzene	Xylene	Chloride
ID	Sampled	Depth (ft)	In-Situ	Removed	DRO (	GRO 🗟	Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
SB-10	1/20/10	0-1'	X		<50.0	<1.00	<50.0	-	**	-	-	<200
		2-3'	X		-	•	-	-	-	-	-	<200
		4-5'	X		-	•	-	-	-	-	-	707
		6-7'	X		-	-	-		-	-	-	1,700
		10-11'	X		-	-	-	-	-	-	-	759
		15-16'	X		-	-	-	-	-	-	-	258
		20-21'	X		-	-	-	-	-	-	-	253
						14 C	20 <b>- 1</b> 0/1		× · · · · ·		24224	
SB-11	1/20/10	0-1'	X		<50.0	<1.00	<50.0	-	-	-	_	409
		2-3'	X		-	-	-	-	-	-	-	574
		4-5'	X		-	-	-	-	-	-	-	3,910
		6-7'	X		•	-	-	-	-	· _	-	8,000
		10-11'	X		-	-	-	-	-	-	-	248
		15-16'	X		-	-	-	-	-	-	-	306
		20-21'	X			-	-	-	-	-	-	311

(-) Not Analyzed

.

# Table 3COG Operating LLCRJU #119 and RJU #110 (#121) Spill DataEddy County, New Mexico

Area	Sample	Date 🔌	Sample	Soil S	tatus	Chloride
	۱ <b>D</b>	Sampled	Depth (ft)	in-Situ .	Removed	(mg/kg)
\$\$		Spill	#1 Data - RJU	#119		
AREA 1	AH-7	6/4/2009	0-1	X		8240
	2) / AFT	6/4/2009	1,-1.5	S X	2	6460
		6/4/2009	2-2.5	X	- <sup>1</sup> 2	9000
		6/4/2009	3-3.5	N		9310
	ž.	9109 (Sec. 1)		2000 - Contract - Cont		
	SB-11	6/30/2009	5-6	. : X		3,820
		6/30/2009	8-9	x	. 10/103	4,030
		6/30/2009	11-12	χ χ		9,070
	비 저 같이	6/30/2009	13-14	§ € X		4,930
		6/30/2009	15-16	×		3,750
		6/30/2009	20-21	x		1,330
		6/30/2009	25-26	x		310
		6/30/2009	30-31	x		284

(-) Not Analyzed

Propose Excavation Depths

.

# Table 3COG Operating LLCRJU #119 and RJU #110 (#121) Spill DataEddy County, New Mexico

Area	Sample	Date	Sample	Soil S	tatus	Chloride	° 3	Sample	Date	Sample	Chloride
	⇔ ID	Sampled	Depth (ft)	In-Situ 🦂	Removed	(mg/kg)		ID II	Sampled	Depth (ft)	(mg/kg)
		Spill	#1 Data - RJU	#119 🧞 🕅 👘	Si	6. <b>1</b> . 1		🐁 🐮 Spl	II #2 Data - F		
AREA 2	AH-5	6/4/2009	0-1	X		1170		SB-9	1/20/10	., <b>0-1'</b>	1,540
		6/4/2009	1-1.5	x		412			1/20/10	<i>ु</i> ं 2-3'	1,630
		6/4/2009	2-2.5	x		535			2 1/20/10	<sup>21</sup> 4-5'	3,390
		6/4/2009	<u>3-3.5</u>	X		638			1/20/10	6-7	<b>3,6</b> 00
		6/4/2009	4-4. <u>5</u>	x		1160			1/20/10	10-11	2,680
		6/4/2009	<u>5-5.5</u>	x		937		· 20	1/20/10	.ə. <b>.15-16</b>	5,110
		6/4/2009	6-6.5	x		927			1/20/10	20-21'	3,430
		6/4/2009	7-7. <u>5</u>	x		1380			1/20/10	25-26'	682
		6/4/2009	<u>8-8.5</u>	x		1100			1/20/10	30-31'	941
									1/20/10	40-41'	1,410
	SB-1	6/30/2009	5-6	x		1,190					
		6/30/2009	8-9	x		1,630		SB-9	4/20/10	30'	<200
		6/30/2009	11-12	x		6,240			4/20/10	35'	<200
		6/30/2009	13-14	x		2,760			4/20/10	40'	207
		6/30/2009	15-1 <u>6</u>	x		4,210			4/20/10	45'	<200
		6/30/2009	20-21	x		1,870					
		6/30/2009	25-26	x		1,290					
		6/30/2009	30-31	x		706					
		6/30/2009	35-36	x		406					

(-) Not Analyzed

Propose Excavation Depths

# Table 3COG Operating LLCRJU #119 and RJU #110 (#121) Spill DataEddy County, New Mexico

Area	Sample	Date	Sample	Soil S	tatus	Chloride	Sample	🦢 Date 🖗	Sample	Chloride
Area	ID 🔄	Sampled	Depth (ft)	in-Situ	Removed	(mg/kg)	D 🗞		Depth (ft)	(mg/kg)
		6. h. d	#1 Data - RJU	119	i i 🎄 🐁		Sp	III #2 Data - F	₹JU #110) (4	
AREA 3	AH-4	6/4/2009	0-1	x		5390	SB-8	🎉 "1/20/10	0-1' 🎼	1,610
		6/4/2009	1-1.5	X		5570		1/20/10	2-3	3,160
		6/4/2009	2-2.5	x		8120		1/20/10	4-5	<sup>°</sup> 4,500
		6/4/2009	3-3.5	x		3280		1/20/10 🖄	6-7	5,390
		6/4/2009	4-4.5	х		2740	\$963.4 1.19	1/20/10	<sup>10-11'</sup>	4,190 🔬
		6/4/2009	5-5.5	х		2710		1/20/10	15-16'	1,550
								1/20/10	20-21'	678
	SB-2	6/30/2009	5-6	X		3,990				
		6/30/2009	8-9	x		3,290				
		6/30/2009	11-12	x		590				
		6/30/2009	13-14	x		207				
		6/30/2009	15-16	X		<200				

(-) Not Analyzed

Propose Excavation Depths

# Table 3COG Operating LLCRJU #119 and RJU #110 (#121) Spill DataEddy County, New Mexico

Area	Sample	Date 🐴	🕂 Sample 🏅	Soil S	itatus 👌	Chioride	· .	Sample	.Date	Sample	Chloride 🖇
	ID	Sampled	Depth (ft)	In-Situ	Removed	(mg/kg)		iD 🕻	Sampled	Depth (ft)	(mg/kg)
		Spill	#1 Dáta - RJU	#119 🖹 🚰 🕷				Sp Sp	III #2 Data - F	IJU #110) (#	
AREA 4	AH-3	6/4/2009	0-1	x		2330		SB-7	1/20/10	0-1'	716
		6/4/2009	1-1.5	x		799			1/20/10	2-3	1,850
		6/4/2009	2-2.5	x		468			1/20/10	4-5	2,000
		6/4/2009	3-3.5	x		1350			1/20/10	6-7	2,050
		6/4/2009	4-4.5	x		2490		141 - E	1/20/10	<u>:</u> 10-11	2,840
		6/4/2009	5-5.5	x		3540			1/20/10	15-16'	1,430
		6/4/2009	6-6.5	x		4080			1/20/10	20-21'	1,150
									·····		
	SB-3	6/30/2009	5-6	X		1,430		SB-7	4/20/10	10'	2,180
		6/30/2009	8-9	x		2,880			4/20/10	15'	1,110
		6/30/2009	11-12	x		2,820			4/20/10	20'	1,150
		6/30/2009	13-14	x		2,250			4/20/10	25'	340
		6/30/2009	15-16	x		1,980			4/20/10	30'	<200
		6/30/2009	20-21	x		993					
		6/30/2009	25-26	x		<200					
	<u> </u>							<u> </u>			
				İ							

(-) Not Analyzed

Propose Excavation Depths

•

#### Table 3 COG Operating LLC RJU #119 and RJU #110 (#121) Spill Data Eddy County, New Mexico

Area	Sample	Date	Sample 📜	Soil S	1	Chloride	Sample	Date 👌	Sample	Chloride
5 (m.) 1996 -		Sampled	Depth (ft)	S In-Situ	Removed	(mg/kg)	 Se ID	Sampled 3		
7 <b>1</b> 1	i de la companya de la companya de la companya de la companya de la companya de la companya de la companya de l	Spili	#1 Data - RJU	¥119 – 🐍 🐰			 Spl	II #2 Data - R		121)
AREA 5	SB-6	6/30/2009	0-1	x		1,380	SB-1	្វ 1/20/10 🎪	0-1'	781
		6/30/2009	2-3	x		10,200	 14 M	1/20/10	§ 2-3'	2,660
		6/30/2009	5-6	x		5,910		1/20/10	🖏 4-5' 🔮	10,700
		6/30/2009	8-9	<b>X</b> -		6,300	100 - 100	1/20/10	6-7'	9,960 👌
		6/30/2009	11-12	x		2,430		1/20/10	10-11	6,070 🖉
		6/30/2009	13-14	x		1,850		1/20/10	15-16'	1,860
		6/30/2009	15-16	x		436		1/20/10	20-21'	1,100
		6/30/2009	20-21	x		421		1/20/10	25-26'	<200
		6/30/2009	25-26	x		389		1/20/10	30-31'	<200
		6/30/2009	30-31	x		<200				
					1					

(-) Not Analyzed

Propose Excavation Depths

# Table 3COG Operating LLCRJU #119 and RJU #110 (#121) Spill DataEddy County, New Mexico

Area	Sample	Date	Sample	Soil Status	Chloride	C. Q.	Sample	Date	Sample	Chloride
	Sec ID <sup>SS</sup>	Sampled	Depth (ft)	In-Situ Removed	(mg/kg)	5 - 5 - 5 (%	ÎD.	Sampled	Depth (ft)	(mg/kg)
	<u>}``</u>	Spill	#1 Data - RJU	#119 🔬 🔌				II #2 Data - R	JU #110) (#	121)
AREA 6	AH-2	6/4/2009	0-1	X	1250		SB-2	1/20/10	0-1' 🖄	2,780
		6/4/2009	1-1.5	x	1670			1/20/10	2-3	៍ 1,040 ្
		6/4/2009	2-2.5	X	3250	liner	Ú.	1/20/10	4-5	. 1,400 😥
		6/4/2009	3-3.5	х	4760	address of summer	、 () () () () () () () () () () () () ()	1/20/10	6-7	1,210
		6/4/2009	4-4.5	X	5240			1/20/10	10-11	3,910
		6/4/2009	5-5.5	X	5740			1/20/10	15-16'	5,550
		6/4/2009	6-6.5	x	5270			1/20/10	20-21'	2,580
								1/20/10	25-26'	968
	SB-5	6/30/2009	3-4	X	2,670			1/20/10	30-31'	718
		6/30/2009	5-6	X	1,790			1/20/10	40-41'	<200
		6/30/2009	8-9	X	2,950					
		6/30/2009	11-12	x	3,660					
liner		6/30/2009	13-14	X	5,090					
		6/30/2009	15-16	x	5,090					
		6/30/2009	20-21	x	2,600					
		6/30/2009	25-26	X	386					

(-) Not Analyzed

Propose Excavation Depths

### Table 3 COG Operating LLC RJU #119 and RJU #110 (#121) Spill Data Eddy County, New Mexico

Area	Sample	Date	Sample	Soil S	tatus 😳 👘	Chioride
	ID,	Sampled 🦂	Depth (ft)	in-Situ	Removed	(mg/kg)
		Spill	#1 <sup>®</sup> Data - RJU	#119: 23		
AREA 7	SB-4	6/30/2009	0-1	<b>X</b> X		1,070
-	Republican Constraints	6/30/2009	2-3	X	( <b>)</b>	: 1,520
		6/30/2009	5-6 🔝	x	50	1,390
		6/30/2009	8-9	x		1,860
		6/30/2009	11-12	x		1,790
<u>.</u>		6/30/2009	13-14	x		966
		6/30/2009	15-16	х		518
		6/30/2009	20-21	x		510
		6/30/2009	25-26	x		336

(-) Not Analyzed Propose Excavation Depths

### Table 3 COG Operating LLC RJU #119 and RJU #121 Spill Data Eddy County, New Mexico

Area	Sample	Date	Sample	Soils	tatus	Chloride
	is siD s	Sampled	Depth (ft) 👙	🖄 in-Situ 📄	Removed	(mg/kg)
	3 - K. A.	and the state is	Data - RJU #11			Şeşteri.
AREA 8	SB-3	1/20/10	0-1'	X		2,240
		1/20/10	2-3'	×	í í	1,190
liner	·	1/20/10	4-5'	,Χ		4,570
		1/20/10 🛴	6-7	<u></u>		6;010
		1/20/10	10-11	X	S. 8 35.	3,600
	1	1/20/10	15-16'	х		3,790
		1/20/10	20-21'	х		1,570
		1/20/10	25-26'	Х		2,260
		1/20/10	30-31'	X		5,310
						•
	SB-3	4/20/10	20'	Х		2,400
		4/20/10	25'	Х		2,380
		4/20/10	30'	X		2,210
		4/20/10	35'	X		3,590
		4/20/10	40'	X		1,900
		4/20/10	45'	x		631
		4/20/10	50'	X		1,360
		4/20/10	55'	X		336
		4/20/10	60'	X		306
		4/20/10	65'	X		519
		4/20/10	70'	X		<200

(-) Not Analyzed

Propose Excavation Depths

# Table 3COG Operating LLCRJU #119 and RJU #110 (#121) Spill DataEddy County, New Mexico

Area	Sample	Date	Sample 👔	Soll St	atus	Chloride		Sample	Date 🔅	Sample	Chloride
· · · · ·	ID .	Sampled	Depth (ft)	In-Situ	Removed	(mg/kg)		ID 🚬	Sampled	Depth (ft)	(mg/kg)
	i Sta	Spill	#1 Data - RJU (	¥119 👌 🍐 🎽				Spl	III #2 Data - F	RJU <sup>°</sup> #110) (#	121) 👘
AREA 9	AH-1	6/4/2009	0-1	x		1520		<u>SB-4</u>	1/20/10	0-1'	6,120
		6/4/2009	1-1.5	x		1690			1/20/10	2-3'	2,720
		6/4/2009	2-2.5	x		675	liner		1/20/10	<b>4-5</b> ° ~;	3,840
		6/4/2009	3-3.5	x		1280		1948 - A. A. A. A. A. A. A. A. A. A. A. A. A.	1/20/10	6-7	3,320
		6/4/2009	4-4.5	X		1440		24 5	1/20/10	20-11'	4,130
		6/4/2009	5-5.5	x		1450			1/20/10	15-16'	2,330
		6/4/2009	6-6.5	x		994			1/20/10	20-21'	2,680
									1/20/10	25-26'	2,250
	SB-7	6/30/2009	5-6	X		6,230			1/20/10	30-31'	1,850
		6/30/2009	8-9	х		4,100					
		6/30/2009	11-12	x		3,180		SB-4	4/20/10	20'	1,440
		6/30/2009	13-14	x		1,820			4/20/10	25'	1,260
		6/30/2009	15-16	Х		1,590			4/20/10	30'	586
		6/30/2009	20-21	x		1,180			4/20/10	35'	631
		6/30/2009	25-26	x		952			4/20/10	40'	<200
		6/30/2009	30-31	x		309			4/20/10	45'	<200
								1			
					<u></u>			1	<u> </u>		

(-) Not Analyzed

Propose Excavation Depths

### Table 3 COG Operating LLC RJU #119 and RJU #110 (#121) Spill Data Eddy County, New Mexico

Area	Sample	Date	Sample 🤞	🖗 🕺 Śoil S	tatus 🛛 🔅 👘	Chloride
	<	Sampled	Depth (ft)	🌾 In-Situ	Removed	ັ (mg/kg) 💈
	<b>NN</b> 24		l #1 Data - RJU	#119		÷ 3
AREA 10	SB-8	6/30/2009	0-1	x X		10,700
		6/30/2009	2-3	and X		3,980
liner		6/30/2009	5-6	🕅 🖹 🗶		3,120
		6/30/2009	8-9	x		3,390
		6/30/2009	11-12	<u>x</u>		3,130
		6/30/2009	13-14	x		4,020
		6/30/2009	15-16	x		5,120
		6/30/2009	20-21	x		4,480
		6/30/2009	25-26	x		275
		6/30/2009	30-31	X		310

(-) Not Analyzed

Propose Excavation Depths

# Table 3COG Operating LLCRJU #119 and RJU #110 (#121) Spill DataEddy County, New Mexico

Area	Sample	j	Sample	Soil S	tatus	Chloride
	ID	Sampled	Depth (ft)	∭. ∭in <del>,</del> Situ⊗	Removed	(mg/kg)
		. Spill	#1 Data - RJU	#119		,
AREA 11	AH-6	6/4/2009	i → 0 <del>,</del> 1	<b>X</b>		6750
		6/4/2009	à. Ì.i.⊧1-1.5	`x∛ ∛	16 <b>6</b> . (s.	≽_8750
	* ***	6/4/2009	2-2.5	、 X <sup>2 3</sup>		1180
	1	6/4/2009	3-3.5	∗ X		1120
Liner		6/4/2009	4-4.5	x X	1 4	3710
		6/4/2009	5-5.5	x		2850
		6/4/2009	6-6.5	x		2540
	SB-9	6/30/2009	5-6	x		2,080
		6/30/2009	8-9	_X		3,030
		6/30/2009	11-12	x		3,150
		6/30/2009	13-14	X		2,370
-		6/30/2009	15-16	x		2,260
		6/30/2009	20-21	x		5,250
		6/30/2009	25-26	x		838
		6/30/2009	30-31	x		486

(-) Not Analyzed

53

Propose Excavation Depths

Ø

.

### Table 3 COG Operating LLC RJU #119 and RJU #110 (#121) Spill Data Eddy County, New Mexico

.

Area	Sample	Date	Sample	Soil S	tatus,	Chloride
	ID .	Sampled &	Depth (ft)	🙈 In-Situ 🦄	Removed	(mg/kg)
x			#1 Data RJU	#119	Se V	·
AREA 12	SB-10 🖓	6/30/2009	0-1 🐩	X		<200
liner		6/30/2009	2-3	👔 🗙		527
		6/30/2009	5-6	<sup>48</sup> .∦ <b>x</b>		<b>%1,150</b>
		6/30/2009	8-9	x		2,360
	<i>*</i>	6/30/2009	1.1-12	x		9,190
		6/30/2009	13-14	x		7,050
		6/30/2009	15-16	x		4,920
		6/30/2009	20-21	x		3,620
		6/30/2009	25-26	x		2,140
		6/30/2009	30-31	x		709
		6/30/2009	35-36	x		274

(-) Not Analyzed

Propose Excavation Depths

Propose Liner Installation

**Released to Imaging: 2/24/2023 10:14:23 AM** 

#### Table 3 COG Operating LLC RJU #119 and RJU #110 (#121) Spill Data Eddy County, New Mexico

Area 🔄 💡	Sample	Date	Sample 🔌	🖏 Soil S	tatus .	Chloride
	<u>id 10</u>		Depth (ft)	🔄 In-Situ 🚿	Removed	(mg/kg)
<u> </u>	، م <sup>ی</sup> ر	🦄 Spill #2	Data - RJU #110	0) (#121) 🍇 🐁		1 (N. 47
AREA 13	SB-5	1/20/10	0-1*	X	× .	729
			2-3'	X	Å	1,290
		記録がいいう	. 4-5'	X X		2,170
	1. <b>1</b> .		6-7	X 💖 🖞		2,190
			10-11'	X		343
			15-16'	x		<200
			20-21'	X		213
		<u> </u>				
AREA 14	SB-6	1/20/10	0-1	, X	j (j. j.	659
		·	2-3	. C.S. X	. :	737
			4-5'	A		1,870
			6-7'	X		1,640
			10-1 <b>1</b> '	x		<200
			15-16'	x	<u>,</u>	222
			20-21'	x		202

(-) Not Analyzed

Propose Excavation Depths

Propose Liner Installation

**Released to Imaging: 2/24/2023 10:14:23 AM** 

### Table 3 COG Operating LLC RJU #119 and RJU #121 Spill Data **Eddy County, New Mexico**

Area	Sample	Date	ší Sample	Sóil S	tatus	Chloride
	ID	Sampled	Depth (ft)	🦷 In-Situ	Removed	(mg/kg)
2 2 2 3 3 4		al 5	Data - RJU #11	0) (#121)		
AREA 15	SB-10	1/20/10	0-1'	x		<200
		1/20/10	2-3'	x		<200
		1/20/10	4-5'	X		707
		1/20/10	6-7'	x		1,700
		1/20/10	10-11'	X		759
		1/20/10	15-16'	х		258
		1/20/10	20-21'	Х		253
						8.1: 8.1:
AREA 16	SB-11	1/20/10	0-1	<b>X</b>	n terrer en en en en en en en en en en en en en	409
		1/20/10	2-3	X	2777 2727	574
		1/20/10	4-5'	X		3,910
		1/20/10	6-7	X	ti kan bikan	8,000
		1/20/10	10-11'	x		248
		1/20/10	15-16'	x		306
		1/20/10	20-21'	X		311

.

(-) Not Analyzed Propose Excavation Depths



١,







### APPENDIX D NMOCD and BLM Correspondence

### Bratcher, Mike, EMNRD

From:	Bratcher, Mike, EMNRD
Sent:	Thursday, August 12, 2010 10:17 AM
To:	'Tavarez, İke'; 'Pat Ellis'
Cc:	Terry Gregston (terry_gregston@nm.blm.gov)
Subject:	RE: COG - Work Plan - RJU #119 and RJU #110(#121)

Reference: COG Operating \* RJ Unit 119 \* 30-015-03146 \* Release date – 5/30/2009 COG Operating \* RJ Unit 110 \* 30-015-03152 \* Release date – 10/23/2009

The remediation proposal for cleanup of produced fluid releases at the above referenced sites is approved with the following conditions:

- Notify OCD District 2 Office 48 hours prior to commencement of remedial activities.
- In the event the project requires further sampling, notify OCD 48 hours prior to obtaining samples where the analyses will be submitted to OCD.
- Notify OCD 48 hours prior to installation of caps/liners.
- Plastic liners should be domed in such a manner as to facilitate run off of any downward migrating fluids.
- No portions of any liner or cap is to be closer than 4' (four feet) to original surface grade. (Minimum 4' cover on top of liners BLM has requested liners be installed at base of excavations.)
- Submit a Final Report Form C-141 and closure report upon satisfactory completion of project.
- Like approval by BLM as may be applicable.

Be advised that OCD approval of this proposal does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, please contact me.

### Mike Bratcher

NMOCD DISTRICT 2 1301 W. GRAND AVE. ART FSIA, NM 88210 575-748-1283 EX J.108 mike.bratcher@state.nm.us

From: Tavarez, Ike [mailto:Ike.Tavarez@tetratech.com]
Sent: Tuesday, August 10, 2010 12:30 PM
To: Bratcher, Mike, EMNRD
Cc: Terry Gregston (terry\_gregston@nm.blm.gov)
Subject: COG - Work Plan - RJU #119 and RJU #110(#121)

Mike,

Here is the work plan for the COG - RJU #119 and RJU #110 located in Eddy County, New Mexico. On June 4, 2010, we met in your office to discuss the results and depths of the proposed work plan. I checked project file and noted the work plan had not been submitted for you final review. Can you review and let me know if you have any questions. On approved, we like to start the remediation as soon as possible. Thanks

Ike Tavarez, PG Senior Project Manager

Main: 432 682 4559 [ Lax, 432 682 3946 | Cell, 432 425 3878

#### Ike Tavarez@tetratech.com

Tetra Tech Complex World, Clear Solutions "\*

1910 North Big Spring Midland, TX 79705 | www.tetratech.com

TLEASE NOTE: This message including any attachments, may include privileged, confidential and/or inside information. Any distribution of use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the conder by replying to this message and then collete a from your system.

### Bratcher, Mike, EMNRD

From:Terry\_Gregston@blm.govSent:Wednesday, August 11, 2010 2:26 PMTo:Tavarez, IkeCc:Bratcher, Mike, EMNRDSubject:Re: COG - Work Plan - RJU #119 and RJU #110(#121)

lke,

We have reviewed your work plans and find them suitable for execution with the exception that we spoke about yesterday on the phone. The BLM prefers that the liner is installed as deep as possible. So instead of putting clean fill on top of contaminated soils, then installing a liner, and then putting four feet of clean fill on top of the liner, we would prefer that the liner sits on top of the contaminated soils as a barrier between the contaminated soils and all clean soils above it. The exception to this is in cases where is best to 'level out the liner' in cases where there is too great a step down between different parts of the excavation. In such cases, you can level prior to installation of the liner if necessary. But if level is achieved at 10' or 6', install the liner at 10 feet or six feet below surface, as close to the contamination layer as possible. That way you have a good six to ten feet of clean fill on top of it, which allows for a much greater root zone, soil moisture retention, and erosion protection of the installed liner.

Pending like approval from the OCD, you are authorized to proceed with cleanup as soon as possible.

Terry Gregston Environmental Protection Specialist Bureau of Land Management 620 E. Greene St. Carlsbad, NM 88220 Office (575) 234-5958 Fax (575) 234-5927

"Tavarez, lke" <lke.tavarez@tetratech.com< th=""><th></th><th></th><th></th><th></th><th></th></lke.tavarez@tetratech.com<>					
	"Tavarez.	ike" <	ke.Tavare	z@tetratech	.com>

08/10/2010 12.30 PM

To "Mike Bratcher (<u>mbratcher@state nm.us</u>)" <<u>mbratcher@state nm us</u>> cc "Terry Gregston (<u>terry\_gregston@nm blm gov</u>)" <<u>terry\_gregston@nm blm gov</u>> Subject COG - Work Plan - RJU #119 and RJU #110(#121)

Mike,

Here is the work plan for the COG - RJU #119 and RJU #110 located in Eddy County, New Mexico. On June 4, 2010, we met in your office to discuss the results and depths of the proposed work plan. I checked project file and noted the work plan had not been submitted for you final review. Can you review and let me know if you have any questions. On approved, we like to start the remediation as soon as possible. Thanks

Ike Tavarez, PG. Senior Project Manager

Mari (432)682 4559 [Plax (452)682 3940 [ Cell (432)425 3878

#### Ike Tavarez@tetratech.com

Tetra Leon, Complex World, Cicar Solations \*

1910 North Big Spring Micland, TY 79705 | www.tetratech.com

PLEASE NOTE. This message, including any attachments, may include privilaged, confidential anc/or inside information. Any distribution or use of this communication by anyone other than the mended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

[attachment "COG - RJU Figure 1 and 2.pdf" deleted by Terry G Gregston/CFO/NM/BLM/DOI] [attachment "COG - RJU Table .pdf" deleted by Terry G Gregston/CFO/NM/BLM/DOI] [attachment "COG - RJU Work Plan DOC.pdf" deleted by Terry G Gregston/CFO/NM/BLM/DOI] [attachment "COG - RJU Figures 3,4,5 and 6.pdf" deleted by Terry G Gregston/CFO/NM/BLM/DOI]

**Released to Imaging: 2/24/2023 10:14:23 AM** 

### APPENDIX E Aerial Imagery



August 2009





March 2016



December 2019

### APPENDIX F Photographic Documentation







District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	76908
	Action Type:
	[C-141] Release Corrective Action (C-141)
CONDITIONS	·

#### CONDITIONS

Created By		Condition Date
amaxwell	None	2/24/2023

Page 71 of 71

Action 76908