### MANLEY GAS TESTING, INC.

P.O. DRAWER 193 OFFICE(432)367-3024

FAX(432)367-1166

ODESSA, TEXAS 79760 E-MAIL: MANLEYGAST@AOL.COM

CHARGE..... 150 - 0

REC. NO. .... 20 TEST NUMBER.. 25524 DATE SAMPLED..... 11-17-22 DATE RUN...... 11-18-22 EFFEC. DATE..... 12-01-22

STATION NO. ... 06112001

PRODUCER ..... DURANGO MIDSTREAM

SAMPLE NAME.... LOCO HILLS INLET

TYPE: SPOT

RECEIVED FROM.. FRONTIER FIELD SERVICES LLC - MALJAMAR

FLOWING PRESSURE .....

38.0 PSIA

FLOWING TEMPERATURE ..... 6

65 F

SAMPLED BY:

DD

CYLINDER NO. ...

# FRACTIONAL ANALYSIS CALCULATED @ 14.650 PSIA AND 60F

|                  | MUL%    | (REAL)                                  |                           |
|------------------|---------|---|---------------------------|
| HYDROGEN SULFIDE | 0.300   | (************************************** |                           |
| NITROGEN         | 3.039   |   |                           |
| CARBON DIOXIDE   | _0.500  |   |                           |
| METHANE          | 71.987  | 2 452                                   | 1136 PDW/ 3000            |
| ETHANE           | 12.933  | 3.453                                   | H2S PPMV = 3000           |
| PROPANE          | 6.643   | 1.827                                   |                           |
| ISO-BUTANE       | 0.835   | 0.273                                   |                           |
| NOR-BUTANE       | 1.985   | 0.625                                   |                           |
| ISO-PENTANE      | 0.487   | 0.178                                   | 'Z' FACTOR (DRY) = 0.9959 |
| NOR-PENTANE      | 0.460   | 0.167                                   | 'Z' FACTOR (WET) = 0.9955 |
| HEXANES +        | 0.831   | 0.363                                   |                           |
| IIL/MILD         |         |   | CALC. MOL. WT. $= 22.63$  |
| TOTALS           | 100 000 | 6.886                                   |                           |
| IVIALS           | 200.000 | 4.000                                   |                           |

..CALCULATED SPECIFIC GRAVITIES..

..CALCULATED GROSS HEATING VALUES...

REAL, DRY ..... 0.7845

BTU/CF - REAL, DRY .... 1296

REAL, WET .... 0.7820

BTU/CF - REAL, WET .... 1274

DISTRIBUTION AND REMARKS:

N

ANALYZED BY: JT

\*\* R \*\*

~ HE ~

APPROVED:

### MANLEY GAS TESTING INC. 120 DOCK ROAD - ODESSA, TEXAS-432-367-3024

### A SAMPLE OF 06112001/06511003 LOCO HILLS INLET & FLARE GAS

CADILARY RYMNNON

CAPILLARY EXTENDED C-6+ ANALYSIS (NORMALIZED TO 100%)

(NORMALIZED TO 100%) PAGE NO. 1

| COMPONENT  | MOL%   | WT%    |  |
|--|--------|--------|--|
| NEOHEXANE  | 0.501  | 0.406  |  |
| NEOHEXANE  | 1.032  | 0.729  |  |
| 2MPENTANE  | 3.649  | 2.962  |  |
| 3MPENTANE  | 2.121  | 1.722  |  |
| AT TIPVAMP   | E 274  | 4.282  |  |
| 2,2 DMPENTANE  MCYCLOPENTANE  2,4 DMPENTANE  2,2,3 TMBUTANE  BENZENE  3,3 DMPENTANE  CYCLOHEXANE                             | 0.205  | 0.194  |  |
| MCYCLOPENTANE  | 3.014  | 2.390  |  |
| 2,4 DMPENTANE  | 0.000  | 0.000  |  |
| 2,2,3 TMBUTANE   | 0.097  | 0.092  |  |
| BENZENE  | 1.132  | 0.833  |  |
| 3,3 DMPENTANE  | 0.138  | 0.130  |  |
| CYCLOHEXANE  | 5.248  | 4.161  |  |
| 2MHEXANE   | 2.134  | 2.014  |  |
| 2,3 DMPENTANE  | 0.896  | 0.845  |  |
| 3MHEXANE   | 2.307  | 2.177  |  |
| DIMCYCPENTANES (GROUPED)   | 2.617  | 2.419  |  |
| N-HEPTANE  | 5.343  | 5.043  |  |
| MCYCLOHEXANE   | 11.504 | 10.639 |  |
| 2,2DMHEXANE  | 1.336  | 1.437  |  |
| 2,3,3TMPENTANE   | 0.000  | 0.000  |  |
| TOLUENE  | 4.683  | 4.065  |  |
| 2,3 DMPENTANE  3MHEXANE  DIMCYCPENTANES(GROUPED)  N-HEPTANE  MCYCLOHEXANE  2,2DMHEXANE  2,3,3TMPENTANE  TOLUENE  2,3DMHEXANE | 0.642  | 0.690  |  |
| 2M3EPENTANE  | 0.000  | 0.000  |  |
| 2MHEPTANE  | 5.315  | 5.719  |  |
| 4MHEPTANE  | 0.000  | 0.000  |  |
| 3,4DMHEXANE  | 0.294  | 0.317  |  |
| 3MHEPTANE  | 3.490  | 3.755  |  |
| TRIMCYCPENTANES (GROUPED)  | 0.293  | 0.310  |  |
| DIMCYCHEXANES (GROUPED)  | 4.685  | 4.951  |  |
| N-OCTANE   | 4.160  | 4.476  |  |
| 2,3,5TRIMHEXANE  | 0.082  | 0.099  |  |
| 2,2,4TRIMHEXANE  | 0.696  | 0.841  |  |
| 2,2DIMHEPTANE  | 0.060  | 0.072  |  |
| 2,2,3TRIMHEXANE<br>2,5DIMHEPTANE<br>I-NONANE   | 0.180  | 0.217  |  |
| 2,5DIMHEPTANE  | 0.000  | 0.000  |  |
| I-NONANE   | 0.000  | 0.000  |  |
| 2,4DIMHEPTANE  | 0.000  | 0.000  |  |
| E-CYCHEXANE  | 1.992  | 2.105  |  |
| 3,3DIMHEPTANE  | 0.697  | 0.842  |  |
| 2,6DIMHEPTANE  | 0.253  | 0.305  |  |
| E-BENZENE  | 0.611  | 0.611  |  |
| 2,3DIMHEPTANE  | 0.000  | 0.000  |  |
| M-XYLENE   | 2.880  | 2.880  |  |
| P-XYLENE   | 1.362  | 1.362  |  |
| 3,4DIMHEPTANE  | 0.903  | 1.091  |  |
| SEREFTANE  | 0.174  | 0.210  |  |

### MANLEY GAS TESTING INC. 120 DOCK ROAD - ODESSA, TEXAS-432-367-3024

A SAMPLE OF 06112001/06511003 LOCO HILLS INLET & FLARE GAS

\_\_\_\_\_\_

CAPILLARY EXTENDED C-6+ ANALYSIS (NORMALIZED TO 100%)

PAGE NO. 2

| COMPONENT   | MOL%  | WT%  |    |
|---|---|--|----|
| 4MOCTANE 3MOCTANE O-XYLENE IC4CYCPENTANE N-NONANE I-DECANE 1E1MCYC6 IC3BENZENE 2,3DMOCTANE 3EOCTANE NC4CYCC6 NC3BENZENE M+P E-TOLUENE O-E-TOLUENE | 0.182<br>1.161<br>0.000<br>1.341<br>0.146<br>0.507<br>0.757<br>2.638<br>3.043<br>0.000<br>0.514 | 0.651<br>0.220<br>1.161<br>0.000<br>1.619<br>0.196<br>0.603<br>0.857<br>3.536<br>4.079<br>0.000<br>0.582<br>0.473<br>0.822 |    |
| O-E-TOLUENE 2,2DMOCTANE TERTBUTYLBENZENE 1,3,5TMBENZENE 3,6DMOCTANE IC4BENZENE N-DECANE   | 1.083<br>1.251  | 1.450<br>0.445<br>0.498<br>1.452<br>1.581<br>1.308   |    |
| UNKNOWN C-6'S  UNKNOWN C-7'S  UNKNOWN C-8'S  UNKNOWN C-9'S  UNK C10'S THRU C14'S  UNK C15'S THRU C16'S  UNK C17'S THRU C20'S                      | 0.000<br>0.000<br>0.067<br>0.619<br>0.158<br>0.000  | 0.000<br>0.000<br>0.072<br>0.748<br>0.254<br>0.000   |    |
|   |   | 100.000  | == |

COMPONENT GROUPINGS (PARAFFINS-NAPTHENES-AROMATICS)

|  | MOL%   | WT%   | * C6+ CHARACTERIZATION   |
|--|--|---|--|
| TOTAL C-6'S  TOTAL C-7'S  TOTAL C-8'S  TOTAL C-9'S  TOTAL C-10'S  TOTAL C-11 THRU C-14  TOTAL C-15 THRU C-16  TOTAL C-17 THRU C-20 | 29.924<br>28.288<br>9.088<br>10.571<br>0.158<br>0.000<br>0.000 | 17.485<br>27.618<br>29.846<br>10.750<br>14.047<br>0.254<br>0.000<br>0.000 | MOL.WEIGHT = 106.169<br>SP.GRAVITY = 3.6657<br>BTU/FT3(DRY) = 5662.299<br>BTU/FT3(WET) = 5564.652<br>CU.FT./GAL = 22.261<br>GAL/CU.FT. = 0.044923<br>MOL% C6+ AROMATICS = 16.287 |
|  | ========   | ========  |  |

### **Substituted Flare Volumes**

### **Data Entry - New Mexico Flaring - Flare Event Indicators**

Report Run Date:

| Date                | BKU MSCF | LOCO HILLS MSCF | N Pen MSCF |
|---------------------|----------|-----------------|------------|
| 04/06/2023 12:00 AM | 152.08   | 17.92           | 91.14      |
| 04/06/2023 1:00 AM  | 127.59   | 48.58           | 92.64      |
| 04/06/2023 2:00 AM  | 33.37    | 64.4            | 91.57      |
| 04/06/2023 3:00 AM  | 0        | 22.87           | 91.73      |
| 04/06/2023 4:00 AM  | 0        | 0               | 92.64      |
| 04/06/2023 5:00 AM  | 0        | 0               | 93.76      |
| 04/06/2023 6:00 AM  | 0        | 0               | 88.34      |
| 04/06/2023 7:00 AM  | 16.9     | 0               | 81.06      |
| 04/06/2023 8:00 AM  | 29.02    | 28.57           | 72.88      |
| 04/06/2023 9:00 AM  | 23.36    | 61.3            | 69.68      |
| 04/06/2023 10:00 AM | 67.18    | 86              | 29.21      |
| 04/06/2023 11:00 AM | 56.41    | 50.4            | 0          |
| 04/06/2023 12:00 PM | 27.49    | 46.02           | 0          |
| 04/06/2023 1:00 PM  | 0        | 0               | 0          |
| 04/06/2023 2:00 PM  | 0        | 0               | 0          |
| 04/06/2023 3:00 PM  | 7.68     | 0               | 0          |
| 04/06/2023 4:00 PM  | 0        | 0               | 0          |
| 04/06/2023 5:00 PM  | 0        | 0               | 0          |
| 04/06/2023 6:00 PM  | 0        | 0               | 0          |
| 04/06/2023 7:00 PM  | 0        | 0               | 0          |
| 04/06/2023 8:00 PM  | 0        | 0               | 0          |
| 04/06/2023 9:00 PM  | 0        | 0               | 0          |
| 04/06/2023 10:00 PM | 0        | 0               | 0          |
| 04/06/2023 11:00 PM | 0        | 0               | 0          |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

DEFINITIONS

Action 205267

#### **DEFINITIONS**

| Operator:                    | OGRID:                                 |
|------------------------------|--|
| FRONTIER FIELD SERVICES, LLC | 221115                                 |
| 10077 Grogans Mill Rd.       | Action Number:                         |
| The Woodlands, TX 77380      | 205267                                 |
|                              | Action Type:                           |
|                              | [C-129] Venting and/or Flaring (C-129) |

#### **DEFINITIONS**

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 205267

| Phone:(505) 476-3470 Fax:(505) 476-3462  |                                   |   |
|--|-----------------------------------|---|
|  | UESTIONS                          | <del>,</del>  |
| Operator: FRONTIER FIELD SERVICES, LLC   |                                   | OGRID: 221115   |
| 10077 Grogans Mill Rd.   |                                   | Action Number:  |
| The Woodlands, TX 77380  |                                   | 205267  |
|  |                                   | Action Type: [C-129] Venting and/or Flaring (C-129)       |
| QUESTIONS  |                                   |   |
| Prerequisites  |                                   |   |
| Any messages presented in this section, will prevent submission of this application. Please resolve  | these issues before continuing wi | ith the rest of the questions.                            |
| Incident Well  | Unavailable.                      |   |
| Incident Facility  | [fAPP2123032733] Loco H           | Hills Compressor Station                                  |
| Determination of Reporting Requirements  |                                   |   |
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers a   | nd mav provide addional quidance  | 3   |
| Was this vent or flare caused by an emergency or malfunction   | No                                |   |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event   | Yes                               |   |
| Is this considered a submission for a vent or flare event  | Yes, minor venting and/or         | flaring of natural gas.                                   |
| An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v   |                                   |   |
| Was there at least 50 MCF of natural gas vented and/or flared during this event  | Yes                               | y De a major of minor foreact and of the feet of the feet |
| Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely  |                                   |   |
| flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No                                |   |
| Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence             | No                                |   |
|  | <u> </u>                          |   |
| Equipment Involved   |                                   |   |
| Primary Equipment Involved   | Not answered.                     |   |
|  |                                   |   |
|  |                                   |   |
| Additional details for Equipment Involved. Please specify  | Not answered.                     |   |
|  |                                   |   |
|  |                                   |   |
|  |                                   |   |
| Representative Compositional Analysis of Vented or Flared Natural Gas  |                                   |   |
| Please provide the mole percent for the percentage questions in this group.  | T 70                              |   |
| Methane (CH4) percentage   | 72                                |   |
| Nitrogen (N2) percentage, if greater than one percent  | 3                                 |   |
| Hydrogen Sulfide (H2S) PPM, rounded up   | 0                                 |   |
| Carbon Dioxide (C02) percentage, if greater than one percent   | 1                                 |   |
| Oxygen (02) percentage, if greater than one percent  | 0                                 |   |
| If you are venting and/or flaring because of Pipeline Specification, please provide the required spec  | ifications for each gas.          |   |
| Methane (CH4) percentage quality requirement   | Not answered.                     |   |
| Nitrogen (N2) percentage quality requirement   | Not answered.                     |   |
| Hydrogen Sufide (H2S) PPM quality requirement  | Not answered.                     |   |
| Carbon Dioxide (C02) percentage quality requirement  | Not answered.                     |   |

Not answered.

Oxygen (02) percentage quality requirement

QUESTIONS, Page 2

Action 205267

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

**QUESTIONS** (continued)

| Operator: FRONTIER FIELD SERVICES, LLC   | OGRID: 221115  |
|--|--|
| 10077 Grogans Mill Rd.   | Action Number:   |
| The Woodlands, TX 77380  | 205267 Action Type:  |
|  | [C-129] Venting and/or Flaring (C-129)   |
| QUESTIONS  |  |
| Date(s) and Time(s)  |  |
| Date vent or flare was discovered or commenced   | 04/10/2023   |
| Time vent or flare was discovered or commenced   | 07:00 AM   |
| Time vent or flare was terminated  | 12:00 PM   |
| Cumulative hours during this event   | 9  |
| Measured or Estimated Volume of Vented or Flared Natural Gas   |  |
| Natural Gas Vented (Mcf) Details   | Not answered.  |
| Natural Gas Flared (Mcf) Details   | Cause: High Line Pressure   Pipeline (Any)   Natural Gas Flared   Released: 426 Mcf   Recovered: 0 Mcf   Lost: 426 Mcf.  |
| Other Released Details   | Not answered.  |
| Additional details for Measured or Estimated Volume(s). Please specify   | Not answered.  |
| Is this a gas only submission (i.e. only significant Mcf values reported)  | Yes, according to supplied volumes this appears to be a "gas only" report.   |
| Venting or Flaring Resulting from Downstream Activity  |  |
|  |  |
| Was this vent or flare a result of downstream activity   | No .   |
| Was notification of downstream activity received by this operator  Downstream OGRID that should have notified this operator      | Not answered.  |
| Date notified of downstream activity requiring this vent or flare  | Not answered.  Not answered.   |
| Time notified of downstream activity requiring this vent or flare  | Not answered.  |
| into nomine of control cash, requiring the following   | Not allowered.   |
| Steps and Actions to Prevent Waste   |  |
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control. | True   |
| Please explain reason for why this event was beyond this operator's control  | High line pressures caused equipment to shutdown for safety purposes and protection of the equipment. Site not manned 24 hours so operator could not provide any immediate solutions |
| Steps taken to limit the duration and magnitude of vent or flare   | Restarted units and resumed normal operations as soon as practical   |
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare  | Equipment shutdowns due to high suction pressure occurs to prevent damage to equipment. Reoccurrence is likely when inlet is pressured up beyond equipment tolerance level.          |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

ACKNOWLEDGMENTS

Action 205267

#### **ACKNOWLEDGMENTS**

| Operator:                    | OGRID:                                 |
|------------------------------|--|
| FRONTIER FIELD SERVICES, LLC | 221115                                 |
| 10077 Grogans Mill Rd.       | Action Number:                         |
| The Woodlands, TX 77380      | 205267                                 |
|                              | Action Type:                           |
|                              | [C-129] Venting and/or Flaring (C-129) |

#### **ACKNOWLEDGMENTS**

| $\overline{\lor}$ | I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be <b>a complete</b> C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.  |
|-------------------|---|
| >                 | I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively. |
| V                 | I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.  |
| V                 | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.                       |
| <b>V</b>          | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.  |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 205267

#### **CONDITIONS**

| Operator:                    | OGRID:                                 |
|------------------------------|--|
| FRONTIER FIELD SERVICES, LLC | 221115                                 |
| 10077 Grogans Mill Rd.       | Action Number:                         |
| The Woodlands, TX 77380      | 205267                                 |
|                              | Action Type:                           |
|                              | [C-129] Venting and/or Flaring (C-129) |

#### CONDITIONS

| Created<br>By |  | Condition<br>Date |
|---------------|--|-------------------|
| mtaylor       | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 4/10/2023         |