MANLEY GAS TESTING, INC.

P.O. DRAWER 193 OFFICE(432)367-3024

FAX(432)367-1166

ODESSA, TEXAS 79760 E-MAIL: MANLEYGAST@AOL.COM

150 - 0 CHARGE.... REC. NO. TEST NUMBER..

25467

DATE SAMPLED..... 10-31-22 DATE RUN..... 11-03-22

EFFEC. DATE..... 11-01-22

STATION NO. ... 06512999

PRODUCER DURANGO MIDSTREAM

SPOT TYPE: SAMPLE NAME.... LOBO INLET

RECEIVED FROM.. FRONTIER FIELD SERVICES LLC - MALJAMAR

FLOWING TEMPERATURE 61 F FLOWING PRESSURE 48.0 PSIA

CYLINDER NO. ... DD SAMPLED BY:

FRACTIONAL ANALYSIS CALCULATED @ 14.650 PSIA AND 60F

| | MOL% | GPM | |
|--|-----------------------------------|----------------------------------|--|
| | | (REAL) | |
| HYDROGEN SULFIDE NITROGEN CARBON DIOXIDE METHANE | 0.160 2.708 1.139 70.292 | | |
| ETHANE PROPANE ISO-BUTANE | 13.985 6.958 0.838 | 3.735 1.914 0.274 0.631 | H2S PPMV = 1600 |
| NOR-BUTANE ISO-PENTANE NOR-PENTANE | 2.002 0.502 0.505 | 0.184 0.183 | 'Z' FACTOR (DRY) = 0.9958 'Z' FACTOR (WET) = 0.9954 |
| HEXANES + | 0.911 | 0.397 7.318 | CALC. MOL. WT. $= 23.09$ |
| TOTALS | 100.000 | , | |

..CALCULATED SPECIFIC GRAVITIES..

..CALCULATED GROSS HEATING VALUES...

REAL, DRY 0.8002

.... 1314 BTU/CF - REAL, DRY

..... 0.7975 REAL, WET

.... 1291 BTU/CF - REAL, WET

DISTRIBUTION AND REMARKS:

- Released to Imaging: 4/12/2023 8:31:34 AM -

ANALYZED BY: JT ** R **

APPROVED:

MANLEY GAS TESTING INC. 120 DOCK ROAD - ODESSA, TEXAS-432-367-3024

A SAMPLE OF LOBO INLET 10-31-22

CAPILLARY EXTENDED C-6+ ANALYSIS (NORMALIZED TO 100%)

(NORMALIZED TO 100%) PAGE NO. 1

| | | v.m.o | |
|--|----------------|---------|--|
| COMPONENT | MOL% | WT% | |
| | | | |
| NEOHEXANE | 0.352 | 0.332 | |
| NEUNEAANE | 5.271 | 4.335 | |
| 2,3DMC4+CYC5 2MPENTANE | 11.638 | 10.997 | |
| SMACHINE | 7.130 | 6.737 | |
| 3MPENTANE | 15.453 | 14.609 | |
| N-HEAANE | 0 179 | 0.196 | |
| 2,2 DMPENTANE | 11 947 | 11.025 | |
| MCYCLOPENTANE | 0.000 | 0.000 | |
| 2,4 DMPENTANE 2,2,3 TMBUTANE | 0.000 | 0.054 | |
| Z,Z,3 TMBUIANE | 4 211 | 3.607 | |
| BENZENE | 0.032 | 0.035 | |
| 3,3 DMPENTANE | 7.986 | 7.370 | |
| CIVCLOHEXAND | 1.500 | 3.059 | |
| 2MHEXANE | 1 100 | 1.208 | |
| 2,3 DMPENTANE | 1.830 | 2.011 | |
| SMHEXANE | 1.050 | 4.380 | |
| DIMCYCPENTANES (GROUPED) N-HEPTANE | 3.988 | 4.381 | |
| N-HEPTANE | 7.296 | 7.855 | |
| MCYCLOHEXANE | 0.431 | 0.539 | |
| 2,2DMHEXANE | 0.431 | 0.000 | |
| 2,3,3TMPENTANE | 5 185 | 5.239 | |
| 2,2DMHEXANE 2,3,3TMPENTANE TOLUENE 2,3DMHEXANE 2,3DMHEXANE 2M3EPENTANE 2MHEPTANE 4MHEPTANE 3,4DMHEXANE | 0.103 | 0.123 | |
| 2,3DMHEXANE | 0.098 | 0.051 | |
| ZM3EPENTANE | 1 381 | 1.729 | |
| ZMHEPTANE | 0.082 | 0.103 | |
| 4MHEPTANE | 0.002 | 0.823 | |
| 3,4DMHEXANE | 0.657 | 0.823 | |
| TRIMCYCPENTANES (GROUPED) | | 0.118 | |
| TRIMCYCPENTANES (GROUPED) | 0.037 | 1.126 | |
| DIMCYCHEXANES (GROUPED) | 1.140 | 1.428 | |
| N-OCTANE | 0.065 | 0.091 | |
| 2 3 STRIMHEXANE | 0.000 | 0.184 | |
| 2,2,4TRIMHEXANE | 0.131 | 0.036 | |
| 2,2DIMHEPTANE | 0.026 | 0.038 | |
| 2,2,3TRIMHEXANE | 0.048 | 0.000 | |
| 2,5DIMHEPTANE | 0.000 | 0.000 | |
| I-NONANE | 0.000 | 0.015 | |
| 2,4DIMHEPTANE | 0.011 | 0.166 | |
| E-CYCHEXANE | 0.135 | 0.100 | |
| 3,3DIMHEPTANE | 0.054 | 0.077 | |
| 2,6DIMHEPTANE | 0.015 | 0.021 | |
| E-BENZENE | 0.032 | 0.037 | |
| 2,3DIMHEPTANE | 0.014 | 0.020 | |
| M-XYLENE | 0.233 0.073 | 0.085 | |
| P-XYLENE | | 0.094 | |
| 3,4DIMHEPTANE | 0.067 0.086 | 0.121 | |
| 3EHEPTANE | 0.000 | V. 121 | |

MANLEY GAS TESTING INC. 120 DOCK ROAD - ODESSA, TEXAS-432-367-3024

A SAMPLE OF LOBO INLET 10-31-22 CAPILLARY EXTENDED C-6+ ANALYSIS PAGE NO. 2 (NORMALIZED TO 100%) WT% MOL % COMPONENT _____ 0.121 0.086 4MOCTANE 0.056 0.040 3MOCTANE 0.054 0.046 O-XYLENE 0.033 0.024 IC4CYCPENTANE 0.263 0.187 N-NONANE 0.069 0.044 T-DECANE 0.046 0.033 1E1MCYC6 0.118 0.090 IC3BENZENE 0.383 0.246 1.054 0.676 0.061 0.040 0.163 0.124 0.291 0.221 0.203 0.154 0.242 0.155 0.044 0.030 0.041 0.031 0.000 0.000 0.259 0.176 0.286 0.183 N-DECANE UNKNOWN C-6'S UNKNOWN C-7'S 0.000 0.000 0.000 0.000 0.033 UNKNOWN C-8'S 0.026 0.452 UNKNOWN C-9'S 0.320 0.149 0.080 UNK C15'S THRU C16'S UNK C17'S THRU C20'S UNK C10'S THRU C14'S 0.000 0.000 0.000 0.000 _____ 100.000 100.000 TOTAL COMPONENT GROUPINGS (PARAFFINS-NAPTHENES-AROMATICS) ______ MOL% WT% * C6+ CHARACTERIZATION TOTAL C-6'S 63.988 59.012 MOL.WEIGHT = 91.197
TOTAL C-7'S 26.511 28.418 SP.GRAVITY = 3.1488
TOTAL C-8'S 6.044 7.509 BTU/FT3(DRY) = 4883.680
TOTAL C-9'S 1.827 2.514 BTU/FT3(WET) = 4799.582
TOTAL C-10'S 1.550 2.398 CU.FT./GAL = 25.293 TOTAL C-10'S 1.550
TOTAL C-11 THRU C-14 0.080
TOTAL C-15 THRU C-16 0.000 0.149 GAL/CU.FT. = 0.0395370.000 MOL% C6+ AROMATICS = 10.606 TOTAL C-17 THRU C-20 0.000 0.000 _____ 100.000 100.000

| Date | Lobo (mcf) |
|---------------------|------------|
| 04/11/2023 12:00 AM | 0.00 |
| 04/11/2023 1:00 AM | 0.00 |
| 04/11/2023 2:00 AM | 0.00 |
| 04/11/2023 3:00 AM | 0.00 |
| 04/11/2023 4:00 AM | 0.00 |
| 04/11/2023 5:00 AM | 0.00 |
| 04/11/2023 6:00 AM | 99.69 |
| 04/11/2023 7:00 AM | 192.00 |
| 04/11/2023 8:00 AM | 108.43 |
| 04/11/2023 9:00 AM | 10.13 |
| 04/11/2023 10:00 AM | 0.00 |
| 04/11/2023 11:00 AM | 0.00 |
| 04/11/2023 12:00 PM | 0.00 |
| 04/11/2023 1:00 PM | 0.00 |
| 04/11/2023 2:00 PM | 2.94 |
| 04/11/2023 3:00 PM | 0.00 |
| 04/11/2023 4:00 PM | 0.00 |
| 04/11/2023 5:00 PM | 0.00 |
| 04/11/2023 6:00 PM | 0.00 |
| 04/11/2023 7:00 PM | 0.00 |
| 04/11/2023 8:00 PM | 110.36 |
| 04/11/2023 9:00 PM | 186.40 |
| 04/11/2023 10:00 PM | 195.99 |
| 04/11/2023 11:00 PM | 196.34 |

1,102.28

9

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 206649

DEFINITIONS

| Operator: | OGRID: |
|------------------------------|--|
| FRONTIER FIELD SERVICES, LLC | 221115 |
| 10077 Grogans Mill Rd. | Action Number: |
| The Woodlands, TX 77380 | 206649 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 206649

| Phone:(505) 476-3470 Fax:(505) 476-3462 | | |
|--|--------------------------------------|--|
| Q | UESTIONS | |
| Operator: FRONTIER FIELD SERVICES, LLC | | OGRID: 221115 |
| 10077 Grogans Mill Rd. | | Action Number: |
| The Woodlands, TX 77380 | | 206649 |
| | | Action Type: [C-129] Venting and/or Flaring (C-129) |
| QUESTIONS | | |
| Prerequisites | | |
| Any messages presented in this section, will prevent submission of this application. Please resolve | these issues before continuing w | th the rest of the questions. |
| Incident Well | Unavailable. | |
| Incident Facility | [fAPP2123032826] Lobo | Compressor Station |
| Determination of Reporting Requirements | | |
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers a | nd mav provide addional quidance | 3 |
| Was this vent or flare caused by an emergency or malfunction | No | |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event | Yes | |
| Is this considered a submission for a vent or flare event | Yes, major venting and/or | flaring of natural gas. |
| An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v | renting and/or flaring that is or ma | v be a major or minor release under 19 15 29 7 NMAC |
| Was there at least 50 MCF of natural gas vented and/or flared during this event | Yes | , se a major or minor release ander 10.10.20.7 mino. |
| Did this vent or flare result in the release of ANY liquids (not fully and/or completely | . 55 | |
| flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No | |
| Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence | No | |
| | <u> </u> | |
| Equipment Involved | | |
| Primary Equipment Involved | Gas Compressor Station | |
| | | |
| Additional details for Equipment Involved. Please specify | Not answered. | |
| | | |
| | <u> </u> | |
| Representative Compositional Analysis of Vented or Flared Natural Gas | | |
| Please provide the mole percent for the percentage questions in this group. | | |
| Methane (CH4) percentage | 70 | |
| Nitrogen (N2) percentage, if greater than one percent | 3 | |
| Hydrogen Sulfide (H2S) PPM, rounded up | 0 | |
| Carbon Dioxide (C02) percentage, if greater than one percent | 1 | |
| Oxygen (02) percentage, if greater than one percent | 0 | |
| If you are venting and/or flaring because of Pipeline Specification, please provide the required spec | cifications for each gas. | |
| Methane (CH4) percentage quality requirement | Not answered. | |
| Nitrogen (N2) percentage quality requirement | Not answered. | |
| Hydrogen Sufide (H2S) PPM quality requirement | Not answered. | |
| Carbon Dioxide (C02) percentage quality requirement | Not answered. | |
| | | |

Not answered.

Oxygen (02) percentage quality requirement

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 206649

| QUESTIONS | (continued) | |
|-----------|-------------|--|
|-----------|-------------|--|

| QUESTI | ONS (continued) |
|--|---|
| Operator: FRONTIER FIELD SERVICES, LLC | OGRID: 221115 |
| 10077 Grogans Mill Rd. | Action Number: |
| The Woodlands, TX 77380 | 206649 Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |
| QUESTIONS | |
| Date(s) and Time(s) | |
| Date vent or flare was discovered or commenced | 04/11/2023 |
| Time vent or flare was discovered or commenced | 06:00 AM |
| Time vent or flare was terminated | 11:59 PM |
| Cumulative hours during this event | 9 |
| | |
| Measured or Estimated Volume of Vented or Flared Natural Gas | |
| Natural Gas Vented (Mcf) Details | Not answered. |
| Natural Gas Flared (Mcf) Details | Cause: Repair and Maintenance Gas Compressor Station Natural Gas Flared Released: 1,102 Mcf Recovered: 0 Mcf Lost: 1,102 Mcf. |
| Other Released Details | Not answered. |
| Additional details for Measured or Estimated Volume(s). Please specify | Not answered. |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report. |
| Venting or Flaring Resulting from Downstream Activity | |
| | T |
| Was this vent or flare a result of downstream activity | No |
| Was notification of downstream activity received by this operator Downstream OGRID that should have notified this operator | Not answered. |
| Date notified of downstream activity requiring this vent or flare | Not answered. |
| Time notified of downstream activity requiring this vent or flare | Not answered. Not answered. |
| Time founded of downstream activity requiring this vent of flate | Not answered. |
| Steps and Actions to Prevent Waste | |
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control. | False |
| Please explain reason for why this event was beyond this operator's control | Various unscheduled maintenance/ startup activities. |
| Steps taken to limit the duration and magnitude of vent or flare | Addressed issues and made appropriate corrections. |
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare | Equipment shutdowns occur to prevent further damage to equipment. Corrective measures are to address repairs, if needed, and restart the equipment. |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 206649

ACKNOWLEDGMENTS

| Operator: | OGRID: |
|------------------------------|--|
| FRONTIER FIELD SERVICES, LLC | 221115 |
| 10077 Grogans Mill Rd. | Action Number: |
| The Woodlands, TX 77380 | 206649 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

ACKNOWLEDGMENTS

| V | I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC. |
|---|---|
| V | I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively. |
| V | I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act. |
| V | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment. |
| V | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations. |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 206649

CONDITIONS

| Operator: | OGRID: |
|------------------------------|--|
| FRONTIER FIELD SERVICES, LLC | 221115 |
| 10077 Grogans Mill Rd. | Action Number: |
| The Woodlands, TX 77380 | 206649 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|-------------------|
| remoore | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 4/12/2023 |