# Natural Gas Analysis Report GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

| Sample Name         RED TANK 19 TRAIN 1 CHECK           Technician         ANTHONY DOMINGUEZ           Analyzer Make & Model         INFICON MICRO GC           Last Calibration/Validation Date         15621C           Meter Number         15621C           Air temperature         51           Flow Rate (MCF/Day)         33546.8           Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN, RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File<   |                                  | Sample Information                   |
|--|----------------------------------|--------------------------------------|
| Technician         ANTHONY DOMINGUEZ           Analyzer Make & Model         INFICON MICRO GC           Last Calibration/Validation Date         03-09-2023           Meter Number         15621C           Air temperature         51           Flow Rate (MCF/Day)         33546.8           Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-15-203           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:20:45           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           So   |                                  | Sample Information                   |
| Analyzer Make & Model         INFICON MICRO GC           Last Calibration/Validation Date         03-09-2023           Meter Number         15621C           Air temperature         51           Flow Rate (MCF/Day)         33546.8           Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mt name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           State         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         11f864-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)  |                                  |                                      |
| Last Calibration/Validation Date         03-09-2023           Meter Number         15621C           Air temperature         51           Flow Rate (MCF/Day)         33546.8           Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         39-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         11-6-20:23 OXY GPA C9+ H2S #2.cfgx           Source Data File         411f8fbt-1994a-4571-b497-2656e2ff6a43 <tr< td=""><td> </td><td></td></tr<> |                                  |                                      |
| Meter Number         15621C           Air temperature         51           Flow Rate (MCF/Day)         33546.8           Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         41168b4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)  | •                                |                                      |
| Air temperature         51           Flow Rate (MCF/Day)         33546.8           Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sampled date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:20:45           EZReporter Configuration File         1-16-20:20 XVY GPA C9+ H2S #2.cfgx           Source Data File         411f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Last Calibration/Validation Date | 03-09-2023                           |
| Flow Rate (MCF/Day)         33546.8           Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         41168tb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Meter Number                     | 15621C                               |
| Heat Tracing         HEATED HOSE & GASIFIER           Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:20:45           EZReporter Configuration File         4-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         41118fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)  | Air temperature                  | 51                                   |
| Sample description/mtr name         RED TANK 19 TRAIN 1 CHECK           Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-9-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:20:45           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Flow Rate (MCF/Day)              | 33546.8                              |
| Sampling Method         FILL & EMPTY           Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-9-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         411f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Heat Tracing                     | HEATED HOSE & GASIFIER               |
| Operator         OCCIDENTAL PETROLEUM           State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Sample description/mtr name      | RED TANK 19 TRAIN 1 CHECK            |
| State         NEW MEXICO           Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-9-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)  | Sampling Method                  | FILL & EMPTY                         |
| Region Name         PERMIAN_RESOURCES           Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sample date         3-9-2023           Analyzed date         3-9-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:20:45           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Operator                         | OCCIDENTAL PETROLEUM                 |
| Asset         NEW MEXICO           System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)  | State                            | NEW MEXICO                           |
| System         EAST           FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Region Name                      | PERMIAN_RESOURCES                    |
| FLOC         OP-L2151-BT001           Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Asset                            | NEW MEXICO                           |
| Sample Sub Type         CTB           Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | System                           | EAST                                 |
| Sample Name Type         METER           Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | FLOC                             | OP-L2151-BT001                       |
| Vendor         AKM MEASUREMENT           Cylinder #         1196           Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)  | Sample Sub Type                  | CTB                                  |
| Cylinder #       1196         Sampled by       JONATHAN ALDRICH         Sample date       3-9-2023         Analyzed date       3-15-2023         Method Name       C9         Injection Date       2023-03-15 09:20:44         Report Date       2023-03-15 09:24:54         EZReporter Configuration File       1-16-2023 OXY GPA C9+ H2S #2.cfgx         Source Data File       d11f8fb4-994a-4571-b497-2656e2ff6a43         NGA Phys. Property Data Source       GPA Standard 2145-16 (FPS)   | Sample Name Type                 | METER                                |
| Sampled by         JONATHAN ALDRICH           Sample date         3-9-2023           Analyzed date         3-15-2023           Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)   | Vendor                           | AKM MEASUREMENT                      |
| Sample date       3-9-2023         Analyzed date       3-15-2023         Method Name       C9         Injection Date       2023-03-15 09:20:44         Report Date       2023-03-15 09:24:54         EZReporter Configuration File       1-16-2023 OXY GPA C9+ H2S #2.cfgx         Source Data File       d11f8fb4-994a-4571-b497-2656e2ff6a43         NGA Phys. Property Data Source       GPA Standard 2145-16 (FPS)   | Cylinder #                       | 1196                                 |
| Analyzed date       3-15-2023         Method Name       C9         Injection Date       2023-03-15 09:20:44         Report Date       2023-03-15 09:24:54         EZReporter Configuration File       1-16-2023 OXY GPA C9+ H2S #2.cfgx         Source Data File       d11f8fb4-994a-4571-b497-2656e2ff6a43         NGA Phys. Property Data Source       GPA Standard 2145-16 (FPS)  | Sampled by                       | JONATHAN ALDRICH                     |
| Method Name         C9           Injection Date         2023-03-15 09:20:44           Report Date         2023-03-15 09:24:54           EZReporter Configuration File         1-16-2023 OXY GPA C9+ H2S #2.cfgx           Source Data File         d11f8fb4-994a-4571-b497-2656e2ff6a43           NGA Phys. Property Data Source         GPA Standard 2145-16 (FPS)  | Sample date                      | 3-9-2023                             |
| Injection Date       2023-03-15 09:20:44         Report Date       2023-03-15 09:24:54         EZReporter Configuration File       1-16-2023 OXY GPA C9+ H2S #2.cfgx         Source Data File       d11f8fb4-994a-4571-b497-2656e2ff6a43         NGA Phys. Property Data Source       GPA Standard 2145-16 (FPS)   | Analyzed date                    | 3-15-2023                            |
| Report Date       2023-03-15 09:24:54         EZReporter Configuration File       1-16-2023 OXY GPA C9+ H2S #2.cfgx         Source Data File       d11f8fb4-994a-4571-b497-2656e2ff6a43         NGA Phys. Property Data Source       GPA Standard 2145-16 (FPS)  | Method Name                      | C9                                   |
| EZReporter Configuration File 1-16-2023 OXY GPA C9+ H2S #2.cfgx Source Data File d11f8fb4-994a-4571-b497-2656e2ff6a43 NGA Phys. Property Data Source GPA Standard 2145-16 (FPS)  | Injection Date                   | 2023-03-15 09:20:44                  |
| Source Data File d11f8fb4-994a-4571-b497-2656e2ff6a43  NGA Phys. Property Data Source GPA Standard 2145-16 (FPS)   | Report Date                      | 2023-03-15 09:24:54                  |
| NGA Phys. Property Data Source GPA Standard 2145-16 (FPS)  | EZReporter Configuration File    | 1-16-2023 OXY GPA C9+ H2S #2.cfgx    |
|  | Source Data File                 | d11f8fb4-994a-4571-b497-2656e2ff6a43 |
|  | NGA Phys. Property Data Source   | GPA Standard 2145-16 (FPS)           |
| Data Source INFICON Fusion Connector   | Data Source                      | · ·                                  |

## **Component Results**

| Component<br>Name | Peak<br>Area | Raw<br>Amount | Response<br>Factor | Norm<br>Mole% | Gross HV (Dry)<br>(BTU / Ideal cu.ft.) | Relative Gas<br>Density (Dry) | GPM (Dry)<br>(Gal. / 1000 cu.ft.) |  |
|-------------------|--------------|---------------|--------------------|---------------|--|-------------------------------|-----------------------------------|--|
| Nitrogen          | 37508.4      | 2.1250        | 0.00005665         | 2.1141        | 0.0                                    | 0.02045                       | 0.234                             |  |
| Methane           | 919467.2     | 67.2782       | 0.00007317         | 66.9318       | 677.6                                  | 0.37074                       | 11.401                            |  |
| CO2               | 85135.0      | 4.0159        | 0.00004717         | 3.9953        | 0.0                                    | 0.06071                       | 0.685                             |  |
| Ethane            | 247065.1     | 11.2804       | 0.00004566         | 11.2224       | 199.1                                  | 0.11651                       | 3.016                             |  |
| H2S               | 0.0          | 0.0009        | 0.00000000         | 0.0009        | 0.0                                    | 0.00001                       | 0.000                             |  |
| Propane           | 235085.4     | 7.6721        | 0.00003264         | 7.6327        | 192.5                                  | 0.11621                       | 2.113                             |  |
| iso-butane        | 117681.2     | 1.3121        | 0.00001115         | 1.3053        | 42.5                                   | 0.02619                       | 0.429                             |  |
| n-Butane          | 335053.4     | 3.6979        | 0.00001104         | 3.6789        | 120.3                                  | 0.07383                       | 1.165                             |  |
| iso-pentane       | 100910.5     | 0.9787        | 0.00000970         | 0.9737        | 39.0                                   | 0.02426                       | 0.358                             |  |
| n-Pentane         | 114119.8     | 1.0795        | 0.00000946         | 1.0740        | 43.2                                   | 0.02675                       | 0.391                             |  |
| hexanes           | 76834.0      | 0.5816        | 0.00000757         | 0.5786        | 27.6                                   | 0.01722                       | 0.239                             |  |
| heptanes          | 65218.0      | 0.4030        | 0.00000618         | 0.4010        | 22.1                                   | 0.01387                       | 0.186                             |  |
| octanes           | 16408.0      | 0.0891        | 0.00000543         | 0.0887        | 5.6                                    | 0.00350                       | 0.046                             |  |
| nonanes+          | 587.0        | 0.0026        | 0.00000442         | 0.0026        | 0.2                                    | 0.00012                       | 0.001                             |  |
| Total:            |              | 100.5171      |                    | 100.0000      | 1369.6                                 | 0.87036                       | 20.264                            |  |

## **Results Summary**

| Result                                    | Dry             | Sat. |
|---|-----------------|------|
| Total Un-Normalized Mole%                 | 100.5171        |      |
| Pressure Base (psia)                      | 14.730          |      |
| Temperature Base (Deg. F)                 | 60.00           |      |
| Flowing Temperature (Deg. F)              | 57.0            |      |
| Released in Preseins (p9/4)2/2023 3:40:22 | <i>PM</i> 115.0 |      |

| Received by OCD: %12(3023 3:37:40 PM     | Dry    | Sat.   | Page |
|--|--------|--------|------|
| Gross Heating Value (BTU / Ideal cu.ft.) | 1369.6 | 1345.8 |      |
| Gross Heating Value (BTU / Real cu.ft.)  | 1376.5 | 1353.1 |      |
| Relative Density (G), Real               | 0.8744 | 0.8704 |      |

# **Monitored Parameter Report**

| Parameter                  | Value    | Lower Limit | Upper Limit | Status |  |
|----------------------------|----------|-------------|-------------|--------|--|
| Total un-normalized amount | 100.5171 | 97.0000     | 103.0000    | Pass   |  |

#### **UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM**

Facility: Red Tank 19 CTB Flare Date: 08/12/2023

**Duration of Event:** 40 Minutes **MCF Flared:** 109

Start Time: 05:50 AM End Time: 06:30 AM

Cause: Emergency Flare > Third Party > USA Compression > Red Tank Boo 26 CS > Compression Equipment

Issues

Method of Flared Gas Measurement: Gas Flare Meter

### 1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline compressor station operator, which impacted Oxy's ability to send gas to them. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, Red Tank Boo 26 compressor station, third party owned and operated by USA Compression, has compression equipment issues on their end, which then instigated a sudden and unexpected restriction of gas flow intake on their end, which in turn, prompted Oxy's Red Tank 19 CTB to pressure up automatically and trigger a flaring event to occur. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel from USA Compression personnel. Red Tank Boo 26 compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

### 2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this case, Red Tank Boo 26 compressor station, third party owned and operated by USA Compression, has compression equipment issues on their end, which then instigated a sudden and unexpected restriction of gas flow intake on their end, which in turn, prompted Oxy's Red Tank 19 CTB to pressure up automatically and trigger a flaring event to occur. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel from USA Compression personnel. Red Tank Boo 26 compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel from USA Compression personnel. USA Compression resolved their compression equipment issues, restarted their gas

compressors and flaring ceased. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

# 3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Red Tank Boo 26 compressor station, when possible, during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

DEFINITIONS

Action 264606

#### **DEFINITIONS**

| Operator:             | OGRID:  |
|-----------------------|---|
| OXY USA INC           | 16696   |
| P.O. Box 4294         | Action Number:                                |
| Houston, TX 772104294 | 264606  |
|                       | Action Type:                                  |
|                       | [C-129] Amend Venting and/or Flaring (C-129A) |

#### **DEFINITIONS**

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 264606

| ٥  | UESTIONS  |
|--|---|
| Operator:  | OGRID:  |
| OXY USA INC  | 16696   |
| P.O. Box 4294<br>Houston, TX 772104294   | Action Number: 264606   |
|  | Action Type:  [C-129] Amend Venting and/or Flaring (C-129A)   |
| QUESTIONS  |   |
| Prerequisites  |   |
| Any messages presented in this section, will prevent submission of this application. Please resolve  | these issues before continuing with the rest of the questions.                                      |
| Incident Operator  | [16696] OXY USA INC   |
| Incident Type  | Flare   |
| Incident Status  | Closure Approved  |
| Incident Well  | Unavailable.  |
| Incident Facility  | [fAPP2127031815] RED TANK 19 CTB  |
| Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section   | on) that are assigned to your current operator can be amended with this C-129A application.         |
| Determination of Reporting Requirements  |   |
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers a   | nd may provide addional guidance.   |
| Was this vent or flare caused by an emergency or malfunction   | Yes   |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event   | No  |
| Is this considered a submission for a vent or flare event  | Yes, minor venting and/or flaring of natural gas.   |
| An appropriate shall file a form C 444 instead of a form C 400 for a valence that includes liquid during   | centing and/or flating that is as many be a major as minor salages under 10.15.00.7 NIMAC           |
| An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v  Was there at least 50 MCF of natural gas vented and/or flared during this event  | Yes   |
| Did this vent or flare result in the release of ANY liquids (not fully and/or completely   | 163   |
| flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No  |
| Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence             | No  |
|  |   |
| Equipment Involved   |   |
| Primary Equipment Involved   | Other (Specify)   |
|  |   |
| Additional details for Equipment Involved. Please specify  | Emergency Flare > Third Party > USA Compression > Red Tank Boo 26 CS > Compression Equipment Issues |
|  |   |
| Representative Compositional Analysis of Vented or Flared Natural Gas  |   |
| Please provide the mole percent for the percentage questions in this group.  | I   |
| Methane (CH4) percentage   | 67  |
| Nitrogen (N2) percentage, if greater than one percent  | 2   |
| Hydrogen Sulfide (H2S) PPM, rounded up   | 9   |
| Carbon Dioxide (C02) percentage, if greater than one percent   | 4   |
| Oxygen (02) percentage, if greater than one percent  | 0   |
| If you are venting and/or flaring because of Pipeline Specification, please provide the required spec  | cifications for each gas.   |
| Methane (CH4) percentage quality requirement   | 0   |
| Nitrogen (N2) percentage quality requirement   | 0   |
| Hydrogen Sufide (H2S) PPM quality requirement  | 0   |
| Carbon Dioxide (C02) percentage quality requirement  | 0   |

0

Oxygen (02) percentage quality requirement

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 264606

| QUESTIONS (continued) |        |
|-----------------------|--------|
|                       | OGRID: |

| Operator:             | OGRID:  |
|-----------------------|---|
| OXY USA INC           | 16696   |
| P.O. Box 4294         | Action Number:                                |
| Houston, TX 772104294 | 264606  |
|                       | Action Type:                                  |
|                       | [C-129] Amend Venting and/or Flaring (C-129A) |

#### QUESTIONS

| Date(s) and Time(s)                            |            |  |  |
|--|------------|--|--|
| Date vent or flare was discovered or commenced | 08/12/2023 |  |  |
| Time vent or flare was discovered or commenced | 05:50 AM   |  |  |
| Time vent or flare was terminated              | 06:30 AM   |  |  |
| Cumulative hours during this event             | 1          |  |  |

| Measured or Estimated Volume of Vented or Flared Natural Gas              |   |  |  |  |
|---|---|--|--|--|
| Natural Gas Vented (Mcf) Details  | Not answered.   |  |  |  |
| Natural Gas Flared (Mcf) Details  | Cause: Other   Other (Specify)   Natural Gas Flared   Released: 109 MCF   Recovered: 0 MCF   Lost: 109 MCF. |  |  |  |
| Other Released Details  | Not answered.   |  |  |  |
| Additional details for Measured or Estimated Volume(s). Please specify    | Gas Flare Meter   |  |  |  |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report.                                  |  |  |  |

| Venting or Flaring Resulting from Downstream Activity             |               |  |
|---|---------------|--|
| Was this vent or flare a result of downstream activity            | No            |  |
| Was notification of downstream activity received by this operator | No            |  |
| Downstream OGRID that should have notified this operator          | 0             |  |
| Date notified of downstream activity requiring this vent or flare |               |  |
| Time notified of downstream activity requiring this vent or flare | Not answered. |  |

| Steps and Actions to Prevent Waste  |   |  |  |
|---|---|--|--|
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control | True  |  |  |
| Please explain reason for why this event was beyond this operator's control   | The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline compressor station operator, which impacted Oxy's ability to send gas to them. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, Red Tank Boo 26 compressor station, third party owned and operated by USA Compression, has compression equipment issues on their end, which then instigated a sudden and unexpected restriction of gas flow intake on their end, which in turn, prompted Oxy's Red Tank 19 CTB to pressure up automatically and trigger a flaring event to occur. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel from USA Compression personnel. Red Tank Boo 26 compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible. |  |  |
|   | It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable  |  |  |

| Steps taken to limit the duration and magnitude of vent or flare                  | emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this case, Red Tank Boo 26 compressor station, thirid party owned and operated by USA Compression, has compression equipment issues on their end, which then instigated a sudden and unexpected restriction of gas flow intake on their end, which in turn, prompted Oxy's Red Tank 19 CTB to pressure up automatically and trigger a flaring event to occur. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel from USA Compression personnel. Red Tank Boo 26 compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control. This event could not have been foreseen, avoided or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel from USA Compression personnel. USA Compression resolved their compression equipment issues, restarted their gas compressors and flaring ceased. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible. |
|---|--|
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare | Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Red Tank Boo 26 compressor station, when possible, during these types of circumstances.  |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 264606

#### **ACKNOWLEDGMENTS**

| Operator:             | OGRID:  |
|-----------------------|---|
| OXY USA INC           | 16696   |
| P.O. Box 4294         | Action Number:                                |
| Houston, TX 772104294 | 264606  |
|                       | Action Type:                                  |
|                       | [C-129] Amend Venting and/or Flaring (C-129A) |

#### **ACKNOWLEDGMENTS**

| V  | I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.  |
|----|---|
| V  | I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.   |
| V  | I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.   |
| V. | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment. |
| V  | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.  |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 264606

### **CONDITIONS**

| Operator:             | OGRID:  |
|-----------------------|---|
| OXY USA INC           | 16696   |
| P.O. Box 4294         | Action Number:                                |
| Houston, TX 772104294 | 264606  |
|                       | Action Type:                                  |
|                       | [C-129] Amend Venting and/or Flaring (C-129A) |

#### CONDITIONS

| Created By    |  | Condition<br>Date |
|---------------|--|-------------------|
| shelbyschoepf | If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 9/12/2023         |